

# Department of Environmental Protection

Jeb Bush  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

David B. Struhs  
Secretary

March 18, 2003

Mr. Dilip Surana  
Dryclean USA  
8871 Southwest 24 Street  
Miami, Florida 33165

Re: Facility No.: 0250878-002

Dear Mr. Surana:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on February 13, 2003.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the district or local air program compliance inspector in your area.

Sincerely,

  
for Joseph Kahn, Chief  
Bureau of Air Monitoring  
and Mobile Sources

JK/jw

cc: Ms. Mallika Muthiah, Dade County

"More Protection, Less Process"

Printed on recycled paper.

## Bowman, Sandy

---

**From:** Barros, Marcelo (DERM) [BarroM@miamidade.gov]  
**Sent:** Friday, January 12, 2007 10:20 AM  
**To:** Bowman, Sandy  
**Subject:** FW: Dry Clean USA (ARMS # 0250878)

**Attachments:** SDOC1105.pdf



SDOC1105.pdf  
(451 KB)

Hi Sandy:

Please delete or inactivate Dry Clean USA/ ARMS# 0250878, from the ARMS & GPCI systems (see attached inspection report).

Thanks in advance.

Have a great week end.

Regards

Marcelo.

-----Original Message-----

**From:** Marcelo Barros [mailto:barrom@miamidade.gov]  
**Sent:** Friday, January 12, 2007 11:02 AM  
**To:** Barros, Marcelo (DERM)  
**Subject:**

<<SDOC1105.pdf>> This E-mail includes attached file(s) sent from "RNP6F8396" (Aficio 1075).

Scan Date: 01.12.2007 11:01:48 (-0500)



# PERCHLOROETHYLENE DRY CLEANERS



## COMPLIANCE INSPECTION CHECKLIST

**INSPECTION TYPE:** ANNUAL (INS1, INS2)  COMPLAINT/DISCOVERY (CI)   
 RE-INSPECTION (FUI)  ARMS COMPLAINT NO:

*MB*  
*1/8/07.*

AIRS ID#: 0250878 **DATE:** 1/3/07 **ARRIVE:** 8:45 AM **DEPART:** 9:10 AM  
**FACILITY NAME:** DRYCLEAN USA  
**FACILITY LOCATION:** 8871 SW 24 STREET  
 MIAMI 33165  
**RESPONSIBLE OFFICIAL:** DILIP SURANA **PHONE:** (305)223-1884  
**CONTACT NAME:** **PHONE:**  
**REMITTANCE YEAR:** 2005 **ENTITLEMENT PERIOD:** 3/16/2003 / 3/16/2008  
(effective date) (end date)

**PART I: INSPECTION COMPLIANCE STATUS** (check  only one box)  
 IN COMPLIANCE  MINOR Non-COMPLIANCE  SIGNIFICANT Non-COMPLIANCE

**PART II: FACILITY CLASSIFICATION - Rule 62-213.300 FAC**  
 (check  only one box in A)

A. 1. **Existing small area source**   
 dry-to-dry only,  $x < 140$  gal/yr  
 transfer only,  $x < 200$  gal/yr  
 both types,  $x < 140$  gal/yr  
 (constructed before 12/9/91)

2. **New small area source**   
 dry-to-dry only,  $x < 140$  gal/yr  
 transfer only,  $x < 200$  gal/yr  
 both types,  $x < 140$  gal/yr  
 (constructed on or after 12/9/91)

3. **Existing large area source**   
 dry-to-dry only,  $140 \leq x \leq 2,100$  gal/yr  
 transfer only,  $200 \leq x \leq 1,800$  gal/yr  
 both types,  $140 \leq x \leq 1,800$  gal/yr  
 (constructed before 12/9/91)

4. **New large area source**   
 dry-to-dry only,  $140 \leq x \leq 2,100$  gal/yr  
 transfer only,  $200 \leq x \leq 1,800$  gal/yr  
 both types,  $140 \leq x \leq 1,800$  gal/yr  
 (constructed on or after 12/9/91)

5. **Ineligible for General Permit**   
 drop store/out of business/petroleum  
 facility exceeds above limits

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was \_\_\_\_\_ gallons.

*TA*  
*1/3/07*  
*GPCI*

**PART III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC**

(check  only one box for each question)

Does the responsible official of the dry cleaning facility:

1. Store perc, and wastes containing perc, in tightly sealed & impervious containers?  Yes  No  N/A
2. Examine the containers for leakage? -----  Yes  No  N/A
3. Close and secure machine doors except during loading/unloading? -----  Yes  No
4. Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? -----  Yes  No  N/A
5. Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? -----  Yes  No  N/A

**PART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC**

(Refer to Part II-A.1-4. Classification: page 1 of 4, this form)

1. If the facility classification is a Existing small area source, no controls are required. Proceed to Part V.
2. If the facility classification is a New small area source, the machine should be equipped with a refrigerated condenser. Complete section A. below.
3. If the facility classification is a Existing large area source, the machine should be equipped with either a refrigerated condenser or a carbon adsorber. Complete both sections A and B below. Carbon adsorber must have been installed prior to September 22, 1993
4. If the facility classification is a New large area source, the machine should be equipped with a refrigerated condenser. Complete both sections A and B below.

A. Has the responsible official of all existing large area & new sources:

(check  only one box for each question)

1. Equipped all machines with the appropriate vent controls? -----  Yes  No
2. Equipped dry-to-dry machines with a closed-loop vapor venting system? -----  Yes  No  N/A
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? -----  Yes  No  N/A
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis? -----  Yes  No
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? -----  Yes  No  N/A
6. Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged? -----  Yes  No

**PART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC (continued)**

**B. Does the responsible official of an existing large or new large area source also:**

(check  only one box for each question)

1. Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? -----  Yes  No
2. Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly? -----  Yes  No  N/A
  - a) Is the temperature differential equal to, or greater than 20° F? -----  Yes  No  N/A
3. Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber? -----  Yes  No  N/A
  - a) Is the perc concentration equal to, or less than 100 ppm? -----  Yes  No  N/A
4. Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? -----  Yes  No  N/A
5. Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils? -----  Yes  No  N/A
6. Route airflow to the carbon adsorber (if used) at all times? -----  Yes  No  N/A

**PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC**

**Does the responsible official:**

(check  only one box for each question)

1. Maintain receipts for perc purchased? -----  Yes  No
2. Maintain rolling monthly total of yearly perc consumption? -----  Yes  No
3. Maintain leak detection inspection and repair reports for the following:
  - a) documentation of leaks repaired w/in 24 hrs? or; -----  Yes  No  N/A
  - b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? -----  Yes  No  N/A
4. Maintain calibration data? (*for applicable direct reading instruments*) -----  Yes  No  N/A
5. Maintain exhaust duct monitoring data on perc concentrations? -----  Yes  No  N/A
6. Maintain a startup/shutdown/malfunction plan? -----  Yes  No
7. Maintain deviation reports? -----  Yes  No  N/A
  - a) Problem corrected? -----  Yes  No  N/A
8. Maintain a compliance plan, if applicable? -----  Yes  No  N/A

**PART VI: LEAK DETECTION AND REPAIRS – Rule 62-213.300 FAC**

(check  only one box for each question)

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

.....  Yes  No

leak log? .....  Yes  No

.....ial check the following areas for leaks?

- .....tings,
- .....es .....  Yes  No  N/A
  - ..... seating .....  Yes  No  N/A
  - ..... and seating .....  Yes  No  N/A
  - .....  Yes  No  N/A
  - .....ks and containers--  Yes  No  N/A
  - .....parators .....  Yes  No  N/A
  - g) Muck cookers .....  Yes  No  N/A
  - h) Stills .....  Yes  No  N/A
  - i) Exhaust dampers .....  Yes  No  N/A
  - j) Diverter valves .....  Yes  No  N/A
  - k) Cartridge filter housings  Yes  No  N/A

.....method(s) of detection (is/are) used by the responsible official?

- .....sual examination (condensed solvent on exterior surfaces) ..... a)
- .....hysical detection (airflow felt through gaskets) ..... b)
- .....Odor (noticeable perc odor) ..... c)
- j) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) ..... d)  \*\* (see below)
- e) Halogen leak detector ..... e)

\*\*If using direct-reading instrumentation, is the equipment: ..... \*\*  N/A

- 1) Capable of detecting perc vapor concentrations in a range of 0-500 ppm? ..... 1)  Yes  No
- 2) Calibrated against a standard gas prior to and after each use (PID/FID only)? ..... 2)  Yes  No
- 3) Inspected for leaks and obvious signs of wear on a weekly basis? ..... 3)  Yes  No
- 4) Kept in a clean and secure area when not in use? ..... 4)  Yes  No
- 5) Verified for accuracy by use of duplicate samples (calorimetric only)? ..... 5)  Yes  No

TERRENCE ANDERSON

1/3/07

..... Inspector's Name (Please Print)

..... Date of Inspection

1/08

..... Inspector's Signature

..... Approximate Date of Next Inspection

**COMMENTS:**

FACILITY USED AS DROP STORE  
 NO DRY CLEANING MACHINE ON SITE  
 NOTIFICATION TO SURRENDER PERMIT TO BE COMPLETED  
 DRY CLEANING MACHINE MOVED TO OTHER FACILITY OWNED BY THE SAME RO



lection and repair inspection  
oes the facility maintain a  
Does the responsible office  
a) Hose connections, fittings,  
couplings, and valves  
b) Door gaskets  
c) Filter gaskets  
d) Pumps  
e) Solvent  
f) Water


**DRYCLEAN-USA**

FILE: INACTIVE

AIR ID #

0250878-002

RECEIVE



**January 10, 2007**

**Dickson E. Dibble**

FL Dept of Environmental Protection  
Div. of Air Resource Management  
Bureau of Air Monitoring & Mobile Sources  
Air General Permit Program

Dear Mr. **Dickson E. Dibble**

Sorry for delay, please be informed that we no longer using our store located at 8871 SW 24<sup>th</sup> Street as a dry clean plant and we also have removed the Dryclean machine from this Location and perchloroethylene chemicals removed from your facility as of March 21, 2006. and that your facility is currently being used as a drop-off facility/store only.

Please contact me if you have any questions at 305-984-8104

Thanks.

Dilip Surana

A handwritten signature in black ink, appearing to be "Dilip Surana".



# DRYCLEAN-USA

8871 SW 24TH STREET  
MIAMI, FLORIDA 33165



DICKSON E. BIBBLE

General Permits Section  
Bureau of Air Monitoring and Mobile Sources, MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, FL 32399-2400



*Clean Across America*

32399+6342-99 C001



RECEIVED

TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT

JAN 12 2007

Bureau of Air Monitoring  
& Mobile Sources

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY

TIME IN: 8:45 TIME OUT: 9:10 AIRS ID #: 0250878

TYPE OF FACILITY: Perc Dry Cleaning

FACILITY NAME: Dry Clean USA DATE: 1/3/07

FACILITY LOCATION: 8871 SW 24 STREET

RESPONSIBLE OFFICIAL: Dilip Surana PHONE NUMBER: 305-223-1884

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP-Rule 62-213.300, Florida Administrative Code (F.A.C).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENTS/PROBLEM	FOLLOW-UP ACTION REQUIRED
<i>(Table is crossed out with a diagonal line)</i>	


COMMENTS: No Dry Cleaning done on site. Facility used only as drop store, dry cleaning machine was removed R.D. to complete notification to surrender TVAP.

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 1/08 (Approximate)

INSPECTION CONDUCTED BY: TERRENCE ANDERSON (Please Print)

INSPECTOR'S SIGNATURE: (Signature)



# Florida Department of Environmental Protection

Bob Martinez Center  
2600 Blairstone Road  
Tallahassee, Florida 32399-2400

Charlie Crist  
Governor

Jeff Kottkamp  
Lt. Governor

Michael W. Sole  
Secretary - Designee

January 03, 2007

Mr. Dilip Surana  
DryClean USA  
12335 SW 24<sup>th</sup> Street  
Miami, Florida 33165

Dear Mr. Surana:

Thank you for your note notifying the Department that your business, DryClean USA. (AIRS ID #0250878), is no longer using perchloroethylene. The Department received your note on December 22.

Rule 62-213.300, Florida Administrative Code (F.A.C.), stipulates that the responsible official shall notify the Department in writing of any changes requiring corrections to information contained in the notification form. I understand from Mr. Dick Dibble that he has been in communication with you regarding this requirement.

In addition, Rule 62-213.300, F.A.C., stipulates that an annual emission fee is due and payable for the preceding year in which the facility was in operation and subject to the requirements of the general permit. Our records indicate that DryClean USA operated as a Title V general permit facility in 2006. Therefore, the annual operation fee for which you were recently invoiced is now due.

If you have any additional questions or need additional information, please contact Dick Dibble at 850/921-9586 or me at 850/921-9583.

Sincerely,

Sandra Bowman  
Bureau of Air Monitoring  
and Mobile Sources

SB/

cc: Dick Dibble  
Ray Gordon, Miami-Dade County

**Dibble, Dickson**

**From:** Dilip Surana [dksmiami@yahoo.com]  
**Sent:** Friday, January 12, 2007 7:49 AM  
**To:** Dibble, Dickson  
**Subject:** Re: AIRS ID# 0250878, USHA INC dba DRYCLEAN USA

Dear Mr. Dibbl:

I mailed the letter yesterday, please let me know if you need any addition information, also i have mailed you one more application today about my store located @ 1561 SW 107th Ave Dryclean USA ( old name was Euro Dry Cleaner 1559 SW 107th Ave) the local county office could not find any info in there system, the store is 20 years old, and i have used on and off this location since i owned ( about 8 years), i want to make sure all the documents arr current, please let me know if you need any info from me.

33174

Thanks.

Dilip K. Surana ☺  
 305-984-8104 Cell

----- Original Message -----

**From:** "Dibble, Dickson" <Dickson.Dibble@dep.state.fl.us>  
**To:** dksmiami@yahoo.com  
**Cc:** "Bowman, Sandy" <Sandy.Bowman@dep.state.fl.us>  
**Sent:** Friday, December 29, 2006 2:42:44 PM  
**Subject:** AIRS ID# 0250878, USHA INC dba DRYCLEAN USA

Dear Mr. Dilip Surana,

Thank you for returning my call of 12/28/06.

This is to reaffirm our conversation of 12/29/06 regarding the notation you made on our invoice sent to your facility for the remittance of the annual operation fee. Your note read, "**No longer in use. This is only a drop-off store.**"

- 1) In order for me to update your facility to an INACTIVE status, I will need authorization in the form of a letter signed by you, stating to the effect that you have/have had all perchloroethylene dry cleaning machine(s) and perchloroethylene chemicals removed from your facility, the date when all were removed, and that your facility is currently being used as a drop-off facility/store only.
- 2) With respect to the annual operation fee of \$50.00, the annual operation fee is invoiced in arrears and represents your obligation for the year 2006. Since your facility operated as a dry-cleaning facility utilizing perchloroethylene as the dry-cleaning solvent during a portion of the 2006 year, you are still responsible for the submission of that fee. In light of this, a letter will be forthcoming from my department with additional remittance advice concerning the payment of that fee.

Please contact me if you have any questions, and thank you for your kind wishes for the holidays and the New Year.

May you also have blessed holidays!

1/12/2007

*Dickson E. Dibble*

**Dickson E. Dibble**

FL Dept of Environmental Protection  
Div. of Air Resource Management  
Bureau of Air Monitoring & Mobile Sources  
Air General Permit Program  
(850) 921-9586  
SunCom 291-9586  
ICG-#345  
**Dickson.Dibble@dep.state.fl.us**

---

8:00? 8:25? 8:40? Find a flick in no time  
with the Yahoo! Search movie showtime shortcut.

RECEIVED

PERCHLOROETHYLENE DRY CLEANER  
AIR GENERAL PERMIT NOTIFICATION FORM

FEB 13 2003

Air Quality

Part III. Notification of Intent to Use General Permit Management Division

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): USHA, INC - USHA SURANA	Bureau of Air Monitoring & Mobile Sources FEB 18 2003
2. Site Name (For example, plant name or number): DRYCLEAN USA	
3. Hazardous Waste Generator Identification Number: FL 0000 120915	
4. Facility Location: Street Address: 8871 SW 24th St. City: Miami County: DADE Zip Code: 33165	
5. Facility Identification Number (DEP Use ONLY - do not fill in): 0250878-002	

RECEIVED

Responsible Official

6. Name and Title of Responsible Official: Name: DILIP SURANA Title: DIRECTOR
7. Responsible Official Mailing Address: Organization/Firm: USHA, INC. Street Address: 8871 SW 24th Street City: Miami County: DADE Zip Code: 33165
8. Responsible Official Telephone Number: Telephone: (305) 223-1884 Fax: ( ) -

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):
10. Facility Contact Address:  Street Address: City: County: Zip Code:
11. Facility Contact Telephone Number: Telephone: ( ) - Fax: ( ) -

**Facility Information**

**1.(a) DRY-TO-DRY MACHINES ONLY**

How many dry-to-dry machines do you have on-site? [ ONE ]

For each dry-to-dry machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
<u>JUNE 2000</u>	Existing/ <input checked="" type="radio"/> New	<input checked="" type="radio"/> RC/ <input type="radio"/> CA/ <input type="radio"/> None required	<u>SAME</u>
_____	Existing/ <input type="radio"/> New	RC/ <input type="radio"/> CA/ <input type="radio"/> None required	_____
_____	Existing/ <input type="radio"/> New	RC/ <input type="radio"/> CA/ <input type="radio"/> None required	_____

\*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

**1.(b) TRANSFER MACHINES ONLY**

How many washers do you have on-site? [ \_\_\_\_\_ ]

How many dryers/reclaimers do you have on-site? [ \_\_\_\_\_ ]

If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an **EXISTING** unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a **NEW** unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
_____	Existing/ <input type="radio"/> New	RC/ <input type="radio"/> CA/ <input type="radio"/> None required	_____
_____	Existing/ <input type="radio"/> New	RC/ <input type="radio"/> CA/ <input type="radio"/> None required	_____
_____	Existing/ <input type="radio"/> New	RC/ <input type="radio"/> CA/ <input type="radio"/> None required	_____

\*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

2.(a) How much perchloroethylene (perc) have you used within the last 12 months?

[ 200 ] gallons (You must fill this in)

(b) If less than 12 months, how many? [ \_\_\_\_\_ ] months

Check why it is less than 12 months: New owner: [ \_\_\_\_\_ ] Did not keep records: [ \_\_\_\_\_ ]

New store: [ \_\_\_\_\_ ] New machine [ \_\_\_\_\_ ]

Unopened store [ \_\_\_\_\_ ] (date of expected opening \_\_\_\_\_)

3. What is the facility's source classification based on the definitions found in section (3) of Part II?  
Indicate with an "X". Select one classification only.)

Small Area Source

Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)  
Transfer only on-site (used less than 200 gallons of perc per year)  
Both machine types on-site (used less than 140 gallons of perc per year)

Large Area Source

Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)  
Transfer only on-site (used 200 - 1,800 gallons of perc per year)  
Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?  
(Indicate with an "X".)

Existing machines at small area source  
(NONE REQUIRED)

New machines at small area source  
Refrigerated condenser

Existing machines at large area source  
Carbon adsorber   
Refrigerated condenser

New machines at large area source  
Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt  OR  
No such units on-site

How many boilers do you have on-site?  1

For each boiler, indicate its horsepower (HP) rating:  15

What type of fuel do you use?  propane  natural gas  
 No. 2 fuel oil  No. 4 fuel oil  
 No. 6 fuel oil  Other (please list) \_\_\_\_\_

#### 6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases/solvent addition log
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Startup, shutdown, malfunction plan



7. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

- I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are \_\_\_\_\_
- No DEP air permits currently exist for the operation of the facility indicated in this notification form.

**Responsible Official Certification**

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

Dilip K. SURANA

Print name of responsible official

  
Signature

2/13/03  
Date




THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

434839 DEC31 2003

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**



Do **NOT** Remove Label

250878  
DILIP SURANA  
DRYCLEAN USA  
8871 SW 24TH STREET  
MIAMI FL 33165

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: A1  
Fund: 20-2-035001  
Obj.: 002273

**THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING**

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID# 250878 10  
DRYCLEAN USA  
8871 SW 24 STREET  
MIAMI, FL 33165

*Printed on recycled paper.*

**RECEIVED**

DEC 17 2004

Bureau of Air Monitoring  
& Mobile Sources

**FOR GOVERNMENT USE ONLY**  
ORG.: 37550101000 EO: A1  
FUND: 20-2-035001  
OBJECT: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

455837 DEC14 2005

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

250878 10  
DRYCLEAN USA  
8871 SW 24 STREET  
MIAMI, FL 33165

Bureau of Air Monitoring  
& Noise Sources

DEC 16 2005

RECEIVED

FLAIR ACCT. CODE 372020350013755010000  
BENEFITTING OBJECT CODE 002000  
BENEFITTING CATEGORY 000200

FOR GOVERNMENT USE ONLY  
ORG.: 37550101000 EO: A1  
FUND: 20-2-035001  
OBJECT: 002273

Printed on recycled paper.

-----  
**THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING**

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.

**TOTAL AMOUNT DUE: \$50.00**

469766 FEB22 2007

Do **NOT** Remove Label

AIRS ID#250878  
USHA INC  
8871 SW 24 STREET  
MIAMI, FLORIDA 33165



Bureau of  
& McIntire School  
FEB 26 2007


FLAIR ACCT. CODE 372020350013755010000  
BENEFITTING OBJECT CODE 002000  
BENEFITTING CATEGORY 000200

FOR GOVERNMENT USE ONLY  
ORG.: 37550101000 EO: A1  
FUND: 20-2-035001  
OBJECT: 002273

Printed on recycled paper.


MIAMI FL 331

20 FEB 2007 PM 4 T



TITLE V - General Permit  
Receipts  
Post Office Box 3070  
Tallahassee, FL 32315-3070

32315+3070-70 B099



V