



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

November 25, 1997

Mr. Luis Francisa
Super Cleaners
6101 Southwest Eighth Street
Miami, Florida 33144

Re: Facility No.: 0250918

Dear Mr. Francisa:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on November 14, 1997.

Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,


Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

DD/jw

cc: Mr. Ewart Anderson, Dade County

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

RECEIVED

Perchloroethylene Dry Cleaning Facility Notification

NOV 03 1997

Facility Name and Location

Air Quality Management Division

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):
SUPER CLEANER CORPORATION

2. Site Name (For example, plant name or number):
SUPER CLEANERS

3. Hazardous Waste Generator Identification Number:
FLD 043 125 103

4. Facility Location:
 Street Address: *6101 SW 8 ST*
 City: *Miami* County: *Dade* Zip Code: *33144*

5. Facility Identification Number (DEP Use):
0250918

Responsible Official

6. Name and Title of Responsible Official:
LUIS FRANCISCO, OWNER

7. Responsible Official Mailing Address:
 Organization/Firm: *Same as Above*
 Street Address:
 City: County: Zip Code:

8. Responsible Official Telephone Number:
 Telephone: *(305) 264-0111* Fax: () -

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):

10. Facility Contact Address:
 Street Address:
 City: County: Zip Code:

11. Facility Contact Telephone Number:
 Telephone: () - Fax: () -

RECEIVED

NOV 14 1997

Bureau of Air Monitoring & Mobile Sources

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
Dry-to-Dry Unit									
(1) w/ ref. condenser		29-DEC-91	29-DEC-91						
(2) w/ carbon adsorber									
(3) w/ no controls									
Washer Unit									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?

gallons

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: New store: Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?

(Indicate with an "X". Select one classification only.)

Existing small area source

New small area source

Existing large area source

New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.

All steam and hot water generating units exempt

No such units on-site

Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

(a) Purchase receipts and solvent purchases

(b) Leak detection inspection and repair

(c) Refrigerated condenser temperature monitoring

(d) Carbon adsorber exhaust perc concentration monitoring

(e) Instrument calibration

(f) Start-up, shutdown, malfunction plan

Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)

No air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

Luis Francisco
Signature

11-3-97
Date

Z 333 613 525

US Postal Service

Receipt for Certified Mail

No Insurance Coverage Provided.

Do not use for International Mail (See reverse)

AIRS ID# 0250918

SUPER CLEANER CORPORATION

LUIS FRANCISCO

6101 SW 8TH STREET

MIAMI FL 33144

PS Form 3800, April 1995

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. Addressee's Address
2. Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

AIRS ID# 0250918
 SUPER CLEANER CORPORATION
 LUIS FRANCISCO
 6101 SW 8TH STREET
 MIAMI FL 33144

4a. Article Number

Z 333 613 525

4b. Service Type

- | | |
|---|---|
| <input type="checkbox"/> Registered | <input checked="" type="checkbox"/> Certified |
| <input type="checkbox"/> Express Mail | <input type="checkbox"/> Insured |
| <input type="checkbox"/> Return Receipt for Merchandise | <input type="checkbox"/> COD |

7. Date of Delivery

5. Received By: (Print Name)

Luis Francisco

6. Signature: (Addressee or Agent)

X

Luis Francisco 9/25

8. Addressee's Address (Only if requested and fee is paid)

Thank you for using Return Receipt Service.

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10


RECEIVED

JUN 29 1996

Bureau of Air Monitoring
& Mobile Sources

• Print your name, address, and ZIP Code in this box •

APM/MOBILE SOURCE CONTROL PROGRAM
DEPT. OF ENVIRONMENTAL PROTECTION
MAIL STATION 5510
2600 BLAIR STONE ROAD
TALLAHASSEE, FLORIDA 32399-2400



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

LETTER OF NONCOMPLIANCE

TO:

Our records indicate that you have previously claimed entitlement to use a Title V Air General Permit under Rule 62-213.300, Florida Administrative Code (F.A.C.), as the owner or operator of an eligible facility. However, if one or more of the following events has occurred, you are no longer eligible to operate under the Title V Air General Permit. Department records currently indicate that your facility is not in compliance with the item(s) checked below:

- 1) The facility has a new owner or operator (Rule 62-213.300(3)(a), F.A.C.).
- 2) The annual emissions fee for your facility has not been received by the Department (Rule 62-213.300(3)(b), F.A.C.).
- 3) The annual Compliance Certification for your facility has not been filed with the Department (Rule 62-213.300(3)(n), F.A.C.).

If your facility is to continue to operate under the Title V Air General Permit, the condition(s) referenced above must be corrected. Please call our Division for assistance--either **Sandra Bowman at 850/921-9583** or **Rick Butler at 850/921-9586**.

The terms and conditions stated in the Title V Air General Permit continue to apply whether or not the facility is still operating. The Responsible Official (RO) is considered to be responsible for the permitted facility until the permit is surrendered, including any violations or payment of fees. If you wish to give up your eligibility to use the Title V Air General Permit, please sign and return this form in the enclosed self-addressed envelope. This will remove your name from our annual billing list used to notify when Title V permit fees are due.

I am the Responsible Official for the facility identified above and hereby notify the Department that I surrender the Title V Air General Permit for that facility.

Name (please print)

Signature

Date

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Facility Owner or Operator
Page Two

Your prompt response to correct or clarify this situation will be greatly appreciated. If you have any questions, please call the Division staff listed above or the Small Business Assistance Program hotline at 800/722-7457.

Sincerely,

A handwritten signature in cursive script that reads "Sandra Bowman".

Sandra Bowman
Title V Air General Permit Program

/SB

cc: District/Local program

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
 RE-INSPECTION

AIRS ID#:	<u>250918</u>	DATE:	<u>8-21-98</u>	TIME IN:	<u>1500</u>	TIME OUT:	<u>1530</u>
FACILITY NAME:	<u>SUPER CLEANERS</u>						
FACILITY LOCATION:	<u>6101 SW 8 ST</u> <u>MIAMI, 33144</u>						
RESPONSIBLE OFFICIAL:	<u>LUIS FRANCISCO</u>	PHONE:					
CONTACT NAME:	<u>"</u>	PHONE:					

RECEIVED

SEP 2 8 01/11
Bureau of Air Monitoring
Mobile Sources

PART I: NOTIFICATION

(check appropriate box)

1. New facility notified DARM 30 days prior to startup	<input type="checkbox"/>
2. Facility failed to notify DARM to use general permit	<input type="checkbox"/>

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
(check appropriate box)

<p><input type="checkbox"/> No notification form</p> <p><input type="checkbox"/> Drop store/out of business/petroleum</p> <p>A.</p> <table style="width: 100%;"> <tr> <td style="width: 50%;"> <p>1. Existing small area source <input type="checkbox"/></p> <p>dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)</p> </td> <td style="width: 50%;"> <p>2. New small area source <input type="checkbox"/></p> <p>dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)</p> </td> </tr> <tr> <td> <p>3. Existing large area source <input type="checkbox"/></p> <p>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)</p> </td> <td> <p>4. New large area source <input checked="" type="checkbox"/></p> <p>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)</p> </td> </tr> </table> <p>5. This is a correct facility classification <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> Can not determine</p> <p>If no, please check the appropriate classification:</p> <p><input type="checkbox"/> facility qualified for a general permit as number _____ above</p> <p><input type="checkbox"/> facility exceeds above limits and is not eligible for a general permit</p>	<p>1. Existing small area source <input type="checkbox"/></p> <p>dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)</p>	<p>2. New small area source <input type="checkbox"/></p> <p>dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)</p>	<p>3. Existing large area source <input type="checkbox"/></p> <p>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)</p>	<p>4. New large area source <input checked="" type="checkbox"/></p> <p>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)</p>	
<p>1. Existing small area source <input type="checkbox"/></p> <p>dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)</p>	<p>2. New small area source <input type="checkbox"/></p> <p>dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)</p>				
<p>3. Existing large area source <input type="checkbox"/></p> <p>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)</p>	<p>4. New large area source <input checked="" type="checkbox"/></p> <p>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)</p>				

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 150 gallons. (VERBAL ESTIMATE)

(MB)
9/17/98
ARMS.

(MB)
9/13/98

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- | | |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 2. Examining the containers for leakage? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- | | |
|--|---|
| 1. Equipped all machines with the appropriate vent controls? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
Is the temperature differential equal to or greater than 20° F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly total of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
 - a. documentation of leaks repaired w/in 24 hrs? or; Y N N/A
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports?
Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N
2. Has the facility maintained a leak log? Y N
3. Does the responsible official check the following areas for leaks?
- | | | | |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment: N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

M. ENRIQUE FLORES

Inspector's Name (Please Print)

M. Enrique Flores

Inspector's Signature

8-21-98

Date of Inspection

8/99

Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

- * POLLUTION PREVENTION BOOKLET & INSPECTION CALENDAR GIVEN TO SHOP OWNER, MR. LUIS FRANCISCO
- * SPECIFIC INSTRUCTIONS ON HOW TO MAINTAIN LEAK INSPECTION, PERC PURCHASED/CONSUMED RECORDS WERE ALSO GIVEN TO MR. FRANCISCO.

INSPECTION SUMMARY REPORT

BEST AVAILABLE

TYPE OF INSPECTION:

ANNUAL

COMPLAINT/DISCOVERY

RE-INSPECTION

TIME IN: 1500 TIME OUT: 1530 AIRS ID#: 250918
 TYPE OF FACILITY: PERC DRY CLEANER
 FACILITY NAME: SUPER CLEANERS DATE: 8-21-98
 FACILITY LOCATION: 6101 SW 8 ST
 MIAMI, 33144
 RESPONSIBLE OFFICIAL: LUIS FRANCISCO PHONE NUMBER: 305-264-0111

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
NO ROLLING LOG OF PERC CONSUMPTION	START KEEPING TRACK OF PERC USED PER 12 MONTH PERIOD
NO RECEIPTS OF PERC PURCHASES FOR LAST 5 YEARS	START SAVING PERC PURCHASE RECEIPTS
NO LEAK INSPECTION RECORDS	KEEP LOG OF LEAK INSPECTIONS
NO RECORDS OF TEMPERATURE READINGS	WILL START KEEPING TRACK OF TEMP. READINGS. ↳ LOG

COMMENTS: EQUIPMENT IN SATISFACTORY WORKING ORDER.
 STAFF IN GENERAL GOOD ABOUT KEEPING LOGS

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 8/99 (Approximate)

INSPECTION CONDUCTED BY: M. ENRIQUE FLORES (Please Print)

INSPECTOR'S SIGNATURE: *M. Enrique Flores* PHONE NUMBER: 305-372-6925

Acc ✓

AIRS ID#: 250918

Revised 10/10/96

DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: SUPER CLEANERS DATE: _____

FACILITY LOCATION: 6101 SW 8 ST.

MIAMI, 33144

Annual Reporting Period: 8/97 19____ TO 8/98 19____

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

DID NOT MAINTAIN RECORDS OF: PERC. PURCHASES, PERC. CONSUMPTION, AND LEAK INSPECTIONS

Exact period of non-compliance: from 8/97 to 8/98

Action(s) taken to achieve compliance: INITIATE RECORD KEEPING OF ABOVE LISTED ITEMS.

Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period-stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

RECEIVED

SEP 28 1998

Bureau of Air Monitoring
& Mobile Sources

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: LUIS FRANCISCO Luis Francisco 8-21-98

Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

DEPT. OF ENVIRONMENTAL 248955
RESOURCES MANAGEMENT (DERM)
AIR QUALITY MANAGEMENT DIVISION
33 S.W. SECOND AVENUE, SUITE 900
MIAMI, FLORIDA 33130-1540

SUPER CLEANER ENTERPRISES INC.
6101 SW 8th Street
Miami, Fl. 33144

Telephone (305) 264-0111

SENT TO: DEPT. OF ENVIROMENTAL PROTECTION

ATT. Mr. Marcelo Barros


FAX: 305-372-6954

DATE: December 21, 1998

0250918

First Union National Bank
Miami, Florida
24 Hour Information Service
1-800-755-1072

FIRST UNION

 SUPER CLEANERS ENTERPRISES, INC.
6101 S.W. 8TH ST.
MIAMI, FL 33144

Dept. of Environmental Protection

0329560 4028
6-25-98

DATE: 6-25-98

PAY TO THE ORDER OF BUREAU AIR MONITORING DOLLARS \$ 75.00
SEVENTY FIVE

Luis Alvarez

⑈0000007500⑈

RECEIVED
DEC 30 1998
Bureau of Air Monitoring
& Mobile Sources

310000
DEPT OF ENVIRONMENTAL PROTECTION
FIN DEPOSIT ONLY
310000

310000
DEPT OF ENVIRONMENTAL PROTECTION
FIN DEPOSIT ONLY
310000

1 20/001/297 026 1060000000 07 12 0000000000

20
08

800-5239498 >063000047<
07-10 JAX FL
08 107345 07-10 06

>063000047<
1860
08 107345

05/21/98

METROPOLITAN DADE COUNTY, FLORIDA



Department of Environmental Resources Management
33 S.W. 2nd Avenue
Miami, FL. 33130-1540

RECEIVED
DEC 30 1998
Bureau of Air Monitoring
& Mobile Sources

F
A
X

T
R
A
N
S
M
I
T
T
A
L

SEND TO:

Name: Rick Bumer

Company/Department: DEP / DERM

Phone Number: 850 - 488 - 0114

Fax Number: 850 - 922 - 6979

Message:

FROM:

Name: Marcelo Barros

Division/Section: AQMD / AFS

Phone Number: 305 372-6944

Fax Number: (305) 372-6954

Date: 12/29/98

Number of Pages (including this one):
2.

RECEIVED

JUN 25 1999

Bureau of Air Monitoring
& Mobile Sources

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL RE-INSPECTION

COMPLAINT/DISCOMFORT SOURCE

AIRS ID#: 750918 DATE: 06/17/99 TIME IN: 3:45pm TIME OUT: 4:10pm

FACILITY NAME: Super Cleaners

FACILITY LOCATION: 6101 S.W. 8th St
Miami FL 33144

RESPONSIBLE OFFICIAL: Luis Francisco PHONE: (305) 264-0111

CONTACT NAME: Same PHONE: _____

PART I: NOTIFICATION

(check appropriate box)

- 1. New facility notified DARM 30 days prior to startup
- 2. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:

(check appropriate box)

- No notification form
- Drop store/out of business/petroleum

A.

- | | |
|---|--|
| <p>1. Existing small area source <input type="checkbox"/></p> <p>dry-to-dry only, $x < 140$ gal/yr
transfer only, $x < 200$ gal/yr
both types, $x < 140$ gal/yr
(constructed before 12/9/91)</p> | <p>2. New small area source <input type="checkbox"/></p> <p>dry-to-dry only, $x < 140$ gal/yr
transfer only, $x < 200$ gal/yr
both types, $x < 140$ gal/yr
(constructed on or after 12/9/91)</p> |
| <p>3. Existing large area source <input type="checkbox"/></p> <p>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr
transfer only, $200 \leq x \leq 1,800$ gal/yr
both types, $140 \leq x \leq 1,800$ gal/yr
(constructed before 12/9/91)</p> | <p>4. New large area source <input checked="" type="checkbox"/></p> <p>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr
transfer only, $200 \leq x \leq 1,800$ gal/yr
both types, $140 \leq x \leq 1,800$ gal/yr
(constructed on or after 12/9/91)</p> |

5. This is a correct facility classification Y N Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number _____ above
- facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 240 gallons.

Review + ARMS
6/18/99
DG

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers? Y N N/A
- 2. Examining the containers for leakage? Y N N/A
- 3. Closing and securing machine doors except during loading/unloading? Y N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N N/A

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls? Y N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
- Is the temperature differential equal to or greater than 20° F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
- Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly total of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N N/A
- b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N N/A
- Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N

2. Has the facility maintained a leak log? Y N

3. Does the responsible official check the following areas for leaks?

- | | | | |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment: N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

KRISTAL YIPON
Inspector's Name (Please Print)

06/17/99
Date of Inspection

Kristal Yipon
Inspector's Signature

06/2000
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

[Empty rectangular box for additional site information]

**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 3:40 pm TIME OUT: 4:10 pm AIRS ID#: 250918
 TYPE OF FACILITY: PERC DRY CLEANER
 FACILITY NAME: Super Cleaners DATE: 06/17/99
 FACILITY LOCATION: 6101 S.W. 8th St
MIAMI FL 33144
 RESPONSIBLE OFFICIAL: Luis Francisco PHONE NUMBER: (305) 264-0111

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
N/A	N/A

COMMENTS: Shop in Compliance.

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 06/2000
(Approximate)

INSPECTION CONDUCTED BY: KRISTAL YIPON
(Please Print)

INSPECTOR'S SIGNATURE: Kristal Yipon PHONE NUMBER: (305) 372-6925

AIRS ID#: 250918

Acc

Revised 10/10/96

DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM

RECEIVED
JUN 25 1999
Bureau of Air Monitoring
& Mobile Sources
DATE: 06/17/99

FACILITY NAME: Super Cleaners
FACILITY LOCATION: 6101 S.W. 8th St.
Miami FL 33144.

Annual Reporting Period: 08/21 1998 TO 06/17 1999

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

N/A

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: LUIS FRAJERO Luis Frajero 6-17-99
Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

PERCHLOROETHYLENE DRY CLEANERS
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION

AIRS ID#: 0250918 DATE: 3/13/00 TIME IN: 0945 TIME OUT: 1030
 FACILITY NAME: Super Cleaners
 FACILITY LOCATION: 6101 SW 8 st.
Miami, FL
 RESPONSIBLE OFFICIAL: Luis Francisco PHONE: 305-264-0111
 CONTACT NAME: _____ PHONE: _____

PART I: NOTIFICATION

(check appropriate box)

1. New facility notified DARM 30 days prior to startup
 2. Facility failed to notify DARM to use general permit

RECEIVED
 MAY - 4 2000
 Bureau of Air Monitoring & Mobile Sources

PART II: CLASSIFICATION

Facility indicated on notification form that it is:

(check appropriate box)

- No notification form
 Drop store/out of business/petroleum

A.

- | | |
|--|---|
| 1. Existing small area source <input type="checkbox"/>
dry-to-dry only, $x < 140$ gal/yr
transfer only, $x < 200$ gal/yr
both types, $x < 140$ gal/yr
(constructed before 12/9/91) | 2. New small area source <input type="checkbox"/>
dry-to-dry only, $x < 140$ gal/yr
transfer only, $x < 200$ gal/yr
both types, $x < 140$ gal/yr
(constructed on or after 12/9/91) |
| 3. Existing large area source <input type="checkbox"/>
dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr
transfer only, $200 \leq x \leq 1,800$ gal/yr
both types, $140 \leq x \leq 1,800$ gal/yr
(constructed before 12/9/91) | 4. New large area source <input checked="" type="checkbox"/>
dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr
transfer only, $200 \leq x \leq 1,800$ gal/yr
both types, $140 \leq x \leq 1,800$ gal/yr
(constructed on or after 12/9/91) |
5. This is a correct facility classification Y N Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number _____ above
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 180 gallons.

ARMS
3/22/00

4/25/00
[Signature]

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- | | |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 2. Examining the containers for leakage? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- | | |
|--|---|
| 1. Equipped all machines with the appropriate vent controls? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N |

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
Is the temperature differential equal to or greater than 20° F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly total of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N N/A
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N N/A
Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N
2. Has the facility maintained a leak log? Y N
3. Does the responsible official check the following areas for leaks?
- | | | | |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment: N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Ivan Fannin
Inspector's Name (Please Print)

3/13/00
Date of Inspection

Ivan Fannin
Inspector's Signature

3/01
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

R.O. not maintaining temp. log,
rolling log or leak log.

Assisted w/ 2000 calendar, R.O.
is set up and understands that
he is required to keep logs.

**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 0945 TIME OUT: 1030 AIRS ID#: 0250918
 TYPE OF FACILITY: Pure Dry Cleaner
 FACILITY NAME: Super Cleaners DATE: 3/12/00
 FACILITY LOCATION: 6601 SW 8 st.
Miami, FL
 RESPONSIBLE OFFICIAL: Luis Francisco PHONE NUMBER: 305-264-0111

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
<i>Not maintaining leak log</i>	<i>Begin recordkeeping of leak log inspections</i>
<i>Not maintaining temperature log</i>	<i>Maintain temperature log readings</i>
<i>Not maintaining rolling log of pure purchases</i>	<i>Maintain rolling log of pure purchases</i>

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 3/01
(Approximate)

INSPECTION CONDUCTED BY: Ivan Fanni
(Please Print)

INSPECTOR'S SIGNATURE: *Ivan Fanni* PHONE NUMBER: 305-372-6922

APC

**DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM**

FACILITY NAME: Super Cleaners DATE: 3/13/00
 FACILITY LOCATION: 6101 SW 8 st.
Miami, FL

Annual Reporting Period: March 1999 TO March 1900

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Not maintaining leak log or temperature log

Exact period of non-compliance: from March 99 to March 00

Action(s) taken to achieve compliance: Begin maintaining log

Method used to demonstrate compliance: FDEP calendar

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Not maintaining rolling log of pers purchases

Exact period of non-compliance: from March 99 to March 00

Action(s) taken to achieve compliance: Maintain log

Method used to demonstrate compliance: FDEP calendar

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: Luis Francisco Luis Francisco 3-13-00
 Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.



ENVIRONMENTAL RESOURCES MANAGEMENT
33 S.W. 2nd AVENUE
MIAMI, FLORIDA 33130-1540
(305) 372-6789

TELEPHONE COMMUNICATION

DATE: 4/14/00 TIME: 0930

CALLER: Ivan Fannin TITLE: PCI 1

SUBJECT: Temperature gauge

CONTACT NAME: Luis Francisco TITLE: R.O.

COMPANY: Super Cleaners PHONE #: 305-264-0111

ADDRESS: 6101 SW 8 st., Miami, FL

MESSAGE:

Spoke w/ R.O in regards to temperature gauge
installations.

Gauge installed - will conduct follow up
inspection to check gauge and recordkeeping



ENVIRONMENTAL RESOURCES MANAGEMENT
33 S.W. 2nd AVENUE
MIAMI, FLORIDA 33130-1540
(305) 372-6789

TELEPHONE COMMUNICATION

DATE: 3/21/00 TIME: 0830

CALLER: Ivan Fannin TITLE: PCI 1

SUBJECT: Temperature gauge installation

CONTACT NAME: Luis Francisco TITLE: R.O.

COMPANY: Super Cleaners PHONE #: 305-264-0111

ADDRESS: 6101 SW 8 st, Miami, FL

MESSAGE:

Called to inquire about installation of temperature gauge.
R.O. stated that it has not been installed; he is still waiting
for mechanic. I told him that I will call at end of
month; if temp gauge has not been installed, a violation
will be issued.

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0364896

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00 ✓

RECEIVED
MAIL ROOM
MAR 23 99

Do NOT Remove Label

AIRS ID# 0250918
SUPER CLEANERS
LUIS FRANCISCO
6101 SW 8 STREET
MIAMI, FLORIDA 33144

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

7 333 613 404

US Postal Service
Receipt for Certified Mail
 No Insurance Coverage Provided.

AIRS ID# 0250918

SUPER CLEANER CORPORATION
 LUIS FRANCISCO
 6101 SW 8TH STREET
 MIAMI FL 33144

PS Form 3800, April 1995

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

Is your RETURN ADDRESS completed on the reverse side?

SENDER.

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. Addressee's Address
2. Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

AIRS ID# 0250918
 SUPER CLEANER CORPORATION
 LUIS FRANCISCO
 6101 SW 8TH STREET
 MIAMI FL 33144

4a. Article Number

4b. Service Type

- | | |
|---|------------------------------------|
| <input type="checkbox"/> Registered | <input type="checkbox"/> Certified |
| <input type="checkbox"/> Express Mail | <input type="checkbox"/> Insured |
| <input type="checkbox"/> Return Receipt for Merchandise | <input type="checkbox"/> COD |

7. Date of Delivery

5. Received By: (Print Name)

Wesley 4/18


8. Addressee's Address (Only if requested and fee is paid)

6. Signature (Addressee or Agent)

X *Luis Francisco*

Thank you for using Return Receipt Service.

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Print your name, address, and ZIP Code in this box •

DARM/MOBILE SOURCE CONTROL PROGRAM
DEPT. OF ENVIRONMENTAL PROTECTION
MAIL STATION 5510
2600-BLAIR STONE ROAD
TALLAHASSEE, FLORIDA 32399-2400

Bureau of Air Monitoring
& Mobile Sources

APR 10 1998

RECEIVED



Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- 1. Addressee's Address
- 2. Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:
 AIRS ID 0250918
 SUPER CLEANER CORPORATION
 LUIS FRANCISCO
 6101 SW 8TH STREET
 MIAMI FL 33144

4a. Article Number
 Z 333 613 376

4b. Service Type
 Registered Certified
 Express Mail Insured
 Return Receipt for Merchandise COD

5. Received By: (Print Name)
[Signature] 2/14

7. Date of Delivery

8. Addressee's Address (Only if requested and fee is paid)

6. Signature: (Addressee or Agent)
 X *Luis Francisco*

Thank you for using Return Receipt Service.

PS Form 3811, December 1994

102595-97-B-0179

Domestic Return Receipt

Z 333 613 376

US Postal Service
Receipt for Certified Mail
 No Insurance Coverage Provided AIRS ID 0250918
 SUPER CLEANER CORPORATION
 LUIS FRANCISCO
 6101 SW 8TH STREET
 MIAMI FL 33144

PS Form 3800, April 1995

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

PLACE STICKER AT TOP OF ENVELOPE
TO THE RIGHT OF RETURN ADDRESS

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

10 AIRS ID # 0250918001AG
 LUIS FRANCISCO
 SUPER CLEANERS
 6101 SW 8 STREET
 MIAMI FL
 33144

2. Article Number
 (Transfer from service label)

70001670001331087509

PS Form 3811, March 2001

Domestic Return Receipt

102595-01-M-1424

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly) *Travis Sanchez* B. Date of Delivery *7-29-02*

C. Signature *Travis Sanchez* Agent Addressee

Is delivery address different from item 1? Yes No
 If YES, enter delivery address below:

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

U.S. Postal Service
CERTIFIED MAIL RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)

7000 1670 0001 33108 0291 0000

OFFICIAL USE

Postage	\$	<i>Receipt</i> Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		

10 AIRS ID # 0250918001AG
 St LUIS FRANCISCO
 St SUPER CLEANERS
 St 6101 SW 8 STREET
 Ci MIAMI FL
 33144

PS Form 3800, May 2000 See Reverse for Instructions



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

411924 DEC19 2001

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label


AIRS ID # 0250918

SUPER CLEANERS
LUIS FRANCISCO
6101 SW 8 STREET
MIAMI FL
33144

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: A1
Fund: 20-2-035001
Obj.: 002273




SUPER CLEANERS
6101 S.W. 8th St. Miami, FL 33144
Tel: 264-0111



TITLE V - General Permit
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070

32315+3070 99



U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

7000 0600 0026 7825 6591

Postage \$		Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
Total		AIRS ID # 0250918
Recipient	SUPER CLEANERS	
	LUIS FRANCISCO	
Street	6101 SW 8 STREET	
City, St	MIAMI FL 33144	

PS Form 3800, February 2000 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

AIRS ID # 0250918

SUPER CLEANERS
 LUIS FRANCISCO
 6101 SW 8 STREET
 MIAMI FL 33144

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly) LUIS FRANCISCO B. Date of Delivery 0/1/0

C. Signature [Signature] Agent Addressee

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number (Copy from service label)
7000 0600 0026 7825 6591

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box

BUR. OF AIR MONITORING & MOBILE SOURCES
DEPT. OF ENVIRONMENTAL PROTECTION
MAIL STATION 5810
2600 BLAIR STONE ROAD
TALLAHASSEE, FLORIDA 32399-2400

Bureau of Air Monitoring
& Mobile Sources
RECEIVED
FEB 19 2001





(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

405405 FEB15 2001

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label

AIRS ID # 0250918

SUPER CLEANERS
LUI FRANCISCO
6101 SW 8 STREET
MIAMI FL 33144

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: A1
Fund: 20-2-035001
Obj.: 002273


RECEIVED
FEB 15 2001
MAIL ROOM

Super Cleaners
6101 SW 8 st.
Miami Fl. 33144



TITLE V - General Permit
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070

32315X3070



Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- 1. Addressee's Address
- 2. Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

AIRS ID#
0250918

Super Cleaners
 Luis Francisco
 6101 SW 8 Street
 Miami, Florida 33144

4a. Article Number

4b. Service Type

- Registered Certified
- Express Mail Insured
- Return Receipt for Merchandise COD

7. Date of Delivery

3/1

5. Received By: (Print Name)

8. Addressee's Address (Only if requested and fee is paid)

6. Signature: (Addressee or Agent)

X Luis Francisco

PS Form 3811, December 1994

Domestic Return Receipt

Thank you for using Return Receipt Service.

P 174 052 115

US Postal Service
Receipt for Certified Mail
 No Insurance Coverage Provided.
 Do not use for International Mail (See reverse)

Sent to
 SUPERCLEANERS #0250918

Street & Number
 6101 SW 8 STREET

Post Office, State, & ZIP Code
 MIAMI FL 33144

Postage \$

Certified Fee

Special Delivery Fee

Restricted Delivery Fee

Return Receipt Showing to Whom & Date Delivered

Return Receipt Showing to Whom, Date, & Addressee's Address

TOTAL Postage & Fees \$

Postmark or Date

PS Form 3800, April 1995

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

389436

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

SUPER CLEANERS
LUIS FRANCISCO
6101 SW 8 STREET
MIAMI FL 33144

AIRS ID # 0250918


FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

RECEIVED
MAIL ROOM
DEC 13 99


RECEIVED

FEB 18 1990

Bureau of Air Monitoring
& Mobile Sources



ATTEMPTED, NOT KNOWN
RETURN TO SENDER



Z 33 550 54

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

TWIN TOWERS OFFICE BUILDING
2600 BLAIR STONE ROAD
TALLAHASSEE, FLORIDA 32399-2400

MS# 4510
375569301000

(8)


AIRS:ID # 0250918

SUPER FRANKS

KEVIN FRANKS

P.O. BOX 501

LAKE CITY FL 32025



Is your RETURN ADDRESS completed on the reverse side?

- SENDER:**
- Complete items 1 and/or 2 for additional services.
 - Complete items 3, 4a, and 4b.
 - Print your name and address on the reverse of this form so that we can return this card to you.
 - Attach this form to the front of the mailpiece, or on the back if space does not permit.
 - Write "Return Receipt Requested" on the mailpiece below the article number.
 - The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. Addressee's Address
2. Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

AIRS ID # 0250918

SUPER CLEANERS
 KEVIN FRANCISCO
 P O BOX 501
 LAKE CITY FL 32025

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)

X

4a. Article Number:
2333 660 564

4b. Service Type

Registered Certified

Express Mail Insured

Return Receipt for Merchandise COD

7. Date of Delivery

8. Addressee's Address (Only if requested and fee is paid)

Thank you for using Return Receipt Service.

PS Form 3811, December 1994

102595-97-B-0179

Domestic Return Receipt

Z 333 660 564

US Postal Service
Receipt for Certified Mail
 No Insurance Coverage Provided.
 AIRS ID: # 0250918

SUPER CLEANERS
 KEVIN FRANCISCO
 P O BOX 501
 LAKE CITY FL 32025

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

PS Form 3800, April 1995