

Jeb Bush  
Governor

# Department of Environmental Protection

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

David B. Struhs  
Secretary

September 4, 2002

Mr. Saul Camargo  
Techno-Coatings, Inc.  
1865 Northeast 144 Street  
North Miami, Florida 33181

Re: Facility No.: 0251124-001

Dear Mr. Camargo:

The Department has received the Title V General Permit Notification Form for the chromium electroplating and anodizing facility that you submitted on August 2, 2002.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the district or local air program compliance inspector in your area.

Sincerely,

  
Joe Kahn, Acting Chief  
Bureau of Air Monitoring  
and Mobile Sources

JK/jw

cc: Ms. Mallika Muthiah, Dade County

0251124-001

Page 25

4. The letters listed are required for decorative chrome operations using a flame suppressant with wetting agent as a control device.

(a) (c) (f) (i) (j) (l) (m)

all others are not required for decorative chrome with FS/WA.

DEP ROUTING AND TRANSMITTAL SLIP

TO: (NAME, OFFICE, LOCATION) 3. \_\_\_\_\_  
 1. \_\_\_\_\_ 4. \_\_\_\_\_  
 2. \_\_\_\_\_ 5. \_\_\_\_\_

PLEASE PREPARE REPLY FOR:

\_\_\_\_ SECRETARY'S SIGNATURE  
 \_\_\_\_ DIV/DIST DIR SIGNATURE  
 \_\_\_\_ MY SIGNATURE  
 \_\_\_\_ YOUR SIGNATURE  
 \_\_\_\_ DUE DATE \_\_\_\_\_

COMMENTS:

ACTION/DISPOSITION

\_\_\_\_ DISCUSS WITH ME  
 \_\_\_\_ COMMENTS/ADVISE  
 \_\_\_\_ REVIEW AND RETURN  
 \_\_\_\_ SET UP MEETING  
 \_\_\_\_ FOR YOUR INFORMATION  
 \_\_\_\_ HANDLE APPROPRIATELY  
 \_\_\_\_ INITIAL AND FORWARD  
 \_\_\_\_ SHARE WITH STAFF  
 \_\_\_\_ FOR YOUR FILES

FROM: \_\_\_\_\_ DATE: \_\_\_\_\_ PHONE: \_\_\_\_\_

**CHROMIUM ELECTROPLATING AND ANODIZING  
AIR GENERAL PERMIT NOTIFICATION FORM**

**Part III. Notification of Intent to Use General permit**

**Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.**

**Facility Name and Location**

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): Techno Coatings, Inc.
2. Site Name (For example, plant name or number): Techno-Coatings, Inc.
3. Hazardous Waste Generator Identification Number: FLD 982173874
4. Facility Location: Street Address: 1865 N.E. 144 <sup>th</sup> Street City: North Miami County: Miami-Dade Zip Code: 33181
5. Facility Identification Number (DEP Use ONLY - do not fill in): <i>025/124-001</i>

**Responsible Official**

6. Name and Title of Responsible Official: Name: Saul Camargo Title: President
7. Responsible Official Mailing Address: Organization/Firm: Techno Coatings, Inc. Street Address: 1865 N.E. 144 <sup>th</sup> Street City: North Miami County: Miami-Dade Zip Code: 33181
8. Responsible Official Telephone Number: Telephone: (305)945-2220 Fax:(305)945-1286

**Facility Contact (If different from Responsible Official)**

9. Name and Title of Facility Contact (For example, plant manager): Juan Pablo Camargo, Executive Vice President
10. Facility Contact Address: Street Address: 1865 N.E. 144 <sup>th</sup> Street City: North Miami County: Miami-Dade Zip Code: 33181
11. Facility Contact Telephone Number: Telephone: (305)945-2220- Fax: (305)945-1286

**Facility Information**

1.a. Provide the information below for each hard electroplating machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

**HARD CHROMIUM PLATING TANKS**

DATE PURCHASED	UNIT CLASS (circle one)	DATE CNTRL DEVICE INSTALLED	CONTROL DEVICE (see key)	APPLICABLE STANDARD (see key)
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			

Key for Control Device Type

PBS = packed-bed scrubber  
 CMP = composite mesh pad  
 PBS/CMP = packed-bed scrubber and composite mesh pad  
 FS = fume suppressant only  
 FS/WA = fume suppressant with a wetting agent  
 FM = fiber-bed mist eliminator  
 WA = wetting agent

Applicable Standard Key

a = 0.03 mg/dscm  
 b = 0.015 mg/dscm  
 c = alternative standard for multiple tanks under common control

Is the facility's cumulative potential rectifier capacity greater than 60 million ampere-hours per year?

Yes       No

1.b. Provide the information below for each decorative electroplating or anodizing machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

**DECORATIVE AND ANODIZING TANKS**

DATE PURCHASED	UNIT CLASS (circle one)	DATE CNTRL DEVICE INSTALLED	CONTROL DEVICE (see key)	APPLICABLE STANDARD (see key)
Feb 1998	New	Feb 1998	FS/WA	y
Feb 1998	New	Feb 1998	FS/WA	y
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			

Key for Control Device Type

Applicable Standard Key

PBS = packed-bed scrubber

x = 0.01 mg/dscm

CMP = composite mesh pad

y = 45 dynes/cm

PBS/CMP = packed-bed scrubber and composite mesh pad z = records of bath components

FS = fume suppressant only

(trivalent Cr tanks only)

FS/WA = fume suppressant with a wetting agent c = alternative standard for multiple tanks

FM = fiber-bed mist eliminator

under common control

WA = wetting agent

2. Indicate the date by which the facility must meet the requirements of paragraph (5) of Part II: (Note: if your facility contains both hard and decorative plating or anodizing units, you must check each applicable date)

January 25, 1996  January 25, 1997

3. Indicate how the facility will fulfill the compliance demonstration:

The facility will conduct an initial performance test

The facility will use a wetting agent to reduce emissions and will meet the existing surface tension limit in No. 1 above.

4. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Equipment maintenance
- (b) Equipment inspection and repair
- (c) Equipment malfunctions
- (d) Operation and maintenance checklist
- (e) Instrument calibration
- (f) Start-up, shutdown, malfunction plan (used during initial performance test)
- (g) Performance test results
- (h) Equipment monitoring
- (i) Excess emissions
- (j) Operating periods
- (k) Rectifier capacity
- (l) Fume suppressant records
- (m) Purchase records of wetting agent components

5. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are:


No DEP air permits currently exist for the operation of the facility indicated in this notification form.

**Responsible Official Certification**

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

Saul Camargo  
Print name of responsible official

  
Signature

August 1, 2002  
Date



## ***Fax Transmittal***

To: **Sandy Bowman 850-922-6979**  
Company: **Department of Environmental Protection**  
From: **Juan Pablo Camargo**  
Date: **08/01/02**  
# Pages: **6**  
(including this cover page)

**RECEIVED**

**AUG 01 2002**

**Bureau of Air Monitoring  
& Mobile Sources**





August 1, 2002

Department of Environmental Protection  
Sandy Bowman  
2600 Blair Stone Rd.  
Mail Stop 5510  
Tallahassee, Florida 32399-2400

Dear Ms. Bowman,

Following is the General Title IV Application. I am also sending the original application by mail along with the Decorative Chromium Operation and Maintenance Plan and actual records of the past several months. These records demonstrate our compliance with the regulation to maintain the surface tension below 45 dynes/cm.

If you need any further information, please do not hesitate to call me at the number below. We appreciate your expeditiousness in this matter.

Sincerely,

Juan Pablo Camargo  
Executive Vice President

CHROMIUM ELECTROPLATING AND ANODIZING  
AIR GENERAL PERMIT NOTIFICATION FORM

Part III. Notification of Intent to Use General permit

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): Techno Coatings, Inc.
2. Site Name (For example, plant name or number): Techno-Coatings, Inc.
3. Hazardous Waste Generator Identification Number: FLD 982173874
4. Facility Location: Street Address: 1865 N.E. 144 <sup>th</sup> Street City: North Miami County: Miami-Dade Zip Code: 33181

025/124-001

Responsible Official

6. Name and Title of Responsible Official: Name: Saul Camargo Title: President
7. Responsible Official Mailing Address: Organization/Firm: Techno Coatings, Inc. Street Address: 1865 N.E. 144 <sup>th</sup> Street City: North Miami County: Miami-Dade Zip Code: 33181
8. Responsible Official Telephone Number: Telephone: (305)945-2220 Fax:(305)945-1286

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager): Juan Pablo Camargo, Executive Vice President
10. Facility Contact Address: Street Address: 1865 N.E. 144 <sup>th</sup> Street City: North Miami County: Miami-Dade Zip Code: 33181
11. Facility Contact Telephone Number: Telephone: (305)945-2220 Fax: (305)945-1286

RECEIVED

AUG 02 2002

Bureau of Air Monitoring  
& Mobile Sources

**Facility Information**

1.a. Provide the information below for each hard electroplating machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

**HARD CHROMIUM PLATING TANKS**

	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			

Key for Control Device Type

PBS = packed-bed scrubber  
 CMP = composite mesh pad  
 PBS/CMP = packed-bed scrubber and composite mesh pad  
 FS = fume suppressant only  
 FS/WA = fume suppressant with a wetting agent  
 FM = fiber-bed mist eliminator  
 WA = wetting agent

Applicable Standard Key

a = 0.03 mg/dscm  
 b = 0.015 mg/dscm  
 c = alternative standard for multiple tanks under common control

Is the facility's cumulative potential rectifier capacity greater than 60 million ampere-hours per year?

Yes  No

1.b. Provide the information below for each decorative electroplating or anodizing machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

**DECORATIVE AND ANODIZING TANKS**

Feb 1998	New	Feb 1998	FS/WA	y
Feb 1998	New	Feb 1998	FS/WA	y
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			

<u>Key for Control Device Type</u>	<u>Applicable Standard Key</u>
PBS = packed-bed scrubber	x = 0.01 mg/dscm
CMP = composite mesh pad	y = 45 dynes/cm
PBS/CMP = packed-bed scrubber and composite mesh pad	z = records of bath components (trivalent Cr tanks only)
FS = fume suppressant only	
FS/WA = fume suppressant with a wetting agent	c = alternative standard for multiple tanks under common control
FM = fiber-bed mist eliminator	
WA = wetting agent	

2. Indicate the date by which the facility must meet the requirements of paragraph (5) of Part II: (Note: if your facility contains both hard and decorative plating or anodizing units, you must check each applicable date)

January 25, 1996  January 25, 1997

3. Indicate how the facility will fulfill the compliance demonstration:

The facility will conduct an initial performance test

The facility will use a wetting agent to reduce emissions and will meet the existing surface tension limit in No. 1 above.

#### 4. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- |  |  |
|--|--|
| (a) Equipment maintenance <input checked="" type="checkbox"/>                        | (b) Equipment inspection and repair <input checked="" type="checkbox"/>                                  |
| (c) Equipment malfunctions <input type="checkbox"/>                                  | (d) Operation and maintenance checklist <input checked="" type="checkbox"/>                              |
| (e) Instrument calibration <input checked="" type="checkbox"/>                       | (f) Start-up, shutdown, malfunction plan (used during initial performance test) <input type="checkbox"/> |
| (g) Performance test results <input type="checkbox"/>                                | (h) Equipment monitoring <input checked="" type="checkbox"/>   |
| (i) Excess emissions <input type="checkbox"/>  | (j) Operating periods <input checked="" type="checkbox"/>  |
| (k) Rectifier capacity <input checked="" type="checkbox"/>                           | (l) Fume suppressant records <input checked="" type="checkbox"/>   |
| (m) Purchase records of wetting agent components <input checked="" type="checkbox"/> |  |

#### 5. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are:

No DEP air permits currently exist for the operation of the facility indicated in this notification form.


**Responsible Official Certification**

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

Saul Camargo

Print name of responsible official



Signature

August 1, 2002

Date



August 1, 2002

Department of Environmental Protection  
Sandy Bowman  
2600 Blair Stone Rd.  
Mail Stop 5510  
Tallahassee, Florida 32399-2400

Dear Ms. Bowman,

Following is the General Title IV Application. I am also sending the original application by mail along with the Decorative Chromium Operation and Maintenance Plan and actual records of the past several months. These records demonstrate our compliance with the regulation to maintain the surface tension below 45 dynes/cm.

If you need any further information, please do not hesitate to call me at the number below. We appreciate your expeditiousness in this matter.

Sincerely,

Juan Pablo Camargo  
Executive Vice President


RECEIVED

AUG 05 2002

Bureau of Air Monitoring  
& Mobile Sources



# Chromium Operation & Maintenance Plan



## Chromium Operation & Maintenance Plan

Permit Number: 0251025-001-AC

TC Ref: 7.24.2.FR

Decorative Chrome Tank

Capacity: 385 gallons

Decorative Black Chrome Tank

Capacity: 120 gallons

Operation and maintenance criteria for the above decorative chrome tanks as follows:

1. Operation
  - a. Plating operators place parts in tanks and turn on a rectifier, common to both tanks, for a specified period of time. The rectifier is equipped with a timer totalizer to record the total operating time of the tanks.
2. Maintenance
  - a. Plant maintenance personnel perform routine inspections as follows:
    - i. Daily visual inspection
      1. Tank
      2. Heaters
      3. Pump
      4. Rectifier
    - ii. Weekly anode cleaning
    - iii. By-annual complete service
    - iv. Addition of chromic acid and sulfuric acid as required

Process and control system monitoring equipment criteria as follows:

1. Process and control
  - a. Weekly measurement of surface tension or every 4 hours of usage as recorded by the rectifier hour totalizer. Which ever comes first.
  - b. Addition of PROTAB 1000 wetting agent when required to lower surface tension to below 45 dynes/cm using method 306B.
2. Monitoring equipment
  - a. CSC-DuNOUY Tensiometer cat #70535.
  - b. Calibration
    - i. Daily since equipment is used to measure surface tension on other tanks.

Procedures for identifying malfunctions are incorporated in the Operation and Maintenance Procedures for the decorative chrome tanks, and in the Process and Control System Monitoring criteria for the CSC-DuNOUY Tensiometer. Corrective actions to address malfunctions as follows:

1. Decorative Chrome Tanks malfunction by surface tension exceedance of 45 dynes/cm
  - a. Addition of PROTAB 1000 wetting agent when required to lower surface tension to below 45 dynes/cm using method 306B.
2. CSC-DuNOUY Tensiometer Malfunction
  - a. Replacement of Tensiometer



**Standardized checklists**

1. Decorative chrome tanks inspections checklist.
2. Tensiometer calibration.
3. Surface tension readings and wetting agent additions.
4. Weekly usage (reading from rectifier hour totalizer).
5. Records of chemicals and equipment purchases.

The above represent the work practice standards and procedures to prevent malfunctions.











White Chrome Control Chart

Date	Time	By	Analysis			Additions		Ts Readings			Comments
			CrO3 (g)	H2SO4 (ml)	Ratio	CrO3 (g)	H2SO4 (ml)	Ts Before (Dyn/cm)	Add-Protab 1000 (qty tablets)	Ts After (Dyn/cm)	
3-21-02	6:30PM	Maicela F	203.3g/l	0.75g/l	271	-	-	36.0			
3-25-02	5:20PM	Maicela F	216.6g/l	0.75g/l	288.8	-	-	35.7			
3-26-02	10:30AM	Cabrera D.	-	-	-	-	40				
3-27-02	3:45PM	Maicela F	211.6g/l	0.75g/l	282	-	-	34.6			
3-29-02	6:15PM	Maicela F	208.2g/l	0.75g/l	277.4	-	45	32.8			
4-4-02	3:25PM	Maicela F	211.5g/l	0.75g/l	282.1	-	-	34.4			
4-11-02	4:45PM	Maicela F	211.5g/l	0.75g/l	282.1	-	-	34.4			
4-17-02	3:05PM	Maicela F	214.9g/l	0.75g/l	286.6	-	-	31.4			
4-25-02	2:30PM	Maicela F	213.3g/l	0.75g/l	284.4	-	-	33.3			
5-2-02	4:50PM	Maicela F	211.5g/l	0.75g/l	282	-	-	34.1			
5-9-02	3:05PM	Maicela F	209.1g/l	0.75g/l	278.8	-	-	34.2			
5-16-02	8:25PM	Maicela F	213.3g/l	0.75g/l	284.4	-	-	34.4			
5-23-02	1:50PM	Maicela F	209.9g/l	0.75g/l	279.9	-	-	33.0			
5-30-02	3:15PM	Maicela F	209.9g/l	0.75g/l	279.9	-	-	34.8			
6-6-02	5:05PM	Maicela F	211.5g/l	0.75g/l	282.1	-	-	34.4			
6-13-02	7:30PM	Maicela F	208.2g/l	0.75g/l	277.4	-	-	34.3			
6-20-02	2:50PM	Maicela F	211.6g/l	0.75g/l	282.1	-	-	35.5			
6-27-02	3:10PM	Maicela F	209.9g/l	0.75g/l	279.9	-	-	35.5			
7-11-02	1:30PM	Maicela F	209.9g/l	0.75g/l	279.9	-	-	35.9			
7-18-02	4:15PM	Maicela F	209.9g/l	0.75g/l	279.9	-	-	36.5	10	34.5	
7-19-02	3:50PM	Maicela F				13600					
7-26-02	2:45PM	Maicela F	216.6g/l	0.75g/l	288.8	-	-	34.5			







# Department of Environmental Protection

Jeb Bush  
Governor

Division of Air Resource Management  
2600 Blair Stone Road, MS 5510  
Tallahassee, Florida 32399-2400

Colleen M. Castille  
Secretary

**TO: Holder of Title V Air General Permit**

**Our records indicate that, as the owner or operator of an eligible facility, you have claimed entitlement to the use of a Title V Air General Permit under Rule 62-213.300, Florida Administrative Code (F.A.C.).**

**For your facility to maintain its eligibility for the Title V Air General Permit, Rule 62-213,300(3)(b), F.A.C. states "...the owner or operator of the facility must, upon written notice from the Department, submit payment of an annual operation fee in the amount of \$50.00. This fee is due and payable between January 15 and March 1 of each year for which the facility is in operation and subject to the requirements of this rule and the general permit." This invoice constitutes the Department's written notice, as required under the general permit rule.**

**Please make your check or money order payable to the Department of Environmental Protection and staple it to the detachable portion of this invoice below. To maintain your facility's eligibility for the general permit, the fee must be received by the Department not later than March 1. Your check and the detachable portion of this invoice below should be mailed to:**

**Title V Air General Permits  
Receipts  
Post Office Box 3070  
Tallahassee, FL 32315-3070**

*Handwritten:* 6/25990

(CUT HERE)

**THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING**

**Please include your AIRS ID# on your check or money order. This number is located on the mailing label.**

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID# 251124 Tst  
TECHNO-COATINGS INC  
1865 NE 144th Street  
NORTH MIAMI, FL 33181

FLAIR ACCT. CODE 372020350013755010000  
BENEFITTING OBJECT CODE 002000  
BENEFITTING CATEGORY 000200

FOR GOVERNMENT USE ONLY  
ORG.: 37550101000 EO: A1  
FUND: 20-2-035001  
OBJECT: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

467367 JAN 18 2007

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

AIRS ID 0251124  
TECHNO COATINGS INC  
1865 NE 144th Street  
NORTH MIAMI, FLORIDA 33181



Bureau of  
Mobile Sources  
JAN 23 2007

FLAIR ACCT. CODE 372020350013755010000  
BENEFITTING OBJECT CODE 002000  
BENEFITTING CATEGORY 000200

FOR GOVERNMENT USE ONLY  
ORG.: 37550101000 EO: A1  
FUND: 20-2-035001  
OBJECT: 002273

Printed on recycled paper.

**TECHNO-COATINGS, INC.**

20356

01/11-

AIRS ID# 0251124

1/11/07

50.00

50.00

1/12/07

20356

DEPT OF ENVIRONMENTAL PROTECT

\$50.00



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

421356 JAN 6 2003

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

AIRS ID#0251124

TECHNO-COATINGS INC  
SAUL CAMARGO  
1865 NE 144 STREET  
NORTH MIAMI FL  
33181

Office of Air Monitoring  
& Mobile Sources

JAN 08 2003

RECEIVED

FOR GOVERNMENT USE ONLY  
Org: 37550101000 EO: A1  
Fund: 20-2-035001  
Obj.: 002273

**TECHNO-COATINGS, INC.**

13294

12/10- INV.# 121002

12/10/02

50.00

50.00

1/3/03

13294

DEPT OF ENVIRONMENTAL PROTECT

\$50.00



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

435176 JAN12 2004

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

251124  
SAUL CAMARGO  
TECHNO-COATINGS INC  
1865 NE 144 STREET  
NORTH MIAMI FL 33181

**FOR GOVERNMENT USE ONLY**  
Org.: 37550101000 EO: A1  
Fund: 2002-035001  
Obj.: 002273

*RECEIVED*  
JAN 15 2004  
Bureau of Air  
& Mo. Administration

-----  
**THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING**

**Please include your AIRS ID# on your check or money order. This number is located on the mailing label.**

444953 JAN24 2005

**TOTAL AMOUNT DUE: \$50.00**

**Do NOT Remove Label**

AIRS ID# 251124 7  
TECHNO-COATINGS INC ✓  
1865 NE 144th Street  
NORTH MIAMI, FL 33181

*Printed on recycled paper.*


Bureau of Air Monitoring  
& Mobile Sources

JAN 26 2005

RECEIVED

**FOR GOVERNMENT USE ONLY**  
**ORG.: 37550101000 EO: A1**  
**FUND: 20-2-035001**  
**OBJECT: 002273**

**TECHNO-COATINGS, INC**  
1886 N.E. 144th Street  
North Miami, FL 33181 USA



TITLE V - General Permit  
Receipts  
Post Office Box 3070  
Tallahassee, FL 32315-3070

32315+3070-70 2393

