



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary

October 30, 2008

Mr. Nelsido Hernandez
Nick Plating
535 Northwest 29th Street
Miami, Florida 33127

Re: Facility No.: 0251129-002

Dear Mr. Hernandez:

The Department has received the Title V General Permit Notification Form for the chromium electroplating and anodizing facility that you submitted on September 26, 2008.

Pursuant to Florida Statutes section 403.814, the authority to operate under general permits commences thirty (30) days after receipt of the registration form unless you have been notified by this office that your facility has not shown entitlement to operate pursuant to the rule provisions.


For your information, authority to operate pursuant to Rule 62-210.310 expires after five (5) years. Therefore, a new registration form must be received no later than five (5) years after the date your notice was received as indicated above. If your general permit rule conditions require testing, such testing must be completed within the time frame specified in the rule.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the district or local air program compliance inspector in your area.

Sincerely,



Sandra F. Veazey, Chief
Bureau of Air Monitoring
and Mobile Sources

SFV/pg

cc: Ms. Mallika Muthiah, Miami-Dade County

x

SOCR
NO ACTIVITY FOR FACILITY
EMISSION FEE DATES *2002-2006*
~~VER~~ REPORTS *2*
COMP. STATUS - SNC MNC IN

*TRPT SOCR - Statement of Compliance
Report 9/17/2008 - IN*

INSP - Miami-Dade Co - Muthiah

RECEIVED
 SEP 26 2008
 Bureau of Air Monitoring
 & Mobile Sources

CHROMIUM ELECTROPLATING AND ANODIZING
 AIR GENERAL PERMIT NOTIFICATION FORM

Part III. Notification of Intent to Use General permit

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	Nick Plating
2. Site Name (For example, plant name or number):	2050 CENTRAL AVENUE S.E. ENVIRITE OF OHIO, INC. CANTON, OH 44707 USA Tel: 330-456-6238
3. Hazardous Waste Generator Identification Number:	003842130JJK
4. Facility Location: Street Address: City:	535 NW 29 St. Miami County: FL (Miami Dade Co) Zip Code: 33127
5. Facility Identification Number (DEP Use ONLY - do not fill in)	0251129-002

Responsible Official

6. Name and Title of Responsible Official: Name:	NELSIDO HERNANDEZ	Title:	
7. Responsible Official Mailing Address: Organization/Firm: Street Address: City:	535 NW 29 St. Miami	County:	DADE Zip Code: 33127
8. Responsible Official Telephone Number: Telephone:	(305) 573-7656	Fax:	() -

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):	
10. Facility Contact Address: Street Address: City:	County: Zip Code:
11. Facility Contact Telephone Number: Telephone:	() - Fax: () -

Facility Information

1.a. Provide the information below for each hard electroplating machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

HARD CHROMIUM PLATING TANKS

DATE PURCHASED	UNIT CLASS (circle one)	DATE CNTRL DEVICE INSTALLED	CONTROL DEVICE (see key)	APPLICABLE STANDARD (see key)
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			

Key for Control Device Type

PBS = packed-bed scrubber
 CMP = composite mesh pad
 PBS/CMP = packed-bed scrubber and composite mesh pad
 FS = fume suppressant only
 FS/WA = fume suppressant with a wetting agent
 FM = fiber-bed mist eliminator
 WA = wetting agent

Applicable Standard Key

a = 0.03 mg/dscm
 b = 0.015 mg/dscm
 c = alternative standard for multiple tanks under common control

Is the facility's cumulative potential rectifier capacity greater than 60 million ampere-hours per year?

Yes No

1.b. Provide the information below for each decorative electroplating or anodizing machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

DECORATIVE AND ANODIZING TANKS

DATE PURCHASED	UNIT CLASS (circle one)	DATE CNTRL DEVICE INSTALLED	CONTROL DEVICE (see key)	APPLICABLE STANDARD (see key)
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			

Key for Control Device Type

PBS = packed-bed scrubber
CMP = composite mesh pad
PBS/CMP = packed-bed scrubber and composite mesh pad
FS = fume suppressant only
FS/WA = fume suppressant with a wetting agent
FM = fiber-bed mist eliminator
WA = wetting agent

Applicable Standard Key

x = 0.01 mg/dscm
y = 45 dynes/cm
z = records of bath components
(trivalent Cr tanks only)
c = alternative standard for multiple tanks
under common control

2. Indicate the date by which the facility must meet the requirements of paragraph (5) of Part II:
(Note: if your facility contains both hard and decorative plating or anodizing units, you must check each applicable date)

January 25, 1996 January 25, 1997

3. Indicate how the facility will fulfill the compliance demonstration:

- The facility will conduct an initial performance test
- The facility will use a wetting agent to reduce emissions and will meet the existing surface tension limit in No. 1 above.

4. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Equipment maintenance
- (b) Equipment inspection and repair
- (c) Equipment malfunctions
- (d) Operation and maintenance checklist
- (e) Instrument calibration
(used during initial performance test)
- (f) Start-up, shutdown, malfunction plan
- (g) Performance test results
- (h) Equipment monitoring
- (i) Excess emissions
- (j) Operating periods
- (k) Rectifier capacity
- (l) Fume suppressant records
- (m) Purchase records of wetting agent components

5. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

- I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are:

- No DEP air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

NELSIDO HERNANDEZ

Print name of responsible official

Nelsido Hernandez

Signature

09-18-008

Date

10/01/06 spoke
w/ Mr. Hernandez
re incomplete
form. Sent
needed sheets to
Mr. Hernandez
& asked they if
he returned by
Wed - Oct.

Go
Rec'd 10/17/08

**ADDENDUM TO ORIGINAL FORM
SUBMITTED ON SEP 26, 2008*

Facility Information

1.a. Provide the information below for each hard electroplating machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Bureau of Air Monitoring
& Mobile Sources

RECEIVED
OCT 17 2008

HARD CHROMIUM PLATING TANKS

DATE PURCHASED	UNIT CLASS (circle one)	DATE CNTRL DEVICE INSTALLED	CONTROL DEVICE (see key)	APPLICABLE STANDARD (see key)
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			

Key for Control Device Type

PBS = packed-bed scrubber
 CMP = composite mesh pad
 PBS/CMP = packed-bed scrubber and composite mesh pad
 FS = fume suppressant only
 FS/WA = fume suppressant with a wetting agent
 FM = fiber-bed mist eliminator
 WA = wetting agent

Applicable Standard Key

a = 0.03 mg/dscm
 b = 0.015 mg/dscm
 c = alternative standard for multiple tanks under common control

Is the facility's cumulative potential rectifier capacity greater than 60 million ampere-hours per year?

Yes No

1.b. Provide the information below for each decorative electroplating or anodizing machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

DECORATIVE AND ANODIZING TANKS

DATE PURCHASED	UNIT CLASS (circle one)	DATE CNTRL DEVICE INSTALLED	CONTROL DEVICE (see key)	APPLICABLE STANDARD (see key)
7-22-00	New/Existing	7-22-00	2 a day	
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			

Key for Control Device Type

PBS = packed-bed scrubber
CMP = composite mesh pad
PBS/CMP = packed-bed scrubber and composite mesh pad
FS = fume suppressant only
FS/WA = fume suppressant with a wetting agent
FM = fiber-bed mist eliminator
WA = wetting agent

Applicable Standard Key

x = 0.01 mg/dscm
y = 45 dynes/cm
z = records of bath components
(trivalent Cr tanks only)
c = alternative standard for multiple tanks
under common control

2. Indicate the date by which the facility must meet the requirements of paragraph (5) of Part II:
(Note: if your facility contains both hard and decorative plating or anodizing units, you must check each applicable date)

January 25, 1996 January 25, 1997

3. Indicate how the facility will fulfill the compliance demonstration:

- The facility will conduct an initial performance test
- The facility will use a wetting agent to reduce emissions and will meet the existing surface tension limit in No. 1 above.

4. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Equipment maintenance
- (b) Equipment inspection and repair
- (c) Equipment malfunctions
- (d) Operation and maintenance checklist
- (e) Instrument calibration
(used during initial performance test)
- (f) Start-up, shutdown, malfunction plan
- (g) Performance test results
- (h) Equipment monitoring
- (i) Excess emissions
- (j) Operating periods
- (k) Rectifier capacity
- (l) Fume suppressant records
- (m) Purchase records of wetting agent components

5. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

- I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are:

- No DEP air permits currently exist for the operation of the facility indicated in this notification form.

begin in 2000


From:
NELSIDO Hernandez
Nick Platino
535 NW 29 St.
Miami FL 33127

MIAMI FL 33127
24 SEP 2008 PM 1 L


USA FIRST CLASS

General Permits Section
Bureau of Air Monitoring and Mobile Sources
MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400

32399-2400




From:
NELSIDO HERNANDEZ
NICK PLATING
535 NW 29 St.
MIAMI FL. 33127



To: FDEP-DARM
Mail Station 5510
2600 Blair Stone Road
Tallahassee, FL. 32399-2400

32399+6542



NELSido Hernandez 10/14/008

Nick Platino

535 NW 29 St.
Miami FL 33127

tel: 305-573-7654

Thank You

RECEIVED
OCT 17 2008
Bureau of the Inspector
& Mobile Sources