

## Florida Department of **Environmental Protection**

Bob Martinez Center 2600 Blair Stone Road Tallahassee, Florida 32399-2400 Charlie Crist Governor

Jeff Kottkamp Lt. Governor

Michael W. Sole Secretary

August 8, 2008

Ms. Debbie Thomas President Ter Prints USA, Incorporated Platinum Printing USA / Miami Offset 13301 Northwest 38th Court Opa-Locka, Florida 33054

Dear Ms. Thomas:

This is to acknowledge that your notification of intent to use the authority of Rule 62-210.310 to operate your facility was received on July 7, 2008. We have assigned ARMS No. <u>0251130-003</u> to this facility.

As you know, pursuant to Florida Statutes section 403.814, authority to operate under general permits commences thirty days after receipt of the registration form unless you have been notified by this office that your facility has not shown entitlement to operate pursuant to the rule provisions.

For your information, authority to operate pursuant to Rule 62-210.310 expires after 5 years. Therefore, a new registration form must be received no later than 5 years after the date your notice was received as indicated above. If your general permit rule conditions require testing, such testing must be completed within the time frame specified in the rule.

If you have any additional questions, please contact Dickson Dibble at 850/921-9586.

Sandra F. Veazey, Chief Bureau of Air Monitoring

and Mobile Sources

SFV/pg

cc: Ms. Millika Muthiah, Miami-Dade County

## RECEIVED

# PRINTING OPERATIONS AIR GENERAL PERMIT REGISTRATION FORM

UNL 0 9 2008

#### Part II. Notification to Permitting Office

(Detach and submit to appropriate permitting office; keep copy onsite)

Bureau of Air Wonttoring & Mobile Sources

Instructions: To give notice to the Department of an eligible facility's intent to use this air general permit, the owner or operator of the facility must detach and complete this part of the Air General Permit Registration Form and submit it to the appropriate Department of Environmental Protection or local air pollution control program office which has permitting authority. Please type or print clearly all information, and enclose the appropriate air general permit registration processing fee pursuant to Rule 62-4.050, F.A.C. (\$100 as of the effective date of this form)

Registration Type
Check one:
<ul> <li>INITIAL REGISTRATION - Notification of intent to:</li> <li>Construct and operate a proposed new facility.</li> <li>Operate an existing facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit).</li> </ul>
RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to:  Continue operating the facility after expiration of the current term of air general permit use.  Continue operating the facility after a change of ownership.  Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C., or any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.
Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only
If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. In such case, check the first box, and indicate the operation permits being surrendered. If no air operation permits are held by the facility, check the second box.
All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s):  051130-002-AO
No air operation permits currently exist for this facility.
General Facility Information
<u>Facility Owner/Company Name</u> (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)
Ter Prints USA, Inc.
Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is
owned, a registration form must be completed for each.)  Platinum Printing USA/ Miami Offset
1 latinum 1 lineing 05/1/ Wham onset
Facility Location (Provide the physical location of the facility, not necessarily the mailing address.)
Street Address: 13301 N.W. 38th Court
City: Opa-Locka County: Miami Dade Zip Code: 33054

Facility Start-Up Date (Estimated start-up date of proposed **new** facility.) (N/A for existing facility) N/A

Owner/Authorized Representative

Name and Position Title (Person who, by signing this form below, certifies that the facility is eligible to use this

air general permit.)

Print Name and Title:

Debbie Thomas, President

Owner/Authorized Representative Mailing Address

Organization/Firm:

Ter Prints USA, Inc.

Street Address: 13301 N.W. 38th Court

City: Opa-Locka

County: Miami Dade

Zip Code: 33054

Owner/Authorized Representative Telephone Numbers

Telephone: (305) 953-7789

Fax: (305) 953-7741

Cell phone (optional):

Facility Contact (If different from Owner/Authorized Representative)

Name and Position Title (Plant manager or person to be contacted regarding day-to-day operations at the facility.)

Print Name and Title: Same as Owner/Authorized Representative

Roma President

Facility Contact Mailing Address

Organization/Firm:

Street Address:

City:

County:

Zip Code:

Facility Contact Telephone Numbers

Telephone:

Fax:

Cell phone (optional):

Owner/Authorized Representative Statement

This statement must be signed and dated by the person named above as owner or authorized representative

I, the undersigned, am the owner or authorized representative of the owner or operator of the facility addressed in this Air General Permit Registration Form. I hereby certify, based on information and belief formed after reasonable inquiry, that the facility addressed in this registration form is eligible for use of this air general permit and that the statements made in this registration form are true, accurate and complete. Further, I agree to operate and maintain the facility described in this registration form so as to comply with all applicable standards for control of air pollutant emissions found in the statutes of the State of Florida and rules of the Department of Environmental Protection and revisions thereof.

I will promptly notify the Department of any changes to the information contained in this registration form.

Printing Process/InkType(s)
Check all that apply:
☐ Heatset Offset Lithographic ☐ Non-Heatset Offset Lithographic ☐ Digital
☐ Screen or Letterpress ☐ Water Based ☐ Ultraviolet Cured
☐ Flexographic ☐ Rotogravure
Compliance Assurance - Initial Registration (Not Required for Re-Registration)
Below, or as an attachment to this form, provide the method (mass balance or material usage rates) expected to be
used to demonstrate compliance with Rule 62-210.310(4)(f)2., F.A.C. Provide the estimated amount of materials
containing hazardous air pollutants and solvent-containing materials expected to be used over a 12-month period.
The calculation methodolgy to be used for compliance assurance will be as described in 62-
210.310(4)(f).a F.A.C., emission limits of less than 80% of the major source thresholds for
VOC's and HAP's. (Less than 80 tons/year Total VOC emissions; less than 20 tons/year Total
HAP emissions; and less than 8 tons/year of any individual HAP emissions.)
TAY emissions, and less than 8 tons/year of any individual TAI emissions.
The attached spreadsheet documents the actual raw materials usage over the most current 12
month period, and calculates Total VOC's, Total HAP's, and Individual HAP's emissions.
month period, and calculates rotal voes, rotal in it s, and marviadar in it s emissions.
Also attached is a spreadsheet estimating the material usage and VOC emissions for an
anticipated 200% growth in production over the life of the permit.
minorpated 20070 grown in production over the time persons
NOTE: The material usage and emissions estimates on the attached spreadsheets show the
actual usage and emissions calculations without mitigating AP-42 factors or the control
device's destruction efficiency.
· · · · · · · · · · · · · · · · · · ·

Compliance Determination - Re-Registration (Not Required for Initial Registration)														
Below, or as an attachment to this form, provide the highest 12-month total quantity of materials containing hazardous air pollutants and the highest 12-month total quantity of solvent-containing materials used in the last five years to show compliance with sub-subparagraph 62-210.310(4)(f)2.b., F.A.C. (material usage rates) or provide all calculations to show compliance with sub-subparagraph 62-210.310(4)(f)2.a., F.A.C. (mass balance).														
N/A														
	·		·											
•														
	•													
	•													
,														
			·											
·														
	*		•											
•														

**Description of Facility** 

Below, or as an attachment to this form, provide a description of the printing operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Information should include a description of the number and types of printing processes, presses and ink systems being used at the facility. Describe all air pollutant-emitting processes and equipment at the facility, and identify any air pollution control measures or equipment used.

Facility ID: 0251130

#### Heatset Printing Equipment:

- 1. Hantscho Press 8 Units, 36" Web, 2 Thermoelectro Drying Ovens, combo Folder, Double Former Folder, Sheeter
- 2. Harris M1000x Press 4 Units, 38" Web, 1 TEC Drying Oven, 2 Combo Folders, Sheeter
- 3. Harris M110 Press 6 Units, 26 1/2" Web, 1 TEC Drying Oven, UV Coater, Combo Folder, Sheeter
- 4. Control Device TANN Regenerative Thermal Oxidizer, Model TR-10-92C, 10,000 scfm, 92% HTX Efficiency, 99% VOC Destruction.

#### Coldset Printing Equipment:

- 1. Urbanite Press 36" Web, 16 Units, Combo Folder
- 2. V-15 Press 36" Web, 11 Units, 2 Combo Folders

#### Ancillary Equipment:

1. Paper Scrap Collector and Cyclone Concentrator - Simple vacuum system for collecting and compacting paper scrap from the cutters at the ends of the presses. This is a trim removal system utilizing negative pressure to pick up and deliver paper scrap into a waste compactor located outside of building.

			<u> </u>
οĖ	2	~	

RAW MATERIALS/ <u>HAP</u> ş	ib/gal	% VOCs	lb/gal VOCS	% HAPs	lb/gat HAPs	JUN 2007	JUL 2007	AUG 2007	SEPT 2007	OCT 2007	NOV 2007	DEC 2007	JAN 2008	FEB 2008	MAR 2008	APR 2008	MAY 2008	TOTAL USAGE	Units	Lb/Yr Total VOC Emits	TPY Total VOC Emits	Lb/Yr HAP Emits	TPY HAP
									Н	EATSET	INKS	•											
PHK11898 Thermo Print Black	8.12	38.6%	3.13			1288	1337	1563	1339	2270	1518	1608	762	797	810	815	775	14882	lbs	5744.45	2.872		
PHB11899 Thermo Print Cyan	8.16	38.6%	3.15			1169	1204	1378	1204	1905	1343	1405	1334	1341	1331	1344	1331	16289	lbs	6287.55	3.144		
PHR119008 Thermo Print Magenta	8.14	37.0%	3.01			1432	1473	1718	1483	2456	1668	1762	1004	1012	932	1017	1020	16977	lbs	6281.49	3.141		
PHY11795A Thermo Print Yellow	8	36.8%	2.94			1561	1615	1891	1618	2738	1836	1940	1530	1522	1458	1508	1527	20744	lbs	7633.79	3.817		
				<u> </u>				Ļ												<u> </u>			
																	,				<u> </u>		
		ļ	<b>.</b>	<b> </b>		<u> </u>	_	-	<u> </u>	-													
				<u> </u>	L	L	!	1		OLDSET	TNVC		<u> </u>	l	<u> </u>	<u> </u>	L		l	<u> </u>	<u> </u>		L
PNK50030A News Open Fount Black	8.02	3.7%	0.30	<del> </del>		16000	16000	16000		16000		16000	16000	16000	16000	16000	16000	192000	lbs	7104.00	3.552		1
PNB50053 News Open Fount Cyan	9.00	4.5%	0.41	-		1450	1450	1450	1450	1450	1450	1450	1450	1450	1450	1450	1450	17400	Ibs	783.00	0.392		
PNR50054 News Open Fount Magenta	9.00	5.0%	0.45	<del> </del>		1450	1450	1450	1450	1450	1450	1450	1450	1450	1450	1450	1450	17400	ibs	870.00	0.435		
PNY50055 News Open Fount Yellow	8.75	3.2%	0.28			1450	1450	1450	1450	1450	1450	1450	1450	1450	1450	1450	1450	17400	lbs	558.54	0.279		· · · · · · · · · · · · · · · · · · ·
, , , , , , , , , , , , , , , , , , ,	0.50		1 3:25	<b></b>				1						1						1			
			†	†									<u> </u>		· ·		t		1				
		· ·					-	<b>T</b>	1							1			1				T
			<b>†</b>	T .	1		1		· · · · · ·	1			1										<u> </u>
		,	T																	1			
								HEA'	SET PRE	SSES - A	LLIED C	HEMICA	LS	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	•	1 T							
Webfount 211 (gals) (M110/M1000)	9.01	34.6%	3.12			111	130	137	129	130	104	99	41	43	40	45	39	9442	lbs	3267.10	1.634		
Ethylene Glycol (107-21-1)	Cold is	4834A.	SIE	5.0%	<b>0.45</b>	13470	SALE?	15.00	16 2 3	36,94	refigi	Hallach	13.74 × 2		1	God Ave	<b>光</b> 蒙蒙蒙克	with my did	200	AND THE PARTY OF T	Fig. De si	472.12	<b>0.236</b>
Diethylene Glycol Monobutyl Ether			(26.44)	5.0%	0.45	40221777	(895%)	1.7437	THE TOTAL	\$ 2,44°E	3 3	2.5/10/2	78.74	77-96-7514	(H-S, PE)	Sagilya A	P. Carrier	WATER OF	湖北	740.27	344 THE	472.12	. 0.236
(112-34-5) (Glycol Ether)	12	###_1755	334339	( 3.07.7	14151416	- NS-35	Ma <sub>ra</sub> s ,	が開発	可們認	8496.8	54 35 S	in Line	6.5.31.6 11.	Land Control	E * 7.00	Marine II	STAPE:	\$ 14 July 3	19 90 18	Company No.		in one of	Parair : #
H-8D Fountain Conc (gals) (Hantscho)	8.85	40.1%	3.55			34	43	43	49	56	29	37	39	45	38	41	39	4363	lbs	1749.58	0.875		
Ethylene Glycol (107-21-1)		灣語為	とる場合	10.0%	.√0.89°	THE PARTY OF		Contract.	WELLS.	湖湖流	138	W. Sing		id iden		THE	THAN				3 4 50	436.31	0.218
Diethylene Glycol Monobutyl Ether		Mark 15	75.4	10.0%	0.89	納號		1995	holder of	4500	的表現	64.	43.56	47 X	<b>对对</b>	Proto.	J. W. A.	il vitte	Vigo 5		162	:436.31	0.218
(112-34-5) (Glycol Ether)	6.55	98.5%	1	A CORPORATE	St. C. ather	134	149	144	144	138	133	126	97	80	91	115	103	9524	lbs	9380.84	4.690	, 1 au 2 2 2 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ANTENDO.
Blanket Wash NBLC (gals)	0.55	90.570	6.45	-	<del>                                     </del>	1	-	+	<del>                                     </del>		-		<del> </del>	+	<del>                                     </del>	<del> </del>	-	<del> </del>	<del>├</del> ──	+	<del> </del>		ļ
MRC-F (gals)	6.59	62.4%	4.11	1		26	36	36	46	73	52	54	21	24	49	53	51	3433	lbs	2141.41	1.071	D P 1252 1214	gy that managed
Xylene (1330-20-7)		理数控心。		20.0%	2º1.32	Faces		3482.65	#宋/张	100	17.	。此時世紀	<b>克姆斯</b> 尔		学程装	製をより接	THER	King.	2744			686.68	0.343
Ethylbenzene (100-41-4)	44 - 4	44.1.1.1.		*5.0%°	. 0.33		regard as	3460	100	81 E 14	THE STATE	ئىرۇلۇنى <b>لە</b> ئىلىوب	1800	1. 1. 1. 1. 1.		20 C C	Wast.		Y.P	7587	"Secure "	171.67	ິ0.086
			-			┞		<u>.</u>	<b>.</b>	<del> </del>			ļ	ļ	<u> </u>	<b></b>	ļ		-	<del> </del>	ļ	<del>                                     </del>	ļ
		<del>                                     </del>			<del> </del>	}			<del> </del>	-		-	-	<u> </u>	1	ļ <u>.</u>	<u> </u>		ļ	<u> </u>	+	ļ	
			┼		<del> </del>	ł		<u> </u>		┼	<del> </del>		<del> </del>	<del> </del>	<del>                                     </del>	ļ	<u> </u>	-	-				
		<del> </del>	<b>+</b>	<del> </del>	+	<b>!</b>	<del> </del>	<del> </del>	<del>                                     </del>		<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<b>†</b>	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>	1	<del>                                     </del>	<del> </del>
		<del>                                     </del>	1	1	<del> </del>	$\dagger$		1	$\vdash$	<del> </del>	$\vdash$	<del>                                     </del>	<del>†                                      </del>	<u> </u>	<del>                                     </del>	1	<del>†</del>	<del>                                     </del>	<del> </del>		-	1	<del>                                     </del>
				<del>                                     </del>	<del> </del>	t		†	t	+	· ·	<b></b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>	<b>†</b>	<del>                                     </del>	<u> </u>	1		<del>                                     </del>
	•		<del>1</del>	<u> </u>		•	1	COL	SET PRE	SSES - /	LLIED (	HEMICA	LS	•	•				•		•	-	
Fountain Concentrate 199-32 (cole)	0.34	0.004	0			115	114	115	114	115	114	115	114	115	114	115	114	12655	lbs	0.00	0.000		
Fountain Concentrate 189-32 (gais)	9.21	98.5%	+	<del> </del>	<del>                                     </del>			140	-	<del>                                     </del>	<del> </del>	<del> </del>	140	140	140	140	140	11004	lbs	10838.94	<del> </del>	1	†
Blanket Wash NBLC (gals)	6.55	<del> </del>	+	<del>                                     </del>	<del> </del>	140	<del>                                     </del>	140	140	140	140	140	<del> </del>	<del>                                     </del>	+	<del>                                     </del>	<del> </del>		+	<del> </del>	+	<del> </del>	-
APC Plate Cleaner (qts)	8.51	1	0.74		1	3	3	3	3	3	3	3	3	3	3	3	3	77	lbs	6.66	0.003	nc_16+01	1.2,1
2-Butoxyethanol (111-76-2) (Glycol Ether)				10.0%	0.85	9.0		A Control of the Cont	7.5	97.73 91.17		797	3-4			West 15	The state of the s					7.66	0.004
<u></u>		ļ <u>-</u>	1	<b> </b>		<b> </b>	<u> </u>	1	<del> </del>			<b> </b>	<b>└</b>	<del>                                     </del>	<del> </del>	1		<del></del>	<del>                                     </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>
		<u> </u>	<del> </del>	<del>                                     </del>	ļ .	ļ	<del>                                     </del>	+	<del>                                     </del>	<u> </u>	ļ		<u> </u>		-	<del>                                     </del>	<u> </u>	<b>-</b>	<b>-</b>	ļ	<b></b> _	<u> </u>	<del>                                     </del>
			<u> </u>	· ·	-			<u> </u>								· · · · · ·		-	ļ <u>-</u>				

<del></del>																							
RAW MATERIALS/ <u>HAPs</u>	ib/gal	% VOCs	lb/gal VOCS	% HAPs	lb/gal HAPs	JUN 2007	JUL 2007	AUG 2007	SEPT 2007	OCT 2007	NOV 2007	DEC 2007	JAN 2008	FEB 2008	MAR 2008	APR 2008	MAY 2008	TOTAL USAGE	Units	Lb/Yr Total VOC Emits	TPY Total VOC Emits	, l.b/Yr HAP Emits	TPY HAP Emits
*** SUMMARY DATA ***																							
Total Raw Material Usage in Pounds 363590															$\rightarrow$	_							
Total VOC Emissions (lbs/yr and tons/yr) 62647 31.324															<del>- ) -</del>								
Total HAP Emissions (lbs/yr and tons/yr) 268															2683	1.341							
Individual HAPs																							
				Ī .		T	T				11121			1			· ·		I		Γ	lb/yr	TPY
Kylene (1330-20-7)	1. j ř 30 2. † 6. 55 5 5 1 1 1																					686.68	0.343
Ethylene Glycol (107-21-1)										ļ <u>.</u>					ļ				Ļ			908.43	0.454
Ethylbenzene (100-41-4) Glycol Ethers	900 000	13.70	£	<del> </del>	<del> </del>	-			-	<del> </del>	<del> </del>				<b>-</b>		<b> </b>		-	<del> </del>	<del> </del>	171.67 916.09	0.086
Diethylene Glycol Monobutyl Ether (	112-34-5	)	463 4			<del> </del>	<del>                                     </del>	<u> </u>			<u> </u>		<del> </del>	<del> </del>			<u> </u>	<del> </del>					3.700
2-Butoxyethanol (111-76-2)	7 \$ 7 () 12 9 ( 2%)	2.7	A							ļ													
										ļ			ļ										
					<del>                                     </del>	<u> </u>		-	-	-	<u> </u>		-	<del> </del>	-	-	-	-	-		-		
		T					<u> </u>							<u> </u>				1				<u> </u>	
	· · · · ·				·	<u> </u>		CA	LCULAT	ION M	ETHOD	OLOGY	7		-	1	***	1			,		1
	1		7								1				7	1					1		
			-			ļ										ļ				-l			
	For th	e purno	ses of th	nie Air G	eneral I	Permit	annlica	tion al	l histori	cal raw	materi	als' em	issions	were cal	culated v	vithout 1	Ising AP	-42 Fmis	sion F	octors and	without f	actoring	in the
ALL RAW MATERIALS		e purpo: ol device													culated v	without t	using AP	-42 Emis	sion Fa	actors and	without f	actoring (	in the
ALL RAW MATERIALS															culated v	without t	using AP	-42 Emis	sion Fa	actors and	without f	actoring (	in the
ALL RAW MATERIALS															culated v	without t	using AP	P-42 Emis	sion Fa	actors and	without f	actoring	in the
ALL RAW MATERIALS															culated v	without t	using AP	2-42 Emis	sion Fa	actors and	without f	actoring (	in the
ALL RAW MATERIALS															culated v	without t	using AP	2-42 Emis	sion Fa	actors and	without f	actoring (	in the
ALL RAW MATERIALS															culated v	without t	using AP	-42 Emis	sion Fa	actors and	without f	actoring (	in the
ALL RAW MATERIALS															culated v	without t	using AP	-42 Emis	sion Fa	actors and	without f	actoring (	in the
ALL RAW MATERIALS															culated v	without t	using AP	2-42 Emis	sion Fa	actors and	without f	actoring (	in the
ALL RAW MATERIALS															culated v	without t	using AP	-42 Emis	sion Fa	actors and	without f	actoring i	in the
ALL RAW MATERIALS															culated v	without t	using AP	-42 Emis	sion Fa	actors and	without f	actoring i	in the
ALL RAW MATERIALS															culated v	without t	using AP	-42 Emis	sion Fa	actors and	without f	actoring i	in the
ALL RAW MATERIALS															culated v	without t	using AP	-42 Emis	sion Fa	actors and	without f	actoring i	in the
ALL RAW MATERIALS															culated v	without t	using AP	-42 Emis	sion Fa	actors and	without f	actoring i	in the
ALL RAW MATERIALS															culated v	without t	using AP	-42 Emis	sion Fa	actors and	without f	actoring i	n the
ALL RAW MATERIALS															culated v	without t	Ising AP	-42 Emis	sion Fa	actors and	without f	actoring i	in the
ALL RAW MATERIALS															culated v	without t	using AP	-42 Emis	sion Fa	actors and	without f	actoring i	in the
ALL RAW MATERIALS															culated v	without t	using AP	-42 Emis	sion Fi	actors and	without f	actoring i	in the
ALL RAW MATERIALS															culated v	without t	using AP	-42 Emis	sion Fi	actors and	without f	actoring i	in the
ALL RAW MATERIALS															culated v	without t	using AP	-42 Emis	sion Fi	actors and	without f	actoring i	in the
ALL RAW MATERIALS															culated v	without t	using AP	-42 Emis	sion Fi	actors and	without f	actoring i	in the
															culated v	without t	using AP	-42 Emis	sion Fi	actors and	without f	actoring i	in the

Facility ID #: 0251130

				,	r					<del>,</del>												1000	· · · · · · · ·
RAW MATERIALS/ <u>HAPs</u>	ib/gai	% VOCs	lb/gal VOCS	% HAPs	lb/gol HAPs	JUN 2007	JUL 2007	AUG 2007	SEPT 2007	OCT 2007	NOV 2007	DEC 2007	JAN 2008	FEB 2008	MAR 2008	APR 2008	MAY 2008	TOTAL USAGE	Units	Lb/Yr Total VOC Emits	TPY Total VOC Emits	⇒Lb/Yr, ⇒HAP Emits	TPY HAP. Emils
			<u> </u>	ाई कार्यक्रिके	3 - 3					EATSET	TNKE	L		L				<u> </u>	l		L.,.,.,	A 163 1 2	told dock
Duya soo share a la sa sa sa	0.40	I no co:						2422		,		2244	4554	4504	4600	4600	1550	20764	T 16-	44400.00	F 344		<u> </u>
PHK11898 Thermo Print Black	8.12	38.6%	3.13	<b>_</b>		2576	2674	3126	2678	4540	3036	3216	1524	1594	1620	1630	1550	29764	Ibs	11488.90	5.744		<b>—</b> —
PHB11899 Thermo Print Cyan	8.16	38.6%	3.15			2338	2408	2756	2408	3810	2686	2810	2668	2682	2662	2688	2662	32578	lbs	12575.11	6.288	<b>├</b> ───┤	<del>                                     </del>
PHR11900B Thermo Print Magenta	8.14	37.0%	3.01			2864	2946	3436	2966	4912	3336	3524	2008	2024	1864	2034	2040	33954	lbs	12562.98	6.281	+	<del></del>
PHY11795A Thermo Print Yellow	8	36.8%	2.94	<b>_</b>		3122	3230	3782	3236	5476	3672	3880	3060	3044	2916	3016	3054	41488	lbs	15267.58	7.634	ļ	<del></del>
	<del> </del>	├	<del>                                     </del>				-	<b>——</b>		<del> </del>									-				
		· · ·	<del> </del>	-	<del>                                     </del>					<del>                                     </del>								<del>                                     </del>				<del>                                     </del>	<del></del>
	-	<del>                                     </del>	1	-														<del>                                     </del>	<del>                                     </del>	<del> </del>		┼	<b>-</b>
	1	<del> </del>	1				<del> </del>			<del> </del>	-							<del> </del>	<del>                                     </del>			<b>—</b>	
	•	<del>!</del>	٠.				!	٠.,	C	OLDSET	INKS		L	<u> </u>	L	L	<u> </u>			<u> </u>	-	<u> </u>	<del> ,</del>
PNK50030A News Open Fount Black	8.02	3.7%	0.30	<u> </u>	$\dot{\Box}$	32000	32000	32000	32000	32000		32000	32000	32000	32000	32000	32000	384000	lbs	14208.00	7.104	T	
PNB50053 News Open Fount Cyan	9.00	4.5%	0.41			2900	2900	2900	2900	2900	2900	2900	2900	2900	2900	2900	2900	34800	ibs	1566.00	0.783		
PNR50054 News Open Fount Magenta	9.00	5.0%	0.45			2900	2900	2900	2900	2900	2900	2900	2900	2900	2900	2900	2900	34800	lbs	1740.00	0.870		
PNY50055 News Open Fount Yellow	8.75	3.2%	0.28			2900	2900	2900	2900	2900	2900	2900	2900	2900	2900	2900	2900	34800	lbs	1117.08	0.559		
		Ī														1				1			
																	I						
	1																						
		L																					
		. 1 - 4 3.7		10.27.2	`,		· 17 %	HEAT	SET PRE	SSES - A	LLIED C	HEMICA	LS	1	1 5	71. j. s.t.		1.60	1	A. A	200		
Webfount 211 (gals) (M110/M1000)	9.01	34.6%	3.12			222	260	274	258	260	208	198	82	86	80	90	78	18885	lbs	6534.20	3.267		
Ethylene Glycol (107-21-1)	194 34	184442 18442	1 18 sipilit	5.0%	∜.0.45∜	Contract of the second	124 6 6 180	920	3300	SA ANY	E SHIP	ART H	15.744.55	-41 MA	2014 TH	型。3455	9.50	J. 1885	S-70	1000	"学科教	944.25	0.472
Diethylene Glycol Monobutyl Ether	3 AF 35	S. Sie State Co		5.0%	0.45		weeks.	Z. 1275		1/4/5	Village	靈療病		ANT.	7/27/33		<b>经第二种</b>	$HHM^{2}$		11.4	7. 35. 83.83	944.25	0.472
(112-34-5) (Glycol Ether)	T. B. William		<b>加拉斯</b> 多	Tracetoria.	July 383	Francisco A	17477	中国	19-12-14 S	46 G. C.	Quality.	A Marilla	Went Circ	OTHER WILL	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TATAL PA	关注方要求	Sant Car	CAI		<b>为一种</b>	(Mary Crosse)	Depart of
H-8D Fountain Conc (gals) (Hantscho)	8.85	40.1%	3.55			68	86	86	98	112	58	74	78	90	76	82	78	8726	lbs	3499.17	1.750		
Ethylene Glycol (107-21-1)	作和音樂	Anti-	<b>医光谱</b>	10.0%	.ã0.89∛	SP KE	FFT.	<b>三四种</b>	300 FT	The Editor		斯福森		可是特殊	THE SECOND	MATERIAL STATES	H. H.	PARTE:	57.74	WHILF I	The second second	872.61	. 0.436
Diethylene Glycol Monobutyl Ether.	L. Vist		4676	10.0%	0.89	从基础	建造(1)	1544		100		***	特別	<b>阿里斯斯</b>				that is	3.77		では	872.61	0.436
(112-34-5) (Glycol Ether)		31-3-2-2-2-3-	2,2,2,2,4,20.7	September 1	1,424,425	Propagation of	1 x25x50000		.,	and the state of		207.202.2	1	THE THEFT		T	I	25.5.00.00.00	1	b interestin	2.00	t showing the a re-	F-12-4-1-12-12-12-12-12-12-12-12-12-12-12-12-1
Blanket Wash NBLC (gals)	6.55	98.5%	6.45	ļ	ļ	268	298	288	288	276	266	252	194	160	182	230	206	19047	lbs	18761.69	9.381		<del> </del>
MRC-F (gals)	6.59	62.4%	4.11			52	72	72	92	146	104	108	42	48	98	106	102	6867	lbs	4282.81	2.141		<u> </u>
Xylene (1330-20-7)	Prazionia.	Bert Atlan		20.0%	1.32	di Linger	engaren (j. 1842) Alengen (j. 1842)	and	* * * * * * * * * * * * * * * * * * *	<b>操作器</b> 。	Sales and	SEPHALIPA PLANTER	The second of the second	Lake Man	an maken et	1110/4	<b>中国</b>	CONTRACTOR OF THE PARTY OF THE	超過数		OHALLE.	1373:36	0.687
Ethylbenzene (100-41-4)		Ktifff	的技术的	5.0%	<b>; 0.33</b> /	<b>32.7</b> 4	1757791	20mbig	1981	护三进	10 H 7 5 10	NET IS	(1)	THE T	<b>"特殊</b> "	WAY TO SEE	THE THE	刘坤扩发	70 750	*********	200	343.34	70.172
			1				<u> </u>			<u> </u>								<u> </u>			·		ļ
	ļ		ļ					ļ			<u> </u>			ļ		<u> </u>		ļ			ļ	<u> </u>	
			ļ	ļ	ļ	ļ	ļ <u>.</u>	Ļ		ļ	ļ		<u> </u>	ļ				ļ		ļ		<del></del>	Ļ
	ļ	<b></b>		ļ	ļ	<u> </u>	ļ	<u> </u>				ļ	ļ	ļ		<u> </u>		ļ		ļ	ļ	<del>                                     </del>	ļ
	<u> </u>	ļ	<u> </u>	<u> </u>	ļ	<u> </u>	<u> </u>	<b>_</b>				<u> </u>	<b>L</b>	<b> </b>	ļ	<b></b>	ļ ·	<u> </u>	<b> </b>	. <b>.</b>	1	<b>├</b>	-
	<b>_</b>	-	<del> </del>	<del>                                     </del>	<u> </u>	Ь—	<b>}</b>	<b>-</b>		<b>.</b>	<b> </b>		ļ	<b> </b>	ļ	<u> </u>		<b>├</b> ──	1	ļ · · · · ·	ļ	<del> </del>	—
	<u> </u>			<u> </u>	<u> </u>	<u> </u>			CET DDE	CCEC (	I TED (	HEMICA	15	<u>,                                    </u>		<u></u>		<u>!</u>		<u> </u>	<u> </u>	ــــــــــــــــــــــــــــــــــــــ	<u> </u>
	T	· ·	1	<u> </u>	1		· . · · ·		SET PRE	т —	1	T	T	<u>.</u>		<u> </u>	T	1	Τ	1	T	<del></del>	
Fountain Concentrate 189-32 (gals)	9.21	0.0%	0	ļ	<u> </u>	230	228	230	228	230	228	230	228	230	228	230	228	25309	lbs	0.00	0.000		<b>↓</b>
Blanket Wash NBLC (gals)	6.55	98.5%	6.45			280	280	280	280	280	280	280	280	280	280	280	280	22008	lbs	21677.88	10.839		
APC Plate Cleaner (qts)	8.51	8.7%	0.74		1	6	6	6	6	6	6	6	6	6	6	6	6	153	lbs	13.33	0.007		
2-Butoxyethanol (111-76-2)	133.2	**************************************	in is	3.55 Mar	EX	7.47.14	P 177 M	19-7-19	22453	500	\$40 D*		i i min	4.4.4	AST TO	第公司建	3,727.6		7 7		-रंग्स्स संग्र	.15.32	0.000
Ether)	10.2			10.0%	3 og 14	100	2 TV 15 120490	15.00		4 2 3	SV.					100		1000	3.73	<b>建设了在</b> 企	" Classification	13.34	0.008
	<u> </u>	<u> </u>	<b></b>	<b> </b>	—	<u> </u>			<u> </u>	ļ	<u> </u>		<del> </del> _			<del>                                     </del>	<b></b>	ļ	4	ļ	ļ	↓	
	₩	1	<b> </b>	<del> </del>	<u> </u>	<b></b>	ļ	ļ		ļ	<b></b>	<u> </u>	<b> </b>	1		<u> </u>	<u> </u>	<u> </u>	<b> </b>	ļ <u>-</u>	<del> </del>	<b></b>	<del></del>
<u> </u>	<b> </b>	1	<del> </del>	<b>├</b>	<b>├</b> ──	<u> </u>	<b> </b>	<u> </u>	ļ	_	<b> </b>	<del> </del>	<del> </del>	ļ	<b>L</b>	<del> </del>	<b></b>	<u> </u>	_	<del> </del>	ļ	₩	<b></b>
	ऻ—	<del> </del>		<del> </del>	<b>├</b>	<del>                                     </del>	<b>├</b>		<b> </b>	-	+		<b>├</b>	<b> </b>	<b></b> _	<b>├</b>	<del>                                     </del>	<b>_</b>	₩	<del> </del>	<del> </del>	<del> </del>	₩
<u> </u>	┢	-		<del> </del>	<del>                                     </del>	<b> </b>	<del>                                     </del>	<del> </del>	<del> </del>	├		ļ	<del> </del>	<del> </del>		<del> </del>	<del> </del>	<del> </del>	<b> </b>	<del></del>	<b>├</b> ──	<del> </del>	+
	<u> </u>	1		L	<u></u>	l	<u> </u>	<u></u>	<u></u>	<u> </u>	1	<u> </u>	<u> </u>	L	L			L	1	1	<u> </u>		L

Facility ID #: 0251130

Lb/Yr TPY Total TOTAL lb/gal JUN JUL AUG SEPT OCT NOV DEC JAN FEB MAR APR MAY voc HAP Units Total VOC RAW MATERIALS/HAPS lb/gal % VOCs % HAPs 2008 USAGE Emits VOCS HAPs 2007 2007 2007 2007 2007 2007 2007 2008 2008 2008 2008 **Emits** Emits Emits \*\*\* SUMMARY DATA \*\*\* 727180 Total VOC Emissions (lbs/yr and tons/yr) 125295 62.647 Total HAP Emissions (lbs//yr and tons/yr) 5366.6 2.683 Individual HAPs lb/yr∄ TPY 1373.36 0.687 Xylene (1330-20-7) Ethylene Glycol (107-21-1) 1816.86 0.908 Ethylbenzene (100-41-4) 343.34 0.172 Glycol Ethers 1832.18 0.916 Diethylene Glycol Monobutyl Ether (112-34-5) STATE OF 2-Butoxyethanol (111-76-2) **"**拉克" mal Class of 1.74 "Local year and and the comment of t thingsin Man William 分类型。1985年1月1日 - 1985年1月1日 -L'agents AND THE RESERVE CALCULATION METHODOLOGY 17 18 18 18 For the purposes of this Air General Permit application, all historical raw materials' emissions were calculated without using AP-42 Emission Factors and without factoring in the **ALL RAW MATERIALS** control device destruction efficiency. VOC and HAP emissions are equal to the VOC and HAP usage. NOTE The values calculated above reflect a 200% growth factor over the life of the Air General Permit.

### Florida Department of Environmental Protection Cash Receiving Application (CRA) Cashlisting by Deposit #: thru Printed: 7/9/2008 12:28:56 PM - Page 1

Cashlisting: Deposit No:

69526 291009 Cashlist Area:

Date Deposited: 07/07/2008

3755

Description: DIV OF AIR RESOURCES MGMT.

Contact: E. WALKER

Corrected cashlisting - JA

Object 002272	Transmittal 49349 49349 49349 49349	Den DDN 484323 484329 484330 484331 484332	Receipt Number 630223 630229 630230 630231 630232	Pre- Numbered Receipt	NAME INVACARE GROVE SCIENTIFIC&ENGINEERING C GROVE SCIENTIFIC&ENGINEERING C ANDERSON- MCQUEEN CO. TER PRINTS USA, INC  Object Code 002272 Subtotal:	Check Number 4746220 19941 19942 28664 16938	Payment Amount \$100.00 \$100.00 \$100.00 \$300.00 \$300.00 \$700.00	Reference Account  0251130 00 3 7/7/2008-PD	Payment Number 889381 889396 889397 889398 889399	Remittance Number	Fund PFTF PFTF PFTF PFTF	Grant
002278	49349 49349	484317 484317	630217 630217		SUNRISE SYSTEMS BREVARD, INC	037161 037161	\$900.00 \$500.00		889360 889361	788378 788378	APCTF APCTF	
	49349	484327	630227		BHATE ENVIRONMENTAL ASSOCIATES	5233	\$700.00		889390	788388	APCTF	
	49375		630337		CROSS CONSTRUCTION SERVICES, I	7659	\$300.00	49550	889550	788541	APCTF	
	49375		630337		CROSS CONSTRUCTION SERVICES, I	7659	\$700.00	49487	889549	788541	APCTF	
٠.	49375		630337		CROSS CONSTRUCTION SERVICES, I	7659	\$600,00	49552	889548	788541	APCTF	
	49375		630337		CROSS CONSTRUCTION SERVICES, I	7659	\$900.00	49553	889547	788541	APCTF	
	49375		630337	•	CROSS CONSTRUCTION SERVICES, I	7659	\$800.00	49551	889551	788541	APCTF	
	,				Object Code 002278 Subtotal:	-	\$5,400.00	•				
		•			Cashilsting 69526 Total:	- 	\$6,100.00					

to usps.com/postageonline

PLEASE PRESS FIRMLY

RMLÝ

Flat Rate Mailing Envelope

For Domestic and International Use

Visit us at usps.com



From:/Expéditeur:

**MIAMPUFFSET** 13301 NW 38th CT. MIAMI, FL. 33054

To:/Destinataire:

FL Receipts P.O. Box 3070 Tallahassee, FL 32315-3070

Country of Destination:/Pays de destination:

Pradle to Cradle Certification is awarded to products that pursue an innovative vision of ecologically-intelligent design that eliminates the concept of waste. This USPS® packaging has been certified for its material content, recyclability, and manufacturing characteristics.

Please recycle.

