

PERCHLOROETHYLENE DRY CLEANER
AIR GENERAL PERMIT NOTIFICATION FORM

RECEIVED
OCT 30 2006
Bureau of Air, Water,
& Mobile Sources

Part III. Notification of Intent to Use General Permit

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): CHIRAG, INC.
2. Site Name (For example, plant name or number): VILLAGE DRY CLEANERS
3. Hazardous Waste Generator Identification Number: FLD981028806
4. Facility Location: 10568 ST. AUGUSTINE RD. Street Address: City: JACKSONVILLE FL County: DUVAL Zip Code: 32257
Facility Identification Number (DAP No. Only for applications)

Responsible Official

0310407-002

6. Name and Title of Responsible Official: Name: SURESH. D. PATEL Title: OWNER
7. Responsible Official Mailing Address: Organization/Firm: 10568 ST. AUGUSTINE RD. Street Address: City: JACKSONVILLE FL County: DUVAL Zip Code: 32257
8. Responsible Official Telephone Number: Telephone: (904) 262-5493 Fax: () - -

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager): SAME
10. Facility Contact Address: Street Address: SAME City: County: Zip Code:
11. Facility Contact Telephone Number: Telephone: () SAME Fax: () -

Facility Information

1.(a) DRY-TO-DRY MACHINES ONLY

How many dry-to-dry machines do you have on-site?

For each dry-to-dry machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
American Supreme MODEL-850 1984	Existing/New	RC/CA/None required	SAME
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

1.(b) TRANSFER MACHINES ONLY

How many washers do you have on-site?

How many dryers/reclaimers do you have on-site?

If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an **EXISTING** unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a **NEW** unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

2.(a) How much perchloroethylene (perc) have you used within the last 12 months?

53.6 gallons (You must fill this in)

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: Did not keep records:

New store: New machine

Unopened store (date of expected opening _____)

3. What is the facility's source classification based on the definitions found in section (3) of Part II?
(Indicate with an "X". Select one classification only.)

Small Area Source

- Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)
Transfer only on-site (used less than 200 gallons of perc per year)
Both machine types on-site (used less than 140 gallons of perc per year)

Large Area Source

- Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)
Transfer only on-site (used 200 - 1,800 gallons of perc per year)
Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?
(Indicate with an "X".)

Existing machines at small area source
(NONE REQUIRED)

New machines at small area source

Refrigerated condenser

Existing machines at large area source

Carbon adsorber

Refrigerated condenser

New machines at large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt OR
No such units on-site

How many boilers do you have on-site?

For each boiler, indicate its horsepower (HP) rating:

What type of fuel do you use? propane natural gas
 No. 2 fuel oil No. 4 fuel oil
 No. 6 fuel oil Other (please list) _____

6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases/solvent addition log
(b) Leak detection inspection and repair
(c) Refrigerated condenser temperature monitoring
(d) Carbon adsorber exhaust perc concentration monitoring
(e) Startup, shutdown, malfunction plan

7. Surrender of Existing DEP Air Permitt(s)

Please indicate with an "X" the appropriate selection:

- I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are _____
- No DEP air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

SURESH. D. PATEL

Print name of responsible official


Signature

10/26/2006
Date

REGULATORY & ENVIRONMENTAL SERVICES DEPARTMENT

Air and Water Quality Division



RECEIVED
OCT 30 2006
Bureau of Air Monitoring
& Mobile Sources

Dear Business Owner:

In accordance with the Clean Air Act Amendments of 1990, the Department of Environmental Protection has written rules that affect many small sources of air pollution. As a result of these rules, your business may require a Title V general permit. Enclosed is a **Title V General Permit Notification Form** that may be used to notify us that you are eligible and plan to use this general permit.

If your business is eligible to use this air general permit, the responsible official of the facility, as defined in Part II of the notification form, is responsible for ensuring that the facility complies with all applicable terms and conditions of the general permit. These notification forms were originally due September 1, 1996. Please complete the form and submit it to the Department of Environmental Protection as soon as possible, but no later than _____.

Please submit the original signed and completed pages of the form to the following address:

Title V General Permitting Office
Bureau of Air Monitoring and Mobile Sources
MS-5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

A copy of the notification form must be kept on-site.

If you need assistance with the notification form or need additional information, you can call the Department of Environmental Protection General Permitting Office at (850) 448-6140, or Bill Coffman, City of Jacksonville at (904) 630-1212 ext. ~~2597~~.

3821

Very truly yours,

Bill Coffman
Pollution Control Specialist

BC/vgw

Attachments