



Jeb Bush  
Governor

# Department of Environmental Protection

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Colleen M. Castille  
Secretary

November 28, 2006

Ms. Adil Korez  
Chimney Lakes Cleaners  
8540 Argyle Forest Boulevard  
Jacksonville, Florida 32244

Re: Facility No.: 0310436-002

Dear Ms. Korez:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on October 27, 2006.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the district or local air program compliance inspector in your area.

Sincerely,



Errin Pichard, Acting Chief  
Bureau of Air Monitoring  
and Mobile Sources

EP/pg

cc: Mr. Wayne Tutt- Duval County

"More Protection, Less Process"

Printed on recycled paper.

NO ACTIVITY FOR FACILITY .....  
EMISSION FEE DATES 9.7-2005..  
SOC REPORTS 2 .....  
COMP. STATUS - SNC MNC IN

SOCR - statement of compliance  
Report - 2/27/2006

Insp - Duval Co - W. Tuttle

PERCHLOROETHYLENE DRY CLEANER  
AIR GENERAL PERMIT NOTIFICATION FORM

RECEIVED  
OCT 27 2006

Bureau of Air Monitoring  
& Mobile Sources

Part III. Notification of Intent to Use General Permit

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):
CHIMNEY LAKES CLEANERS
2. Site Name (For example, plant name or number):
3. Hazardous Waste Generator Identification Number:
<del>FLCESQG</del> FLCESQG
4. Facility Location:
Street Address: 8540 ARGYLE FOREST BLVD
City: JACKSONVILLE County: DUVAL Zip Code: 32244
Facility Identification Number (DEP Use ONLY - do not fill in)

Responsible Official

0310436-002

6. Name and Title of Responsible Official:
Name: ADIL KORBEL Title: OWNER
7. Responsible Official Mailing Address:
Organization/Firm: Chimney Lakes Cleaners
Street Address: 8540 - ARGYLE FOREST BLVD
City: JACKSONVILLE County: DUVAL Zip Code: 32244
8. Responsible Official Telephone Number:
Telephone: (904) 779-0904 Fax: ( )

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):
10. Facility Contact Address:
Street Address:
City: County: Zip Code:
11. Facility Contact Telephone Number:
Telephone: ( ) Fax: ( )

**Facility Information**

**1.(a) DRY-TO-DRY MACHINES ONLY**

How many dry-to-dry machines do you have on-site?

For each dry-to-dry machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase. write "SAME")
06-96	<input checked="" type="radio"/> Existing / <input type="radio"/> New	RC/CA/None required	CARBON ADSORBER
	Existing/New	RC/CA/None required	CA-RC
	Existing/New	RC/CA/None required	

\*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

**1.(b) TRANSFER MACHINES ONLY**

How many washers do you have on-site?

How many dryers/reclaimers do you have on-site?

If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an **EXISTING** unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a **NEW** unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase. write "SAME")
	Existing/New	RC/CA/None required	
	Existing/New	RC/CA/None required	
	Existing/New	RC/CA/None required	

\*CONTROL DEVICE KEY:  RC = refrigerated condenser  CA = carbon adsorber

2.(a) How much perchloroethylene (perc) have you used within the last 12 months?

gallons (You must fill this in)

(b) If less than 12 months, how many?  months

Check why it is less than 12 months: New owner:  Did not keep records:

New store:  New machine

Unopened store  (date of expected opening \_\_\_\_\_)

3. What is the facility's source classification based on the definitions found in section (3) of Part II? Indicate with an "X". Select one classification only.)

Small Area Source

Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)

Transfer only on-site (used less than 200 gallons of perc per year)

Both machine types on-site (used less than 140 gallons of perc per year)

Large Area Source

Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)

Transfer only on-site (used 200 - 1,800 gallons of perc per year)

Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)

Existing machines at small area source

(NONE REQUIRED)

New machines at small area source

Refrigerated condenser

Existing machines at large area source

Carbon adsorber

Refrigerated condenser

New machines at large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt  OR

No such units on-site

How many boilers do you have on-site?

For each boiler, indicate its horsepower (HP) rating:

What type of fuel do you use?

propane

natural gas

No. 2 fuel oil

No. 4 fuel oil

No. 6 fuel oil

Other (please list) \_\_\_\_\_

#### 6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

(a) Purchase receipts and solvent purchases/solvent addition log

(b) Leak detection inspection and repair

(c) Refrigerated condenser temperature monitoring

(d) Carbon adsorber exhaust perc concentration monitoring

(e) Startup, shutdown, malfunction plan

7. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

- I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are \_\_\_\_\_
- No DEP air permits currently exist for the operation of the facility indicated in this notification form.

**Responsible Official Certification**

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*


Adil Korbel  
Print name of responsible official

[Signature]  
Signature

10-24-06  
Date

Chimney Lakes cleared  
8540-12 Argyle Forest  
JAX FL 32244.

CERTIFIED MAIL™



7006 0100 0005 6796 5585

0000

32399

U.S. POSTAGE  
ORANGE COUNTY  
3207  
OCT 24  
AMOUNT

\$4.64  
00060733-0

RETURN RECEIPT  
REQUESTED

TITLE V GENERAL PERMIT (1111)  
BUREAU OF AIR MONITORING  
MS-5510

DEPT OF E.P.A  
2600 BLAIR STONE RD  
TALLASSEE, FL.

3239976542 0001



THIS PORTION MUST BE ATTACHED TO THE MAIL ENVELOPE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.

468959 FEB122007

**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

AIRS ID#310436  
CHIMNEY LAKES CLEANERS ✓  
8540-12 ARGYLE FOREST BLVD  
JACKSONVILLE, FLORIDA 32244

Printed on recycled paper.

FLAIR ACCT. CODE 372020350013755010000  
BENEFITTING OBJECT CODE 002000  
BENEFITTING CATEGORY 000200

Bureau of Air Monitoring  
& Mobile Sources

FEB 12 2007


FOR GOVERNMENT USE ONLY  
ORG: 37550101000 EO: A1  
FUND: 20-2-035001  
OBJECT: 002273

RECEIVED



JACKSONVILLE FL 322

10 FEB 2007 PM 2 T



TITLE V - General Permit  
Receipts  
Post Office Box 3070  
Tallahassee, FL 32315-3070

323153070 5099