

# Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

June 24, 1997

Mr. Sal Daly  
1.49 Cleaners, Inc.  
2425 South Dale Mabry  
Tampa, Florida 33629

Re: Facility No.: 0571141

Dear Mr. Daly:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on April 18, 1997.

Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.


Sincerely,

Dotty Diltz, Chief  
Bureau of Air Monitoring  
and Mobile Sources

DD/jw

cc: Mr. Thomas Shelton, Hillsborough County

"Protect, Conserve and Manage Florida's Environment and Natural Resources"



Jeb Bush  
Governor

# Department of Environmental Protection

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

David B. Struhs  
Secretary

January 31, 2000

#

Mr. Sal Daly  
\$1.49 Cleaners  
2425 South Dale Mabry  
Tampa, Florida 33629

Dear Mr. Daly,

Thank you for your note regarding the sale of \$1.49 Cleaners. The Department received your note on January 28 and has made the appropriate change to our database.

Rule 62-213.300, Florida Administrative Code (F.A.C.), states that an annual operation fee in the amount of \$50.00 is due and payable annually between January 15 and March 1 for the preceding year which the facility was in operation and subject to the requirement of the Title V general permit. Our records indicate that \$1.49 Cleaners was in operation in 1999. Therefore, the annual operation fee is now due.

Next week we will be sending out reminder notices along with invoices to facilities not yet paying the 1999 annual operation fee. For your convenience, a reminder notice and invoice will be mailed to \$1.49 Cleaners. If you have any questions concerning the fee or the Title V general permit program, please call me at 850/921-9583.

Sincerely,

Sandra Bowman  
Mobile Source Control Section  
Bureau of Air Monitoring  
and Mobile Source

SB\

cc: Margaret Hennis, Pinellas County



Jeb Bush  
Governor

# Department of Environmental Protection

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

David B. Struhs  
Secretary

January 31, 2000

Mr. Sal Daly  
\$1.49 Cleaners  
2425 South Dale Mabry  
Tampa, Florida 33629

Dear Mr. Daly,

Thank you for your note regarding the sale of \$1.49 Cleaners. The Department received your note on January 28 and has made the appropriate change to our database.

Rule 62-213.300, Florida Administrative Code (F.A.C.), states that an annual operation fee in the amount of \$50.00 is due and payable annually between January 15 and March 1 for the preceding year which the facility was in operation and subject to the requirement of the Title V general permit. Our records indicate that \$1.49 Cleaners was in operation in 1999. Therefore, the annual operation fee is now due.

Next week we will be sending out reminder notices along with invoices to facilities not yet paying the 1999 annual operation fee. For your convenience, a reminder notice and invoice will be mailed to \$1.49 Cleaners. If you have any questions concerning the fee or the Title V general permit program, please call me at 850/921-9583.

Sincerely,

Sandra Bowman  
Mobile Source Control Section  
Bureau of Air Monitoring  
and Mobile Source

SB\

cc: Margaret Hennis, Pinellas County

#0571141

1.49 Cleaners

- spoke with the manager -  
5/13/97

p. 14 1.(a) add dates for machine  
# 2

# Perchloroethylene Dry Cleaning Facility Notification

## Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): <b>SAL DALY</b>
2. Site Name (For example, plant name or number): <b>149 CLEANERS INC.</b>
3. Hazardous Waste Generator Identification Number:
4. Facility Location: <b>2425 S. DALE MABRY</b> Street Address: City: <b>TAMPA</b> County: <b>HILLSBOROUGH</b> Zip Code: <b>33629</b>
5. Facility Identification Number (DEP Use): <b>05M1141</b>

## Responsible Official

6. Name and Title of Responsible Official: <b>SAL DALY (OWNER)</b>
7. Responsible Official Mailing Address: Organization/Firm: Street Address: <b>2425 S. DALE MABRY</b> City: <b>TAMPA FL.</b> County: <b>HILLSBOROUGH</b> Zip Code: <b>33629</b>
8. Responsible Official Telephone Number: Telephone: <b>(813) 254-8573</b> Fax: ( )

## Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):
10. Facility Contact Address: Street Address: City: County: Zip Code:
11. Facility Contact Telephone Number: Telephone: ( ) Fax: ( )

RECEIVED

APR 18 1997

**Facility Information**

1(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i> #1 03-OCT-93 12-NOV-93    #2 08-DEC-91                      #3 02-MAR-92 02-MAR-92									
<b>Dry-to-Dry Unit</b>									
(1) w/ ref. condenser	✓	1/91	1/91	✓					
(2) w/ carbon adsorber	✓	1/91	1/91	✓					
(3) w/ no controls									
<b>Washer Unit</b>									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
<b>Dryer Unit</b>									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
<b>Reclaimer Unit</b>									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months? *FOR 1996*  
 gallons

(b) If less than 12 months, how many?  months

Check why it is less than 12 months: New owner:  New store:  Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?  
 (Indicate with an "X". Select one classification only.)

*existing  
large  
area*

Existing small area source

New small area source

Existing large area source

New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?  
(Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

*All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.*

All steam and hot water generating units exempt   
No such units on-site

### Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Instrument calibration
- (f) Start-up, shutdown, malfunction plan

**Surrender of Existing Air Permit(s)**

Please indicate with an "X" the appropriate selection:


I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) \_\_\_\_\_


No air permits currently exist for the operation of the facility indicated in this notification form.

**Responsible Official Certification**

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

  
\_\_\_\_\_  
Signature

  
\_\_\_\_\_  
Date



*Seray*

1.49 Cleaners

— spoke with the manager —  
5/13/97

RECEIVED

AUG 11 1997

Bureau of Air Monitoring  
& Mobile Sources

P.14 1.(a) add dates for machine  
#2

- 1. Fac
- 2. Sit
- 3. H
- 4. F
- 5. H

33629

41

RECEIVED

JUN 26 1997

EPC of HC  
AIR MANAGEMENT

RECEIVED

JUL 24 1997

Code:

33629

- 6.
- 7.
- 8.

EPC of HC  
AIR MANAGEMENT

9. Name and Title of Facility Contact (For example, plant manager):

---

10. Facility Contact Address:

Street Address: \_\_\_\_\_

City: \_\_\_\_\_ County: \_\_\_\_\_ Zip Code: \_\_\_\_\_

---

11. Facility Contact Telephone Number:

Telephone: ( ) - - Fax: ( ) - -

RECEIVED

APR 16 1997

Bureau of Air Monitoring  
& Mobile Sources

RECEIVED

JUN 26 1997

Perchloroethylene Dry Cleaning Facility Notification

EPC of HC  
AIR MANAGEMENT

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): <b>SAL DALY</b>
2. Site Name (For example, plant name or number): <b>1.49 CLEANERS INC</b>
3. Hazardous Waste Generator Identification Number:
4. Facility Location: <b>2425 S. DALE MARRY</b> Street Address: City: <b>TAMPA</b> County: <b>HILLSBOROUGH</b> Zip Code: <b>33629</b>
5. Facility Identification Number (DEP Use): <b>0571141</b>

Responsible Official

6. Name and Title of Responsible Official: <b>SAL DALY (OWNER)</b>
7. Responsible Official Mailing Address: Organization/Firm: Street Address: <b>2425 S. DALE MARRY</b> City: <b>TAMPA FL.</b> County: <b>HILLSBOROUGH</b> Zip Code: <b>33629</b>
8. Responsible Official Telephone Number: Telephone: <b>(813) 254-8573</b> Fax: ( ) -

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):
10. Facility Contact Address: Street Address: City: County: Zip Code:
11. Facility Contact Telephone Number: Telephone: ( ) - Fax: ( ) -

RECEIVED

APR 16 1997

**Facility Information**

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
<b>Dry-to-Dry Unit</b>									
(1) w/ ref. condenser		✓ 1/91	1/91	✓ 1/91	1/91	1/91			
(2) w/ carbon adsorber		<del>1/91</del> 1/91	<del>1/91</del> 1/91	<del>1/91</del> 1/91	1/91				
(3) w/ no controls		3/91							
<b>Washer Unit</b>									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
<b>Dryer Unit</b>									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
<b>Reclaimer Unit</b>									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months? *FOR 1991*  
 gallons

(b) If less than 12 months, how many?  months

Check why it is less than 12 months: New owner:  New store:  Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?  
 (Indicate with an "X". Select one classification only.)

Existing small area source

New small area source

Existing large area source

New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?  
(Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

*All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.*

All steam and hot water generating units exempt

No such units on-site

### Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

(a) Purchase receipts and solvent purchases

(b) Leak detection inspection and repair

(c) Refrigerated condenser temperature monitoring

(d) Carbon adsorber exhaust perc concentration monitoring

(e) Instrument calibration

(f) Start-up, shutdown, malfunction plan

Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) \_\_\_\_\_

No air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

S. D. DeJ  
Signature

4/14/97  
Date

S. D. DeJ

7/2/97

**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

0571141  
FD000923

**TYPE OF INSPECTION:** ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 9:30 TIME OUT: 10:30 AIRS ID#: None  
 TYPE OF FACILITY: Pentachloroethylene Dry Cleaner  
 FACILITY NAME: 41.49 Cleaners DATE: 12.4.96  
 FACILITY LOCATION: 2425 S. Dale Mabry, Tampa, FL 33629  
 RESPONSIBLE OFFICIAL: SAL Daly PHONE NUMBER: (813) 254-8523

Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).

Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
Leak Detection logs / not kept	Provide owner with examples of all log record form required by rule.
Temperature logs / not kept	
Failed to Notify DARM (GP)	Provided owner with application (GP) form and assisted them in completion.

COMMENTS: Compliance Certification form given to owner and instructed to complete and forward to FDEP.

~~The Annual Compliance Certification form has been properly certified and submitted to the inspector.~~ YES  NO

DATE OF NEXT INSPECTION: \_\_\_\_\_ (Approximate)

INSPECTION CONDUCTED BY: Bruce M. King (Please Print)

INSPECTOR'S SIGNATURE: Bruce M King PHONE NUMBER: \_\_\_\_\_

TBD 00923

V

PERCHLOROETHYLENE DRY CLEANERS  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#: 0571141 None DATE: 12-4-96 TIME IN: 9:30 TIME OUT: 10:30  
FACILITY NAME: 41.49 Cleaners  
FACILITY LOCATION: 2425 S. Dale Mabry  
Tampa, FL 33629

PART I: NOTIFICATION

(check appropriate box)

- 1. Existing facility notified DARM by 9/1/96
- 2. New facility notified DARM 30 days prior to startup
- 3. Facility failed to notify DARM to use general permit did not rec application

PART II: CLASSIFICATION

Facility indicated on notification form that it is:  
(check appropriate box)

- A.
- 1. Existing small area source   
dry-to-dry only,  $x < 140$  gal/yr  
transfer only,  $x < 200$  gal/yr  
both types,  $x < 140$  gal/yr  
(constructed before 12/9/91)
  - 2. New small area source   
dry-to-dry only,  $x < 140$  gal/yr  
transfer only,  $x < 200$  gal/yr  
both types,  $x < 140$  gal/yr  
(constructed on or after 12/9/91)
  - 3. Existing large area source   
dry-to-dry only,  $140 < x < 2,100$  gal/yr  
transfer only,  $200 < x < 1,800$  gal/yr  
both types,  $140 < x < 1,800$  gal/yr  
(constructed before 12/9/91)
  - 4. New large area source   
dry-to-dry only,  $140 < x < 2,100$  gal/yr  
transfer only,  $200 < x < 1,800$  gal/yr  
both types,  $140 < x < 1,800$  gal/yr  
(constructed on or after 12/9/91)

This is a correct facility classification  Y  N

If no, please check the appropriate classification:

- facility qualified for a general permit as number 3 above
- facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 480 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |   |   |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Examining the containers for leakage?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 3. Closing and securing machine doors except during loading/unloading?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                     | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- |  |   |
|--|---|
| 1. Equipped all machines with the appropriate vent controls?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                     | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?                           | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N                              |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?                              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |



**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  
Is the temperature differential equal to or greater than 20° F?  Y  N
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N
4. Maintained calibration data? (for direct reading instruments only)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan? *maintenance manual*  Y  N
7. Maintained deviation reports?  Y  N  
Problem corrected?  Y  N
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly leak detection and repair inspection?  Y  N

2. Which method of detection is used by the responsible official?

Visual examination (condensed solvent on exterior surfaces)  Y  N

Physical detection (airflow felt through gaskets)  Y  N

Odor (noticeable perc odor)  Y  N

Use of direct-reading instrumentation (FID/PID/calorimetric tubes)  Y  N

**If using direct-reading instrumentation, is the equipment:**

a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N

b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N

c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N

d. Kept in a clean and secure area when not in use?  Y  N

e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

3. Has the facility maintained a leak log?  Y  N

4. Does the responsible official check the following areas for leaks?

Hose connections, fittings, couplings, and valves	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Muck cookers	<input type="checkbox"/> Y <input type="checkbox"/> N
Door gaskets and seating	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Stills	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Filter gaskets and seating	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Exhaust dampers	<input type="checkbox"/> Y <input type="checkbox"/> N
Pumps	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Diverter valves	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Solvent tanks and containers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Cartridge filter housings	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Water separators	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N		

SAL Daily  
Name of Responsible Official

Bruce M. King  
Inspector's Name (Please Print)

Bruce M King  
Inspector's Signature

12-4-96  
Date of Inspection

~ 1 yr  
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

no leaks

no odors

no record keeping or logs  
maintain

Housekeeping very good.

Owner stated that he did not  
receive an application form from FDEP.  
I provide an application and assisted  
the owner in completing the form.  
The application and Annual Compliance  
Certification form will be mailed  
to FAEP.

Will FAX copies of example logs  
to be maintain.

**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 0571141 TIME OUT: 8:00 AIRS ID#: 9:00  
 TYPE OF FACILITY: Dry Cleaner  
 FACILITY NAME: 81.49 Cleaner DATE: 4/4/97  
 FACILITY LOCATION: 2425 S. Dale Mabam  
Tampa, FL 33629  
 RESPONSIBLE OFFICIAL: Sal Daly PHONE NUMBER: 254-8573

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS: \_\_\_\_\_

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO  N/A

DATE OF NEXT INSPECTION: Next  
(Approximate)

INSPECTION CONDUCTED BY: Bruce M. King  
(Please Print)

INSPECTOR'S SIGNATURE: Bruce M. King PHONE NUMBER: 292-5530

# PERCHLOROETHYLENE DRY CLEANERS

## TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION:      ANNUAL                       COMPLAINT/DISCOVERY        
    RE-INSPECTION                     

AIRS ID#:	0571141	DATE:	11/4/97	TIME IN:	0730	TIME OUT:	9:00
FACILITY NAME:	1.49 Cleaners						
FACILITY LOCATION:	2425 S. Dale Mabry Tampa, FL 33629						
RESPONSIBLE OFFICIAL:	Sue Daly			PHONE:	254-8573		
CONTACT NAME:	Ray Oprisko			PHONE:	" "		

<b>PART I: NOTIFICATION</b>	
(check appropriate box)	
1. New facility notified DARM 30 days prior to startup	<input type="checkbox"/>
2. Facility failed to notify DARM to use general permit	N.A. <input type="checkbox"/>

<b>PART II: CLASSIFICATION</b>	
Facility indicated on notification form that it is: (check appropriate box)	<input type="checkbox"/> No notification form <input type="checkbox"/> Drop store/out of business/petroleum
A.	
1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. New small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
3. Existing large area source <input checked="" type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)
5. This is a correct facility classification <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> Can not determine	
If no, please check the appropriate classification: <input type="checkbox"/> facility qualified for a general permit as number _____ above <input type="checkbox"/> facility exceeds above limits and is not eligible for a general permit	
B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was <u>280</u> gallons.	

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
     Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
     Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
  - a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? *(for applicable direct reading instruments)*  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
     Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:**  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Bruce M King  
Inspector's Name (Please Print)

11/5/97  
Date of Inspection

Bruce King  
Inspector's Signature

1 yr  
Approximate Date of Next Inspection



ADDITIONAL SITE INFORMATION:

Facility has all appropriate records.  
Had one malfunction. Freon leak  
on 4/3/97 and part ordered 4/4/97  
repaired on 4/7/97

add ✓

# DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

SAL DALY SAL DALY 2425 S DALE MABRY TAMPA FL 33629	AIRS ID#0571141
---	-----------------

Do NOT Remove Label

Annual Reporting Period: \_\_\_\_\_ 19\_\_\_\_ TO \_\_\_\_\_ 19\_\_\_\_

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

**RECEIVED**  
 MAR 11 1998  
 Bureau of Air Monitoring  
 & Mobile Sources

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

**RESPONSIBLE OFFICIAL:** SAL DALY S-D. Daly 2/24/98  
 Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

acc  
**DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM**

SAL DALY  
SAL DALY  
2425 S DALE MABRY  
TAMPA FL 33629

AIRS ID#0571141

**RECEIVED**  
APR 22 1998  
Bureau of Air Monitoring  
& Mobile Sources

Do NOT Remove Label

Annual Reporting Period: \_\_\_\_\_ 19\_\_\_\_ TO \_\_\_\_\_ 19\_\_\_\_

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

**RECEIVED**  
MAR 11 1998  
Bureau of Air Monitoring  
& Mobile Sources

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: \_\_\_\_\_

SAL DALY  
Name (Please Print)


S. D. Daly  
Signature

2/24/98  
Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

AIRS ID#: 571141

ACC



DEC 16 1998 Revised 10/10/96

**DRY CLEANER AIR QUALITY GENERAL PERMIT**  
**ANNUAL COMPLIANCE CERTIFICATION FORM**  
FPC of HC  
AIR MANAGEMENT

FACILITY NAME: <u>\$1.49 CLEANERS</u>	DATE: _____
FACILITY LOCATION: <u>2425 S. DALE MABRY</u>	
<u>TAMPA, FL 33629</u>	

Annual Reporting Period: Feb 28 19 98 TO 12/15/98 19 \_\_\_\_\_

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to-dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: X S. D. DALY X S. D. Daly 12-16-98  
 Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 9:30	TIME OUT: 11:30	AIRS ID#: 571141
TYPE OF FACILITY: PERC DRY CLEANER		
FACILITY NAME: \$1.49 Cleaners		DATE: 12/15/98
FACILITY LOCATION: 2425 S. Dale Mabry Tampa, FL 33629		
RESPONSIBLE OFFICIAL: Sal Daly		PHONE NUMBER: (813) 254-8573

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW UP ACTION REQUIRED
	<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: auto;"> <p style="margin: 0;">RECEIVED</p> <p style="margin: 0;">JAN 13 1999</p> <p style="margin: 0;">Bureau of Air Monitoring &amp; Mobile Sources</p> </div>

COMMENTS: ~~LEFT FOR P.O. TO MAIL IN~~ → RECEIVED ON 12/16/98 R.Z.

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 1 YEAR  
(Approximate)

INSPECTION CONDUCTED BY: Roger Zhu  
(Please Print)

INSPECTOR'S SIGNATURE: *Roger Zhu* PHONE NUMBER: (813) 272-5530

✓

# PERCHLOROETHYLENE DRY CLEANERS

## TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION:    ANNUAL                        COMPLAINT/DISCOVERY      
                                 RE-INSPECTION                   

AIRS ID#:	571141	DATE:	12/15/98	TIME IN:	9:30	TIME OUT:	11:30
FACILITY NAME:	\$ 1.49 Cleaners						
FACILITY LOCATION:	2425 S. Dale Mabry Tampa, FL 33629						
RESPONSIBLE OFFICIAL:	Sal Daly			PHONE:	(813) 254-8573		
CONTACT NAME:	Same			PHONE:	Same		

<b>PART I: NOTIFICATION</b>	
(check appropriate box)	
1. New facility notified DARM 30 days prior to startup	<input type="checkbox"/>
2. Facility failed to notify DARM to use general permit	<input type="checkbox"/>

N/A

<b>PART II: CLASSIFICATION</b>	
Facility indicated on notification form that it is: (check appropriate box)	<input type="checkbox"/> No notification form <input type="checkbox"/> Drop store/out of business/petroleum
<b>A.</b>	
1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	<input type="checkbox"/>
2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)	<input type="checkbox"/>
3. Existing large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	<input checked="" type="checkbox"/>
4. New large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)	<input type="checkbox"/>
5. This is a correct facility classification	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> Can not determine
If no, please check the appropriate classification:	
<input type="checkbox"/> facility qualified for a general permit as number _____ above	
<input type="checkbox"/> facility exceeds above limits and is not eligible for a general permit	
<b>B.</b> The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was <u>166</u> gallons.	

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

**In Part II-A:**

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

**A. Has the responsible official of all new sources and existing large area sources:**  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A



**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:**  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

ROGER ZHU

Inspector's Name (Please Print)

12/15/98

Date of Inspection

*Roger Zhu*

Inspector's Signature

1 YEAR

Approximate Date of Next Inspection

INSPECTION REPORT FORM  
ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY

FACILITY: \$1.49 Cleaners				PAGE 1 OF 1	
FACILITY ADDRESS: 2425 S. Dale Mabry Hwy			CITY: Tampa		
			PHONE: (813) 254-8573		
MAILING ADDRESS: Same		CITY: Tampa		FLA	ZIP: 33629
INSPECTION DATE: Dec 15, 1998	TIME IN: 9:30	TIME OUT: 11:30	INSPECTION TYPE: non-CDS	STATUS: In Compliance	
NEDS NUMBER: 571141					
SOURCE DESCRIPTION: Perc Dry Cleaner					
CONTACT(S): Sal Daly					

Today's visit was to conduct the annual inspection.

This facility has two identical machines (Aero-Tech 350), both are well maintained and no odor was noticed during my inspection.

The perc usage for the past 12 months was 166 gallons according to the purchase receipts. Mr. Daly's record keeping is in a good shape. He has logged his leak inspection and temperature every week consistently.

INSPECTED BY: Roger Zhu	DATE: Dec 15, 1998
-------------------------	--------------------

**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

**TYPE OF INSPECTION:** ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 13:30 TIME OUT: 15:15 AIRS ID#: 571141  
 TYPE OF FACILITY: PERC DRY CLEANER  
 FACILITY NAME: \$1.49 CLEANERS DATE: 1/19/00  
 FACILITY LOCATION: 2425 S. DALE MABRY  
TAMPA, FL 33629  
 RESPONSIBLE OFFICIAL: SAL DALY R.B. JULIO MORAN PHONE NUMBER: (813) 254-8573

RECEIVED  
 FEB 1 2000  
 Bureau of Air Monitoring & Mobile Sources

- Ms. Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
MNC - NEW OWNER	SUBMIT NOTIFICATION.
IN COMPLIANCE	CHECKED ARMS - INVENTORY, FOUND SAME AIR ID# (571141) ISSUED BY FDEP. R.M. 2/8/00

**COMMENTS:** BUSINESS WAS SOLD TO "SOUTH DALE CLEANERS" ON 10/1/99.  
 THE NEW OWNER/R.O. IS MR. JULIO MORAN.

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

**DATE OF NEXT INSPECTION:** N/A  
 (Approximate)

**INSPECTION CONDUCTED BY:** ROGER ZHU  
 (Please Print)

**INSPECTOR'S SIGNATURE:** Roger Zhu **PHONE NUMBER:** (813) 272-5530

✓

**PERCHLOROETHYLENE DRY CLEANERS**  
**TITLE V GENERAL PERMIT**  
**COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION:      ANNUAL                       COMPLAINT/DISCOVERY        
    RE-INSPECTION                     

AIRS ID#: 571141      DATE: 1/19/00      TIME IN: 13:30      TIME OUT: 15:15  
 FACILITY NAME: \$1.49 CLEANERS  
 FACILITY LOCATION: 2425 S. DALE MABRY  
    TAMPA, FL 33629  
 RESPONSIBLE OFFICIAL: ~~SAL DALY~~ JULIO MORAN      PHONE: (813) 254-8573  
    SAME      PHONE: SAME

**PART I: NOTIFICATION**

(check appropriate box)

1. New facility notified DARM 30 days prior to startup                        
 2. Facility failed to notify DARM to use general permit                     

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:                       No notification form  
 (check appropriate box)                       Drop store/out of business/petroleum

A.

<p>1. Existing small area source                      <input type="checkbox"/>                  dry-to-dry only, <math>x &lt; 140</math> gal/yr                  transfer only, <math>x &lt; 200</math> gal/yr                  both types, <math>x &lt; 140</math> gal/yr                  (constructed before 12/9/91)</p>	<p>2. New small area source                      <input type="checkbox"/>                  dry-to-dry only, <math>x &lt; 140</math> gal/yr                  transfer only, <math>x &lt; 200</math> gal/yr                  both types, <math>x &lt; 140</math> gal/yr                  (constructed on or after 12/9/91)</p>
<p>3. Existing large area source                      <input checked="" type="checkbox"/>                  dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr                  transfer only, <math>200 \leq x \leq 1,800</math> gal/yr                  both types, <math>140 \leq x \leq 1,800</math> gal/yr                  (constructed before 12/9/91)</p>	<p>4. New large area source                      <input type="checkbox"/>                  dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr                  transfer only, <math>200 \leq x \leq 1,800</math> gal/yr                  both types, <math>140 \leq x \leq 1,800</math> gal/yr                  (constructed on or after 12/9/91)</p>

5. This is a correct facility classification                       Y       N       Can not determine

If no, please check the appropriate classification:  
 facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 241 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |   |   |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 2. Examining the containers for leakage?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                     | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- |  |   |
|--|---|
| 1. Equipped all machines with the appropriate vent controls?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                     | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?                 | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?                               | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |

**B. Has the responsible official of an existing large or new large area source also:**

- |  |  |
|--|--|
| 1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                   |
| 2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Is the temperature differential equal to or greater than 20° F?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Is the perc concentration equal to or less than 100 ppm?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Routed airflow to the carbon adsorber (if used) at all times?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:

(check appropriate boxes)

- |  |   |
|--|---|
| 1. Maintained receipts for perc purchased?   | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N                              |
| 2. Maintained rolling monthly averages of perc consumption?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 3. Maintained leak detection inspection and repair reports for the following:  |   |
| a. documentation of leaks repaired w/in 24 hrs? or;  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 4. Maintained calibration data? (for applicable direct reading instruments)  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 5. Maintained exhaust duct monitoring data on perc concentrations?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Maintained startup/shutdown/malfunction plan?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 7. Maintained deviation reports?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Problem corrected?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 8. Maintained compliance plan, if applicable?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:**  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

ROGER ZHU

Inspector's Name (Please Print)

1/19/00

Date of Inspection

*Roger Zhu*

Inspector's Signature

N/A

Approximate Date of Next Inspection

INSPECTION REPORT FORM  
ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY

FACILITY: \$1.49 Cleaners PAGE 1 OF 1

FACILITY ADDRESS: 2425 S. Dale Mabry Hwy CITY: Tampa  
PHONE: (813) 254-8573

MAILING ADDRESS: Same CITY: Tampa FLA ZIP: 33629

INSPECTION DATE: Jan 19, 2000	TIME IN: 13:30	TIME OUT: 15:15	INSPECTION TYPE: non-CDS	STATUS: In Compliance
----------------------------------	-------------------	--------------------	-----------------------------	--------------------------

NEDS NUMBER: 571141

SOURCE DESCRIPTION: Perc Dry Cleaner

CONTACT(S): *Sal Daly Julio Moran*

It was found out on today's annual inspection that the \$1.49 Cleaners was sold to South Dale Cleaners on 10/1/99. The new owner is Mr. Julio Moran. He hired the same plant manager, Ray Oprisko, who used to work for the previous owner. Mr. Oprisko has kept good records. The 12 months perc rolling total is 241 gallons.

The two large existing machines are the same as before. The facility is clean. No odors or leaks were noticed.

I made a second trip over there this afternoon to meet with the new owner. I explained the rule to him, also helped him to fill out the notification form. He said he'll mail out the form to Tallahassee tomorrow.

INSPECTED BY: Roger Zhu

DATE: Jan 19, 2000



RECEIVED

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

JAN 28 2000

Bureau of Air Monitoring  
& Mobile Sources

**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

*(I sold this Co. in Oct. to Meran Int'l  
(I Live in Tecumseh Now) Priso  
The Sign*

AIRS ID # 0571141


~~\$1.49 CLEANERS~~  
~~SAL DALY~~  
2425 S DALE MABRY  
TAMPA FL 33629

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: B1  
Fund: 20-2-035001  
Obj.: 002273

*DR*




STRAWBER  
PLANT CIT  
MAR 2-




TITLE V - General Permit  
Receipts  
~~Post Office Box 3070~~  
Tallahassee, FL 32315-3070

RECEIVED  
JAN 26 2000  
Division of Air Monitoring  
of Mobile Sources

32315X3070





Jeb Bush  
Governor

# Department of Environmental Protection

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

David B. Struhs  
Secretary

January 31, 2000

Mr. Sal Daly  
\$1.49 Cleaners  
2425 South Dale Mabry  
Tampa, Florida 33629

Dear Mr. Daly,

Thank you for your note regarding the sale of \$1.49 Cleaners. The Department received your note on January 28 and has made the appropriate change to our database.

Rule 62-213.300, Florida Administrative Code (F.A.C.), states that an annual operation fee in the amount of \$50.00 is due and payable annually between January 15 and March 1 for the preceding year which the facility was in operation and subject to the requirement of the Title V general permit. Our records indicate that \$1.49 Cleaners was in operation in 1999. Therefore, the annual operation fee is now due.

Next week we will be sending out reminder notices along with invoices to facilities not yet paying the 1999 annual operation fee. For your convenience, a reminder notice and invoice will be mailed to \$1.49 Cleaners. If you have any questions concerning the fee or the Title V general permit program, please call me at 850/921-9583.

Sincerely,


Sandra Bowman  
Mobile Source Control Section  
Bureau of Air Monitoring  
and Mobile Source

SB\

~~cc: Margaret Hennis, Pinellas County~~

*"Protect, Conserve and Manage Florida's Environment and Natural Resources"*

STATE OF FLORIDA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
TWIN TOWERS OFFICE BUILDING  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400



MC5521

BAMMS/BCO  
JOEY ROBERTS  
5510

*file*  
*#*  
*0571141-*  
*001*




**MOVED  
NOT FORWARDABLE**

MR SAL DALY  
\$1.49 CLEANERS  
2425 SOUTH DALE MABRY  
TAMPA FLORIDA 33629

**RECEIVED**  
FEB 18 2000  
Bureau of Air Monitoring  
& Mobile Sources

33603-2617-10-3



Z 333 660 626

1999

US Postal Service  
**Receipt for Certified Mail**

AIRS ID # 0571141

\$1.49 CLEANERS  
SAL DALY  
2425 S DALE MABRY  
TAMPA FL 33629

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

PS Form 3800, April 1995

Fold at line over top of envelope to the right of the return address

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and 2 of the accompanying services card.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

If you wish to receive the following services (for an extra fee):

1.  Addressee's Address
2.  Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

\$1.49 CLEANERS  
SAL DALY  
2425 S DALE MABRY  
TAMPA FL 33629

AIRS ID # 0571141

4a. Article Number

2 333 660 626

4b. Service Type

- |   |   |
|---|---|
| <input type="checkbox"/> Registered                     | <input checked="" type="checkbox"/> Certified |
| <input type="checkbox"/> Express Mail                   | <input type="checkbox"/> Insured              |
| <input type="checkbox"/> Return Receipt for Merchandise | <input type="checkbox"/> COD                  |

7. Date of Delivery

2-14-99

5. Received By: (Print Name)


6. Signature: (Addressee or Agent)

X *Sal DalY*

8. Addressee's Address (Only if requested and fee is paid)

Thank you for using Return Receipt Service.

UNITED STATES POSTAL SERVICE



First-Class Mail  
Postage & Fees Paid  
USPS  
Permit No. G-15

• Print your name, address, and ZIP Code in this box •

DARM/MOBILE SOURCE CONTROL PROGRAM  
DEPT. OF ENVIRONMENTAL PROTECTION  
MAIL STATION 5510  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400

RECEIVED

FEB 16 1999

Bureau of Air Monitoring  
& Mobile Sources



P 174 052 663

1999

US Postal Service  
**Receipt for Certified Mail**

No Insurance Coverage Provided.  
Do not use for International Mail (See reverse)

Sent to

AIRS ID # 0571141

\$1.49 CLEANERS  
SAL DALY  
2425 S DALE MABRY  
TAMPA FL 33629

PS Form 3800, April 1995

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

Fold at line over top of envelope to

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- Addressee's Address
- Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

\$1.49 CLEANERS  
SAL DALY  
2425 S DALE MABRY  
TAMPA FL 33629

AIRS ID # 0571141

4a. Article Number

174052663

4b. Service Type

- Registered
- Express Mail
- Return Receipt for Merchandise
- Certified
- Insured
- COD

7. Date of Delivery

2-27-99

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)

X Ann Mares

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994

Domestic Return Receipt

Thank you for using Return Receipt Service.

Z 333 612 975

US Postal Service  
**Receipt for Certified Mail**

AIRS ID 0571141

SAL DALY  
SAL DALY  
2425 S DALE MABRY  
TAMPA FL 33629

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

PS Form 3800, April 1995

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1.  Addressee's Address
2.  Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

SAL DALY  
SAL DALY  
2425 S DALE MABRY  
TAMPA FL 33629

AIRS ID 0571141

4a. Article Number

Z 333 612 975

4b. Service Type

- |   |   |
|---|---|
| <input type="checkbox"/> Registered                     | <input checked="" type="checkbox"/> Certified |
| <input type="checkbox"/> Express Mail                   | <input type="checkbox"/> Insured              |
| <input type="checkbox"/> Return Receipt for Merchandise | <input type="checkbox"/> COD                  |

7. Date of Delivery

2/17

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)

X *[Signature]*

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994

Domestic Return Receipt

Thank you for using Return Receipt Service.



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

~~104970~~

304973

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

SAL DALY SAL DALY 2425 S DALE MABRY TAMPA FL 33629	AIRS ID#0571141
---	-----------------

Bureau of Air Monitoring  
& Mobile Sources

MAR 11 1998

RECEIVED

FOR GOVERNMENT USE ONLY Org: 37550101000 EO: B1 Fund: 20-2-035001 Obj: 902273
--

RECEIVED  
MAIL ROOM  
MAR -9 98

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0361563

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

RECEIVED  
MAIL ROOM  
FEB 23 99

Do **NOT** Remove Label

AIRS ID # 0571141

\$1.49 CLEANERS  
SAL DALY  
2425 S DALE MABRY  
TAMPA FL 33629

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: B1  
Fund: 20-2-035001  
Obj.: 002273