



# Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

June 30, 1998

Mr. Edgardo Alverio  
Eddie's Custom Cleaners  
4528 West Kennedy Boulevard  
Tampa, Florida 33609

Re: Facility No.: 0571200

Dear Mr. Alverio:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on June 29, 1998.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

  
Dotty Diltz, Chief  
Bureau of Air Monitoring  
and Mobile Sources

DD/jw

cc: Mr. Thomas Shelton, Hillsborough County

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Printed on recycled paper.

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

Bureau of Air Monitoring  
& Mobile Sources  
JUN - 3 1998

RECEIVED

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	EDGARDO ALVERIO
2. Site Name (For example, plant name or number):	EDDIE'S CUSTOM CLEANERS
3. Hazardous Waste Generator Identification Number:	✓ APPLIED
4. Facility Location: Street Address: City:	4528 W. KENNEDY BLVD. TAMPA FL
County:	HILLSB.
Zip Code:	33609
5. Facility Identification Number (DEP Use):	05M1200

Responsible Official

6. Name and Title of Responsible Official:	EDGARDO ALVERIO
7. Responsible Official Mailing Address: Organization/Firm: Street Address: City:	4528 W. KENNEDY BLVD. TAMPA, FL
County:	HILLS.
Zip Code:	33609
8. Responsible Official Telephone Number: Telephone:	(813) 288-0500
Fax:	( ) -

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):	
10. Facility Contact Address: Street Address: City:	
County:	
Zip Code:	
11. Facility Contact Telephone Number: Telephone:	( ) -
Fax:	( ) -

0571200

p13

6. Add Title of Responsible official.

"owner"

(ex) Add dates for Initial Purchase,  
date and Control device installation.

p16

Responsible official sign and date for  
changes

6/19/98 Spoke to Eddie Alverio and he  
stated that he is the owner of the facility.

### Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
Dry-to-Dry Unit									
(1) w/ ref. condenser		↓                      ↓							
(2) w/ carbon adsorber		GREATER THAN 12/9/91							
(3) w/ no controls									
Washer Unit									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit									
(10) w/ ref. condenser									
(11) w/ carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months? *NEW OWNER*  
 gallons

(b) If less than 12 months, how many?  months

Check why it is less than 12 months: New owner:  New store:  Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?  
 (Indicate with an "X". Select one classification only.)

Existing small area source

New small area source

Existing large area source

New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?  
(Indicate with an "X".)

<u>Existing large area source</u>		
Carbon adsorber	<input type="checkbox"/>	Refrigerated condenser <input type="checkbox"/>
<u>New small area source</u>		
Refrigerated condenser	<input checked="" type="checkbox"/>	
<u>New large area source</u>		
Refrigerated condenser	<input type="checkbox"/>	

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

*All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.*

All steam and hot water generating units exempt	<input checked="" type="checkbox"/>
No such units on-site	<input type="checkbox"/>

### Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

(a) Purchase receipts and solvent purchases	<input checked="" type="checkbox"/>
(b) Leak detection inspection and repair	<input checked="" type="checkbox"/>
(c) Refrigerated condenser temperature monitoring	<input checked="" type="checkbox"/>
(d) Carbon adsorber exhaust perc concentration monitoring	<input type="checkbox"/>
(e) Instrument calibration	<input type="checkbox"/>
(f) Start-up, shutdown, malfunction plan	<input checked="" type="checkbox"/>

Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form: specifically, permit number(s) \_\_\_\_\_


No air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

  
Signature

  
Date

✓

**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 9:00 TIME OUT: 10:30 AIRS ID#: SPR42 571200  
 TYPE OF FACILITY: PERC DRY CLEANER  
 FACILITY NAME: EDDIES CUSTOM CLEANERS DATE: 9/17/98  
 FACILITY LOCATION: 4532 W. KENNEDY BLVD  
TAMPA, FL 33609  
 RESPONSIBLE OFFICIAL: EDDIE ALVERIO PHONE NUMBER: (813) 288-0500

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

**RECEIVED**  
 OCT 16 1998  
 Bureau of Air Monitoring  
 & Mobile Sources

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO  N/A

DATE OF NEXT INSPECTION: 1 YEAR  
(Approximate)

INSPECTION CONDUCTED BY: ROGER ZHU  
(Please Print)

INSPECTOR'S SIGNATURE: *Roger Zhu* PHONE NUMBER: (813) 272-5530

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST

RECEIVED  
OCT 16 1998  
Bureau of Air Monitoring  
& Mobile Sources

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

571200  
AIRS ID#: ~~571142~~ DATE: 9/17/98 TIME IN: 9:00 TIME OUT: 10:30  
FACILITY NAME: EDDIES CUSTOM CLEANERS  
FACILITY LOCATION: 4532 W. KENNEDY BLVD  
TAMPA, FL 33609  
RESPONSIBLE OFFICIAL: EDDIE ALVERIO PHONE: (813)288-0500  
CONTACT NAME: SAME PHONE: SAME

PART I: NOTIFICATION

(check appropriate box)  
1. New facility notified DARM 30 days prior to startup  N/A  
2. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:  
(check appropriate box)  No notification form  
 Drop store/out of business/petroleum

A.

1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)

5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:  
 facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 115 gallons.  
~~waiting for copies of the receipts to verify~~ R.B.



**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
     Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
     Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased? *KEPT AT SUPPLIER PLACE*  Y  N  N/A
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
  - a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? *(for applicable direct reading instruments)*  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
     Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:**  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

ROGER ZIW

Inspector's Name (Please Print)

*Roger Ziw*

Inspector's Signature

9/17/98

Date of Inspection

1 YEAR

Approximate Date of Next Inspection

INSPECTION REPORT FORM  
 ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY

FACILITY: Eddies Custom Cleaners PAGE 1 OF 1

FACILITY ADDRESS: 4532 W. Kennedy Blvd CITY: Tampa  
PHONE: (813) 288-0500

MAILING ADDRESS: Same CITY: Tampa    FLA    ZIP: 33609

INSPECTION DATE: Sep 17, 1998	TIME IN: 9:00	TIME OUT: 10:30	INSPECTION TYPE: non-CDS	STATUS: In Compliance
----------------------------------	------------------	--------------------	-----------------------------	--------------------------

NEDS NUMBER: 571142

SOURCE DESCRIPTION: Perc Dry Cleaner

CONTACT(S): Eddie Alverio

Today's visit was a follow-up to the last inspection on 5/28/98 that we would come back in a few months to inspect his record keeping.

Mr. Alverio logged the leak inspection and temperature measurement on a weekly basis. He didn't realize that temperature measurements shall be obtained after the cooldown period. Therefore the temperature he had recorded appeared to be too high (around 25 °C). After I explained to him that comparing a temperature at end of the cooldown cycle with the standard (7.2 °C) would help assuring whether the machine is working properly, he said he will follow the correct procedure on temperature recording.

Mr. Alverio didn't have the perc purchase receipts with him during my visit. He said he is going to request the copies of the receipts from the supplier and mail them to me.

It is a clean facility with a brand new machine. No odors or leaks were noticed during my inspection.

INSPECTED BY: Roger Zhu

DATE: Sep 17, 1998

**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 9:00 TIME OUT: 10:30 AIRS ID#: 571200  
 TYPE OF FACILITY: Perc Dry Cleaners  
 FACILITY NAME: Eddie's Custom Cleaners DATE: 8-10-99  
 FACILITY LOCATION: 4532 W. Kennedy Blvd.  
Tampa, FL 33609  
 RESPONSIBLE OFFICIAL: Eddie Alverio PHONE NUMBER: (813)288-0500

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
INCOMPLETE RECORDKEEPING	REINSPECT IN 90 DAYS

RECEIVED  
 SEP 13 1999  
 Bureau of Air  
 & Mobile Sources  
 Monitoring

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 1 year 90 DAYS  
 (Approximate)

INSPECTION CONDUCTED BY: Mohammad Nozari  
 (Please Print)

INSPECTOR'S SIGNATURE: M. Nozari PHONE NUMBER: (813)272-5580

*Acc*

**DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM**

FACILITY NAME: Eddie's Custom Cleaners DATE: 8/10/99  
 FACILITY LOCATION: 4532 W. Kennedy Blvd.  
Tampa, FL 33609

Annual Reporting Period: Sept 17 1998 TO Aug 10 1999

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: *[Signature]* *[Signature]* 8/10/99  
 Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

PERCHLOROETHYLENE DRY CLEANERS  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#: 571200 DATE: 8-10-99 TIME IN: 9:20 TIME OUT: 10:30  
 FACILITY NAME: Eddie's Custom Cleaners  
 FACILITY LOCATION: 4532 W. Kennedy Blvd  
Tempa, FL 33609  
 RESPONSIBLE OFFICIAL: Eddie Alvero PHONE: (813) 288-0500  
 CONTACT NAME: \_\_\_\_\_ PHONE: \_\_\_\_\_

**PART I: NOTIFICATION**

(check appropriate box)

1. New facility notified DARM 30 days prior to startup N/A   
 2. Facility failed to notify DARM to use general permit

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  
(check appropriate box)

- No notification form  
 Drop store/out of business/petroleum

A.

- |  |  |
|--|--|
| <p>1. Existing small area source <input type="checkbox"/><br/>dry-to-dry only, <math>x &lt; 140</math> gal/yr<br/>transfer only, <math>x &lt; 200</math> gal/yr<br/>both types, <math>x &lt; 140</math> gal/yr<br/>(constructed before 12/9/91)</p>                                  | <p>2. New small area source <input checked="" type="checkbox"/><br/>dry-to-dry only, <math>x &lt; 140</math> gal/yr<br/>transfer only, <math>x &lt; 200</math> gal/yr<br/>both types, <math>x &lt; 140</math> gal/yr<br/>(constructed on or after 12/9/91)</p>                       |
| <p>3. Existing large area source <input type="checkbox"/><br/>dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr<br/>transfer only, <math>200 \leq x \leq 1,800</math> gal/yr<br/>both types, <math>140 \leq x \leq 1,800</math> gal/yr<br/>(constructed before 12/9/91)</p> | <p>4. New large area source <input type="checkbox"/><br/>dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr<br/>transfer only, <math>200 \leq x \leq 1,800</math> gal/yr<br/>both types, <math>140 \leq x \leq 1,800</math> gal/yr<br/>(constructed on or after 12/9/91)</p> |
5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 138 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N



**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
 Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
 Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
 (check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
 Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |            |  |                           |            |  |
|---|------------|--|---------------------------|------------|--|
| Hose connections, fittings, couplings, and valves | INCOMPLETE | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | INCOMPLETE | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          |            | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    |            | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        |            | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           |            | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   |            | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           |            | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      |            | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings |            | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  |            | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |            |  |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:**  N/A
- Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
  - Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
  - Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
  - Kept in a clean and secure area when not in use?  Y  N
  - Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

ROGER ZHU

Inspector's Name (Please Print)

8/10/99

Date of Inspection

*Roger Zhu*

Inspector's Signature

90 DAYS

Approximate Date of Next Inspection

INSPECTION REPORT FORM  
 ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY

FACILITY: Eddies Custom Cleaners			PAGE 1 OF 1	
FACILITY ADDRESS: 4532 W. Kennedy Blvd			CITY: Tampa PHONE: (813) 288-0500	
MAILING ADDRESS: Same		CITY: Tampa	FLA	ZIP: 33609
INSPECTION DATE: Aug 10, 1999	TIME IN: 9:00	TIME OUT: 10:30	INSPECTION TYPE: non-CDS	STATUS: Minor Out Compliance
NEDS NUMBER: 571200				
SOURCE DESCRIPTION: Perc Dry Cleaner				
CONTACT(S): Eddie Alverio				

Today's visit was to conduct the annual inspection.  
 The perc usage was 138 gallons according to the purchase receipts.  
 The dry cleaning machine is well maintained and very clean. No odors or leaks were noticed during my visit.  
 The recordkeeping hasn't been recorded consistently on a bi-weekly basis for the small source. Mr. Alverio explained that he had a surgery recently, that is why he couldn't follow the record keeping closely. I told him the recordkeeping requirement is a part of rule, either the R.O. or someone else he appoints to do the recordkeeping shall maintain the leak and temperature logs consistently. Therefore, the next inspection will be conduct within 90 days to see if there is any improvement of the recordkeeping.

INSPECTED BY: Roger Zhu	DATE: Aug 10, 1999
-------------------------	--------------------

**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

**TYPE OF INSPECTION:** ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 10:15 TIME OUT: 11:10 AIRS ID#: 571200  
 TYPE OF FACILITY: PERC DRY CLEANER  
 FACILITY NAME: EDDIE'S CUSTOM CLEANERS DATE: 11/18/99  
 FACILITY LOCATION: 4532 W. KENNEDY BLVD  
TAMPA, FL 33609  
 RESPONSIBLE OFFICIAL: EDDIE ALVERIO PHONE NUMBER: (813) 288-0500

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

**RECEIVED**  
 DEC 13 1999  
 Bureau of Air Monitoring  
 & Mobile Sources

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 1 YEAR  
 (Approximate)

INSPECTION CONDUCTED BY: ROGER ZHU  
 (Please Print)

INSPECTOR'S SIGNATURE: Roger Zhu PHONE NUMBER: (813) 272-5530

✓

# PERCHLOROETHYLENE DRY CLEANERS

## TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#:	<u>571200</u>	DATE: <sup>IN</sup> <u>1015</u>	TIME IN: <sup>OUT</sup> <u>1110</u>	TIME OUT: <sup>Data</sup> <u>11/18/99</u>
FACILITY NAME:	<u>EDDIE'S CUSTOM CLEANERS</u>			
FACILITY LOCATION:	<u>4532 W. KENNEDY BLVD</u> <u>TAMPA, FL 33609</u>			
RESPONSIBLE OFFICIAL:	<u>EDDIE ALVERIO</u>	PHONE:	<u>(813) 288-0500</u>	
CONTACT NAME:	<u>SAME</u>	PHONE:	<u>SAME</u>	

### PART I: NOTIFICATION

(check appropriate box)

- |   |                                     |
|---|-------------------------------------|
| 1. New facility notified DARM 30 days prior to startup  | <input checked="" type="checkbox"/> |
| 2. Facility failed to notify DARM to use general permit | <input type="checkbox"/>            |

### PART II: CLASSIFICATION

Facility indicated on notification form that it is:  
(check appropriate box)

- No notification form  
 Drop store/out of business/petroleum

- |  |  |
|--|--|
| A.<br>1. Existing small area source <input type="checkbox"/><br>dry-to-dry only, $x < 140$ gal/yr...<br>transfer only, $x < 200$ gal/yr<br>both types, $x < 140$ gal/yr<br>(constructed before 12/9/91)                                  | 2. New small area source <input checked="" type="checkbox"/><br>dry-to-dry only, $x < 140$ gal/yr<br>transfer only, $x < 200$ gal/yr<br>both types, $x < 140$ gal/yr<br>(constructed on or after 12/9/91)                                |
| 3. Existing large area source <input type="checkbox"/><br>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr<br>transfer only, $200 \leq x \leq 1,800$ gal/yr<br>both types, $140 \leq x \leq 1,800$ gal/yr<br>(constructed before 12/9/91) | 4. New large area source <input type="checkbox"/><br>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr<br>transfer only, $200 \leq x \leq 1,800$ gal/yr<br>both types, $140 \leq x \leq 1,800$ gal/yr<br>(constructed on or after 12/9/91) |
5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 55 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or,  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

ROGER ZHU

Inspector's Name (Please Print)

*Roger Zhu*

Inspector's Signature

11/18/99

Date of Inspection

1 YEAR

Approximate Date of Next Inspection



INSPECTION REPORT FORM  
 ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY

FACILITY: Eddies Custom Cleaners PAGE 1 OF 1

FACILITY ADDRESS: 4532 W. Kennedy Blvd CITY: Tampa  
PHONE: (813) 288-0500

MAILING ADDRESS: Same CITY: Tampa    FLA    ZIP: 33609

INSPECTION DATE: Nov 18, 1999	TIME IN: 10:15	TIME OUT: 11:10	INSPECTION TYPE: non-CDS	STATUS: In Compliance
----------------------------------	-------------------	--------------------	-----------------------------	--------------------------

NEDS NUMBER: 571200

SOURCE DESCRIPTION: Perc Dry Cleaner

CONTACT(S): Eddie Alverio

Today's visit was a follow-up inspection for this facility's recordkeeping. The recordkeeping is very good now. Both the temperature and leak logs have been recorded on a weekly basis consistently since my last inspection on 8/10/99. The machine is well maintained and in operation during my visit. No odors and leaks were noticed. The perc purchase receipts indicated the usage in the past 12-month for a total of 55 gallons. Based on the re-inspection results, no further action is necessary.

INSPECTED BY: Roger Zhu

DATE: Nov 18, 1999

✓

**THE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

**TYPE OF INSPECTION:** ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 9:00 TIME OUT: 10:30 AIRS ID#: SPR412 571200  
 TYPE OF FACILITY: PERC DRY CLEANER  
 FACILITY NAME: EDDIES CUSTOM CLEANERS DATE: 9/17/98  
 FACILITY LOCATION: 4532 W. KENNEDY BLVD  
TAMPA, FL 33609  
 RESPONSIBLE OFFICIAL: EDDIE ALVERIO PHONE NUMBER: (813) 288-0500

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

**RECEIVED**  
 DEC - 4 2000  
 Bureau of Air Monitoring  
 & Mobile Sources

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO  N/A

DATE OF NEXT INSPECTION: 1 YEAR  
(Approximate)

INSPECTION CONDUCTED BY: ROGER ZHU  
(Please Print)

INSPECTOR'S SIGNATURE: *Roger Zhu* PHONE NUMBER: (813) 272-5530

# PERCHLOROETHYLENE DRY CLEANERS

## TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION:      ANNUAL                            COMPLAINT/DISCOVERY        
    RE-INSPECTION                     

571200

AIRS ID#:	<del>571200</del>	DATE:	9/17/98	TIME IN:	9:00	TIME OUT:	10:30
FACILITY NAME:	EDDIES CUSTOM CLEANERS						
FACILITY LOCATION:	4532 W. KENNEDY BLVD TAMPA, FL 33609						
RESPONSIBLE OFFICIAL:	EDDIE ALVERIO		PHONE:	(813)288-0500			
CONTACT NAME:	SAME		PHONE:	SAME			

### PART I: NOTIFICATION

(check appropriate box)

- |   |     |                          |
|---|-----|--------------------------|
| 1. New facility notified DARM 30 days prior to startup  | N/A | <input type="checkbox"/> |
| 2. Facility failed to notify DARM to use general permit |     | <input type="checkbox"/> |

### PART II: CLASSIFICATION

Facility indicated on notification form that it is:

(check appropriate box)

- No notification form  
 Drop store/out of business/petroleum

A.

- |   |   |
|---|---|
| <p>1. Existing small area source      <input type="checkbox"/></p> <p>dry-to-dry only, <math>x &lt; 140</math> gal/yr<br/>         transfer only, <math>x &lt; 200</math> gal/yr<br/>         both types, <math>x &lt; 140</math> gal/yr<br/>         (constructed before 12/9/91)</p>                                  | <p>2. New small area source      <input checked="" type="checkbox"/></p> <p>dry-to-dry only, <math>x &lt; 140</math> gal/yr<br/>         transfer only, <math>x &lt; 200</math> gal/yr<br/>         both types, <math>x &lt; 140</math> gal/yr<br/>         (constructed on or after 12/9/91)</p>                       |
| <p>3. Existing large area source      <input type="checkbox"/></p> <p>dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr<br/>         transfer only, <math>200 \leq x \leq 1,800</math> gal/yr<br/>         both types, <math>140 \leq x \leq 1,800</math> gal/yr<br/>         (constructed before 12/9/91)</p> | <p>4. New large area source      <input type="checkbox"/></p> <p>dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr<br/>         transfer only, <math>200 \leq x \leq 1,800</math> gal/yr<br/>         both types, <math>140 \leq x \leq 1,800</math> gal/yr<br/>         (constructed on or after 12/9/91)</p> |
5. This is a correct facility classification       Y       N       Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 115 gallons.

~~WALKING FOR COPIES OF THE RECEIPTS TO VERIFY~~      R.B.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased? *KEPT AT SUPPLIER PLACE*  Y  N  N/A
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
- b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? *(for applicable direct reading instruments)*  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:**  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

ROGER ZHU  
 Inspector's Name (Please Print)

9/17/98  
 Date of Inspection

*Roger Zhu*  
 Inspector's Signature

1 YEAR  
 Approximate Date of Next Inspection

INSPECTION REPORT FORM  
ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY

FACILITY: Eddies Custom Cleaners PAGE 1 OF 1

FACILITY ADDRESS: 4532 W. Kennedy Blvd CITY: Tampa  
PHONE: (813) 288-0500

MAILING ADDRESS: Same CITY: Tampa FLA ZIP: 33609

INSPECTION DATE: Sep 17, 1998	TIME IN: 9:00	TIME OUT: 10:30	INSPECTION TYPE: non-CDS	STATUS: In Compliance
----------------------------------	------------------	--------------------	-----------------------------	--------------------------

NEDS NUMBER: 571142

SOURCE DESCRIPTION: Perc Dry Cleaner

CONTACT(S): Eddie Alverio

Today's visit was a follow-up to the last inspection on 5/28/98 that we would come back in a few months to inspect his record keeping.

Mr. Alverio logged the leak inspection and temperature measurement on a weekly basis. He didn't realize that temperature measurements shall be obtained after the cooldown period. Therefore the temperature he had recorded appeared to be too high (around 25 °C). After I explained to him that comparing a temperature at end of the cooldown cycle with the standard (7.2 °C) would help assuring whether the machine is working properly, he said he will follow the correct procedure on temperature recording.

Mr. Alverio didn't have the perc purchase receipts with him during my visit. He said he is going to request the copies of the receipts from the supplier and mail them to me.

It is a clean facility with a brand new machine. No odors or leaks were noticed during my inspection.

INSPECTED BY: Roger Zhu DATE: Sep 17, 1998

**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: <u>10:AM</u>	TIME OUT: <u>11:AM</u>	AIRS ID#: <u>0571200</u>
TYPE OF FACILITY: <u>Perc Dry cleaners</u>		Bureau of Air Monitoring & Mobile Sources DEC 1 2000 C DATE: <u>12-28-00</u> N E
FACILITY NAME: <u>Eddie's Custom Cleaners</u>		
FACILITY LOCATION: <u>4532 W. Kennedy Blvd.</u> <u>Tampa, FL 33609</u>		
RESPONSIBLE OFFICIAL: <u>Eddie Alverio</u>	PHONE NUMBER: <u>(813) 288-0500</u>	

Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).

Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 1 Year  
(Approximate)

INSPECTION CONDUCTED BY: Mohammad Nozari  
(Please Print)

INSPECTOR'S SIGNATURE: M. Nozari PHONE NUMBER: (813) 272-5530



*ALC*

**DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM**

FACILITY NAME: Eddie's Custom Cleaners DATE: 11-28-00  
 FACILITY LOCATION: 4532 W. Kennedy Cleaners  
Tampa, FL 33609

Annual Reporting Period: Aug 10 1999 TO Nov. 28, 2000

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to-dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: Richard R. Alverio [Signature] 11/28/00  
 Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

# PERCHLOROETHYLENE DRY CLEANERS

## TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL (INS1, INS2)  COMPLAINT/DISCOVERY (CI)   
 RE-INSPECTION (FUI)

AIRS ID#: <u>0571200</u>	DATE: <u>11-28-00</u>	TIME IN: <u>10AM</u>	TIME OUT: <u>11: Am</u>
FACILITY NAME: <u>Eddie's Custom Cleaners</u>			
FACILITY LOCATION: <u>4532 W. Kennedy Blvd.</u> <u>Tampa, FL 33609</u>			
RESPONSIBLE OFFICIAL: <u>Eddie Alverio</u>		PHONE: <u>11-28-00</u>	
CONTACT NAME: _____		PHONE: _____	

### PART I: NOTIFICATION

(check appropriate box)	Facility Compliance Status:	IN <input checked="" type="checkbox"/>
1. New facility notified DARM 30 days prior to startup <input type="checkbox"/>	(ARMS Data)	MNC <input type="checkbox"/>
2. Facility failed to notify DARM to use general permit <input type="checkbox"/>		SNC <input type="checkbox"/>

### PART II: CLASSIFICATION

Facility indicated on notification form that it is:  No notification form  
 (check appropriate box)  Drop store/out of business/petroleum

- A.
- |  |  |
|--|--|
| 1. Existing small area source <input type="checkbox"/><br>dry-to-dry only, $x < 140$ gal/yr<br>transfer only, $x < 200$ gal/yr<br>both types, $x < 140$ gal/yr<br>(constructed before 12/9/91)   | 2. New small area source <input checked="" type="checkbox"/><br>dry-to-dry only, $x < 140$ gal/yr<br>transfer only, $x < 200$ gal/yr<br>both types, $x < 140$ gal/yr<br>(constructed on or after 12/9/91)                                |
| 3. Existing large area source <input type="checkbox"/><br>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr<br>transfer only, $200 \leq x \leq 1,800$ gal/yr<br>both types, $140 \leq x \leq 1,800$ gal/yr<br>(constructed before 12/9/91) | 4. New large area source <input type="checkbox"/><br>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr<br>transfer only, $200 \leq x \leq 1,800$ gal/yr<br>both types, $140 \leq x \leq 1,800$ gal/yr<br>(constructed on or after 12/9/91) |
5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number A-2 above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 95 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A
- Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A
- Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
- b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A
- Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)  N/A
- Halogen leak detector  N/A
- If using direct-reading instrumentation, is the equipment:
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Mohammad Nozari  
Inspector's Name (Please Print)

11-28-00  
Date of Inspection

M. Nozari  
Inspector's Signature

1 Year  
Approximate Date of Next Inspection

INSPECTION REPORT FORM  
ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY



FACILITY: Eddie's Custom Cleaners			PAGE 1 OF 1	
FACILITY ADDRESS: 4532 West Kennedy Blvd.			CITY: Tampa PHONE: (813) 288-0500	
MAILING ADDRESS: same		CITY: Tampa	FLA	ZIP: 33624
INSPECTION DATE: November 28, 2000	TIME IN: 10:00AM	TIME OUT: 11:00AM	INSPECTION TYPE: Annual	STATUS: In Compliance
NEDS NUMBER: 0571200				
SOURCE DESCRIPTION: Perchloroethylene (perc) Dry Cleaner				
CONTACT (S): Mr. Eddie Alverio				

The purpose of the visit was an annual inspection. We found the following:

1. The record keeping of the Perc purchases was very good and organized.
2. The gauge temperature reading was recorded weekly.
3. The vicinity around the dry cleaning machine was very clean and well maintained.
4. The Perc was loaded directly with a hookup connection. No container of perc was at the site.
5. The monthly averages for perc consumption was recorded correctly and the total for past 12 months was 95 gallons and it was verified.
6. The machines were in operation today. No leaks or odors were noticed.
7. The waste from the dry cleaning machine was properly store in the tied lid containers to be disposed in accordance with regulations.

INSPECTED BY: Mohammad Nozari.	DATE: November 28, 2000
-----------------------------------	----------------------------

Eddie's Custom Cleaners  
432 W. Kennedy Blvd.  
Tampa, FL 33609-2042



GENERAL PERMITS SECTION  
BUREAU OF AIR MONITORING & MOBIL SOURCES  
DEPARTMENT OF ENVIRONMENTAL PROTECTION MS 5510  
2600 BLAIR STONE RD.  
TALLAHASSEE, FL. 32399-2400

32399-2400



no

RECEIVED  
MAIL ROOM

DEC 17 98

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0354634

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00** ✓

Do NOT Remove Label

AIRS ID # 0571200
EDDIE'S CUSTOM CLEANERS EDGARDO ALVERIO 4528 W KENNEDY BLVD TAMPA FL 33609

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

Bureau of Air Monitoring  
& Mobile Sources

DEC 22 1998

RECEIVED



**U.S. Postal Service**  
**CERTIFIED MAIL RECEIPT**  
 (Domestic Mail Only; No Insurance Coverage Provided)

7001 0320 0001 7976 3019

OFFICIAL USE

Postage	\$	
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
<b>Total</b>		

*03*  
*Receipt*  
 Postmark Here

Sent To: 10 AIRS ID# 0571200001AG  
 EDDIE'S CUSTOM CLEANERS  
 Street, or PO Box: EDGARDO ALVERIO  
 4528 W KENNEDY BLVD  
 City, State: TAMPA FL 33609

PS Form 3811, July 1999

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

10 AIRS ID# 0571200001AG  
 EDDIE'S CUSTOM CLEANERS  
 EDGARDO ALVERIO  
 4528 W KENNEDY BLVD  
 TAMPA FL 33609

**COMPLETE THIS SECTION ON DELIVERY**

A. Received by (Please Print Clearly) \_\_\_\_\_ B. Date of Delivery 3/24

C. Signature *x B. Oraybor*  Agent  Addressee

D. Is delivery address different from item 1?  Yes  No  
 If YES, enter delivery address below: \_\_\_\_\_

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)  Yes

2. Article Number 7001 0320 0001 7976 3019

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

420601 DEC13 2002

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

X

RECEIVED  
DEC 17 2002  
EPA  
Mobile Sources  
Monitoring

Do NOT Remove Label

AIRS ID#0571200
EDDIE'S CUSTOM CLEANERS EDGARDO ALVERIO 4528 W KENNEDY BLVD TAMPA FL 33609

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: A1
Fund: 20-2-035001
Obj.: 002273

**EDDIE'S CUSTOM CLEANERS**

001478

From:

Date: 12/10/02

Check Number: 1478

Amount: 50.00

Memo:


EPA -

**EDDIE'S CUSTOM CLEANERS**  
529 South MacDill Ave.  
Tampa, FL 33609-3000  
*Quality Work/Quality People*




**TITLE V - General Permit**  
**Receipts**  
**Post Office Box 3070**  
**Tallahassee, FL 32315-3070**

32315+3070 99



*Eddie's Custom Cleaners*  
*4528 W. Kennedy Blvd.*  
*Tampa, FL 33609-2045*  
*Quality Work/Quality People*



**TITLE V - General Permit**  
**Receipts**  
**Post Office Box 3070**  
**Tallahassee, FL 32315-3070**

32315+3070 99





THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

412145 DEC24 2001

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID # 0571200  
EDDIE'S CUSTOM CLEANERS  
EDGARDO ALVERIO  
4528 W KENNEDY BLVD  
TAMPA FL  
33609

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: A1  
Fund: 20-2-035001  
Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

401904

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

RECEIVED  
MAIL ROOM

JAN-5 01

1-5-01 RD

Do NOT Remove Label

AIRS ID # 0571200  
EDDIE'S CUSTOM CLEANERS  
EDGARDO ALVERIO  
4528 W KENNEDY BLVD  
TAMPA FL 33609

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: A1  
Fund: 20-2-035001  
Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

389310

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

RECEIVED  
MAIL ROOM

DEC 10 99

Do NOT Remove Label

AIRS ID # 0571200

EDDIE'S CUSTOM CLEANERS  
EDGARDO ALVERIO  
4528 W KENNEDY BLVD  
TAMPA FL 33609

Bureau of Air Monitoring  
& Mobile Sources

DEC 14 1999

RECEIVED

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: BI  
Fund: 20,2-035001  
Obj.: 002273