



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary

December 20, 2007

Mr. Michael Winder
Preferred Materials, Incorporated
2401 Pine Island Road Southwest
Cape Coral, Florida 33991

Dear Mr. Winder:


This is to acknowledge that your notification of intent to use the authority of Rule 62-210.310 to operate your facility was received on November 14, 2007. We have assigned ARMS Number 0710096-005 to this facility.

As you know, pursuant to Florida Statutes section 403.814, authority to operate under general permits commences thirty days after receipt of the registration form unless you have been notified by this office that your facility has not shown entitlement to operate pursuant to the rule provisions.

For your information, authority to operate pursuant to Rule 62-210.310 expires after 5 years. Therefore, a new registration form must be received no later than 5 years after the date your notice was received as indicated above. If your general permit rule conditions require testing, such testing must be completed within the time frame specified in the rule.

If you have any additional questions, please contact Dickson Dibble at 850/921-9586.

Sincerely,


Sandra F. Veazey, Chief
Bureau of Air Monitoring
and Mobile Sources

SFV/pg

cc: Mr. Sherrill Culliver, South District

CONCRETE BATCHING PLANT
AIR GENERAL PERMIT REGISTRATION FORM

RECEIVED
NOV 13 2007
Bureau of Air Monitoring
& Mobile Source

Part II. Notification to Permitting Office

(Detach and submit to appropriate permitting office; keep copy onsite)

Instructions: To give notice to the Department of an eligible facility's intent to use this air general permit, the owner or operator of the facility must detach and complete this part of the Air General Permit Registration Form and submit it to the appropriate Department of Environmental Protection or local air pollution control program office which has permitting authority. Please type or print clearly all information, and enclose the appropriate air general permit registration processing fee pursuant to Rule 62-4.050, F.A.C. (\$100 as of the effective date of this form)

0710096-005

Registration Type

Check one:

INITIAL REGISTRATION - Notification of intent to:

Construct and operate a proposed new facility.

Operate an existing facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit).

RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to:

Continue operating the facility after expiration of the current term of air general permit use.

Continue operating the facility after a change of ownership.

Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C., or any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.

Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only

If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. In such case, check the first box, and indicate the operation permits being surrendered. If no air operation permits are held by the facility, check the second box.

All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s): _____

No air operation permits currently exist for this facility.

General Facility Information

Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)

Preferred Materials, Inc.

Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a registration form must be completed for each.)

Cape Coral, FACILITY ID: 0710096

Facility Location (Provide the physical location of the facility, not necessarily the mailing address.)

Street Address: 2401 Pine Island Road S. W.
 City: Cape Coral County: Lee Zip Code: 33991

Facility Start-Up Date (Estimated start-up date of proposed new facility.) (N/A for existing facility)

N/A

Owner/Authorized Representative

Name and Position Title (Person who, by signing this form below, certifies that the facility is eligible to use this air general permit.)

Print Name and Title: David Guillaume, Vice President

Owner/Authorized Representative Mailing Address

Organization/Firm: Preferred Materials, Inc.

Street Address: 900 Ashwood Parkway, Suite 700

City: Atlanta, Ga.

County: DeKalb

Zip Code: 30338

Owner/Authorized Representative Telephone Numbers

Telephone: 770/392-5300

Fax: 770-392-5368

Cell phone (optional):

Facility Contact (If different from Owner/Authorized Representative)

Name and Position Title (Plant manager or person to be contacted regarding day-to-day operations at the facility.)

Print Name and Title: Michael Winder - Operations Foreman

Facility Contact Mailing Address

Organization/Firm: Preferred Materials, Inc.

Street Address: 2401 Pine Island Road S. W.

City: Cape Coral

County: Lee

Zip Code: 33991

Facility Contact Telephone Numbers

Telephone: (239) 283-7272

Fax: (239) 283-1238


Cell phone (optional):

Owner/Authorized Representative Statement

This statement must be signed and dated by the person named above as owner or authorized representative

I, the undersigned, am the owner or authorized representative of the owner or operator of the facility addressed in this Air General Permit Registration Form. I hereby certify, based on information and belief formed after reasonable inquiry, that the facility addressed in this registration form is eligible for use of this air general permit and that the statements made in this registration form are true, accurate and complete. Further, I agree to operate and maintain the facility described in this registration form so as to comply with all applicable standards for control of air pollutant emissions found in the statutes of the State of Florida and rules of the Department of Environmental Protection and revisions thereof.

I will promptly notify the Department of any changes to the information contained in this registration form.


Signature

11/7/07
Date

Type of Facility

Check one:

Stationary Facility

Relocatable Facility

Type(s) of Reasonable Precautions Used to Prevent Unconfined Emissions

Check all precautions to be used for the management of roads, parking areas, stock piles and yards:

Pave Roads

Pave Parking Areas

Pave Yards

Maintain Roads/Parking/Yards

Use Water Application

Use Dust Suppressant

Remove Particulate Matter

Reduce Stock Pile Height

Install Wind Breaks

Check all precautions to be used for the management of drop points to trucks:

Spray Bar

Chute

Enclosure

Partial enclosure

Description of Reasonable Precautions

Below, or as an attachment to this form, provide details of all types of reasonable precautions to be used to prevent unconfined emissions at the facility.

This facility is provided with an extensive stormwater/wastewater drainage system, which is designed to flush particulate matter from the paved yard and entrance drive. This keeps the paving cleaner, substantially reducing fugitive emissions. Aggregate stockpiles in the yard are stored on paved surfaces and kept watered, partly for quality control and partly to reduce potential emissions from these materials.

Description of Facility

Below, or as an attachment to this form, provide a description of the concrete batching plant operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe all air pollutant-emitting processes and equipment at the facility, and identify any air pollution control measures or equipment used.

Ready-Mix Concrete Batching Facility:

- A single-compartment cement silo (with a C. & W. Dust Systems Model CP-230-639 cartridge dust collector).
- A single-compartment flyash silo (with a C. & W. Dust Systems Model CP-305-839 cartridge dust collector).
- A single-compartment slag silo (with a C. & W. Dust Systems Model CP-305-839 cartridge dust collector).
- A cement weigh hopper (with a C. & W. Dust Systems Model CP-35-219 cartridge batcher vent).

Arlington Environmental Services, Inc.
(863) 467-0555

VISIBLE EMISSION TEST

Method Used (Circle One) Method B 203A 203B Report 1692-V-1

Company Name Rinker Materials
 Facility Name Cape Coral RM (0710096)
 Street Address 2401 Pine Island Rd
 City Cape Coral State FL Zip
 Phone No. (239) 283-7272


Process Concrete Unit # Operating Mode 1 Truck
 Control Equipment Cartage Collector Operating Mode Normal

Describe Emission Point WH DC
 Ht of Emis. Point 45' Ht Rail to Observer 45'
 Distance to Emis. Pt. 70' Direction to Emis. Pt (Degrees) 319°

Vehicle Angle to Obs. Pt. Direction to Obs. Pt. (Degrees) 319°
 Distance and Direction to Obs. Pt from Emission Pt Same

Describe Emissions
 Emission Color Water Droplet Plume Attached Detached None X

Describe Plume Background
 Background Color blue Sky Conditions Scattered
 Wind Speed 10-12 MPH Wind Direction East
 Ambient Temp. 80° F Wet Bulb Temp. 64° F % RH 60



Latitude 26° 38.270' Longitude 82° 01.419' Declination

Comments
* Start loadout
** Complete loadout

Observation Date				Start Time				Stop Time			
5-24-07				9:34				9:40			
Min	Sec			Min	Sec			Min	Sec		
	0	15	30		45	0	15		30	45	
1	0	0	0	0	31						
2	0	0	0	0	32						
3	0	0	0	0	33						
4	0	0	0	0	34						
5	0	0	0	0	35						
6	0	0	0	0	36						
7					37						
8					38						
9					39						
10					40						
11					41						
12					42						
13					43						
14					44						
15					45						
16					46						
17					47						
18					48						
19					49						
20					50						
21					51						
22					52						
23					53						
24					54						
25					55						
26					56						
27					57						
28					58						
29					59						
30					60						

Number of Readings Above 0 % were 0 Average Opacity for Highest 6 Min Period 0
 Range of opacity Readings Min 0 Max 0 Average Opacity for 2nd Highest 6 Min 0

Observers Name (Print) William Arlington
 Observers Signature W. Arlington Date 5/24/07
 Organization Arlington Environmental Services, Inc.
 Certified By Whitlow Enterprises Date 1/8/07



Arlington Environmental Services, Inc.
(863) 467-0555

VISIBLE EMISSION TEST

Method Used (Circle One) Method 9 203A 203B Report 1092-V-2

Company Name Rinker Materials
 Facility Name Cape Coral Rm (0710096)
 Street Address 2401 Pine Island Rd
 City Cape Coral State FL Zip 339
 Phone No. (239) 283-7272


Process Concrete Unit # 281714 Operating Mode 10 P50g
 Control Equipment CeTrige Collector Operating Mode

Describe Emission Point S. Silo
 Ht of Emis. Point 45' Ht Rel to Observer 45'
 Distance to Emis. Pt. 60' Direction to Emis. Pt (Degrees) 312°

Verticle Angle to Obs. Pt. 30° Direction to Obs. Pt. (Degrees) 312°
 Distance and Direction to Obs. Pt from Emission Pt. Same

Describe Emissions
 Emission Color None Water Droplet Plume Attached None Detached X

Describe Plume Background
 Background Color blue Sky Conditions Scattered
 Wind Speed 10-12 mph Wind Direction East-NW
 Ambient Temp. 80°F Wet Bulb Temp. 64°F % RH 60



Latitude 26° 38.290' Longitude 82° 01.419' Declination

Comments Fly Ash 26.2 Tons/56 min.

Min Sec	Start Time				Stop Time			
	0	15	30	45	0	15	30	45
1	0	0	0	0	31	0	0	0
2	0	0	0	0	32	0	0	0
3	0	0	0	0	33	0	0	0
4	0	0	0	0	34	0	0	0
5	0	0	0	0	35	0	0	0
6	0	0	0	0	36	0	0	0
7	0	0	0	0	37	Checked		
8	0	0	0	0	38	Tankers		
9	0	0	0	0	39	0	0	0
10	0	0	0	0	40	0	0	0
11	0	0	0	0	41	0	0	0
12	0	0	0	0	42	0	0	0
13	0	0	0	0	43	0	0	0
14	0	0	0	0	44	0	0	0
15	0	0	0	0	45	0	0	0
16	0	0	0	0	46	0	0	0
17	0	0	0	0	47	0	0	0
18	0	0	0	0	48	0	0	0
19	0	0	0	0	49	0	0	0
20	0	0	0	0	50	0	0	0
21	0	0	0	0	51	0	0	0
22	0	0	0	0	52	0	0	0
23	0	0	0	0	53			
24	0	0	0	0	54			
25	0	0	0	0	55			
26	0	0	0	0	56			
27	0	0	0	0	57			
28	0	0	0	0	58			
29	0	0	0	0	59			
30	0	0	0	0	60			

Number of Readings Above 0 % were 0 Average Opacity for Highest 6 Min Period 0
 Range of opacity Readings Min 0 Max 0 Average Opacity for 2nd Highest 6 Min
 Observers Name (Print) William Arlington
 Observers Signature W. Arlington Date 5/24/07
 Organization Arlington Environmental Services, Inc.
 Certified By Whitlow Enterprises Date 1/8/07



Arlington Environmental Services, Inc.
(863) 467-0555

VISIBLE EMISSION TEST

Method Used (Circle One)
(Method 9) 203A 203B Report **1692-V3**

Company Name
Rinker Materials

Facility Name AIRS
Cape Coral Bm (0710096)

Street Address
2401 Pine Island Rd.

City State Zip
Cape Coral FL

Phone No.
(239) 283-7272

Process Unit # Operating Mode
Concrete **23.8 TPH**

Control Equipment Operating Mode
Cartridge Collector **10 PSig**

Describe Emission Point
Cement Bin

Ht of Emis. Point Ht Ref to Observer

Distance to Emis. Pt. Direction to Emis. Pt (Degrees) **319°**

Vehicle Angle to Obs. Pt. Direction to Obs. Pt. (Degrees) **27°** **319°**

Distance and Direction to Obs. Pt from Emission Pt

Describe Emissions


Emission Color Water Droplet Plume
Attached Detached None

Describe Plume Background

Background Color Sky Conditions
Scattered

Wind Speed Wind Direction
10-12 mph **East-NW**

Ambient Temp Wet Bulb Temp % RH
80°F **64°F** **60**



Latitude Longitude Declination
26° 38' 29" **82° 01' 41"**

Comments
Cement 26.16 tons / 66 min
Type I-II

Min Sec	Start Time				Min Sec	Stop Time			
	0	15	30	45		0	15	30	45
1	0	0	0	0	31	0	0	0	0
2	0	0	0	0	32	0	0	0	0
3	0	0	0	0	33	0	0	0	0
4	0	0	0	0	34	0	0	0	0
5	0	0	0	0	35	0	0	0	0
6	0	0	0	0	36	0	0	0	0
7	0	0	0	0	37	Check			
8	0	0	0	0	38	Tankers			
9	0	0	0	0	39	0	0	0	0
10	0	0	0	0	40	0	0	0	0
11	0	0	0	0	41	0	0	0	0
12	0	0	0	0	42	0	0	0	0
13	0	0	0	0	43	0	0	0	0
14	0	0	0	0	44	0	0	0	0
15	0	0	0	0	45	0	0	0	0
16	0	0	0	0	46	0	0	0	0
17	0	0	0	0	47	0	0	0	0
18	0	0	0	0	48	0	0	0	0
19	0	0	0	0	49	0	0	0	0
20	0	0	0	0	50	0	0	0	0
21	0	0	0	0	51	0	0	0	0
22	0	0	0	0	52	0	0	0	0
23	0	0	0	0	53	0	0	0	0
24	0	0	0	0	54	0	0	0	0
25	0	0	0	0	55	0	0	0	0
26	0	0	0	0	56	0	0	0	0
27	0	0	0	0	57	0	0	0	0
28	0	0	0	0	58	0	0	0	0
29	0	0	0	0	59	0	0	0	0
30	0	0	0	0	60	0	0	0	0

Number of Readings Above Average Opacity for
0 % were **0** Highest 6 Min Period **0**

Range of opacity Readings Average Opacity for
Min Max **0** 2nd Highest 6 Min

Observers Name (Print) **William Arlington**

Observers Signature *W. Arlington* Date **5/24/07**

Organization **Arlington Environmental Services, Inc.**

Certified By **Whitlow Enterprises** Date **1/8/07**

Arlington Environmental Services, Inc.
(863) 467-0555

VISIBLE EMISSION TEST

Method Used (Circle One)
 Method B 203A 203B Report: 1692-V-4

Company Name: Rinker Materials
 Facility Name: Cape Coral Rm (0710096)
 Street Address: 2401 Pine Island Rd
 City: Cape Coral, State: FL, Zip: _____
 Phone No: (239) 283-7272


Process: Concrete Unit #: _____ Operating Mode: 510 Tph
 Control Equipment: Cartridge Collector Operating Mode: 10 PSig

Describe Emission Point: E Silo
 Ht of Emis Point: 60' Ht Rel to Observer: 60'
 Distance to Emis. Pt.: 65' Direction to Emis. Pt (Degrees): 331°

Verticle Angle to Obs. Pt.: 35° Direction to Obs. Pt. (Degrees): 331°
 Distance and Direction to Obs. Pt. from Emission Pt: same

Describe Emissions
 Emission Color: _____ Water Droplet Plume: Attached _____ Detached _____ None

Describe Plume Background
 Background Color: blue Sky Conditions: Scattered
 Wind Speed: 10-12 mph Wind Direction: EAST-NE
 Ambient Temp.: 80°F Wet Bulb Temp.: 64°F % RH: 60



Latitude: 26-38.290° Longitude: 82-01.419° Declination: _____

Comments:
71.2 Cement 25.61 Tons
1 Pail 60 Min.
1/2 Tanker 80 Min Paised Pressure
Tank From 8-To 11 PSig

Min Sec	Observation Date: <u>5-24-07</u>				Start Time: <u>10:04</u>				Stop Time: <u>11:04</u>				
	0	15	30	45	Min Sec	0	15	30	45	0	15	30	45
1	0	0	0	0	31	0	0	0	0	0	0	0	0
2	0	0	0	0	32	0	0	0	0	0	0	0	0
3	0	0	0	0	33	0	0	0	0	0	0	0	0
4	0	0	0	0	34	0	0	0	0	0	0	0	0
5	0	0	0	0	35	0	0	0	0	0	0	0	0
6	0	0	0	0	36	0	0	0	0	0	0	0	0
7	0	0	0	0	37	checked							
8	0	0	0	0	38	Tanker							
9	0	0	0	0	39	0	0	0	0	0	0	0	0
10	0	0	0	0	40	0	0	0	0	0	0	0	0
11	0	0	0	0	41	0	0	0	0	0	0	0	0
12	0	0	0	0	42	0	0	0	0	0	0	0	0
13	0	0	0	0	43	0	0	0	0	0	0	0	0
14	0	0	0	0	44	0	0	0	0	0	0	0	0
15	0	0	0	0	45	0	0	0	0	0	0	0	0
16	0	0	0	0	46	0	0	0	0	0	0	0	0
17	0	0	0	0	47	0	0	0	0	0	0	0	0
18	0	0	0	0	48	0	0	0	0	0	0	0	0
19	0	0	0	0	49	0	0	0	0	0	0	0	0
20	0	0	0	0	50	0	0	0	0	0	0	0	0
21	0	0	0	0	51	0	0	0	0	0	0	0	0
22	0	0	0	0	52	0	0	0	0	0	0	0	0
23	0	0	0	0	53	0	0	0	0	0	0	0	0
24	0	0	0	0	54	0	0	0	0	0	0	0	0
25	0	0	0	0	55	0	0	0	0	0	0	0	0
26	0	0	0	0	56	0	0	0	0	0	0	0	0
27	0	0	0	0	57	0	0	0	0	0	0	0	0
28	0	0	0	0	58	0	0	0	0	0	0	0	0
29	0	0	0	0	59	0	0	0	0	0	0	0	0
30	0	0	0	0	60	0	0	0	0	0	0	0	0

Number of Readings Above _____ % were _____ Average Opacity for Highest 6 Min Period: _____
 Range of opacity Readings: Min _____ Max _____ Average Opacity for 2nd Highest 6 Min: _____
 Observers Name (Print): William Arlington
 Observers Signature: W. Arlington Date: 5/24/07
 Organization: Arlington Environmental Services, Inc.
 Certified By: Whitlow Enterprises Date: 1/8/07



Whitlow Enterprises, LLC

www.smokeschool.net

Certifies that

Bill Arlington of Arlington Environmental Services

Has met all of the requirements of EPA Reference Method 9 and 22

And is qualified as a Visible Emissions Observer

Date: January 8, 2007

This certificate is valid for 6 months after the above date

George Artie "Butch" Whitlow

President



APAC, Inc. • 900 Ashwood Parkway • Suite 700 • Atlanta, Georgia 30338-4780 • (770) 392-5300 • Fax (770) 392-5418

November 9, 2007

Florida Department of Environmental Protection
Receipts
P.O. Box 3070
Tallahassee, FL 32315-3070

Bureau of Air Monitoring
& Mobile Sources

RECEIVED
NOV 13 2007

Re: Air Permit Transfers

The enclosed check is for Air General Permit transfer for the permits listed below:

- 0810064 BLOCK PLANT REMOVED
- 1010077
- 1030139
- 1010326 BLOCK PLANT REMOVED
- 0450009
- 1310010
- 0710024 BLOCK PLANT REMOVED
- 0150086
- 0710015 BLOCK PLANT REMOVED
- 0710229
- 0710096
- 0210047
- 0210032
- 0910075
- 7770043
- 1136024
- 0050037
- 0030043
- 0330266

Thank you in advance for your assistance.

Sincerely,

Chris Willis
EHS Manager
APAC, Inc.

FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION
2007 NOV 14 PM 4:11
FINANCIAL ACCOUNTING
REVENUE

APAC, INC. • 900 ASHWOOD PARKWAY, SUITE 700, ATTN: ACCOUNTS PAYABLE • ATLANTA, GA 30338-4780

1000003425

VENDOR NO.		VENDOR NAME			CHECK NUMBER					
109451		Florida Dept Of Environmental Protection			1000003425					
Transaction Number	REFERENCE	DATE	DESCRIPTION	GROSS AMOUNT	DISCOUNT	RETAINAGE	PREVIOUS	BALANCE	NET AMOUNT	
1107 140	11/05/07	11/06/07	Air Permit / Project 2492	1,900.00	0.00	0.00	0.00	0.00	1,900.00	
VENDOR NO.					GROSS AMOUNT	DISCOUNT	RETAINAGE	PREVIOUS	BALANCE	NET AMOUNT
109451					1,900.00	0.00	0.00	0.00	0.00	1,900.00

DETACH STATEMENT BEFORE DEPOSITING

**Florida Department of Environmental Protection
Cash Receiving Application (CRA)
Cashlisting by Deposit #: 281284 thru 281284
Printed: 11/15/2007 4:32:30 PM - Page 10**

*✓ = ARMS
X = EXCEL*

Cashlisting: **65123** Cashlist Area: **3755**
Deposit No: **281284** Date Deposited: **11/15/2007**

Description: **DIV OF AIR RESOURCES MGMT.**
Contact: **PATTY ADAMS**

Object	Transmittal	Dep DDN	Receipt Number	Pre-Numbered Receipt	Name	Check Number	Payment Amount	Reference Account	Payment Number	Remittance Number	Fund
002272	45648		606353		APAC INC	1000003476	\$100.00	1010326 ✓ #1010504	847840	755057	PFTF - REMOVED BLOCK PLANT
	45648		606353		APAC INC	1000003476	\$100.00	0710015 ✓ #0710260	847841	755057	PFTF - REMOVED BLOCK PLANT
	45648		606354		APAC INC	1000003425	\$100.00	0330266	847862	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0030043	847861	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0050037	847860	755058	PFTF
	45648		606353		APAC INC	1000003476	\$100.00	0810064 ✓ #0810220	847842	755057	PFTF - REMOVED BLOCK PLANT
	45648		606353		APAC INC	1000003476	\$100.00	0710024 ✓ #0710261	847843	755057	PFTF - REMOVED BLOCK PLANT
	45648		606354		APAC INC	1000003425	\$100.00	0810064	847844	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	1010077	847845	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	1030139	847846	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	1010326	847847	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0450009	847848	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	1310010	847849	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0710024	847850	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0150086	847851	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0710015	847852	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0710229	847853	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0710096	847854	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0210047	847855	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0210032	847856	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0910075	847857	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	7770043	847858	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	1136024	847859	755058	PFTF
					Object Code 002272 Subtotal:		\$2,300.00				
002273	45641	478062 ✓	606283		HAO HAO INTERNATIONAL INC	2114	\$75.00	009015 ✓	848030	754987	APCTF

PA

*0710096-005
12/14/2007*

Dibble, Dickson

From: Dibble, Dickson
Sent: Friday, May 22, 2009 4:44 PM
To: 'Belcher Hank (Preferred Materials)'
Cc: Ajhar, Rebecca; Phillips, Cindy; Long, Terri; Satyal, Ajaya; Culliver, Sherrill
Subject: Administrative Name Change and Temporary Shutdown of Facility ID# 0710096-005-AG, PREFERRED MATERIALS INC d.b.a. PREFERRED MATERIALS CAPE CORAL, 2401 PINE ISLAND RD, CAPE CORAL, FL 33991

Tracking: Recipient	Delivery	Read
'Belcher Hank (Preferred Materials)'		
Ajhar, Rebecca	Delivered: 5/22/2009 4:44 PM	
Phillips, Cindy	Delivered: 5/22/2009 4:44 PM	
Long, Terri	Delivered: 5/22/2009 4:44 PM	Read: 5/22/2009 4:45 PM
Satyal, Ajaya	Delivered: 5/22/2009 4:44 PM	
Culliver, Sherrill	Delivered: 5/22/2009 4:44 PM	

Dear Mr. Hank Belcher,

This correspondence is a twofold confirmation pursuant to the following:

1) Your letter dated May 15, 2009 (1st attached .pdf file) indicating that you have temporarily shutdown the subject item facility (10/31/08) due to a down-turn in the construction industry and your wish to keep your Air General Permit facility registration in an ACTIVE status; and a HOLD on the Visible Emission (VE) Inspections.

With respect to number 1) above, your entitlement for the subject item facility continues to remain ACTIVE. I have entered each ACTIVE Emission Unit as in **Long Term Reserve Shutdown** to put a HOLD on the Visible Emission (VE) Inspections which may come due while the facility is in the shutdown mode. You must notify us when the decision is made to restart operations, in order that we may remove the respective EU's from the Long Term Reserve Shutdown and any HOLD on VE inspections that may have come due. Any annual VE testing, which may have come due during the shutdown period, should be performed upon commencing operation.

2) Your letter dated May 20, 2009 (2nd attached .pdf file) requesting an administrative name change to the subject item facility not associated with a change in ownership.

With respect to number 2) above, the administrative name change of the subject item facility is now registered as PREFERRED MATERIALS INC.

Thank you for your commitment to cleaner air in Florida and have a great Holiday weekend!

Sincerely,

Dickson E. Dibble

Dickson E. Dibble, ES III


FL Dept of Environmental Protection
 Div. of Air Resource Management
 Bureau of Air Monitoring & Mobile Sources
 Air General Permit Program
 Tel. (850) 921-9586
 FAX (850) 922-6979
 ICG-#345

5/22/2009

Dickson.Dibble@dep.state.fl.us



Please note: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are public records available to the public and media upon request. Your e-mail communications may therefore be subject to public disclosure



Preferred

MATERIALS, INC.

RECEIVED
MAY 20 2009
Florida Department of Environmental Protection
Air Quality Monitoring
Waste Services

May 15, 2009

Florida Department of Environmental Protection
Air General Permit Program
BAMMS, MS5510
Attn: Mr. Dickson Dibble
2600 Blair Stone Road
Tallahassee, FL 32399-2400

*FACILITY ID # 0710096-005-AG
TEMPORARY SHUTDOWN*

Mr. Dibble,

As per our conversation on 5-15-09, the Preferred Materials, Inc., Cape Coral Plant, ID 0710096, located at 2401 SW Pine Island Rd., Cape Coral, FL 33991, has been placed on a shut-down mode and has not operating since October 31, 2008.

Due to the down turn in the construction industry we would like permission to keep the permit for this facility active, but hold on the Visual Emissions Inspections until the president of this company informs to resume business at the facility.

You will be notified before production resumes and a VE will be scheduled as soon as the decision is made to reopen this facility.

If you need any additional information, please don't hesitate to call. Thank you for your help in this matter.

Sincerely;

Hank Belcher, Environmental Director
Preferred Materials, Inc.
13101 Telecom Dr. Ste 101
Tampa, FL 33637