

## Department of Environmental Protection

Jeb Bush Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

David B. Struhs Secretary

January 25, 1999

Mr. Tony Jordan Lehigh Cleaners and Tailor Shop 25 North Homestead Road Lehigh, Florida 33936

Re: Facility No.: 0710177

Dear Mr. Jordan:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on January 19, 1999.

Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office Bureau of Air Monitoring and Mobile Sources MS 5510 Department of Environmental Protection 2600 Blair Stone Road Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, of if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

Dotty Diltz, Chief

Bureau of Air Monitoring and Mobile Sources

DD/jw

cc: Mr. Sherrilll Culliver, South District

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

## Perchloroethylene Dry Cleaning Facility Notification

## Facility Name and Location

1.	Facility Owner/Company Name (Name of corporation, agency, or individual owner):								
	Tony Jordan								
2.									
	LEHECH CLEANERS AND TAILOR SHOP								
3.	Hazardous Waste Generator Identification Number:								
4.									
	Street Address:								
	City: Lehigh County: Lee Zip Code: 33 93 6								
5.									
	0/10/77 6								
	Name and Title of Responsible Official:  Tony Josuan Owner  Responsible Official Mailing Address: Organization/Firm:								
6.	Name and Title of Responsible Official:								
	Tony Joesan Owner Owner								
7.	Responsible Official Mailing Address:								
	Organization/Firm:								
	Street Address:								
	City: Same As Above County: Zip Code:								
8.	Responsible Official Telephone Number:								
	Telephone: (941) 368 - 8220 Fax: (941) 368 - 8220 CALL FIRST								
	· .								
	Facility Contact (If different from Responsible Official)								
9.	Name and Title of Facility Contact (For example, plant manager):								
	SAME AS Above								
10.	Facility Contact Address:								
	Street Address:								
	City: County: Zip Code:								
11.	Facility Contact Telephone Number: Telephone: ( ) - Fax: ( ) -								

DEP Form No. 62-213.900(2) Effective: 6-25-96

### **Facility Information**

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

m 616 1:	<b>T</b>	Date Machine Initially	Date Control Device		Date Machine Initially	Date Control Device	m	Date Machine Initially	Date Control Device	
Type of Machine	ID.	Purchased .	Installed	m.	Purchased	Installed.	ID	Purchased	Installed	
Example	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-9	
Dry-to-Dry Unit										
(1) w/ ref. condenser	V	0104798	OCT 97							
(2) w/ carbon adsorber										
(3) w/ no controls	*********						*******	7		
Washer Unit		ı			I	T .			ī —	
(4) w/ ref. condenser										
(5) w/ carbon adsorber										
(6) w/ no controls	100000000000			**************			**********			
Dryer Unit		I			I			T	ı	
(7) w/ ref. condenser										
(8) w/ carbon adsorber										
(9) w/ no controls	********			*********			*******			
Reclaimer Unit		ı	·			ı		<del>,</del>	Ι	
(10) w/ ref. condenser								_	,	
(11) w/carbon adsorber										
(12) w/ no controls										
(b) Control devices are required, but not yet installed  (c) No control devices are required to be installed  2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest  months?  [] 30										
3. What is the facility's so (Indicate with an "X".  Existing small ar  Existing large are	Selecter sea so	ct one classif	ication only.)	w sm	initions foun hall area sour ge area sour			Part II?		

DEP Form No. 62-213.900(2) Effective: 6-25-96

(Indicate with an "X".)	pursuant to section (5) of 1 art II of this notification form
Existing large area source  Carbon adsorber  []	Refrigerated condenser [ ]
New small area source Refrigerated condenser  New large area source	
New large area source Refrigerated condenser	
·	
5. A facility which contains non-exempt emissions pursuant to Rule 62-213.300, F.A.C. Verify that all following exemption criteria or that no such units ex	steam and hot water generating units on-site meet the
	have a total heat input of 10 million BTU/hr or less (298 natural gas except for periods of natural gas curtailment e than one percent sulfur is fired.
All steam and hot water generating units exempt No such units on-site	
·	· · · · · · · · · · · · · · · · · · ·
Equipment Monitoring a	and Recordkeeping Information
Check all logs which are required to be kept on-site permit:	in accordance with the requirements of this general
(a) Purchase receipts and solvent purchases	∟√y
(b) Leak detection inspection and repair	
(c) Refrigerated condenser temperature monitoring	
(d) Carbon adsorber exhaust perc concentration mor	nitoring []
(e) Instrument calibration	<u></u>
(f) Start-up, shutdown, malfunction plan	

DEP Form No. 62-213.900(2) Effective: 6-25-96

## Surrender of Existing Air Permit(s)

Please indicat	e with an "X" the appropriate selection:
	I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)
	No air permits currently exist for the operation of the facility indicated in this notification form.
	Responsible Official Certification
this notifi statement maintain	dersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in cation. I hereby certify, based on information and belief formed after reasonable inquiry, that the is made in this notification are true, accurate and complete. Further, I agree to operate and the air pollutant emissions units and air pollution control equipment described above so as to ith all terms and conditions of this general permit as set forth in Part II of this notification form.
I will pro	mptly notify the Department of any changes to the information contained in this notification.
Signature	11-3-98 Date

# PEL CHLOROETHYLENE DRY CLEANER ECEIVED

## COMPLIANCE INSPECTION CHECKLIST

NOV 0 4 1998

Revised 8/11/97

TYPE OF INSPECTION:	ANNUAL	□ <del>COMPLAINT</del> /DISCOVERY ☑							
	RE-INSPECTION	Bureau of Air Monitorin & Mobile Sources							
0710177		OUTCES							
AIRS ID#: /BDD28916	DATE: 10/21/98	TIME IN: 1: 27 TIME OUT: 3:00							
FACILITY NAME:	Lenich CLEAN	ers & TAYLOR SHOP							
FACILITY LOCATION:	25 Home	LSTEAD Rd Su 17							
	Lewign	FLOVIDA 33936							
RESPONSIBLE OFFICIAL: Tony Jordan PHONE: 441 368-8220									
		PHONE: 94/ 368-8220							
PART I: NOTIFICATION									
(check appropriate box)									
1. New facility notified DARN	A 30 days prior to star	tup 🗆							
2. Facility failed to notify DA	RM to use general per	mit 🗹							
PART II: CLASSIFICATIO	N ·								
Facility indicated on notifica	tion form that it is:	No notification form							
(check appropriate box)		☐ Drop store/out of business/petroleum							
A. 1 Existing small area so	ırce 🛛	2. New small area source							
<ol> <li>Existing small area sou dry-to-dry only, x &lt; 140 ga</li> </ol>		2. New small area source ☐ dry-to-dry only, x < 140 gal/yr							
transfer only, x < 200 gal/y		transfer only, x < 200 gal/yr							
both types, x < 140 gal/yr		both types, x < 140 gal/yr							
(constructed before 12/9/91	.)	(constructed on or after 12/9/91)							
3. Existing large area sou	irce 🗆	4. New large area source □							
dry-to-dry only, $140 \le x \le$		dry-to-dry only, $140 \le x \le 2,100$ gal/yr							
transfer only, $200 \le x \le 1.8$		transfer only, $200 \le x \le 1,800 \text{ gal/yr}$							
both types, $140 \le x \le 1,800$		both types, $140 \le x \le 1,800 \text{ gal/yr}$							
(constructed before 12/9/9)		(constructed on or after 12/9/91)							
5. This is a correct facility	classification	□Y ☑N ☑Can not determine							
■ ☑ faci		ation: neral permit as number above notes and is not eligible for a general permit							
B. The total quantity of perch facility was 120 gallon		rchased within the preceding <b>X</b> months by this dry cleaning							
FACILITY UNDER NEW MAN	VALLE MENT Siver A	my - Purchases of Pero, To FILL MACHINE - OWNER							

### PART III: GENERAL CONTROL REQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) MY DN DN/A 1. Storing perchloroethylene in tightly scaled and impervious containers? DY WN DN/A Examining the containers for leakage? MA DN 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at DY DN ØN/A least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber DY DN MN/A beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) ND M 1. Equipped all machines with the appropriate vent controls? MY ON ON/A 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the DY DN DN/A condenser upon opening the door? 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated DY D'N condenser on a weekly/bi-weekly basis? 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the DY MN DN/A condenser exceeded 45°F? 6. Conducted all temperature monitoring after an appropriate cooldown period and after DY UN verifying that the coolant had been completely charged?

В.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΠY	ПИ	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΠY	ПN	□N/A
	Is the temperature differential equal to or greater than 20° F?	ΠY	ПИ	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	ΠY	□и	□N/A
	Is the perc concentration equal to or less than 100 ppm?	$\Box Y$	ΠN	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΩY	И□	□n/a
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΟY	□и	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΠY	ΠN	□N/A

PART V: RECORDKEEPING REQUIREMENTS							
Has the responsible official: check appropriate boxes)							
1. Maintained receipts for perc purchased?	<b>⊠</b> Y □N						
2. Maintained rolling monthly averages of perc consumption?	DY <b>Y</b> N .						
3. Maintained leak detection inspection and repair reports for the following:							
a. documentation of leaks repaired w/in 24 hrs? or;	DA MU DN/V						
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	OY UN ON/A						
4. Maintained calibration data? (for applicable direct reading instruments)	DY DN ENA						
5. Maintained exhaust duct monitoring data on perc concentrations?	OY ON <b>Ø</b> N/A						
6. Maintained startup/shutdown/malfunction plan?	DY QN						
7. Maintained deviation reports?	oy <b>Ø</b> n on/a						
Problem corrected?	OY DY DN/A						
8. Maintained compliance plan, if applicable?	OY ON ON/A						

### PART VI: LEAK DETECTION AND REPAIRS

1.	Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair							
	inspection?			NO YE				
2.	Has the facility maintained a leak log?		•	□Y <b>⊠</b> N				
3.	Does the responsible official check the	following areas for leaks?	NO ENSPECTI BUT He "Snys"	ion Record				
	Hose connections, fittings,							
·	couplings, and valves	DY DN DN/A	Muck cookers	DY DN DN/A				
	Door gaskets and seating	□Y □N □N/A	Stills	DY DN DN/A				
	Filter gaskets and seating	OY ON ON/A	Exhaust dampers	□Y □N □N/A				
	Pumps	DY DN DN/A	Diverter valves	OY ON ON/A				
	Solvent tanks and containers	OY ON ON/A	Cartridge filter housings	OY ON ON/A				
	Water separators	OY ON ON/A						
4.	Which method of detection is used by t	he responsible official?						
	Visual examination (condensed s	olvent on exterior surfaces)		<b>d</b>				
l	Physical detection (airflow felt th	rough gaskets)		<b>1</b>				
	Odor (noticeable perc odor)			ਰ				
	Use of direct-reading instrumenta	ation (FID/PID/calorimetric	tubes)					
	Halogen leak detector							
	If using direct-reading instr	umentation, is the equipm	ent:	□n/A				
	a. Capable of detecting	perc vapor concentrations in	n a range of 0-500 ppm?	DY DN				
	b. Calibrated against a s (PID/FID only)?	standard gas prior to and aft	ter each use	OY ON				
	,	nd obvious signs of wear on	a weekly basis?	חב הא				
		ecure area when not in use?	-					
		by use of duplicate samples	•	DY DN				
-								
	•	4 <b>5</b>						
	Warne Lewis		Oct 21	1998				
_	Inspector's Name (Please Pri	nt)	Oct 2/, Date of Inspe	ection				
	// D.		~ 1					
_	Wayne dewes			99				
	/Inspector's Signature		Approximate Date of I	Next Inspection				

### PERCHLOROETHYLENE DRY CLEANERS TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION:	ANNUAL 🛂	COMPLAINT/DI	SCOVERY L RE-	INSPECTION	<u> </u>
/030198 AIRS ID#: 0298 001	DATE: 3	/ <i>5/98</i> TI	ME IN: <u>//3//</u> TII	ME OUT: _/:	69
FACILITY NAME:	Hartman Clean	ners			<i>7</i> 0
FACILITY LOCATION:	418 Belcher R	kd. N		Bu	
	Clearwater, FI	Ĺ		& M	APR 17
RESPONSIBLE OFFICIAL:	: Mr. Larry Hartn	nan	Phone No.:	461-2339	
Permit No. 1030298-001	-AG Exp.	Date: 08/27/20	01	Sources	4 7 1998
DADT I. NOTIFICATION		<del></del>		i8	3
(Check appropriate box)			<u> </u>	·	
1. Existing facility notified	DARM by 9/1/96				
2. New facility notified DA	•	to startun			
	•	-			
3. Facility failed to notify D	ARM to use gener	ai permit			<u> </u>
PART II: CLASSIFICATI	ON VE	a Dort 1/2 a	ude Chi ere	7)1/54-	
Facility indicated on notifica (Check appropriate box)		: <u> </u>	o notification form op store / out of busine	7 00	<u> </u>
A.  1. Existing small area s dry-to-dry only, x<140 g transfer only, x<200 gal/ both types, x<140 gal/yr (Constructed before 12/9	gal/yr /yr	dry-to transfe	ew small area source dry only, x<140 gal/yner only, x<200 gal/yr ypes, x<140 gal/yr tructed before 12/9/91)		
3. Existing large area s dry-to-dry only, 140 < x < transfer only, 200 < x < 1,800 (Constructed before 12/9)	2,100 gal/yr 300 gal/yr ) gal/yr	dry-to transfe both t	ew large area source -dry only, 140 <x<2,10 er only, 200<x<1,800 g<br="">ypes, 140<x<1,800 gal<br="">tructed before 12/9/91)</x<1,800></x<1,800></x<2,10 	al/yr	
This is a correct facility class	sification: <b>\(\beta\)</b> Y	□N □ Can not	determine		
If no, please check the appro	•				
facility qualified f	for a general permi bove limits and is	it as number not eligible for a ge	above eneral permit		
B. The total quantity of percentage of percentage and the second	chloroethylene (per	rc) purchased with	in the preceding 12 mo	nths by this dry	

_						
PA	ART III: GENERAL CONTROL REQUIREMENTS					
(ch	the responsible official of the dry cleaning facility: seck appropriate boxes)					
ن 1.	Storing perchloroethylene in tightly sealed and impervious containers?	₽́Y		1		
2.	Examining the containers for leakage?	☐ Y	<u> </u>	1		
3.	Closing and securing machine doors except during loading/unloading?	$\square$ Y		1		
4.	Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	☐ Y	<b>1</b>	1		
5.,	Maintaining solvent-to- carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	☐ Y	<b>1</b>	N	□ NA	
n.	DT IV. DDOCESS VENT CONTROLS					
_	ART IV: PROCESS VENT CONTROLS					
In	Part II-A:					
	If classification (1) has been checked, no controls are required. Proceed to Pa	rt V.				
	If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)					
	If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.					
	If classification (4) has been checked, the machine should be equipped with a (complete A and B below.)	refrige	rated	conde	enser	
	Has the responsible official of all new sources and existing large area sou	rces:				
(cł	neck appropriate boxes)	Mach	· ··	Mac	h	
1.	Equipped all machines with the appropriate vent controls?	<b>□</b> Y [	ЛИ	☐ Y	ΠN	
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	<b>□</b> Y [	Π	ΠY	ŪN	
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	□Y	□n	ПY	□N	
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	□y i	Jn	ΠY	□N	
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?	□Y i	□N	□Υ	□N	
6.	Conducted all temperature monitoring after an appropriate cooldown period and after verifying the coolant had been completely charged?	□Y□	<b>J</b> N	□Y[	<b>⊒</b> N	

## **BEST AVAILABLE COPY**

В.	Has the responsible official of an existing large or new large area source also:		
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΩY	□N
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Is the temperature differential equal to or greater than 20°F?	□y □y	□n □n
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Is the perc concentration equal to or less than 100 ppm?	□ Y □ Y	
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 dust diameters upstream from any bend contraction, or expansion; and downstream from no other inlet?	□Y	□n □na
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΩY	□n □na
5.	Routed airflow to the carbon adsorber (if used) at all times?	Y	ON ONA
	Routed airflow to the carbon adsorber (if used) at all times?  ART V: RECORDKEEPING REQUIREMENTS	Y	□n □na
P.A		У	ON ONA
PA Ha	ART V: RECORDKEEPING REQUIREMENTS	□у	
PA Ha (cl	ART V: RECORDKEEPING REQUIREMENTS  as the responsible official: neck appropriate boxes)		
PA Ha (ch	ART V: RECORDKEEPING REQUIREMENTS  as the responsible official: neck appropriate boxes)  Maintained receipts for perc purchased?	ΟΥ	- N
PA Ha (ch	ART V: RECORDKEEPING REQUIREMENTS  as the responsible official: neck appropriate boxes)  Maintained receipts for perc purchased?  Maintained rolling monthly averages of perc consumption?	ΟΥ	- N
PA Ha (ch	ART V: RECORDKEEPING REQUIREMENTS  as the responsible official: neck appropriate boxes)  Maintained receipts for perc purchased?  Maintained rolling monthly averages of perc consumption?  Maintained leak detection inspection and repair reports for the following:	□y □y	· □ N
Ha (ch 1. 2.	ART V: RECORDKEEPING REQUIREMENTS  as the responsible official: heck appropriate boxes)  Maintained receipts for perc purchased?  Maintained rolling monthly averages of perc consumption?  Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;	□ Y □ Y □ Y	
Ha (cl. 1).	ART V: RECORDKEEPING REQUIREMENTS  as the responsible official: heck appropriate boxes)  Maintained receipts for perc purchased?  Maintained rolling monthly averages of perc consumption?  Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;  b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	□ Y □ Y □ Y □ Y	
Haran 1. 2. 3.	ART V: RECORDKEEPING REQUIREMENTS  as the responsible official: neck appropriate boxes)  Maintained receipts for perc purchased?  Maintained rolling monthly averages of perc consumption?  Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;  b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Maintained calibration data? (for direct reading instrument only)	□ Y □ Y □ Y □ Y □ Y	
H2 (cl 1. 2. 3.	ART V: RECORDKEEPING REQUIREMENTS  as the responsible official: heck appropriate boxes)  Maintained receipts for perc purchased?  Maintained rolling monthly averages of perc consumption?  Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;  b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Maintained calibration data? (for direct reading instrument only)  Maintained exhaust duct monitoring data on perc concentrations?		□N □N □N □N □N □NA □N
H2 (cl 1. 2. 3.	ART V: RECORDKEEPING REQUIREMENTS  as the responsible official: heck appropriate boxes)  Maintained receipts for perc purchased?  Maintained rolling monthly averages of perc consumption?  Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;  b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Maintained calibration data? (for direct reading instrument only)  Maintained exhaust duct monitoring data on perc concentrations?  Maintained startup/shutdown/malfunction plan?		

PA	ART VI: LEAK DETECTION AND R	EPAIR	RS					
1.	Does the responsible official conduct a w	veekly l	eak detection a	and repair inspection?	ΩY	ΠN		
2.	Which method of detection is used by the	e respo	nsible official?					
	Visual examination (condens	ed solv	ent of exterior	surfaces)				
	Physical detection (airflow fe	lt throu	igh gaskets)					
	Odor (noticeable perc odor)		1					
	Use of direct-reading instrum	entatio	n (FID/PID/ca	lorimetric tubes)				
	If using direct-reading instrumentation	• ,						
	<ul> <li>a Capable of detecting perc vaporation</li> <li>b. Calibrated against a standard generation</li> <li>(PID/FID only).</li> <li>c. Inspected for leaks and obvious</li> </ul>	each use	□Y □Y □Y	ΩN □N □N				
	d. Kept in a clean and secure area	_		·	ΠY	□N		
	e. Verified for accuracy by use o (calorimetric only)?				ŪΥ	□N		
3.	Has the facility maintained a leak log?		\		$\Box_{Y}$	$\square$ N		
4.	The following area should be checked fo	r leaks	by the inspecto	or:				
	Hose connections, fitting couplings, and valves	ΩY	Пи	Muck cookers	ΩY	ΠN		
	Door gaskets and seating	$\square_{Y}$	□N \	Stills	$\square_{Y}$	$\square_N$		
	Filter gaskets and seating	ΠY	□N ·	Exhaust dampers	$\square_{Y}$	$\square_N$		
	Pumps	$\square_{Y}$	$\square$ N	Diverter valves	$\Box_{Y}$	$\square$ N		
	Solvent tanks and containers	$\square_{Y}$	$\square$ N	Cartridge Filter housing	$\square_{Y}$	$\square$ N		
	Water separators	ΩY	N					
	Name of Responsible Official							
	Inspector's Name (Please Print)			Date of Inspectio	n		_	
	Inspector's Signature Approximate Date of Next In							

The proof of the state of the s

## **BEST AVAILABLE COPY**

ADDITIONAL	SITE INFORMATION:		·
Machine #1: Manufacturer		Capacity	lbs
Model#	Serial#		·
Machine #2: Manufacturer		Capacity	lbs
Model#	Serial#	Mfg yr	
<ol> <li>Was the facility</li> <li>Did the facility</li> <li>Record keeping</li> <li>Does facility</li> </ol>	permitted sources only):  ty assisted in filling out the notification y insist on filling out its own notificat  :  nave statement/specs as to the design a are of 45°F w/accuracy ±2°F, or 7.2°	tion, and will send it to FDEP? accuracy of the temperature sen	OY ON OY ON sor? OY ON
<ul><li>2. If wastewater</li><li>3. Does the faci</li></ul>	ste:  Intaminated wastewater either treated of sevaporated, is it an approved system, ity have secondary containment for the ity have secondary containment for an	and using carbon filtration? ne dry-dry machine?	
Boiler: Manufacturer		Нр	· —
Model #	Serial #	Mfg yr	
Fuel Type:	Natural gas?  propane?	fuel oil? $\Box$	
Store is me Charised will ne	Spoke w/ Theresa Berry.  picked up a November Decem w a drop-off Bought Sto  sed old equipment, as  more that if contain  ed to be disposed of.	Machines were leased Low. Now owned by in the in Citaber. Devi if was leased by po s pere waste as me	by Larry Hustman orth Hercules Cleaners owner Kas resions owner dicaled the Sarrel

## Best Available Copy

	·			
ITIONAL SIT	E INFORMATION:			
		•		
<del>.</del>				
-		<del></del>		
,				
		· ·		
<del>.</del>				
			The state of the s	
				<del></del>

## PE, JHLORO

DETHYLENE DRY C. LANERS	
TLE V GENERAL PERMIT	

·	OMPLIANCE IN	SPECTION C	HECKLIST	
TYPE OF INSPECTION:	ANNUAL		<del>COMPLAINT</del> /DISCOVERY	
•	RE-INSPECTION			
•	102-11\01\2011\01\		•	
AIRS ID#: 07/0177 DA	TE: 10/21/98	TIME I	N: <u>/: 27</u> TIME OUT:	3:00
FACILITY NAME:	iiGH CLEANE	IS & TAYL	or shop	
FACILITY LOCATION:	25 Home	STEAD Rd	Su 17	
	Lenigh	FLORISA	33936	
RESPONSIBLE OFFICIAL:				
CONTACT NAME: Tony	or mis Judai	J	_PHONE:94/_ 36882	20
		·		
PART I: NOTIFICATION		RFO	CELVED	
(check appropriate box)	•			
1. New facility notified DARM 30	days prior to start	up DI	EC 1 7 1999	
2. Facility failed to notify DARM t	· -	•.		
		Dureau	of Air Monitoring	·
PART II: CLASSIFICATION	· ·			
· · · · · · · · · · · · · · · · · · ·	form that it is:		☑ No notification form	·
Facility indicated on notification (check appropriate box)	torm that it is:		Drop store/out of business/	petroleum
A	<b>D</b>			
1. Existing small area source dry-to-dry only, x < 140 gal/yr		2. New small:	area source □ , x < 140 gal/yr	
transfer only, $x < 200 \text{ gal/yr}$		transfer only, x		
both types, x < 140 gal/yr		both types, $x <$	<b>~</b>	
(constructed before 12/9/91)		• •	or after 12/9/91)	•
3. Existing large area source	, 	4. New large	area source	
dry-to-dry only, $140 \le x \le 2,100$			$140 \le x \le 2,100 \text{ gal/yr}$	
transfer only, $200 \le x \le 1,800$ g			$00 \le x \le 1,800 \text{ gal/yr}$	
both types, $140 \le x \le 1,800$ gal/	•		$\leq$ x $\leq$ 1,800 gal/yτ	
(constructed before 12/9/91)		(constructed or	or after 12/9/91)	
5. This is a correct facility class	ification	DY N	Can not determine	$\mathcal{D}$
If no, please check the app	oropriate classifica	tion:	1	
☑ facility of	qualified for a gene	eral permit as n	umber above	
	•			
☐ facility €	exceeds above limi	ts and is not eli	gible for a general permit	
B. The total quantity of perchloroe	exceeds above limi	ts and is not eli	gible for a general permit	dry cleaning

FACILITY UNDER NEW MANAGE MENT Since MAY - PURCHASES OF PERO. TO FILL MACHINE - OWNER Believes AND WANTS TO BE SMALL AREA Source 1 of 5 Revised 8/11/97

## Is the responsible official of the dry cleaning facility: (check appropriate boxes) MY ON ON/A 1. Storing perchloroethylene in tightly sealed and impervious containers? DY WN DNA 2. Examining the containers for leakage? N DN 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at DY DN ØN/A least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber DY ON WN/A beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) MA DN 1. Equipped all machines with the appropriate vent controls? MY ON ON/A 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? DY DN DN/A 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated DY DN condenser on a weekly/bi-weekly basis? 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the DY WN DN/A condenser exceeded 45°F? 6. Conducted all temperature monitoring after an appropriate cooldown period and after DY QN verifying that the coolant had been completely charged?

PART III: GENERAL CONTROL REQUIREMENTS

В.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΠY	ПN	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	DY	ПN	□N/A
	Is the temperature differential equal to or greater than 20° F?	ΠY	ПИ	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,	544	<b>5</b> .7	Divi
	if machines are equipped with a carbon adsorber?	ЦY	ЦΝ	□N/A
	Is the perc concentration equal to or less than 100 ppm?	ΠY	ПИ	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΩY	ПN	□n/a
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΟY	ПΝ	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΟY	ПИ	□N/A

PART V: RECORDKEEPING REQUIREMENTS				
Has the responsible official: check appropriate boxes)				
1. Maintained receipts for perc purchased?	<b>Q</b> Y ON			
2. Maintained rolling monthly averages of perc consumption?	DY QN			
3. Maintained leak detection inspection and repair reports for the following:				
a. documentation of leaks repaired w/in 24 hrs? or;	OY ONA ONA			
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	DY ON DN/A			
4. Maintained calibration data? (for applicable direct reading instruments)	OY ON DINA			
5. Maintained exhaust duct monitoring data on perc concentrations?	DY DN <b>Ø</b> N/A			
6. Maintained startup/shutdown/malfunction plan?	DY QN			
7. Maintained deviation reports?	OY <b>Ø</b> N ON/A			
Problem corrected?	OY ON ON/A			
8. Maintained compliance plan, if applicable?	OY ON ON/A			

PA	PART VI: LEAK DETECTION AND REPAIRS						
1.	1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair						
	inspection?			Y ON			
2.	Has the facility maintained a leak log	?		OY <b>Q</b> N			
3.	Does the responsible official check the	e following areas for leaks?	No Enspect	ion Record			
	Hose connections, fittings,		BUT He "SAYS"				
	couplings, and valves	DY ON ON/A	Muck cookers	DY DN DN/A			
	Door gaskets and seating	DY ON ON/A	Stills	OY ON ON/A			
	Filter gaskets and seating	OY ON ON/A	Exhaust dampers	□Y □N □N/A			
	Pumps	OY ON ON/A	Diverter valves	DY ON ON/A			
	Solvent tanks and containers	OY ON ON/A	Cartridge filter housings	DY DN DN/A			
	Water separators	DY DN DN/A					
4.	Which method of detection is used by	the responsible official?					
	Visual examination (condensed	solvent on exterior surfaces)		প্র			
	Physical detection (airflow felt t	hrough gaskets)		<b>ਕ</b>			
	Odor (noticeable perc odor)		•	<b>ఆ</b> .			
	Use of direct-reading instrumen	tation (FID/PID/calorimetric	tubes)				
	Halogen leak detector						
	If using direct-reading inst	□N/A					
	a. Capable of detecting	g perc vapor concentrations i	n a range of 0-500 ppm?	DY DN			
	b. Calibrated against a (PID/FID only)?	standard gas prior to and af	ter each use				
	c. Inspected for leaks a	and obvious signs of wear on	a weekly basis?	OY ON			
	d. Kept in a clean and	secure area when not in use	?	OY ON			
	e. Verified for accurac	y by use of duplicate sample	s (calorimetric only)?	OY ON			
-				<del></del>			
_	Inspector's Name (Please Pr		Och al, Date of Inspe	1998			
	Inspector's Name (Please Pr	rint)	Date of Inspe	ection			
	f = f = f	•	0-1	200			
-	Vayne dewes Vispector's Signature	·	Approximate Date of	Next Inspection			

## PERCHLOROETHYLENE DRY CLEANERS

### TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

	ANNUAL	Ġ (	COMPLAINT/DISC	OVERXJ 🗆 🗀
•	RE-INSPECTION	. 🗅	5	M
AIRS ID#: <u>07/0/77</u> FACILITY NAME:  FACILITY LOCATION: _	DATE: 3-28-CX	TIME IN:	10:30 PIM 10:30 PIM 10:30 PIM 2:007 SHOP (1) NO	EQUT: #: 22
FACILITY LOCATION:	25 N. 2	iome stend	Mand & &	
	Lewish FL	33936		<u>a</u> .
RESPONSIBLE OFFICIAL	: Tony Jo	rdan I	PHONE: 941	365- 8220
CONTACT NAME:		1	PHONE:	
PART I: NOTIFICATION				
(check appropriate box)				
New facility notified DAR	M 30 days prior to startup	, p		
2. Facility failed to notify DA	RM to use general permi			
PART II: CLASSIFICATION				·
Facility indicated on notification		· ·		
(check appropriate box)	ition form that it is:		☐ No notification for ☐ Drop store/out of b	
	urce ב 2. מ'/יד di yr tr bo		□ Drop store/out of b a source < 140 gal/yr 200 gal/yr 0 gal/yr	
(check appropriate box)  A.  1. Existing small area so dry-to-dry only, x < 140 gatransfer only, x < 200 gal/y both types, x < 140 gal/yr	urce □ 2.  al/yr dr  yr tr  bo  urce □ 4.  2,100 gal/yr dr  800 gal/yr tr  0 gal/yr bo	. New small are ry-to-dry only, x ansfer only, x < 14 constructed on or . New large are ry-to-dry only, 1-	☐ Drop store/out of be a source < 140 gal/yr 200 gal/yr 0 gal/yr after 12/9/91) a source 10 ≤ x ≤ 2,100 gal/yr ≤ x ≤ 1,800 gal/yr x ≤ 1,800 gal/yr	ousiness/petroleum
(check appropriate box)  A.  1. Existing small area sording to-dry only, x < 140 gal/yr both types, x < 140 gal/yr (constructed before 12/9/9)  3. Existing large area sording to-dry only, 140 \le x \le transfer only, 200 \le x \le 1, both types, 140 \le x \le 1,800	urce □ 2.	New small are ry-to-dry only, x ansfer only, x < 14 constructed on or . New large are ry-to-dry only, 1-ransfer only, 200 oth types, 140 < constructed on or constructed on or .	☐ Drop store/out of be a source < 140 gal/yr 200 gal/yr 0 gal/yr after 12/9/91) a source 10 ≤ x ≤ 2,100 gal/yr ≤ x ≤ 1,800 gal/yr x ≤ 1,800 gal/yr	ousiness/petroleum
(check appropriate box)  A.  1. Existing small area sordiy-to-dry only, x < 140 gatransfer only, x < 200 gal/y both types, x < 140 gal/yr (constructed before 12/9/9)  3. Existing large area sordry-to-dry only, 140 ≤ x ≤ transfer only, 200 ≤ x ≤ 1, both types, 140 ≤ x ≤ 1,800 (constructed before 12/9/9)  5. This is a correct facility  If no, please check the	urce □ 2.	New small are ry-to-dry only, x ansfer only, x < 14 constructed on or . New large are ry-to-dry only, 1-cansfer only, 200 oth types, 140 < constructed on or . If \( \superstitut{N} \) \( \superstitu	☐ Drop store/out of be a source < 140 gal/yr 200 gal/yr 0 gal/yr after 12/9/91) a source 10 ≤ x ≤ 2,100 gal/yr ≤ x ≤ 1,800 gal/yr x ≤ 1,800 gal/yr after 12/9/91) ☐ Can not determine ber above	ousiness/petroleum

## PART III: GENERAL CONTROL REQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) DY ON ON/A 1. Storing perchloroethylene in tightly sealed and impervious containers? MY ON ON/A 2. Examining the containers for leakage? NO YE Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in scaled containers for at MY DN DN/A least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? DY DN ØN/A PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser. (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) EY ON 1. Equipped all machines with the appropriate vent controls? DY ON ON/A 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the EY ON ONA condenser upon opening the door? 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated MY UN condenser on a weekly/bi-weekly basis? 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the DY ON WNA condenser exceeded 45°F? 6. Conducted all temperature monitoring after an appropriate cooldown period and after MY DN verifying that the coolant had been completely charged?

В.	Has the responsible official of an existing large or new large area source also:	•
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	dy on
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	OY ON ZÍN/A
	Is the temperature differential equal to or greater than 20° F?	DY DN QN/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,	
	if machines are equipped with a carbon adsorber?	DY DN ØN/A
	Is the perc concentration equal to or less than 100 ppm?	DY DN BN/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction,	
	or expansion; and downstream from no other inlet?	DY DN ENA
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	OY ON ON/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	OY ON ON/A

PART V: RECORDKEEPING REQUIREMENTS	
Has the responsible official: (check appropriate boxes)	
1. Maintained receipts for perc purchased?	<b>⊠</b> Y □N
2. Maintained rolling monthly averages of perc consumption?	ďy □n
3. Maintained leak detection inspection and repair reports for the following:	
a. documentation of leaks repaired w/in 24 hrs? or;	OY ON ØN/A
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	DY ON DNA
4. Maintained calibration data? (for applicable direct reading instruments)	OY ON ONA
5. Maintained exhaust duct monitoring data on perc concentrations?	DY DN EN/A
6. Maintained startup/shutdown/malfunction plan?	ØY ON
7. Maintained deviation reports?	OY ON ØN/A
Problem corrected?	OY ON SINA
8. Maintained compliance plan, if applicable?	DY DN GNA

PART VI: LEAK DETECTION AND REPAIRS						
1. Does the responsible official con	duct a weekly (for small sources	s, bi-weekly) leak detection as	nd repair			
inspection?			QA DN .			
2. Has the facility maintained a leaf	k log?		QY ON			
3. Does the responsible official che	ck the following areas for leaks	?	·			
Hose connections, fittings, couplings, and valves	ØY ON ON/A	Muck cookers	dy on on/a			
Door gaskets and seating	dy on on/a	Stills	AA ON ON'Y			
Filter gaskets and seating	dy on onia	Exhaust dampers	DY ON ON/A			
Pumps	dy on on/a	Diverter valves	DY DN DN/A			
Solvent tanks and containe	ers OY ON ON/A	Cartridge filter housings	MY ON ON/A			
Water separators	MY ON ON/A					
4. Which method of detection is use	ed by the responsible official?					
Visual examination (conde	ensed solvent on exterior surface	es)	<b>d</b>			
Physical detection (airflow	felt through gaskets)		<u> </u>			
Odor (noticeable perc odor	)	•	₫			
Use of direct-reading instru	umentation (FID/PID/calorimet	ric tubes)				
Halogen leak detector	•					
If using direct-reading	g instrumentation, is the equip	oment:	□N/A			
a. Capable of dete	ecting perc vapor concentrations	s in a range of 0-500 ppm?	אם אם			
b. Calibrated agai (PID/FID only)	inst a standard gas prior to and )?	after each use	מס עם			
c. Inspected for le	eaks and obvious signs of wear o	on a weekly basis?	אם עם			
d. Kept in a clear	and secure area when not in us	se?	OY ON			
e. Verified for acc	curacy by use of duplicate samp	les (calorimetric only)?	OY ON			
	· .					
	,					
<i>j.</i>	<b>9</b>					
		7 - 00 - 1				
Inspector's Name (Plea	ase Print)					
Le agne Leu	72)	Anarovimata Data of	Navt Inspection			



(cut here)

### THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50,00 E I V E D

Do NOT Remove Label

AIRS ID # 0710177

LEHIGH CLEANERS AND TAILOR SHOP TONY JORDAN 25 N HOMESTEAD ROAD LEHIGH FL 33936

DEC 2 9 1999

Bureau of Air Monitoring


& Mobile Sources


FOR GOVERNMENT USE ONLY

Org.: 37550101000 EQ: B1

Fund: 20-2-@35001 "

Obj.: 002273






TITLE V - General Permit Receipts Post Office Box 3070 Tallahassee, FL 32315-3070

32312-3070

hallandandhandhalladandhandhail

3AC.5	CERT (Domesti	IFIE	D MA	Lim RE	CEIPT Coverage	Provided	
		y inform	ation visit	Our website	at www.us		
3		CC		1 /3 8	et www.us	ps.com <sub>®</sub>	C 2
0144		<u> </u>		IAI	. U	SE	. 1
		•			1	ACCOUNT NOTICE	
<b></b>		Postage	*		1 1	V 3	(
4000	Cert	ffled Fee			1 000	(x , U )	N
	Return Red (Endorsement R	dept Fee lequired)			WOO	pstmark of	01
500	Restricted Delh (Endorsement R	very Fee equired)			1 9	100	
	<b>-</b>	in) ' '	07	19177091	071		
m	Total Postage	LEHI	GH CLE	ANERS	& TAILO	D CHOP	
	Sent To	TON	YJORD	ANI	C I AILO	K SHOP	
$\Box$	1				_		7
. –	Street, Apt. No.	22 14	HOMES	TEAD RO	DAD		
	or PO Box No.	LEIII	GH, FL	33936			7
	City, State, ZIP						.]
	PS Form 3800, J	une 2002			Soo Do		
		V-4 4.0			See Reverse	for Instructi	ons

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHY	
SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul> <li>Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.</li> <li>Print your name and address on the reverse so that we can return the card to you.</li> <li>Attach this card to the back of the mailpiece, or on the front if space permits.</li> </ul>	A. Signature  May Buy Agent  Addressee  B. Received M (Printed Name)  C. Date of Delivery  D. Is delivery address different from item 1?  Yes
Article Addressed to:	If YES, enter delivery address below:
LEHIGH CLEANERS & TAILOR SHOP	
25 N HOMESTEAD ROAD LEHIGH, FL 33936	Service Type     □ Certified Mail    □ Express Mail     □ Registered    □ Return Receipt for Merchandise    □ Insured Mail    □ C.O.D.
	4. Restricted Delivery? (Extra Fee)
2. Article Number 7003 0500 0004 0144 3665	
PS Form 3811, August 2001 Domestic Retu	urn Receipt 102595-02-M-1540



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

404194

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00** 

Do NOT Remove Label

AIRS ID # 0710177

LEHIGH CLEANERS AND TAILOR SHOP TONY JORDAN 25 N HOMESTEAD ROAD LEHIGH FL 33936

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: A1 Fund: 20-2-035001

Obj.: 002273

## **Lehigh Cleaners & Taylor Shop**

25 Homestead Road N. Suite 17 Lehigh Acres, FL 33936





TITLE V - General Permit Receipts Post Office Box 3070 Tallahassee, FL 32315-3070

32315%3070

Talladdallandlida.dlidliniadliniadlinidai



### THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

413503 JAN25 2002

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

## **TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

AIRS ID # 0710177
LEHIGH CLEANERS AND TAILOR SHOP
TONY JORDAN
25 N HOMESTEAD ROAD
LEHIGH FL
33936

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: A1 Fund: 20-2-035001

Fund: 20-2-035001 Obj.: 002273



### THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

## **TOTAL AMOUNT DUE: \$50,00**

420756 DEC16 2002

### Do NOT Remove Label

AIRS ID#0710177 LEHIGH CLEANERS AND TAILOR SHOP

TONY JORDAN 25 N HOMESTEAD ROAD LEHIGH FL 33936 FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: A1 Fund; 20-2-035001

Obj.: 002273