

Department of **Environmental Protection**

Lawton Chiles Governor

Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

Virginia B. Wetherell Secretary

August 28, 1996

Mr. George G. Megrichian President One Price Dry Cleaning 10451 Southern Boulevard Royal Palm Beach, Florida 33411

Dear Mr. Megrichian:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on August 12, 1996.

Please note that in November of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number please notify the Department at the following address:

Title V General Permits Office Bureau of Air Monitoring and Mobile Sources MS 5510 Department of Environmental Protection 2600 Blair Stone Road Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

Dotty Diltz/ Chief

Bureau of Air Monitoring

and Mobile Sources

/DD

Mr. Al Grasso, Palm Beach County cc:

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

19.32 19.32
,
,
i
}
-

RECEIVED

AUG 1 2 1996

#0990365

or i	· #-0990362
	One Price Dry Cleaning
P.14	1.(c) mark out and initial 3. Should be new small area source
	3. Should be new small area source
	-
- '	
	•
,	
· · · · · · · · · · · · · · · · · · ·	
i	· · · · · · · · · · · · · · · · · · ·
	1

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

		Date Machine Initially	Date Control Device		Date Machine Initially	Date Control Device		Date Machine Initially	Date Control Device
Type of Machine	ID	Purchased	Installed	ID	Purchased	Installed	ID	Purchased	Installed
Example	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
Dry-to-Dry Unit		- 1 1	. / /	;		1			
(1) w/ ref. condenser	1	6/14/94	6/14/94				1		
(2) w/ carbon adsorber		' '	 <i> </i> 						
(3) w/ no controls									
Washer Unit	7 -1								
(4) w/ ref. condenser							T		
(5) w/ carbon adsorber									
(6) w/ no controls		1	1						
Dryer Unit									1. 1. 1.
(7) w/ ref. condenser		1	1						
(8) w/ carbon adsorber							1	İ	
(9) w/ no controls							 		
Reclaimer Unit	1.5				·				
(10) w/ ref. condenser		T .	T		T	T	Τ	[İ
(11) w/carbon adsorber			 		 		 		
(12) w/ no controls									
(b) Control devices are (c) No control devices 2.(a) What was the total q [137.6] (b) If less than 12 monto Check why it is less	uant gallo	equired to be ity of perchlo ons ow many? [_	installed [× perc)	_] purchased in	n the latest 1			
(Indicate with an "X".					nitions found	d in section ((3) of	Part II?	

& •

DEP Form No. 62-213.900(2)

Effective: 6-25-96

 What control technology is required on machines p (Indicate with an "X".) 	oursuant to section (5) of Part II of this notification form?
Existing large area source Carbon adsorber	Refrigerated condenser []
New small area source Refrigerated condenser [X]	
New large area source Refrigerated condenser	
*	nits shall not be eligible to use the general permit pursuant hot water generating units on-site meet the following
	ave a total heat input of 10 million BTU/hr or less (298 tural gas except for periods of natural gas curtailment than one percent sulfur is fired.
All steam and hot water generating units exempt No such units on-site	× ₁
-	
Equipment Monitoring as	nd Recordkeeping Information
Check all logs which are required to be kept on-site in	accordance with the requirements of this general permit:
(a) Purchase receipts and solvent purchases	[X]
(b) Leak detection inspection and repair	
(c) Refrigerated condenser temperature monitoring	[X]
(d) Carbon adsorber exhaust perc concentration moni	toring []
(e) Instrument calibration	
(f) Start-up, shutdown, malfunction plan	L X]

DEP Form No. 62-213.900(2) Effective: 6-25-96

Surrender of Existing Air Permit(s)

Please indicate	e with an "X" the appropriate selection:
	I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)
(<u>X</u>)	No air permits currently exist for the operation of the facility indicated in this notification form.
	Responsible Official Certification
this notific statements maintain t	ersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in cation. I hereby certify, based on information and belief formed after reasonable inquiry, that the smade in this notification are true, accurate and complete. Further, I agree to operate and he air pollutant emissions units and air pollution control equipment described above so as to the thin this notification form.
I will prom	nptly notify the Department of any changes to the information contained in this notification. S - 6 - 96 Date

DEP Form No. 62-213.900(2)

Effective: 6-25-96

TITLE V AIR QUALITY GENERAL PERMIT

V	

INSPECTION SUMMARY REPORT ANNUAL X COMPLAINT/DISCOVERY TYPE OF INSPECTION: RE-INSPECTION AIRS ID#: 11:40 am TIME IN: TYPE OF FACILITY: FACILITY NAME: ONP Price RESPONSIBLE OFFICIAL: George, Megrichian PHONE NUMBER: Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.). Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted: COMPLIANCE REQUIREMENT/PROBLEM FOLLOW-UP ACTION REQUIRED COMMENTS: The Annual Compliance Certification form has been properly certified and submitted to the inspector. (Approximate) DATE OF NEXT INSPECTION: Robert Gallo

Revised 10/96

PHONE NUMBER:

Apams



PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

COMPLIANCE	INSPECTION CHECKLIST
TYPE OF INSPECTION: ANNUAL RE-INSPECTION	COMPLAINT/DISCOVERY O
FACILITY NAME: OPE Price S FACILITY LOCATION: OYSI PART I: NOTIFICATION (check appropriate box) 1. Existing facility notified DARM by 9/1/96 2. New facility notified DARM 30 days prior to sta	Beach, Fl 3341/
3. Facility failed to notify DARM to use general pe	rmit
PART II: CLASSIFICATION Facility indicated on notification form that it is: (check appropriate box)	
A. 1. Existing small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed before 12/9/91)	2. New small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed on or after 12/9/91)
3. Existing large area source dry-to-dry only, 140 <x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)<="" before="" both="" gal="" only,="" td="" transfer="" types,="" yr=""><td>4. New large area source dry-to-dry only, 140<x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)<="" after="" both="" gal="" on="" only,="" or="" td="" transfer="" types,="" yr=""></x<2,></td></x<2,>	4. New large area source dry-to-dry only, 140 <x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)<="" after="" both="" gal="" on="" only,="" or="" td="" transfer="" types,="" yr=""></x<2,>
This is a correct facility classification If no, please check the appropriate classification:	M□ N□
facility qualified for a general per	mit as number above is not eligible for a general permit

Revised 10/28/96

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 1376 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility: (check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?
- 2. Examining the containers for leakage?
- 3. Closing and securing machine doors except during loading/unloading?
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?





PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.


If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

- A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)
- 1. Equipped all machines with the appropriate vent controls?
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?











В	. Has the responsible official of an existing large or new large area source also:	
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	OY ON
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	אם אם
	Is the temperature differential equal to or greater than 20° F?	OY ON
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Is the perc concentration equal to or less than 100 ppm?	OY ON ON/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ОУ ОИ
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	OY ON ON/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	OY ON ON/À
P.	ART V: RECORDKEEPING REQUIREMENTS	
	as the responsible official: heck appropriate boxes)	/
1.	Maintained receipts for perc purchased?	ØY □N
2.	Maintained rolling monthly averages of perc consumption?	ON ON
3.	Maintained leak detection inspection and repair reports for the following:	ON ON
	a. documentation of leaks repaired w/in 24 hrs? or;	À □N
	b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	JAY DN
4.	Maintained calibration data? (for direct reading instruments only)	AVAN NO VA
5.	Maintained exhaust duct monitoring data on perc concentrations?	MA DINGON
6.	Maintained startup/shutdown/malfunction plan?	XY ON
7.		
11	Maintained deviation reports?	NO A
	Maintained deviation reports? Problem corrected?	AX ON (C)
8.	-	
	Problem corrected? Maintained compliance plan, if applicable?	AY, ON (W)
P	Problem corrected?	AY, ON (W)

					
2.	Which method of detection is used by	he respo	nsible officia	al?	
	Visual examination (condensed s	olvent o	n exterior su	rfaces)	A .
	Physical detection (airflow felt th	rough g	askets)		
	Odor (noticeable perc odor)			,	×
	Use of direct-reading instrument	ation (FI	D/PID/calor	imetric tubes)	The
	If using direct-reading instrum	entation	ı, is the equi	pment:	
	a. Capable of detecting	perc vap	or concentra	ations in a range of 0-500 ppm?	DY DN/
	b. Calibrated against a (PID/FID only)?	standard	gas prior to	and after each use	OY DN
	c. Inspected for leaks as	id obvio	us signs of w	ear on a weekly basis?	OX ON
	d. Kept in a clean and s	ecure ar	ea when not	in use?	DA DN
	e. Verified for accuracy	by use	of duplicate s	amples (calorimetric only)?	OY ON
3.	Has the facility maintained a leak log)		XY ON
4.	Does the responsible official check the	followir	ng areas for l	eaks?	}
	Hose connections, fittings, couplings, and valves	X	ΩN	Muck cookers	XY ON .
	Door gaskets and seating	YY	ПD	Stills	Y ON
	Filter gaskets and seating	XY	□N	Exhaust dampers	AN ON X
	Pumps	XY	□И	Diverter valves	MO A
	Solvent tanks and containers	XY	□N	Cartridge filter housings	Y DN
	Water separators	XY	Й		
	Name of Responsible Offici Royer + G-69 Inspector's Name (Please Pri When Halls Inspector's Signature	110		2-5- Date of Inspectors 2/98 Approximate Date of N	

Secondary containment for allareas.

TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL CON	APLAINT/DISCOVERY RE-INSPECTION
TIME IN: /1:10TIME OUT://; 4	45 AIRS ID#: 0990365
TYPE OF FACILITY: Dry Cleaning	
FACILITY NAME: One Poice Doy	Teaning DATE: 3-3-98
FACILITY LOCATION: 10451 Southe	2n Blod
West Palm Beau	
RESPONSIBLE OFFICIAL: George Megrichia	PHONE NUMBER: 793-5800
Based on the results of the compliance requirements evaluate	ated during this inspection, the facility is found to be in
compliance with DEP Rule 62-213.300, Florida Administr	
Based on the results of the compliance requirements evaluation	ated during this inspection, the following compliance
discrepancies were noted: COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
COMPLIANCE REQUIREMENTAL ROBBEM	TOLLOW-OF ACTION REQUIRED
	,
-	
	\sim
	B
	APR 13 Bureau of Air & Mobile
	And And And And And And And And And And
	IVE 13 1998 Air Monito ile Source
	VE 3 1998 r Monito Source
	oring O
COMMENTS:	•
The Annual Compliance Certification form has been properly certifi	ed and submitted to the inspector. YES NO
11001	1999 Thomas I Est
DATE OF NEXT INSTECTION.	proximate)
INSPECTION CONDUCTED BY:	hokshi
	ease Print)
INSPECTOR'S SIGNATURE. AND Choky	PHONE NUMBER: 355-3070

Revised 10/96

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

	COMPLIANCE.	Marechon	CHECKLIST	-	
TYPE OF INSPECTION:	ANNUAL RE-INSPECTIO		COMPLAINT	T/DISCOVERY	AND CK
AIRS 1D#: 0990365	DATE: 3-3-9	78 TIMI	EIN: 11:10	_ TIME OUT:	F3 43
FACILITY NAME: O	ie Pri	(e)	oxy cle	aning	LI CRESTING
FACILITY LOCATION: 1		South	rern B	lvd -	
	WPB), <u> </u>	L 554	<u> </u>	
RESPONSIBLE OFFICIAL:			phone: <u></u>	93-58	,00
CONTACT NAME: Geo	rge Meg	richia	MPHONE:		
PART I: NOTIFICATION				·	
(check appropriate box)	`				
1. New facility notified DARM	f 30 days prior to sta	rtup			
2. Facility failed to notify DAI	VM to use general pe	rmit ·			
Dibutt Of Collection	**************************************				
PART II: CLASSIFICATIO					
Facility indicated on notificat (check appropriate box)	ion form that it is:		☐ No notifica☐ Drop store/	tion form out of business/pe	etroleum
A. 1. Existing small area sou	rce 🛛	2. New sma	ll area source	M	
dry-to-dry only, x < 140 gal	/yr	dry-to-dry on	aly, $x < 140$ gal/yr	K	
transfer only, x < 200 gal/y	r	-	, x < 200 gal/yr		
both types, x < 140 gal/yr (constructed before 12/9/91)	both types, x (constructed	< 140 gal/yr on or after 12/9/91)	
3. Existing large area sou			e area source	a	
dry-to-dry only, $140 \le x \le 2$		•	aly, $140 \le x \le 2,100$		
transfer only, $200 \le x \le 1.8$ both types, $140 \le x \le 1.800$, 200 ≤ x ≤ 1,800 g 40 ≤ x ≤ 1,800 gab		ļ
(constructed before 12/9/91			on or after $12/9/91$		
5. This is a correct facility of	classification	AA DN	□Can not det	ermine	
If no, please check the	appropriate classific	cation:			
	ity qualified for a ge			above	
☐ facil	ity exceeds above lin	nuis and is not (eligible for a gener	ai permit	

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 137 gallons.

PART III: GENERAL CONTROL REQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) DY ON ONA 1. Storing perchloroethylene in tightly sealed and impervious containers? DY ON ON/A 2. Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at DY ON ONA least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) 1. Equipped all machines with the appropriate vent controls? DY ON ON/A 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? DY ON ON/A 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F? 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?

B.	Has the responsible official of an existing large or new large area source also:			٠
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ם צם	N	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	OY O	и Пи	N/A
	Is the temperature differential equal to or greater than 20° F2	DY D	ИПИ	A/N
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,			
	if machines are equipped with a carbon adsorber	DY D	ИПИ	A\/
	Is the perc concentration equal to or less than 100 ppm?	OY O	И П	A\I⁄
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duet diameters downstream of any bend, contraction, or expansion; is at least 2 duet diameters upstream from any bend, contraction,	·		
	or expansion; and downstream from no other inlet?	OY O	и 🗆	A/V
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?		и 🗆	N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ם צם	מם מ	A/V

PART V: REGORDKEEPING REQUIREMENTS					
Has the responsible official: (check appropriate boxes)					
1. Maintained receipts for perc purchased?					
2. Maintained rolling monthly averages of perc consumption?					
3. Maintained leak detection inspection and repair reports for the following:					
a. documentation of leaks repaired w/in 24 hrs? or;	AY ON ON/A				
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	Y ON ON/A				
4. Maintained calibration data? (for applicable direct reading instruments)	DY DN ZINIA				
5. Maintained exhaust duct monitoring data on perc concentrations?	DY DN DNIA				
6. Maintained startup/shutdown/malfunction plan?					
7. Maintained deviation reports?	AY ON ONIA				
Problem corrected?	ANO NO YA				
8. Maintained compliance plan, if applicable?	DY DN PANIA				

PART VI: LEAK DETECTION AND REPAIRS 1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair $\square N$ inspection? $\square N$ 2. Has the facility maintained a leak log? 3. Does the responsible official check the following areas for leaks? Hose connections, fittings, DY DN ØN/A DY ON ON/A Muck cookers couplings, and valves MY ON ON/A DY ON ON/A Stills Door gaskets and seating DY DN ØN/A MY ON ON/A Exhaust dampers Filter gaskets and seating ZY ON ONA Diverter valves DY ON ON/A Pumps DY ON ON/A Cartridge filter housings DY ON ON/A Solvent tanks and containers MY ON ON/A Water separators 4. Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: DY DN a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use DY DN (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? DY DN DY DN d. Kept in a clean and secure area when not in use? e. Verified for accuracy by use of duplicate samples (calorimetric only)? DY DN (Please Print) (Please Print) Date of Inspection Name

Approximate Date of Next Inspection

Signature

Inspector's

1.	Secondary	Containment for:	Dry Cleaning	Machine & Storage area Waste area Spotting area Sealed	Yes, NO [] [] [] []
		,			
2.	Disposal	of Water from Wate		sing approved evaporator d Wastewater service	(1 M (1 1)
	<i>)</i> .				
	,				

ADDITIONAL SITE INFORMATION:

Z 210 662 997

US Postal Service Receipt for Certified Mail

10 AIRS ID # 0990365001AG GEORGE G MEGRICHIAN ONE PRICE DRYCLEANING 10451 SOUTHERN BLVD ROYAL PALM BEACH FL 33411

	Postage	\$
	Certified Fee	
	Special Delivery Fee	
	Restricted Delivery Fee	
, April 1995	Return Receipt Showing to Whom & Date Delivered	
April	Return Receipt Showing to Whom, Date, & Addressee's Address	
	TOTAL Postage & Fees	\$
PS Form 3800	Postmark or Date	

SENDER: COMPLETE MODE OF TOP	LETE THIS SECTION ON DELIVERY
 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Received by (Please Rink Glearly) B. Date of Delivery C. Signature Agent Addressee
10 AIRS ID # 0990365001AG GEORGE G MEGRICHIAN ONE PRICE DRYCLEANING 10451 SOUTHERN BLVD	If YES enter delivery address below: JUN 1 3 2001 Bureau of Air Monitoring Sources Sour
7000 6600 002165270222	☐ Registered ☐ Return Receipt for Merchandise
2810-662-997	4. Restricted Delivery? (Extra Fee) ☐ Yes
2 Article Number (Copy from service label)	

BEST AVAILABLE COPY

UNITED STATES POSTAL SERVICE

First-Class Mail Postage & Fees Paid USPS Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

BUR. OF AIR MONITORING & MOBILE SOURCES DEPT. OF FRANKCINMENTAL PROFECTION MAIL STATICLE BUTO 2600 BLAIR STONE ROAD TALLAHASSEE, FLORIDA 32399-2400

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

258148 🗸

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

RECEIVED MAIL ROOM

JAN 15 97

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID# 0990365

SANDHILL INC GEORGE G MEGRICHIAN 10451 SOUTHERN BLVD ROYAL PALM BEACH FL 33411 FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1 Fund: 20-2-035001

Obj.: 002273