RECEIVED

JUN 1 8 1997

## TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

Bureau of Air Monitoring & Mobile Sources

TYPE OF INSPECTION: ANNUAL X COM	APLAINT/DISCOVERY   RE-INSPECTION
TIME IN: 10-00 TIME OUT: 1/20	0 AIRS ID#: 0890391
TYPE OF FACILITY: Dry Cleaner	. · <del>-</del>
FACILITY NAME: Delvay Square Cle	Caners DATE: 5-5-97
FACILITY LOCATION: 4751 W. Atlan >	tic Aue.
Delray Beach,	F/. 33445
RESPONSIBLE OFFICIAL: Havvey Mart	PHONE NUMBER: 561-498-8900
Based on the results of the compliance requirements evaluated compliance with DEP Rule 62-213.300, Florida Administra	- · · · · · · · · · · · · · · · · · · ·
Based on the results of the compliance requirements evaluated discrepancies were noted:	tted during this inspection, the following compliance
COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
	-
्राजी भ	
COMMUTATION	
COMMENTS:	•
The Annual Compliance Certification form has been properly certifie	ed and submitted to the inspector. YES NO
DATE OF NEXT INSPECTION: 5/9 3	Proximate)
INSPECTION CONDUCTED BY: Robert	G. 69 1/0 ase Print)
INSPECTOR'S SIGNATURE: Mules & Folle	PHONE NUMBER: 561-355-4535

ARMS V

## PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISC	COVERY D
ARS ID#: 099039/ DATE: 5-5-97 TIME IN: 10 TIME	TE OUT: 1(
FACILITY NAME: Delvay Square Cleaners	
FACILITY LOCATION: 4751 W), Affantic Ave	
Delray Beach, F/	33445
PART I: NOTIFICATION	
(check appropriate box)	
1. Existing facility notified DARM by 9/1/96	
2. New facility notified DARM 30 days prior to startup.	a
3. Facility failed to notify DARM to use general permit	
PART II: CLASSIFICATION	
Facility indicated on notification form that it is: (check appropriate box)	
A	
1. Existing small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr both types, x<140 gal/yr (constructed before 12/9/91)	
(constitution of an or after 12 3731)	
3. Existing large area source dry-to-dry only, 140 <x<2, (constructed="" 100="" 12="" 140<x<1,300="" 140<x<1,800="" 140<x<2,="" 200<x<1,800="" 4.="" 9="" 91)="" 91)<="" after="" area="" before="" both="" dry-to-dry="" gal="" large="" new="" on="" only,="" or="" source="" td="" transfer="" types,="" yr=""><td></td></x<2,>	
This is a correct facility classification.	
If no, please check the appropriate classification:	
facility qualified for a general permit as number above	
B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 month facility was 50 gallons.	s by this dry cleaning

W

## PART III: GENERAL CONTROL REQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) 1. Storing perchloroethylene in tightly sealed and impervious containers? XY ON XY ON 2. Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at ieast 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been prior to September 22, 1993 installed If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

Revised 10/28/96

DY DN

DY DN

DY DN

DY DN

DY ON ONA

DY DN DNA

I. Equipped all machines with the appropriate vent controls?

verifying that the coolant had been completely charged?

condenser upon opening the door?

condenser on a weekly basis?

condenser exceeded 45°F?

2. Equipped dry-to-dry machines with a closed-loop vapor venting system?

3. Equipped the condenser with a diverter valve so airflow will be directed away from the

4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated

5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the

6. Conducted all temperature monitoring after an appropriate cooldown period and after

B. Has the responsible official of an existing large or new large area source also:  1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  3. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  4. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  5. Is the perc concentration equal to or less than 100 ppm?  6. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; at least 2 duct diameters downstream of any bend, contraction, or expansion; at least 2 duct diameters upstream from any bend, contraction, or expansion; at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  6. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  6. Routed airflow to the carbon adsorber (if used) at all dimes?  7. PART V: RECORDKEEPING REQUIREMENTS  8. Has the responsible official; (check appropriate boxes)  1. Maintained receipts for perc purchased?  2. Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired win 24 hrs? or,  b. documentation of parts ordered to repair leak and leak repaired win 2 days and parts installed win 5 days of receipt?  4. Maintained calibration data? for direct reading instruments only)  5. Maintained deviation reports?  6. Maintained deviation reports?  7. Maintained deviation reports?  8. Maintained dompliance plan, if applicable?  8. Maintained dompliance plan, if applicable?				
on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Is the temperature differential equal to or greater than 20° F?  3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Is the perc concentration equal to or less than 100 ppm?  4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; and downstream from no other inlet?  5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  6. Routed airflow to the carbon adsorber (if used) at all times?  PART V: RECOrd KEEPING REQUIREMENTS  Has the responsible official; (check appropriate boxes)  1. Maintained receipts for perc purchased?  2. Maintained receipts for perc purchased?  2. Maintained deak detection inspection and repair reports for the following:  a. documentation of leaks repaired win 24 hrs? or;  b. documentation of pars ordered to repair leak and leak repaired win 2 days and parts installed win 5 days of receipt?  4. Maintained calibration data? (for direct receding instruments only)  5. Maintained calibration data? (for direct receding instruments only)  6. Maintained deviation reports?  Problem corrected?  8. Maintained compliance plan, if applicable?  1. Waintained compliance plan, if applicable?  1. Waintained compliance plan, if applicable?	В.	Has the responsible official of an existing large or new large area source also:		
inlet and outlet weekly?  Is the temperature differential equal to or greater than 20° F?  3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Is the perc concentration equal to or less than 100 ppm?  4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 3 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  6. Routed airflow to the carbon adsorber (if used) at all times?  PART V: RECORDKEEPING REQUIREMENTS  Ens the responsible official: (check appropriate boxes)  1. Maintained receipts for perc purchased?  2. Maintained receipts for perc purchased?  3. Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;  b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  4. Maintained calibration data? for direct reading instruments only)  5. Maintained calibration data? for direct reading instruments only)  6. Maintained deviation reports?  Problem corrected?  8. Maintained compliance plan, if applicable?  9. Maintained compliance plan, if applicable?	l.	·	QΥ	Пи
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Is the perc concentration equal to or less than 100 ppm?  4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; and downstream from no other inlet?  5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  6. Routed airflow to the carbon adsorber (if used) at all times?  7. Maintained receipts for perc purchased?  8. Maintained receipts for perc purchased?  9. Maintained leak detection inspection and repair reports for the following:  9. a. documentation of leaks repaired w/in 24 hrs? or;  9. b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  9. Maintained carbonation data? for direct reading instruments only)  9. Maintained exhaust duct monitoring data on perc concentrations?  9. Maintained startup/shutdown/malfunction plan?  9. Maintained deviation reports?  10. Problem corrected?  10. Maintained compliance plan, if applicable?	2.		QΥ	מם
at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Is the perc concentration equal to or less than 100 ppm?  4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  6. Routed airflow to the carbon adsorber (if used) at all times?  Cy ON ON/A  PART V: RECORDKEEPING REQUIREMENTS  Has the responsible official: (check appropriate boxes)  1. Maintained receipts for perc purchased?  2. Maintained receipts for perc purchased?  3. Maintained leak detection inspection and repair reports for the following:  a. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  4. Maintained calibration data? for direct reading instruments only)  5. Maintained exhaust duct monitoring data on perc concentrations?  6. Maintained startup/shutdown/malfunction plan?  7. Maintained deviation reports?  Problem corrected?  8. Maintained compliance plan, if applicable?		Is the temperature differential equal to or greater than 20° F?	QΥ	ПИ
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  6. Routed airflow to the carbon adsorber (if used) at all times?  7. Maintained receipts for perc purchased?  7. Maintained leak detection inspection and repair reports for the following:  8. a. documentation of leaks repaired w/in 24 hrs? or;  8. b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  9. Maintained calibration data? for direct reading instruments only)  9. Maintained deviation reports?  9. Maintained deviation reports?  9. Problem corrected?  9. Maintained compliance plan, if applicable?	3.	at the end of the final drying cycle while the machine is venting to the adsorber,	QY	ON ON/A
perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  6. Routed airflow to the carbon adsorber (if used) at all times?  PART V: RECORDKEEPING REQUIREMENTS  Has the responsible official: (check appropriate boxes)  1. Maintained receipts for perc purchased?  2. Maintained rolling monthly averages of perc consumption?  3. Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;  b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  4. Maintained calibration data? for direct reading instruments only)  5. Maintained calibration data? for direct reading instruments only)  6. Maintained deviation reports?  7. Maintained deviation reports?  8. Problem corrected?  8. Maintained compliance plan, if applicable?		Is the perc concentration equal to or less than 100 ppm?	ΩY	ON_N/A
condenser coils?  GY ON ON/A  6. Routed airflow to the carbon adsorber (if used) at all times?  PART V: RECORDKEEPING REQUIREMENTS  Has the responsible official: (check appropriate boxes)  1. Maintained receipts for perc purchased? 2. Maintained rolling monthly averages of perc consumption? 3. Maintained leak detection inspection and repair reports for the following: a. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  4. Maintained calibration data? (for direct reading instruments only)  5. Maintained exhaust duct monitoring data on perc concentrations?  6. Maintained startup/shutdown/malfunction plan?  7. Maintained deviation reports? Problem corrected?  8. Maintained compliance plan, if applicable?	4.	perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction,	QY	□NN/A
PART V: RECORDKEEPING REQUIREMENTS  Has the responsible official: (check appropriate boxes)  1. Maintained receipts for perc purchased? 2. Maintained rolling monthly averages of perc consumption? 3. Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;  b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  4. Maintained calibration data? for direct reading instruments only)  5. Maintained exhaust duct monitoring data on perc concentrations?  6. Maintained startup/shutdown/malfunction plan?  7. Maintained deviation reports?  Problem corrected?  8. Maintained compliance plan, if applicable?	5.		QY	AVID ND
Has the responsible official: (check appropriate boxes)  1. Maintained receipts for perc purchased?  2. Maintained rolling monthly averages of perc consumption?  3. Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;  b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  4. Maintained calibration data? for direct reading instruments only)  5. Maintained exhaust duct monitoring data on perc concentrations?  6. Maintained startup/shutdown/malfunction plan?  7. Maintained deviation reports?  Problem corrected?  3. Maintained compliance plan, if applicable?	б.	Routed airflow to the carbon adsorber (if used) at all times?	ΩY	ON ON/A
Has the responsible official: (check appropriate boxes)  1. Maintained receipts for perc purchased?  2. Maintained rolling monthly averages of perc consumption?  3. Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;  b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  4. Maintained calibration data? for direct reading instruments only)  5. Maintained exhaust duct monitoring data on perc concentrations?  6. Maintained startup/shutdown/malfunction plan?  7. Maintained deviation reports?  Problem corrected?  3. Maintained compliance plan, if applicable?				
(check appropriate boxes)  1. Maintained receipts for perc purchased?  2. Maintained rolling monthly averages of perc consumption?  3. Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;  b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  4. Maintained calibration data? (for direct reading instruments only)  5. Maintained exhaust duct monitoring data on perc concentrations?  6. Maintained startup/shutdown/malfunction plan?  7. Maintained deviation reports?  Problem corrected?  8. Maintained compliance plan, if applicable?  1. Maintained compliance plan, if applicable?  1. Maintained receipts for perc purchased?  1. Maintained receipts for perc purchased?  1. Maintained wintained wintained wintained wintained wintained wintained wintained on parts or pair the following:  1. Maintained wintained wi	_	•		
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  4. Maintained calibration data? (for direct reading instruments only)  5. Maintained exhaust duct monitoring data on perc concentrations?  6. Maintained startup/shutdown/malfunction plan?  7. Maintained deviation reports?  Problem corrected?  8. Maintained compliance plan, if applicable?  9. ON N/A  10. ON N/A	P.	ART V: RECORDKEEPING REQUIREMENTS		
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  4. Maintained calibration data? (for direct reading instruments only)  5. Maintained exhaust duct monitoring data on perc concentrations?  6. Maintained startup/shutdown/malfunction plan?  7. Maintained deviation reports?  Problem corrected?  8. Maintained compliance plan, if applicable?  9. ON N/A  10. ON N/A	H	as the responsible official:	=====	
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  4. Maintained calibration data? (for direct reading instruments only)  5. Maintained exhaust duct monitoring data on perc concentrations?  6. Maintained startup/shutdown/malfunction plan?  7. Maintained deviation reports?  Problem corrected?  8. Maintained compliance plan, if applicable?  9. ON N/A  10. ON N/A	·н (c	as the responsible official: heck appropriate boxes)	<b>∞</b>	ПИ
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  4. Maintained calibration data? (for direct reading instruments only)  5. Maintained exhaust duct monitoring data on perc concentrations?  6. Maintained startup/shutdown/malfunction plan?  7. Maintained deviation reports?  Problem corrected?  8. Maintained compliance plan, if applicable?  9. ON N/A  10. ON N/A	H (c 1.	as the responsible official: heck appropriate boxes) Maintained receipts for perc purchased?	XÝ XÝ	ΩN ΩN
and parts installed w/in 5 days of receipt?  4. Maintained calibration data? (for direct reading instruments only)  5. Maintained exhaust duct monitoring data on perc concentrations?  6. Maintained startup/shutdown/malfunction plan?  7. Maintained deviation reports?  Problem corrected?  8. Maintained compliance plan, if applicable?	·田 (c 1. 2.	as the responsible official: heck appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption?	X X	UN UN
4. Maintained calibration data? (for direct reading instruments only)  5. Maintained exhaust duct monitoring data on perc concentrations?  6. Maintained startup/shutdown/malfunction plan?  7. Maintained deviation reports?  Problem corrected?  8. Maintained compliance plan, if applicable?	·田 (c 1. 2.	as the responsible official: heck appropriate boxes)  Maintained receipts for perc purchased?  Maintained rolling monthly averages of perc consumption?  Maintained leak detection inspection and repair reports for the following:	X; X; X;	UN UN
6. Maintained startup/shutdown/malfunction plan? 7. Maintained deviation reports? Problem corrected?  S. Maintained compliance plan, if applicable?	·田 (c 1. 2.	as the responsible official: heck appropriate boxes)  Maintained receipts for perc purchased?  Maintained rolling monthly averages of perc consumption?  Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;  b. documentation of parts ordered to repair leak and leak repaired w/in 2 days		
7. Maintained deviation reports?  Problem corrected?  3. Maintained compliance plan, if applicable?  OY ON N/A	田(c 1. 2. 3.	as the responsible official: heck appropriate boxes)  Maintained receipts for perc purchased?  Maintained rolling monthly averages of perc consumption?  Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;  b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	DE.	ÜN
Problem corrected?  3. Maintained compliance plan, if applicable?	H (c 1. 2. 3. 4.	as the responsible official: heck appropriate boxes)  Maintained receipts for perc purchased?  Maintained rolling monthly averages of perc consumption?  Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;  b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Maintained calibration data? (for direct reading instruments only)	OY OY	ûn On <b>Vi</b> na On <b>V</b> n/a
3. Maintained compliance plan, if applicable?	田(c 1. 2. 3. 4. 5.	as the responsible official: heck appropriate boxes)  Maintained receipts for perc purchased?  Maintained rolling monthly averages of perc consumption?  Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;  b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Maintained calibration data? (for direct reading instruments only)  Maintained exhaust duct monitoring data on perc concentrations?	YY YO	ON N/A
	田(c) 1. 2. 3. 4. 5. 6.	as the responsible official: heck appropriate boxes)  Maintained receipts for perc purchased?  Maintained rolling monthly averages of perc consumption?  Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;  b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Maintained calibration data? (for direct reading instruments only)  Maintained exhaust duct monitoring data on perc concentrations?  Maintained startup/shutdown/malfunction plan?	A YOU	ON NA ON N/A ON
PART VI: LEAK DETECTION AND REPAIRS	田(c) 1. 2. 3. 4. 5. 6.	as the responsible official: heck appropriate boxes)  Maintained receipts for perc purchased?  Maintained rolling monthly averages of perc consumption?  Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;  b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Maintained calibration data? (for direct reading instruments only)  Maintained exhaust duct monitoring data on perc concentrations?  Maintained startup/shutdown/malfunction plan?  Maintained deviation reports?	A YOU	ON NA ON N/A ON
	H(c) 1. 2. 3. 4. 5. 6. 7.	as the responsible official: heck appropriate boxes)  Maintained receipts for perc purchased?  Maintained rolling monthly averages of perc consumption?  Maintained leak detection inspection and repair reports for the following:  a. documentation of leaks repaired w/in 24 hrs? or;  b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Maintained calibration data? (for direct reading instruments only)  Maintained exhaust duct monitoring data on perc concentrations?  Maintained startup/shutdown/malfunction plan?  Maintained deviation reports?  Problem corrected?	A YOU	ON TOVA ON TOVA ON

NO N

1. Does the responsible official conduct a weekly leak detection and repair inspection?

	Visual examination (condensed	solvent on	extérior s	surfaces)	X	
	Physical detection (airflow felt t			,,_		
	Odor (noticeable perc odor)		•	<b>;</b>	A	
	Use of direct-reading instrumen	tation (FII	)/PID/calo	primetric tubes)	Q	XN/A
	If using direct-reading instrum	nentation,	is the eq	uipment:		
	a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?				QY	□n <b>X</b> n/a
b. Calibrated against a standard gas prior to and after each use (PID/FID only)?				QY (	⊐ν <b>Χ</b> ν/Α	
	c. Inspected for leaks	and obviou	s signs of	wear on a weekly basis?	QY (	DN ZN/A
	d. Kept in a clean and	secure are	a when no	ot in use?	QY (	DNXN/A
	e. Verified for accurac	y by use of	duplicate	e samples (calorimetric only)?	QY	A/NXND
3. Has	the facility maintained a leak log	?			DXX	מם
4. Doe	es the responsible official check th	e following	g areas for	r leaks?		
	Hose connections, fittings, couplings, and valves	×.	Z	Muck cookers	X	□ии
	Door gaskets and seating	×	ПЙ	Stills	×	ΩИ_И
	Filter gaskets and seating	X	ПN	Exhaust dampers	ΩY	□nXn
	Pumps	×	ПD	Diverter valves	ΩY	ONTY
	Solvent tanks and containers	Xx/	ΠN	Cartridge filter housings	×	_NN
	Water separators	X	ПN			
A.	2 C. M Name of Responsible Office	cial (Signa	ature)	X HARVES C. I Name of Responsible Officia	YAn 1 (Prin	7 561 nt) & France
_Rr	bert G. GAIL	) .		5-5-9	7	
B	Inspector's Name (Please P Inspector's Signature	rint)	<del></del>	Date of Insp  Approximate Date of	, · , <del></del>	spection
ondar	v Containment for Dwg	Cionnin	- M1- '	· · · · · · · · · · · · · · · · · · ·		Yes No
•	y Containment for: Dry	creatifu	y Macni			[ <b>*</b> ]
				Waste area		
				Spotting area Seale	ed .	[X]