

# Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetheres  
Secretary

January 27, 1997

Mr. Eddie Rodriguez  
Dryclean USA  
1875 West Commercial  
Boulevard, Suite 140  
Ft. Lauderdale, Florida 33309

Re: Facility I.D. No. 0990471

Dear Mr. Rodriguez:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on November 8, 1996.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources, MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

  
Dotty Diltz, Chief  
Bureau of Air Monitoring  
and Mobile Sources

DD/jw

cc: Mr. Al Grasso, Palm Beach County

acc ✓

# DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

RECEIVED  
FEB 18 1998

Bureau of Air Monitoring  
& Mobile Sources

<p><b>WoodField</b> AIRS ID#0990471          DRYCLEAN USA #11423          GAGLIANO MICHAEL          1875 W COMMERCIAL BLVD., STE 140          FT LAUDERDALE FL 33309</p>
--

Do NOT Remove Label

Annual Reporting Period: January 1, 1997 TO December 31, 1997

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_


#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: MICHAEL GAGLIANO  2/9/98  
 Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

RECEIVED

TITLE V AIR QUALITY GENERAL PERMIT MAY 12 1997  
INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  Bureau of Air Monitoring  
Mobile Source Inspection

TIME IN: 1005 TIME OUT: 1100 AIRS ID#: 0990471

TYPE OF FACILITY: Dry cleaner

FACILITY NAME: Dry Clean USA DATE: 4/23/98

FACILITY LOCATION: 3013 Yamoto rd Boca Raton

RESPONSIBLE OFFICIAL: Juanita Triola PHONE NUMBER: 9544936700

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 4/23/98  
(Approximate)

INSPECTION CONDUCTED BY: M Liebler  
(Please Print)

INSPECTOR'S SIGNATURE: M Liebler PHONE NUMBER: 561 355 4541

#0990471

Dryclean USA

p.14 1.(a) add date control device  
installed

1.(c) mark out "X" and initial

p.15 5.(f) required

# Perchloroethylene Dry Cleaning Facility Notification

## Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	Dryclean USA
2. Site Name (For example, plant name or number):	Woodfield * 11423
3. Hazardous Waste Generator Identification Number:	FLD984257758
4. Facility Location: Street Address: 3013 Yamato Road, B-4 City: Boca Raton County: Palm Beach Zip Code: 33496	
5. Facility Identification Number (DEP Use):	0990471

## Responsible Official

6. Name and Title of Responsible Official:	Eddie Rodriguez, President
7. Responsible Official Mailing Address: Organization/Firm: Dryclean USA Street Address: 1875 W. Commercial Blvd., Suite 140 City: Ft. Lauderdale County: Broward Zip Code: 33309	
8. Responsible Official Telephone Number: Telephone: (954) 493-6700 Fax: (954) 493-8444	

## Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):	Steve Spilettic, District Manager
10. Facility Contact Address: Street Address: 1875 W. Commercial Blvd., Suite 140 City: Ft. Lauderdale County: Broward Zip Code: 33309	
11. Facility Contact Telephone Number: Telephone: (954) 493-6700 Fax: (954) 493-8444	

RECEIVED

NOV 8 1996

**Facility Information**

1(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>									
	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
<b>Dry-to-Dry Unit</b>									
(1) w/ ref. condenser	*1	1/29/88							
(2) w/ carbon adsorber									
(3) w/ no controls									
<b>Washer Unit</b>									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
<b>Dryer Unit</b>									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
<b>Reclaimer Unit</b>									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?  
 gallons

(b) If less than 12 months, how many?  months  
 Check why it is less than 12 months: New owner:  New store:  Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?  
 (Indicate with an "X". Select one classification only.)

*Existing Large*

Existing small area source

New small area source

Existing large area source

New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?  
(Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

*All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.*

All steam and hot water generating units exempt

No such units on-site

### Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

(a) Purchase receipts and solvent purchases

(b) Leak detection inspection and repair

(c) Refrigerated condenser temperature monitoring

(d) Carbon adsorber exhaust perc concentration monitoring

(e) Instrument calibration

Start-up, shutdown, malfunction plan

**Surrender of Existing Air Permit(s)**

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) \_\_\_\_\_


No air permits currently exist for the operation of the facility indicated in this notification form.

**Responsible Official Certification**

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

Signature



Date

11/4/96



**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 11:15 TIME OUT: 11:50 AIRS ID#: 0990471  
 TYPE OF FACILITY: Dry Cleaning  
 FACILITY NAME: Dry Clean USA DATE: 8-18-98  
 FACILITY LOCATION: 3013 Yamato Road  
Boca Raton, FL 33496  
 RESPONSIBLE OFFICIAL: TODD TANNER PHONE NUMBER: 994-5014

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW UP ACTION REQUIRED
	<p><b>RECEIVED</b></p> <p>SEP 17 1998</p>
	<p>Bureau of Air Monitoring &amp; Mobile Sources</p>

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: Aug 1999  
 (Approximate)  
 INSPECTION CONDUCTED BY: R V Chokshi  
 (Please Print)  
 INSPECTOR'S SIGNATURE: R.V. Chokshi PHONE NUMBER: 355-3070

ARMS

# PERCHLOROETHYLENE DRY CLEANERS

## TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
 RE-INSPECTION

AIRS ID#: 0990421 DATE: 8-18-98 TIME IN: 11:15 TIME OUT: 11:50  
 FACILITY NAME: Dry Clean USA  
 FACILITY LOCATION: 3013 YAMATO Road  
Boca Raton, FL 33496  
 RESPONSIBLE OFFICIAL: TODD TANNER PHONE: 994-5014  
 CONTACT NAME: \_\_\_\_\_ PHONE: \_\_\_\_\_

**PART I: NOTIFICATION**

(check appropriate box)

1. New facility notified DARM 30 days prior to startup   
 2. Facility failed to notify DARM to use general permit

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  No notification form  
 (check appropriate box)  Drop store/out of business/petroleum

A.

1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91) <input type="checkbox"/>	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91) <input type="checkbox"/>
3. Existing large area source <input checked="" type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)

5. This is a correct facility classification   N  Can not determine

If no, please check the appropriate classification:  
 facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 253 gallons. for 1997

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

**A. Has the responsible official of all new sources and existing large area sources:**  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
 Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
 Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
  - a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
 Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)  N/A
- Halogen leak detector  N/A
- If using direct-reading instrumentation, is the equipment:
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

TODD R. TANNER  
Responsible Official's Name  
(Please Print)

[Signature]  
Responsible Official's Signature

R.V. Chokshi  
Inspector's Name (Please Print)

8-18-98  
Date of Inspection

[Signature]  
Inspector's Signature

Aug 1999  
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

- |   | Yes                                 | NO                       |
|---|-------------------------------------|--------------------------|
| 1. Secondary Containment for: Dry Cleaning Machine & Storage area   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Waste area  | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Spotting area Sealed  | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|   |                                     |                          |
| 2. Disposal of Water from Water Separator using approved evaporator | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| or contracted Wastewater service                                    | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

# Safety Kleen picks up  
The Waste Once a month

# Gave FDEP Calendar for Record  
keeping

ARMS



PERCHLOROETHYLENE DRY CLEANERS  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

0990471

AIRS ID#: 0990471 DATE: 11/21/96 TIME IN: 10:05 TIME OUT: 11:00  
FACILITY NAME: Dry Clean USA  
FACILITY LOCATION: 3013 Yamato rd  
Boca Raton 33496

PART I: NOTIFICATION

(check appropriate box)

- 1. Existing facility notified DARM by 9/1/96  11-8-96
- 2. New facility notified DARM 30 days prior to startup
- 3. Facility failed to notify DARM to use general permit  WHT/THAN

PART II: CLASSIFICATION

Facility indicated on notification form that it is:  
(check appropriate box)

- A. 1. Existing small area source  2. New small area source   
dry-to-dry only,  $x < 140$  gal/yr  
transfer only,  $x < 200$  gal/yr  
both types,  $x < 140$  gal/yr  
(constructed before 12/9/91) dry-to-dry only,  $x < 140$  gal/yr  
transfer only,  $x < 200$  gal/yr  
both types,  $x < 140$  gal/yr  
(constructed on or after 12/9/91)
- 3. Existing large area source  4. New large area source   
dry-to-dry only,  $140 < x < 2,100$  gal/yr  
transfer only,  $200 < x < 1,800$  gal/yr  
both types,  $140 < x < 1,800$  gal/yr  
(constructed before 12/9/91) dry-to-dry only,  $140 < x < 2,100$  gal/yr  
transfer only,  $200 < x < 1,800$  gal/yr  
both types,  $140 < x < 1,800$  gal/yr  
(constructed on or after 12/9/91)

This is a correct facility classification.  Y  N

If no, please check the appropriate classification:

- facility qualified for a general permit as number \_\_\_\_\_ above
- facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 295 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N
- 2. Examining the containers for leakage?  Y  N
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N



B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  
Is the temperature differential equal to or greater than 20° F?  Y  N
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N
4. Maintained calibration data? (for direct reading instruments only)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  
Problem corrected?  Y  N
8. Maintained compliance plan, if applicable?  Y  N  N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly leak detection and repair inspection?  Y  N

2. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)  N/A

If using direct-reading instrumentation, is the equipment:

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N N/A
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N N/A
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N N/A
- d. Kept in a clean and secure area when not in use?  Y  N N/A
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N N/A

3. Has the facility maintained a leak log?  Y  N

4. Does the responsible official check the following areas for leaks?

- |   |  |                           |   |
|---|--|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Muck cookers              | <input type="checkbox"/> Y <input type="checkbox"/> N <u>N/A</u>            |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <u>N/A</u> |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Exhaust dampers           | <input type="checkbox"/> Y <input type="checkbox"/> N <u>N/A</u>            |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <u>N/A</u> |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <u>N/A</u> |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |                           |   |

Karrie Brock

Name of Responsible Official (Signature)

M. Liebler

Inspector's Name (Please Print)

M. Liebler

Inspector's Signature

KARIE BROCK

Name of Responsible Official (Print) & Phone #

4122197

Date of Inspection

4/23/98

Approximate Date of Next Inspection

- 1. Secondary Containment for: Dry Cleaning Machine & Storage area Yes No  
[✓] [ ]
- Waste area [✓] [ ]
- Spotting area Sealed [✓] [ ]
- 2. Disposal of Water from Water Separator using approved evaporator [ ] [ ]  
or Waste Handler's Pickup Water [✓] [ ]

TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 10:45 TIME OUT: 11:15 AIRS ID#: 0990471  
 TYPE OF FACILITY: Day Cleaning  
 FACILITY NAME: Day Clean USA DATE: 1/11/00  
 FACILITY LOCATION: 3013 Yamato RD B-4U  
 Boca Raton, FL  
 RESPONSIBLE OFFICIAL: John Gentiles PHONE NUMBER: 994-5014

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

RECEIVED  
 FEB 9 2000  
 Bureau of Air Monitoring  
 & Mobile Sources

COMMENTS: Mr. Gentiles states that the facility will cease perchloroethylene dry cleaning in approximately six (6) months.

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: June 2000  
(Approximate)

INSPECTION CONDUCTED BY: Jeffrey Duzak  
(Please Print)

INSPECTOR'S SIGNATURE: Jeffrey Duzak PHONE NUMBER: 355-3070 XT 1137

# PERCHLOROETHYLENE DRY CLEANERS

## TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION:      ANNUAL                       COMPLAINT/DISCOVERY        
    RE-INSPECTION                     

AIRS ID#:	<u>090471</u>	DATE:	<u>1/11/00</u>	TIME IN:	<u>10:45</u>	TIME OUT:	<u>11:15</u>
FACILITY NAME:	<u>DRY CLEAN USA</u>						
FACILITY LOCATION:	<u>3013 Yamato Road B-4U</u> <u>BOCA RATON, FL 33496</u>						
RESPONSIBLE OFFICIAL:	<u>John Gestithes</u>	PHONE:	<u>994-5014</u>				
CONTACT NAME:			PHONE:				

<b>PART I: NOTIFICATION</b>	
(check appropriate box)	
1. New facility notified DARM 30 days prior to startup	<input type="checkbox"/>
2. Facility failed to notify DARM to use general permit	<input type="checkbox"/>

<b>PART II: CLASSIFICATION</b>	
Facility indicated on notification form that it is: (check appropriate box)	<input type="checkbox"/> No notification form <input type="checkbox"/> Drop store/out of business/petroleum
<b>A.</b>	
1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. New small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
3. Existing large area source <input checked="" type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)
5. This is a correct facility classification <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> Can not determine	
If no, please check the appropriate classification: <input type="checkbox"/> facility qualified for a general permit as number _____ above <input type="checkbox"/> facility exceeds above limits and is not eligible for a general permit	
<b>B.</b> The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was <u>468</u> gallons.	

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

ADDITIONAL SITE INFORMATION:

- |   | Yes                                 | NO                       |
|---|-------------------------------------|--------------------------|
| 1. Secondary Containment for: Dry Cleaning Machine & Storage area | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Waste area  | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Spotting area Sealed  | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

2. Disposal of Water from Water Separator using approved evaporator    
 or contracted Wastewater service

- (A) Safety: Kleen takes the waste
- (B) Exhaust temperature of the condenser was recorded at 61°F during one recording. Condenser was adjusted.
- (C) Mr. Gentile stated that facility will not use Perc dry cleaning machine by June 2000.

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks?

- |   |   |                           |  |
|---|---|---------------------------|--|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A            |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A            |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A            |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A            |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |  |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent on exterior surfaces)
  - Physical detection (airflow felt through gaskets)
  - Odor (noticeable perc odor)
  - Use of direct-reading instrumentation (FID/PID/calorimetric tubes)  N/A
  - Halogen leak detector  N/A
- If using direct-reading instrumentation, is the equipment:
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
  - b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
  - c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
  - d. Kept in a clean and secure area when not in use?  Y  N
  - e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

John GENTILES  
Responsible Official's Name  
(Please Print)

[Signature]  
Responsible Official's Signature

Jeffrey Dizek  
Inspector's Name (Please Print)

1/11/00  
Date of Inspection

[Signature]  
Inspector's Signature

JAN 2001  
Approximate Date of Next Inspection



TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT

TYPE OF INSPECTION:

ANNUAL

COMPLAINT/DISCOVERY

RE-INSPECTION

TIME IN: \_\_\_\_\_ TIME OUT: \_\_\_\_\_ AIRS ID#: 0990471

TYPE OF FACILITY: Dry Cleaning

FACILITY NAME: Dry Clean USA DATE: 11/21/00

FACILITY LOCATION: 3013 Yamato rd Boca Raton

RESPONSIBLE OFFICIAL: \_\_\_\_\_ PHONE NUMBER: 994-5014

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
No longer needs	air
Drop off	Store

RECEIVED  
 DEC 13 2000  
 Bureau of Air Monitoring  
 & Mobile Sources

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: \_\_\_\_\_ (Approximate)

INSPECTION CONDUCTED BY: h Lieblor (Please Print)

INSPECTOR'S SIGNATURE: h Lieblor PHONE NUMBER: 355-3075



# Department of Environmental Protection

Jeb Bush  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

David B. Struhs  
Secretary

**TO: Holder of Title V Air General Permit**


Our records indicate that, as the owner or operator of an eligible facility, you have claimed entitlement to the use of a Title V Air General Permit under Rule 62-213.300, Florida Administrative Code (F.A.C.).

For your facility to maintain its eligibility for the Title V Air General Permit, Rule 62-213.300(3)(b), F.A.C. states "...the owner or operator of the facility must, upon written notice from the Department, submit payment of an annual operation fee in the amount of \$50.00. This fee is due and payable between January 15 and March 1 of each year for which the facility is in operation and subject to the requirements of this rule and the general permit." This invoice constitutes the Department's written notice, as required under the general permit rule.

Please make your check or money order payable to the Department of Environmental Protection and staple it to the detachable portion of this invoice below. To maintain your facility's eligibility for the general permit, the fee must be received by the Department not later than March 1. Your check and the detachable portion of this invoice below should be mailed to:

Title V Air General Permits  
Receipts  
Post Office Box 3070  
Tallahassee, FL 32315-3070

*Woodfield*



(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

WOODFIELD #11423 ANGELO IZQUIERDO	AIRS ID # 0990471
7771 W. Oakland Park Blvd. #201 Sunrise, FL 33351	✓

FOR GOVERNMENT USE ONLY Org.: 37550101000 EO: A1 Fund: 20-2-035001 Obj.: 002273
--

P 265 302 282

US Postal Service  
**Receipt for Certified Mail**  
No Insurance Coverage Provided.

AIRS ID#: 0990471  
DRYCLEAN USA  
EDDIE RODRIGUEZ  
1875 W COMMERCIAL BLVD., STE 140  
FT LAUDERDALE FL 33309

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	2/17/97

PS Form 3800, April 1995

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- Addressee's Address
- Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

AIRS ID#: 0990471  
DRYCLEAN USA  
EDDIE RODRIGUEZ  
1875 W COMMERCIAL BLVD., STE 140  
FT LAUDERDALE FL 33309

4a. Article Number

P265 302 282

4b. Service Type

- |   |                                    |
|---|------------------------------------|
| <input type="checkbox"/> Registered                     | <input type="checkbox"/> Certified |
| <input type="checkbox"/> Express Mail                   | <input type="checkbox"/> Insured   |
| <input type="checkbox"/> Return Receipt for Merchandise | <input type="checkbox"/> COD       |

7. Date of Delivery

5. Received By: (Print Name)

*M. Rodriguez*

8. Addressee's Address (Only if requested and fee is paid)

6. Signature: (Addressee or Agent)

*M. Rodriguez*

PS Form 3811, December 1994

Domestic Return Receipt

Thank you for using Return Receipt Service.



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

302656 ✓

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

woodfield AIRS ID#0990471  
DRYCLEAN USA # 11423  
GAGLIANO MICHAEL  
1875 W COMMERCIAL BLVD., STE 140  
FT LAUDERDALE FL 33309

**FOR GOVERNMENT USE ONLY**  
Org.: 37550101000 EO: B1  
Fund: 20-2-035001  
Obj.: 002273

Z 333 612 890

US Postal Service  
**Receipt for Certified Mail**

No Insurance Coverage Provided.  
Postmaster: For International Mail (See reverse)  
AIRS ID 0990471

DRYCLEAN USA  
GAGLIANO MICHAEL  
1875 W COMMERCIAL BLVD., STE 140  
FT LAUDERDALE FL 33309

PS Form 3800, April 1995

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- Addressee's Address
- Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to: AIRS ID 0990471

DRYCLEAN USA  
GAGLIANO MICHAEL  
1875 W COMMERCIAL BLVD., STE 140  
FT LAUDERDALE FL 33309

4a. Article Number  
**Z 333 612 890**

4b. Service Type

Registered  Certified  
 Express Mail  Insured  
 Return Receipt for Merchandise  COD

7. Date of Delivery  
**2/7/98**

5. Received By: (Print Name)

6. Signature: Addressee or Agent  
**X** *[Signature]*

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994 Domestic Return Receipt

Thank you for using Return Receipt Service.

Is your RETURN ADDRESS completed on the reverse side?

6  
**THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING**

**Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.**

**TOTAL AMOUNT DUE: \$50.00**

**Do NOT Remove Label**

DRYCLEAN USA  
EDDIE RODRIGUEZ  
1875 W COMMERCIAL BLVD., STE 140  
FT LAUDERDALE FL 33309

AIRS ID# 0990471

**FOR GOVERNMENT USE ONLY**  
**Org.: 37550101000 EO: B1**  
**Fund: 20-2-035001**  
**Obj.: 002273**



(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

402782

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

AIRS ID # 0990471

WOODFIELD #11423  
ANGELO IZQUIERDO

7771 W. Oakland Park Blvd. #201  
Sunrise, FL 33351

*1-16 dpp*

RECEIVED  
MAIL ROOM  
JAN 16 01

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: A1  
Fund: 20-2-035001  
Obj.: 002273



(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.


**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID # 0990471  
WOODFIELD #11423  
GAGLIANO MICHAEL  
1875 W COMMERCIAL BLVD., STE 140  
FT LAUDERDALE FL 33309

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: B1  
Fund: 20-2-035001  
Obj.: 002273





(cut here)

-----  
**THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING**

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label. ✓

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID # 0990471

WOODFIELD #11423  
ANGELO IZQUIERDO  
1875 W COMMERCIAL BLVD., STE 140  
FT LAUDERDALE FL 33309

**FOR GOVERNMENT USE ONLY**  
Org.: 37550101000 EO: B1  
Fund: 20-2-035001  
Obj.: 002273