



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary

December 20, 2007

Mr. Phil Novomestky
Preferred Materials, Incorporated
12025 State Road 54
Odessa, Florida 33556

Dear Mr. Novomestky:


This is to acknowledge that your notification of intent to use the authority of Rule 62-210.310 to operate your facility was received on November 14, 2007. We have assigned ARMS Number 1010326-006 to this facility.

As you know, pursuant to Florida Statutes section 403.814, authority to operate under general permits commences thirty days after receipt of the registration form unless you have been notified by this office that your facility has not shown entitlement to operate pursuant to the rule provisions.

For your information, authority to operate pursuant to Rule 62-210.310 expires after 5 years. Therefore, a new registration form must be received no later than 5 years after the date your notice was received as indicated above. If your general permit rule conditions require testing, such testing must be completed within the time frame specified in the rule.

If you have any additional questions, please contact Dickson Dibble at 850/921-9586.

Sincerely,



Sandra F. Veazey, Chief
Bureau of Air Monitoring
and Mobile Sources

SFV/pg

cc: Mr. Christopher Bradley, Southwest District

RECEIVED
 NOV 15 2007
 Bureau of Air Monitoring
 & Mobile Sources

**CONCRETE BATCHING PLANT
 AIR GENERAL PERMIT REGISTRATION FORM**

Part II. Notification to Permitting Office

(Detach and submit to appropriate permitting office; keep copy onsite)

Instructions: To give notice to the Department of an eligible facility's intent to use this air general permit, the owner or operator of the facility must detach and complete this part of the Air General Permit Registration Form and submit it to the appropriate Department of Environmental Protection or local air pollution control program office which has permitting authority. Please type or print clearly all information, and enclose the appropriate air general permit registration processing fee pursuant to Rule 62-4.050, F.A.C. (\$100 as of the effective date of this form)

1010326-006

Registration Type

Check one:

INITIAL REGISTRATION - Notification of intent to:

- Construct and operate a proposed new facility.
- Operate an existing facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit).

RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to:

- Continue operating the facility after expiration of the current term of air general permit use.
- Continue operating the facility after a change of ownership.
- Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C., or any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.

Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only

If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. In such case, check the first box, and indicate the operation permits being surrendered. If no air operation permits are held by the facility, check the second box.

- All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s): _____
- No air operation permits currently exist for this facility.

General Facility Information

Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)

Preferred Materials, Inc.

Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a registration form must be completed for each.)

Odessa Ready Mix, FACILITY ID: 1010326

Facility Location (Provide the physical location of the facility, not necessarily the mailing address.)

Street Address: 12025 State Road 54

City: Odessa

County: Pasco

Zip Code: 33556

Facility Start-Up Date (Estimated start-up date of proposed new facility.)(N/A for existing facility)

N/A

Owner/Authorized Representative

Name and Position Title (Person who, by signing this form below, certifies that the facility is eligible to use this air general permit.)

Print Name and Title: David Guillaume, Vice President

Owner/Authorized Representative Mailing Address

Organization/Firm: Preferred Materials, Inc.

Street Address: 900 Ashwood Parkway, Suite 700

City: Atlanta, GA

County: Dekalb

Zip Code: 30338

Owner/Authorized Representative Telephone Numbers

Telephone: 770-392-5300

Fax: 770-392-5368

Cell phone (optional):

Facility Contact (If different from Owner/Authorized Representative)

Name and Position Title (Plant manager or person to be contacted regarding day-to-day operations at the facility.)

Print Name and Title: Phil Novomestky - Operations Foreman

Facility Contact Mailing Address

Organization/Firm: Preferred Materials, Inc.

Street Address: 12025 State Road 54

City: Odessa

County: Pasco

Zip Code: 33556

Facility Contact Telephone Numbers

Telephone: (813) 920-9722

Fax: (813) 920-6639


Cell phone (optional):


Owner/Authorized Representative Statement

This statement must be signed and dated by the person named above as owner or authorized representative

I, the undersigned, am the owner or authorized representative of the owner or operator of the facility addressed in this Air General Permit Registration Form. I hereby certify, based on information and belief formed after reasonable inquiry, that the facility addressed in this registration form is eligible for use of this air general permit and that the statements made in this registration form are true, accurate and complete. Further, I agree to operate and maintain the facility described in this registration form so as to comply with all applicable standards for control of air pollutant emissions found in the statutes of the State of Florida and rules of the Department of Environmental Protection and revisions thereof.

I will promptly notify the Department of any changes to the information contained in this registration form.


Signature


Date

Type of Facility

Check one:

Stationary Facility

Relocatable Facility

Type(s) of Reasonable Precautions Used to Prevent Unconfined Emissions

Check all precautions to be used for the management of roads, parking areas, stock piles and yards:

Pave Roads

Pave Parking Areas

Pave Yards

Maintain Roads/Parking/Yards

Use Water Application

Use Dust Suppressant

Remove Particulate Matter

Reduce Stock Pile Height

Install Wind Breaks

Check all precautions to be used for the management of drop points to trucks:

Spray Bar

Chute

Enclosure

Partial enclosure

Description of Reasonable Precautions

Below, or as an attachment to this form, provide details of all types of reasonable precautions to be used to prevent unconfined emissions at the facility.

This facility is provided with an extensive stormwater/wastewater drainage system, which is designed to flush particulate matter from the paved yard and entrance drive. This keeps the paving cleaner, substantially reducing fugitive emissions. Aggregate stockpiles in the yard are stored on paved surfaces and kept watered, partly for quality control and partly to reduce potential emissions from these materials. Unused concrete which is brought back to the site is stored in a concrete-walled washout structure, which reduces the area needed to dry the material, while keeping it out of the main traffic pattern, where it would generate additional fugitive emissions.

Description of Facility

Below, or as an attachment to this form, provide a description of the concrete batching plant operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe all air pollutant-emitting processes and equipment at the facility, and identify any air pollution control measures or equipment used.

Ready-Mix Concrete Batching Facility:

- A single-compartment cement silo (with a Con-E-Co Model 30-250 baghouse dust collector).
- A single-compartment flyash silo (with a Con-E-Co Model 30-250 baghouse dust collector).
- A single-compartment "In-truss" slag bin (with a Con-E-Co Model 30-250 baghouse dust collector).
- A cement weigh hopper (with a Con-E-Co Model BV 14-23 baghouse batcher vent).
- A concrete mixer truck loadout (with a Con-E-Co Model V 120-1000-15 central baghouse dust collector).



Arlington Environmental Services, Inc.

VISIBLE EMISSION TEST

Method Used (Circle One) Method B 203A 203B Report 1741-V-1

Company Name Rinker Materials
 Facility Name (FID) Odessa RM 1010320
 Street Address 12035 SR 54
 City Odessa State FL Zip _____


Process unload cement tanks unit # E-01 Operating Mode 10 psi/g
 Control Equipment Baghouse Operating Mode normal

Describe Emission Point 3ft on north east side
 Ht of Emis. Point ~50' Ht Rel to Observer ~45'
 Distance to Emis. Pt. ~150' Direction to Emis. Pt (Degrees) 045°

Verticle Angle to Obs. Pt. 18° Direction to Obs. Pt. (Degrees) -
 Distance and Direction to Obs. Pt from Emission Pt -

Describe Emissions dust
 Emission Color gray Water Droplet Plumes
 Attached _____ Detached _____ None _____

Describe Plume Background sky
 Background Color blue Sky Conditions scattered
 Wind Speed ~1-5 mph Wind Direction variable
 Ambient Temp. 85° Wet Bulb Temp. _____ % RH _____



Latitude _____ Longitude _____ Declination _____

Comments Ho. 36 tons of cement offloaded @ approx. 27 tph

Observation Date 6/27/07 Start Time 1:47 p.m. Stop Time 2:17 p.m.

Min/Sec	0	15	30	45	Min/Sec	0	15	30	45
1	0	0	0	0	31				
2	0	0	0	0	32				
3	0	0	0	0	33				
4	0	0	5	0	34				
5	5	0	0	0	35				
6	0	0	0	0	36				
7	0	0	0	0	37				
8	0	0	0	0	38				
9	0	0	0	0	39				
10	0	0	0	0	40				
11	0	0	0	0	41				
12	0	0	0	0	42				
13	0	0	0	0	43				
14	0	0	0	0	44				
15	0	0	0	0	45				
16	0	0	0	0	46				
17	0	0	0	0	47				
18	0	0	0	0	48				
19	0	0	0	0	49				
20	0	0	0	0	50				
21	0	0	0	0	51				
22	0	0	0	0	52				
23	0	0	5	0	53				
24	0	0	0	0	54				
25	0	0	0	0	55				
26	0	0	0	0	56				
27	0	0	0	0	57				
28	0	0	0	0	58				
29	0	5	0	0	59				
30	5	0	0	0	60				

Average Opacity for Highest Period 0.5% Number of Readings Above _____ % were 5
 Range of opacity Readings Min 0% Max 5% Number of Readings Above _____ % were _____
 Observers Name (Print) Ryan Peterson
 Observers Signature Ryan Peterson Date 6/27/07
 Organization Arlington Environmental Services, Inc.
 Certified By ETA Date 5/07



Arlington Environmental Services, Inc.

VISIBLE EMISSION TEST

Method Used (Circle One) Method B 203A 203B Report 1741-V-2

Company Name Rinker Materials
 Facility Name (FID) Odessa R/M 1010320
 Street Address 12025 SR 54
 City Odessa State FL Zip _____


Process mixers batching unit # EU-04 Operating Mode normal
 Control Equipment central dust collector Operating Mode auto

Describe Emission Point vent on CDC
 Ht of Emis. Point ~25' Ht Rel to Observer ~20'
 Distance to Emis. Pt. ~100' Direction to Emis. Pt. (Degrees) 230°

Verticle Angle to Obs. Pt. 12° Direction to Obs. Pt. (Degrees) -
 Distance and Direction to Obs. Pt from Emission Pt -

Describe Emissions none
 Emission Color none Water Droplet Plume Attached - Detached - None -

Describe Plume Background silos
 Background Color gray Sky Conditions scattered
 Wind Speed ~1-5 mph Wind Direction variable
 Ambient Temp. 85° Wet Bulb Temp. - % RH -



Latitude _____ Longitude _____ Declination _____

Comments observed 2 trucks batching
* truck start
** truck finish

Min/Sec	Observation Date <u>6/27/07</u>				Start Time <u>12:20 PM</u>				Stop Time <u>12:32 PM</u>			
	0	15	30	45	0	15	30	45	0	15	30	45
1	0	0	0	0	31	*						
2	0	0	0	0	32							
3	0	0	0	0	33							
4	0	0	0	0	34							
5	0	0	0	0	35							
6	0	0	0	0	36	* *						
7	0	0	0	0	37	*						
8	0	0	0	0	38							
9	0	0	0	0	39							
10	0	0	0	0	40							
11	0	0	0	0	41							
12	0	0	0	0	42	* *						
13	<u>Finished</u>				43							
14					44							
15					45							
16					46							
17					47							
18					48							
19					49							
20					50							
21					51							
22					52							
23					53							
24					54							
25					55							
26					56							
27					57							
28					58							
29					59							
30					60							

Average Opacity for Highest Period 0% Number of Readings Above 0 % were 0
 Range of opacity Readings Min 0% Max 0% Number of Readings Above - % were -
 Observers Name (Print) Ryan Peterson
 Observers Signature Ryan Peterson Date 6/27/07
 Organization Arlington Environmental Services, Inc.
 Certified By ETA Date 5/07

Arlington Environmental Services, Inc.

VISIBLE EMISSION TEST

Method Used (Circle One) Method B 203A 203B Report 1741-V-3

Company Name Linker Materials
 Facility Name (FID) Odessa ~~R/M~~ R/M 1010326
 Street Address 12025 SR 54
 City Odessa State FL Zip _____


Process Mixers batching unit # _____ Operating Mode Normal
 Control Equipment w/h dust collector Operating Mode auto

Describe Emission Point small rectangular dc under silo core
 Ht of Emis. Point ~ 15' Ht Rel to Observer ~ 10'
 Distance to Emis. Pt ~ 100' Direction to Emis. Pt (Degrees) 225°

Vertice Angle to Obs. Pt 5° Direction to Obs. Pt. (Degrees) _____
 Distance and Direction to Obs. Pt from Emission Pt _____

Describe Emissions none
 Emission Color none Water Droplet Plume Attached _____ Detached _____ None _____

Describe Plume Background silo
 Background Color gray Sky Conditions scattered
 Wind Speed ~ 15 mph Wind Direction variable
 Ambient Temp. 85° Wet Bulb Temp. _____ % RH _____



Latitude _____ Longitude _____ Declination _____

Comments disabled 2 mixers batching

Min/Sec	Observation Date <u>6/27/07</u>				Start Time <u>12:20</u>				Stop Time <u>12:32</u>			
	0	15	30	45	0	15	30	45	0	15	30	45
1	0	0	0	0	31	*						
2	0	0	0	0	32							
3	0	0	0	0	33							
4	0	0	0	0	34							
5	0	0	0	0	35							
6	0	0	0	0	36	**						
7	0	0	0	0	37	*						
8	0	0	0	0	38							
9	0	0	0	0	39							
10	0	0	0	0	40							
11	0	0	0	0	41							
12	0	0	0	0	42	**						
13	<u>Fursted</u>				43							
14					44							
15					45							
16					46							
17					47							
18					48							
19					49							
20					50							
21					51							
22					52							
23					53							
24					54							
25					55							
26					56							
27					57							
28					58							
29					59							
30					60							
Average Opacity for Highest Period <u>0%</u>					Number of Readings Above <u>0%</u> % were <u>0</u>							
Range of opacity Readings Min <u>0%</u> Max <u>0%</u>					Number of Readings Above _____ % were _____							
Observers Name (Print) <u>Ryan Peterson</u>												
Observers Signature <u>Ryan Peterson</u>											Date <u>6/27/07</u>	
Organization <u>Arlington Environmental Services, Inc.</u>												
Certified By <u>ETA</u>											Date <u>5/07</u>	

Arlington Environmental Services, Inc.
(863) 467-0555

VISIBLE EMISSION TEST

Method Used (Circle One) 203A 203B Report 1814-V-1

Company Name Rinker Materials
 Facility Name Odessa Plant AIRS 1010336
 Street Address 17025 SR 54
 City Odessa State FL Zip _____
 Phone No. (813) 920-9122


Process crushed gypsum Unit # _____ Operating Mode ~35 ft/min
 Control Equipment Singhouse Operating Mode 11 ft/sig

Describe Emission Point Blk on Northwest side
 Ht of Emis. Point ~50' Ht. Rel to Observer ~45'
 Distance to Emis. Pt. ~170' Direction to Emis. Pt. (Degrees) 340°

Vertical Angle to Obs. Pt. ~40° Direction to Obs. Pt. (Degrees) _____
 Distance and Direction to Obs. Pt. from Emission Pt. _____

Describe Emissions
 Emission Color None Water Droplet Plume Attached _____ Detached _____ None /

Describe Plume Background sky
 Background Color gray Sky Conditions overcast
 Wind Speed ~2 mph Wind Direction W
 Ambient Temp. 90° Wet Bulb Temp. _____ % RH _____



Latitude _____ Longitude _____ Declination _____

Comments AT 10 tons of gypsum
emission in 45 min.

Observation Date		Start Time				Stop Time			
3/10/07		2:15 PM				2:45 PM			
Min	0	15	30	45	Min	0	15	30	45
1	0	0	0	0	31				
2	0	0	0	0	32				
3	0	0	0	0	33				
4	0	0	0	0	34				
5	0	0	0	0	35				
6	0	0	0	0	36				
7	0	0	0	0	37				
8	0	0	0	0	38				
9	0	0	0	0	39				
10	0	0	0	0	40				
11	0	0	0	0	41				
12	0	0	0	0	42				
13	0	0	0	0	43				
14	0	0	0	0	44				
15	0	0	0	0	45				
16	0	0	0	0	46				
17	0	0	0	0	47				
18	0	0	0	0	48				
19	0	0	0	0	49				
20	0	0	0	0	50				
21	0	0	0	0	51				
22	0	0	0	0	52				
23	0	0	0	0	53				
24	0	0	0	0	54				
25	0	0	0	0	55				
26	0	0	0	0	56				
27	0	0	0	0	57				
28	0	0	0	0	58				
29	0	0	0	0	59				
30	0	0	0	0	60				

Number of Readings Above _____ % were _____ Average Opacity for Highest 6 Min Period OK
 Range of opacity Readings Min 0% Max 0% Average Opacity for 2nd Highest 6 Min _____
 Observer's Name (Print) Ryan Peterson
 Observer's Signature Ryan Peterson Date 3/10/07
 Organization Arlington Environmental Services, Inc.
 Certified By ETA Date 5/30/07

Arlington Environmental Services, Inc.
(863) 467-0555

VISIBLE EMISSION TEST

Method Used (Circle One) Method 9 203A 203B Report 1844-V-17

Company Name Timber Materials
 Facility Name CORONA RM AIRS 1010326
 Street Address 12025 SR 54
 City Odessa State FL Zip _____
 Phone No (713) 990-9722


Process wood count Unit # _____ Operating Mode Normal
 Control Equipment Boycouse Operating Mode Normal

Describe Emission Point Bit on small site
 Ht of Emis Point ~40' Ht Rel to Observer ~35'
 Distance to Emis. Pt. ~110' Direction to Emis. Pt (Degrees) 250°

Vertical Angle to Obs. Pt. 70° Direction to Obs. Pt. (Degrees) _____
 Distance and Direction to Obs. Pt from Emission Pt _____

Describe Emissions
 Emission Color None Water Droplet Plume Attached _____ Detached _____ None ✓

Describe Plume Background site
 Background Color gray Sky Conditions overcast
 Wind Speed 3-8 mph Wind Direction W
 Ambient Temp. 90° Wet Bulb Temp. _____ % RH _____



Latitude _____ Longitude _____ Declination _____

Comments The IC tank is recent maintenance in 60 min.

Sec	Min				Sec	Min			
	0	15	30	45		0	15	30	45
1	0	0	0	0	31				
2	0	0	0	0	32				
3	0	0	0	0	33				
4	0	0	0	0	34				
5	0	0	0	0	35				
6	0	0	0	0	36				
7	0	0	0	0	37				
8	0	0	0	0	38				
9	0	0	0	0	39				
10	0	0	0	0	40				
11	0	0	0	0	41				
12	0	0	0	0	42				
13	0	0	0	0	43				
14	0	0	0	0	44				
15	0	0	0	0	45				
16	0	0	0	0	46				
17	0	0	0	0	47				
18	0	0	0	0	48				
19	0	0	0	0	49				
20	0	0	0	0	50				
21	0	0	0	0	51				
22	0	0	0	0	52				
23	0	0	0	0	53				
24	0	0	0	0	54				
25	0	0	0	0	55				
26	0	0	0	0	56				
27	0	0	0	0	57				
28	0	0	0	0	58				
29	0	0	0	0	59				
30	0	0	0	0	60				

Observation Date 5/30/07 Start Time 2:10 p.m. Stop Time 2:40 p.m.
 Number of Readings Above _____ % were _____ Average Opacity for Highest 6 Min Period 0%
 Range of opacity Readings Min 0% Max 0% Average Opacity for 2nd Highest 6 Min _____
 Observers Name (Print) Ryan Peterson
 Observers Signature Ryan Peterson Date 5/30/07
 Organization Arlington Environmental Services, Inc.
 Certified By ETA Date 5/30/07

VISIBLE EMISSIONS EVALUATOR

This is to certify that

Ryan Peterson

met the specifications of Federal Reference Method 9 and qualified as a visible emissions evaluator. Maximum deviation on white and black smoke did not exceed 7.5% opacity and no single error exceeding 15% opacity was incurred during the certification test conducted by Eastern Technical Associates of Raleigh, North Carolina. This certificate is valid for six months from date of issue.

352349

Certificate Number

Jacksonville, Florida

Location

May 30, 2007

Date of Issue

Thomas Hore

President

Michael W. Lunsford

Director of Training



APAC, Inc. • 900 Ashwood Parkway • Suite 700 • Atlanta, Georgia 30338-4780 • (770) 392-5300 • Fax (770) 392-5418

November 9, 2007

Florida Department of Environmental Protection
Receipts
P.O. Box 3070
Tallahassee, FL 32315-3070

Bureau of Air Monitoring
& Mobile Sources

RECEIVED
NOV 13 2007

Re: Air Permit Transfers

The enclosed check is for Air General Permit transfer for the permits listed below:

0810064	BLOCK PLANT REMOVED
1010077	
1030139	
1010326	BLOCK PLANT REMOVED
0450009	
1310010	
0710024	BLOCK PLANT REMOVED
0150086	
0710015	BLOCK PLANT REMOVED
0710229	
0710096	
0210047	
0210032	
0910075	
7770043	
1136024	
0050037	
0030043	
0330266	

Thank you in advance for your assistance.

Sincerely,

Crystal A. Paddy Willis

Chris Willis
EHS Manager
APAC, Inc.

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
FINANCIAL ACCOUNTING
REVENUE
2007 NOV 14 PM 4:11

APAC, INC. • 900 ASHWOOD PARKWAY, SUITE 700, ATTN: ACCOUNTS PAYABLE • ATLANTA, GA 30338-4780

1000003425

VENDOR NO.		VENDOR NAME			CHECK NUMBER		DETACH STATEMENT BEFORE DEPOSITING			
109451		Florida Dept Of Environmental Protection			1000003425					
Transaction Number	REFERENCE	DATE	DESCRIPTION	GROSS AMOUNT	DISCOUNT	RETAINAGE	PREVIOUS	BALANCE	NET AMOUNT	
1107 140	11/05/07	11/06/07	Air Permit / Project 2492	1,900.00	0.00	0.00	0.00	0.00	1,900.00	
VENDOR NO.				GROSS AMOUNT	DISCOUNT	RETAINAGE	PREVIOUS	BALANCE	NET AMOUNT	
109451				1,900.00	0.00	0.00	0.00	0.00	1,900.00	

**Florida Department of Environmental Protection
Cash Receiving Application (CRA)
Cashlisting by Deposit #: 281284 thru 281284
Printed: 11/15/2007 4:32:30 PM - Page 10**

Cashlisting: 65123 Cashlist Area: 3755
Deposit No: 281284 Date Deposited: 11/15/2007

Description: DIV OF AIR RESOURCES MGMT.
Contact: PATTY ADAMS

✓ = ARMS
X = EXCEL
11/21/07 1010504
1010326-006

Object	Transmittal	Dep.DDN	Receipt Number	Pre-Numbered Receipt	Name	Check Number	Payment Amount	Reference Account	Payment Number	Remittance Number	Fund
002272	45648		606353		APAC INC	1000003476	\$100.00	1010326 ✓ #1010504	847840	755057	PFTF - REMOVED BLOCK PLANT
	45648		606353		APAC INC	1000003476	\$100.00	0710015 ✓ #0710260	847841	755057	PFTF - REMOVED BLOCK PLANT
	45648		606354		APAC INC	1000003425	\$100.00	0330266	847862	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0030043	847861	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0050037	847860	755058	PFTF
	45648		606353		APAC INC	1000003476	\$100.00	0810064 ✓ #0810220	847842	755057	PFTF - REMOVED BLOCK PLANT
	45648		606353		APAC INC	1000003476	\$100.00	0710024 ✓ #0710261	847843	755057	PFTF - REMOVED BLOCK PLANT
	45648		606354		APAC INC	1000003425	\$100.00	0810064	847844	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	1010077	847845	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	1030139	847846	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	1010326 11/17/2007-CEB	847847	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0450009 10/6/06-006	847848	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	1310010	847849	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0710024	847850	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0150086	847851	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0710015	847852	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0710229	847853	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0710096	847854	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0210047	847855	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0210032	847856	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	0910075	847857	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	7770043	847858	755058	PFTF
	45648		606354		APAC INC	1000003425	\$100.00	1136024	847859	755058	PFTF
Object Code 002272 Subtotal:							\$2,300.00				
002273	45641	478062 ✓	606283		HAO HAO INTERNATIONAL INC	2114	\$75.00	009015	848030	754987	APCTF