FEA RECESOT #509619 JUN 16, 2010

# CONCRETE BATCHING PLANT AIR GENERAL PERMIT REGISTRATION FORM

PKCK, L

## Part II. Notification to Permitting Office

(Detach and submit to appropriate permitting office; keep copy onsite)

Instructions: To give notice to the Department of an eligible facility's intent to use this air general permit, the owner or operator of the facility must detach and complete this part of the Air General Permit Registration Form and submit it to the appropriate Department of Environmental Protection or local air pollution control program office which has permitting authority. Please type or print clearly all information, and enclose the appropriate air general permit registration processing fee pursuant to Rule 62-4 050. F.A.C. (\$100 as of the effective date of this form)

62-4.050, F.A.C. (\$100 as of the effective date of this form)	MIL
Registration Type  1010 494-1050, F.A.C. (\$100 as of the effective date of this form)  Registration Type	UT
Check one:	
INITIAL REGISTRATION - Notification of intent to:  Construct and operate a proposed new facility.  Operate an existing facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit).	
RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to:  Continue operating the facility after expiration of the current term of air general permit use.  Continue operating the facility after a change of ownership.  Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C., or any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.	
Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only	•
If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. In such case, check the first box, and indicate the operation permits being surrendered. If no air operation permits are held by the facility, check the second box.  All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s):	
No air operation permits currently exist for this facility.	
General Facility Information	
Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)	
Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a registration form must be completed for each.)	
Facility Location (Provide the physical location of the facility, not necessarily the mailing address.)	
Street Address: City: W159 BlackLabe County: HASCO Zip Code: 33551  Facility Start-Up Date (Estimated start-up date of proposed new facility.)(N/A for existing facility)	7-3531
results of par (Estimated start up date of proposed new lacings,)(1977 for existing facility)	<i>\</i> ∕~,

DEP Form No. 62-210.920(2)(b) Effective: January 10, 2007

Owney/Authorized Depresentative
Owner/Authorized Representative  Name and Position Title (Person who, by signing this form below, certifies that the facility is eligible to use this
air general permit.)
Drint Name and Title: 1 0 001.0
105 Skue - Uwilk
Owner/Authorized Representative Mailing Address
Organization/Firm:
Organization/Firm: Street Address: 14159 Black Lake Road City: County: 7in Code: 0.7604
City: GOESSA County: PASCO Zip Code: 33SS6-3
Owner/Authorized Representative Telephone Numbers
Telephone: 813-926-9800 Fax: 813-926-9812
Cell phone (optional): 127 - 862 - 5910
701 000 5110
Facility Contact (If different from Owner/Authorized Representative)
Name and Position Title (Plant manager or person to be contacted regarding day-to-day operations at the facility.)
Print Name and Title Vanumy Kicharoson - ADMINISTRATOR
Facility Contact Mailing Address Organization/Firm: A-PIUS CONCRETE + MASONEY Street Address: MICO CLOCK I BYO ROCCI
Tin Code: O CC
Onesta county: Pasco zipcode: 33556-
Facility Contact Telephone Numbers
Telephone: 813-92L-9800 Cell phone (optional): 727-514-1561 Fax: 813-926-9812
Cell phone (optional): 737-514-1301 813 7000 1610
Owner/Authorized Representative Statement
This statement must be signed and dated by the person named above as owner or authorized representative
I, the undersigned, am the owner or authorized representative of the owner or operator of the facility
addressed in this Air General Permit Registration Form. I hereby certify, based on information and
belief formed after reasonable inquiry, that the facility addressed in this registration form is eligible for
use of this air general permit and that the statements made in this registration form are true, accurate
and complete. Further, I agree to operate and maintain the facility described in this registration form so
as to comply with all applicable standards for control of air pollutant emissions found in the statutes of the State of Florida and rules of the Department of Environmental Protection and revisions thereof.
the state of Florida and Faces of the Department of Environmental Frotection and revisions thereof.
I will promptly notify the Department of any changes to the information contained in this registration
form.
Signature Date

Type of Facility	
Check one:	
Stationary Facility	☐ Relocatable Facility
Type(s) of Reasonable Precautions Used	to Prevent Unconfined Emissions
Check all precautions to be used for the	management of roads, parking areas, stock piles and yards:
Pave Roads	Pave Parking Areas Pave Yards
☐ Maintain Roads/Parking/Yards☐ Remove Particulate Matter	Use Water Application Use Dust Suppressant Install Wind Breaks
Nemove I at themate Matter	
Check all precautions to be used for the	
Spray Bar	Chute
	Partial enclosure
Description of Reasonable Precautions	
	rovide details of all types of reasonable precautions to be used to prevent
unconfined emissions at the facility.	To vide details of all types of reasonable procautions to be ased to prove the
* 5E	E ATTRIMED ADDENDUM
, -,	PAGE 9.
FOR	PACE 9
	()
	•

DEP Form No. 62-210.920(2)(b) Effective: January 10, 2007

**Description of Facility** 

Below, or as an attachment to this form, provide a description of the concrete batching plant operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe all air pollutant-emitting processes and equipment at the facility, and identify any air pollution control measures or equipment used.

PROUTOED.

\* SEE ATTACHED ADDENDUM FOR PAGE 10 & ATTACHMENTS. D.

### Dibble, Dickson

From: Sent: dickson.dibble@dep.state.fl.us Friday, June 18, 2010 11:25 AM tammyrichardson777@gmail.com

To: Cc:

Dibble, Dickson

Subject:

Concrete Batching Plant Air General Permit Registration Form

Attachments:

Document.pdf

Please open the attached document. This document was digitally sent to you using an HP Digital Sending device.

To view this document you need to use the Adobe Acrobat Reader. For more information on the HP MFP Digital Sending Software or a free copy of the Acrobat reader please visit:

http://www.hp.com/go/HP Digital Sender Module.com

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Michael W. Sole is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Copy the url below to a web browser to complete the DEP survey: <a href="http://survey.dep.state.fl.us/?refemail=dickson.dibble@dep.state.fl.us">http://survey.dep.state.fl.us/?refemail=dickson.dibble@dep.state.fl.us</a> Thank you in advance for completing the survey.

# Florida Department of Environmental Protection Cash Receiving Application (CRA) Cashlisting by Deposit #: 292525 thru 292525 Printed: 6/17/2010 8:15:53 AM - Page 9

RECEIVEL

Cashlisting: Deposit No:

85015 292525

Cashlist Area:

Date Deposited: 06/16/2010

3755

Description: DIV OF AIR RESOURCES MGMT.

Contact: E. WALKER

JUN 1 7 2010

Bureau of Air Wonnorm. & Mobile Sources

002272	Trapsorittal 61485 61534	Dep. <u>DDN</u> 509619	Receipt Number 707193 707326	Name A PLUS MASONRY AND CONCRETE CRESTVIEW READY MIX, INC.	Check Number 745 22712	Payment Amount \$100.00 \$100.00	Reference Account	Number	Remittance Number	Fund PFTF PFTF	Grant
•				Object Code 002272 Subtotal:	•	\$200.00					
002275	61485	509610	707184	JABIL CIRCUIT	0000304162	\$337.50	1030278-009-AV	1020632	887891	APCTF	
				Object Code 002275 Subtotal:	_	\$337.50					•
002276	61485	509610	707184	JABIL CIRCUIT	0000304162	\$175.50	1030278-009-AV	1020633	887891	APCTF	
				Object Code 002276 Subtotal:	_	\$175.50					
002278	61485	509 <b>607</b>	707181	CROSS REMEDIATION INC	20093	\$200.00	57934	1020607	887888	APCTF	
	61486	509 <b>630</b>	707204	J J SOSA	012539	\$200.00	57986	1020565	887912	APCTF	
				Object Code 002278 Subtotal:	_	\$400.00					
	·			Cashlisting 85015 Total:	_	\$1,113.00	·				

Jun 36 2010 1:13PM


# ADDEN DUM TO # 1010 494-004
PAGES 9 \$ 10

Southwest Contracting, Inc. A Southwest Concrete, Inc. Southwest Cattle Co., Inc. P.O. Box 788
Odessa, FL 33556
PH: 813-309-0724
FAX: 813-926-9251
Keiff@verizon.net

RECEIVEL

TL 1 6 2010

Pureau of Air Monitoring & Mobile Sources





		· <del></del> -		$\sim$	$10^{\circ}$	. ~
	Delson		lanumi	N (B)	H-PIU	15
To:	AMMINE OF AN USADINGSISH	From:	OREN Funtiona	·	<u>('07</u>	MUTU
Fax No.:	(813) 926-9812	No. of	1			
		pages				· ·
Phones		Detec	6/23/10	6/28	30/10	-
Re:	Silo and Software Information	CC:		·		<del></del>
Urgent	☐ For Review ☐ Please Con	whent	☐ Please Re	opły 🗆	Please Recyc	le .
Tammie,						<del></del> -
Here is th	e information on the silo:					
Marion Ba	atch Paddle Mixer Model #HPC-722	40 :	SN #06002	Value is	\$250,000.00	
The softw	are information:					
Intouch D	evelopment/Runtime 64 tag Serial #8	60 <b>66</b> 3-1	Value	is \$17, <del>664</del>	.00	
If you have you.	acion Batch T ACION Batch T ACION H HPC	act me at	(813) 309-072 DU JJ40	4. Thank	Cer	
	SN#UOUD		·			

In Touch Development/Runtine 64-thg

Speinkler Systems on Jard  to prevent Dust;  Precentions used for Discharge from  Sito to teucks is a Booting  Application  RECEIVE	Check one:		
Check all precautions to be used for the management of roads, parking areas, stock piles and yards:    Pave Roads	Stationary Facility	Relocatable Facility	
Check all precautions to be used for the management of roads, parking areas, stock piles and yards:    Pave Roads	er (a. 1. a.) and the second of the second and the second	The state of the s	and the subsequent of the subsequent and reference from the subsequence of the subsequenc
Pave Roads   Pave Roads   Pave Parking Areas   Pave Yards   Pave Yards   Pave Parking Areas   Pave Yards   Pave Yards   Pave Yards   Pave Yards   Pave Yards   Pave Yards   Pave Parking Areas   Pave Yards   Pave Yards   Pave Yards   Pave Parking Areas   Pave Yards   Pave Parking Areas   Pave Yards   Pave Yards   Pave Parking Areas   Pave Yards   Pave Yards   Pave Parking Areas   Pave Yards   Pave Yards   Pave Yards   Pave Parking Areas   Pave Parking Areas   Pave Yards   Pave Parking Areas   Pave Yards   Pave Parking Areas   Pave Parking Are			
Maintain Roads Parking A ands   Else Water application   Install Wind Breaks   Remove Particulate Matter   Reduce Stock Pile Height   Install Wind Breaks     Check all precautions to be used for the management of drop points to tracks:   Reclosure   Partial enclosure     Partial enclosure   Reasonable Precautions     School of Reasonable Precautions   School of Reasonable Precautions to be used to previountified emissions at the facility.   Plinkled System's ON FARD     The Partial enclosure   Reclosure     Partial enclosure   Reasonable precautions to be used to previountified emissions at the facility.   Plinkled System's ON FARD     The Partial enclosure   Reclosure     Pa			
Check all prevautions to be used for the management of drop points to trucks:  Spray Bar  Chute  Partial enclosure  Description of Reasonable Precautions selow, or as an attachment to this form, provide details of all types of reasonable precautions to be used to previncentined emissions at the facility.  Check all prevautions to be used for the management of drop points to trucks:  Partial enclosure  Description of Reasonable Precautions  The partial enclosure  Description of Reasonable Precautions to be used to previncential emissions at the facility.  Check all prevautions to be used for the management of drop points to trucks:  Chut and prevaution of Reasonable Precautions to be used to previncential emissions at the facility.  Check all prevautions to trucks:  Chut and prevaution of Reasonable Precautions to be used to prevalent to this torm, provide details of all types of reasonable precautions to be used to prevalent to the facility.  Chut and prevaution of Reasonable Precautions  RECEIVE  THE 16 2010	Maintain Roads Parking/Yards		
Espray Bar    Partial enclosure   Partial encl	[ ] Remove Particulate Matter	Reduce Stock Pile Height	Install Wind Breaks
Description of Reasonable Precautions Sclow, or as an attachment to this form, provide details of all types of reasonable precautions to be used to prevince of the previous at the facility.  The previous of	Check all precautions to be used for the		
Description of Reasonable Precautions Selew, or as an attachment to this form, provide details of all types of reasonable precautions to be used to previncentified emissions at the facility.  CAPPINNLER SYSTEMUS ON GARD  TO PREVENT DUST;  PRECAUTIONS LISED For DISCLAREGE FROM  SITO TO HEUCKS IS A BOOTING  RECEIVE  THE 2010  THE 2010  THE 2010	Spray Bar		[ ] Enclosure
Schw. or as an attachment to this form, provide details of all types of reasonable precautions to be used to prevince of missions at the facility.  Speinfler Systemis ON GARD  TO PREVENT DUST;  PRECAUTIONS USED For DischarGe From Sito to the works is A Booting  RECEIVE  Application  RECEIVE		Partial enclosure	таритунун байын байга жайтын байган байт байган
Schw. or as an attachment to this form, provide details of all types of reasonable precautions to be used to prevince of missions at the facility.  Speinfler Systemis ON GARD  TO PREVENT DUST;  PRECAUTIONS USED For DischarGe From Sito to the works is A Booting  RECEIVE  Application  RECEIVE	Description of Reasonable Precautions	<b>:</b>	
Speinkler Systems on Jaro  to prevent Dust;  Preconctions used for Discharge from  Sito to trucks is a Booting  Application  RECFIVE  1012 16 2010	Below, or as an attachment to this form.	and the state of t	ble precautions to be used to preven
Alecautions used for Discharge from Silo to trenchs is a Booting Application  RECEIVE	unconfined emissions at the facility.		^
Alecautions used for Discharge from Silo to trenchs is a Booting Application  RECEIVE	(300° 111 0 C	octrni 1 av	(hon
Alecautions used for Discharge from Silo to trenchs is a Booting Application  RECEIVE	DRINKLOK S	Making or	THED
Alecautions used for Discharge from Silo to trenchs is a Booting Application  RECEIVE		1	
ARCOPULATIONS USED For DischarGe Home Sito to teucks is A Booting  RECEIVE THE 16 2010	to parit	Mist'	
ARCOPULATIONS USED For DischarGe Home Sito to teucks is A Booting  RECEIVE THE 16 2010	10 parter		
Silo to trocks is A Booting  Application  RECEIVE  TUL 16 2010	``	O Dec	lapso from
Silo to trocks is A Booting  Application  RECEIVE  TUL 16 2010	LACCEMENTICIOS L	ISED for DISC	SICIRCIL 186.
Application  RECFIVE  COL 16 2010  Durage of All Months	7100 700 1000	inc , 10 1	Scaling
Application  RECFIVE  COL 16 2010  Durage of All Months	Silv to teuc	KS IS A C	500mm
Application  RECFIVE  COL 16 2010  Durage of All Months	ONO ,C ,		
RECEIVE TO 16 2010 Turezu of All Monito			
RECEIVE TO 16 2010 Turezu of All Monito	raphon kick		
ั <b>น</b> าออน			RECEIVE
Bungau of Arthrofits			
			TUL 1 6 2010
			Turosu of All Worldon

Whn: MR Dickson 850-922-1979

Description of Facility

Below, or as an attachment to this form, provide a description of the concrete batching plant operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe all air pullntant-emitting processes and equipment at the facility, and identify any air pollution control measures or equipment used.

Belgrade Stos: Ench Silo Has 's and die filter in System which Will Contain 16 Socks per Sito We will not Be cleaning those Preventative maintenance. ilo is self centained ter Quality air Control" Socks the manufactured By Belgrade 5,000 LBS Sito#1-FlyAsh 5,000 165 S10#Z. - Portland

RECEIVE

TIL 1 6 2010



# SILO#1 BAGHOUSE

JUL 1 6 2010

Rureau of Air Monttonic Mobile Source

#### Manufacturer & Model No. (if available) Point Number (from flow diagram) Beigrade Steel Tank Co. - Belle 150 Type of Particulate Controlled Name of Abatement Device Belle 150 Dust House Cement Dust GAS STREAM CHARACTERISTICS Flow Rate (acfm) Gas Stream Temperature (°F) Particulate Grain Loading (grain/scf) Inlet Outlet Design Maximum | Average Expected N/A 375 375 Ambient 0.01 Water Vapor Content of Fan Requirements Pressure Drop Effluent Stream (lb water/lb dry air) (cubic filmin) (in H2Q) (hp) 5" Ambient N/A N/A PARTICULATE DISTRIBUTION (by weight) Outlet Micron Range Inlet 0.0 - 0.50% 99.98% 0.5 - 1.03% 0.02% 17% 1.0 - 5.00.00% 5.0 - 10.018% 0.00% 10.0 - 20.0 21% 0.00% over 20.0 41% 0.00% FILTER CHARACTERISTICS Filtering Velocity Bag Diameter Bag Length Number of Bags Number of Compartments (acfm/sq ft of cloth) (inches) (inches) In Baghouse 8" 48" 2.5 Bag rows will be: Walkways will be provided between banks of bags: Staggered Na Filtering Material: PE 37 100% Polyester 9oz. Describe Bag Cleaning Method and Cycle: Air Vibrator Shaker Capital Installed Cost: **S2**.100 **Annual Operating Cost:** \$50

**FABRIC FILTERS** 

07/16/10 - REMOVED FROM LONG VERM
RESERVE SHUT DOWN - ACTIVE PER OAR.

Ju	ıl 16 10 11:42	?a	A Plus	Concrete		
	JUL-16-201	0(FR1)	09:34	BELGRADE	STEEL	TANK
		^				

To: M/R. Dichson

RECETVEL

원ureau of Air Monitorin-& Mobile Sources

Sil	D#Z BA	GHOUSE FABRIC	FILTERS		Bureau of Air Moniti & Mobile Source	
	lumber (from flaw di		Manufacturer & Model No. (if available)			
	·		Belgra	de Steel Tank Co	Belle 225	
Nar	ne of Abatement Dev	vice	Туре	of Particulate Co	ntrolled	
	Belle 225 Dust House		<u> </u>	Cement Dust		
		SAS STREAM C	HARACTERISTIC:	3		
Flow Ra	te (acfm)	Gas Stream T	emperature (°F)	Particulate Grain	Loading (grain/scf)	
Design Maximum	Average Expected			Inlet	Outlet	
675	675	An	nbient	N/A_	0.01	
Pressu	re Drop	Water Vapo	or Content of	Fan Re	quirements	
(in )-	120)	Effluent Stream	(lb water/lb dry air)	(hp)	(cubic ft/min)	
5	34	Ап	nbient	N/A	N/A	
		PARTICULATE	DISTRIBUTION			
·		(by s	weight)	•		
Micron	Range	Inlet		Outlet		
0.0	- 0.5	0%		99.98%		
0.5 -	- 1.0	3%		0.02%		
1.0 -	5.0	17%		0.00%		
5.0 -	10.0	1	8%	0.00%		
10.0 -	- 20.0	21%		0.00%		
over	20.C	4	1%	0.00%		
		FILTER CHAP	RACTERISTICS			
Filtering Velocity	Bag Diameter	Bag Length	Number of Bags	Number of	Compartments	
acfm/sq ft of cloth)	(inches)	(inches)		in Baghouse		
3	8	72"	18	1		
ag rows will be:			Walkways will be pro	ovided between ba	inks of bags:	
	Staggered	· · · · · · · · · · · · · · · · · · ·	<u></u>	No		
iltering Material:	PE 37 100% Palyester	9oz.				
lescribe Bag Cleani	ng Method and Cycl	e:	Air Vibrator Shaker			
apital Installed Cos	t:	\$2,400	Annual Operating Co	ost:	\$50	

Dichson

Nong Term Reserver SHUTDOWN.

We will be actively Using the M.

Silos They Are no Tonger intotive. Mr. Dichson





મનીકિમીતાનિયમિતીનીયમિત્રીયમિત્રીયમિત્રીયમિત્રીયમિ

Dept. of Environmental Protection 2600 Blaire Stone Road.

Allahassee, FL 32399-2400