

**PERCHLOROETHYLENE DRY CLEANERS
AIR GENERAL PERMIT EXAMPLE REGISTRATION WORKSHEET**

Facility Identification Number - If known (seven digit number)

— 9500852 1030423-004

Registration Type

Check one:

INITIAL REGISTRATION - Notification of intent to:

- Construct and operate a proposed new facility.
- Operate an existing permitted facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit). If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. (See "Surrender of Existing Air Operation Permit(s)" below.)
- Operates an existing facility not currently permitted or using an air general permit.

RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to:

- Continue operating the facility after expiration of the current term of air general permit use.
- Continue operating the facility after a change of ownership.
- Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C.
- Any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.

Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only, if Applicable

All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s):

General Facility Information

Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)

— PINELLAS TEXTILES, INC

Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a complete registration must be submitted for each.)

— VOGUE CLEANERS

Facility Location (Physical location of the facility, not necessarily the mailing address.)

Street Address: — 3226 FIFTH AVE SOUTH
City: ST PETERSBURG County: PINELLAS Zip Code: 33712-1480

Facility Start-Up Date (Estimated start-up date of proposed new facility.)(N/A for existing facility.)

— 12-1-1995

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
2012 MAR -7 AM 10:40
FINANCE & ACCOUNTING REVENUE

Facility Contact

Name and Position Title (Plant manager or person to be contacted regarding day-to-day operations at the facility.)

Print Name and Title: WALTER O SZEZIL, PRESIDENT

Facility Contact Telephone Numbers

Telephone: 727-327-8811 Fax: NONE

Cell phone: 941-730-9029

E-mail: szezilx@yahoo.com

Facility Contact Mailing Address

Organization/Firm: VOGUE CLEANERS
Mailing Address: 3226 FIFTH AVE SOUTH
City: ST PETERSBURG FL County: FL Zip Code: 33712

Correspondence Contact/Representative (to serve as additional Department contact)

Name and Position Title

Print Name and Title: WALTER O SZEZIL

Correspondence Contact/Representative Telephone Numbers

Telephone: 727-327-8811 Fax: NONE

Cell phone: 941-730-9029

E-mail: szezilx@yahoo.com

Correspondence Contact/Representative Mailing Address

Organization/Firm: same
Mailing Address: same
City: same County: same Zip Code: same

Government Facility Code (check only one)

- Facility not owned or operated by a federal, state, or local government.
- Facility owned or operated by the federal government.
- Facility owned or operated by the state.
- Facility owned or operated by the county.
- Facility owned or operated by the municipality.
- Facility owned or operated by a water management district.

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
2013 MAR - 7 AM 10:40
FINANCE & ACCOUNTING REVENUE

Facility Information

1.(a) DRY-TO-DRY MACHINES

How many dry-to-dry machines do you have on-site? [2]

For each dry-to-dry machine on-site, please provide the following information:

DATE MACHINE INSTALLED	UNIT CLASS (Check one)	CONTROL DEVICE (see key)	DATE CONTROL DEVICE INSTALLED
OCT 2010	<input checked="" type="checkbox"/> New <input type="checkbox"/> Existing	RC	original OEM
OCT 2011	<input checked="" type="checkbox"/> New <input type="checkbox"/> Existing	RC	original OEM
	<input type="checkbox"/> New <input type="checkbox"/> Existing		
	<input type="checkbox"/> New <input type="checkbox"/> Existing		
	<input type="checkbox"/> New <input type="checkbox"/> Existing		

Control Device Key: RC = Refrigerated Condenser CA = Carbon Adsorber NR =None Required

1. (b) Is the facility a co-residential Dry Cleaning facility?

Yes No

For each dry-to-dry machine located at a co-residential facility Dry Cleaning facility, please provide the following information:

DATE MACHINE INSTALLED	UNIT CLASS (Check one)	PERC DRY CLEANING MACHINE	CONTROL DEVICE (see key)	VAPOR BARRIER ENCLOSURE
	<input type="checkbox"/> New <input type="checkbox"/> Existing	<input type="checkbox"/> YES <input type="checkbox"/> NO		<input type="checkbox"/> YES <input type="checkbox"/> NO
	<input type="checkbox"/> New <input type="checkbox"/> Existing	<input type="checkbox"/> YES <input type="checkbox"/> NO		<input type="checkbox"/> YES <input type="checkbox"/> NO
	<input type="checkbox"/> New <input type="checkbox"/> Existing	<input type="checkbox"/> YES <input type="checkbox"/> NO		<input type="checkbox"/> YES <input type="checkbox"/> NO
	<input type="checkbox"/> New <input type="checkbox"/> Existing	<input type="checkbox"/> YES <input type="checkbox"/> NO		<input type="checkbox"/> YES <input type="checkbox"/> NO
	<input type="checkbox"/> New <input type="checkbox"/> Existing	<input type="checkbox"/> YES <input type="checkbox"/> NO		<input type="checkbox"/> YES <input type="checkbox"/> NO

Control Device Key: RC = Refrigerated Condenser CA = Carbon Adsorber NR =None Required

2. Perchloroethylene Usage

If this is an initial registration for a perchloroethylene dry cleaner, provide an estimate of the facility's expected amount of perchloroethylene to be used over the next 12-month period.

If this is a re-registration for a perchloroethylene dry cleaner, provide the amount of perchloroethylene used the most recent 12 months.

75 gallons

3. Provide information on all steam and hot water generating units (boiler) on-site or that no such units exist on-site.

No steam and hot water generating units (boiler) onsite

BOILER	HORSEPOWER	FUEL TYPE*
INDUSTRIAL	15 hp	natural gas
HURST	15 hp	natural gas
HURST	15 hp	natural gas

*Fuel Type – propane, No. 2 fuel oil, No. 4 fuel oil, No. 6 fuel oil, natural gas, electric, or other

FINANCE & ACCOUNTING
 REVENUE
 2013 MAR -7: AM 10: 40
 FLORIDA DEPARTMENT OF
 REVENUE

7. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

- I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are 1030423-002-AG.
- No DEP air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

WALTER O SZEEZIL

Print name of responsible official

Walter O Szeezil.

Signature

3/1/2013

Date

FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION
2013 MAR -7 AM 10:40
FINANCE & ACCOUNTING
REVENUE

**TITLE V AIR QUALITY AIR GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

AIRS ID	<u>103 0423</u>	DATE:	<u>12/18/03</u>	TIME IN:	<u>10:44 a.m.</u>	TIME OUT:	<u>11:10 a.m.</u>
FACILITY NAME:	<u>Pinellas Textiles, Inc. 9500852</u>						
FACILITY LOCATION:	<u>3226 5th Avenue South, St. Petersburg, 33712</u>						
RESPONSIBLE OFFICIAL:	<u>Walter O. Szeezil</u>	PHONE NUMBER:	<u>727-327-8811</u>				
Permit No.	<u>1030423-002-AG</u>	Exp. Date:	<u>4/16/2008</u>				

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in **compliance** with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following **compliance discrepancies** were noted:

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated record keeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve-month total.	Develop and implement a record keeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perchloroethylene, and perchloroethylene containing waste in tightly sealed containers.	Store all perchloroethylene and perchloroethylene-containing waste in tightly sealed containers, which are impervious and chemically un-reactive to the solvent.
<input type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.

FLORIDA DEPARTMENT OF
 ENVIRONMENT
 2008 MAR 17 AM 00:40
 RECEIVED
 INSPECTION

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions.
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cool down period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cool down period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylene containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

Comments:

observed cool down 7°C

If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.

The Annual Compliance Certification form has been properly certified and submitted to the inspector. Yes No


DATE OF NEXT INSPECTION

12/18/04
(Approximate)

INSPECTION CONDUCTED BY:

Jeff Morris
(Please Print)

INSPECTOR'S SIGNATURE:



PHONE NUMBER: 464-4422