



# Department of Environmental Protection

Jeb Bush  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

David B. Struhs  
Secretary

March 30, 2000

Mr. Don Kelly  
Wash and Dry Station  
9784 66<sup>th</sup> Street North  
Pinellas Park, Florida 33782

Re: Facility No.: 1030426-002

Dear Mr. Kelly:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on February 28, 2000.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

  
Dotty Diltz, Chief  
Bureau of Air Monitoring  
and Mobile Sources

DD/jw


cc: Mr. Gary Robbins, Pinellas County

WASH & DRY STATION  
9784 66<sup>th</sup> ST N  
PINELLAS PARK  
FLORIDA 33782  
MAY 17<sup>th</sup> 2000

DOTTIE DILTZ  
BUREAU OF AIR MONITORING  
TALLAHASSEE

PLEASE NOTE THAT THE WASH & DRY STATION LOCATED AT 9784 / 9756 66<sup>th</sup> ST N. PINELLAS PARK - 33782 HAS CHANGED HANDS. I THEREFOR WILL BE RESCINDING MY PERMIT ON MAY 17<sup>th</sup> 2000, AND THE NEW OWNER WILL BE OPERATING UNDER HIS OWN TITLE V PERMIT. I HAVE ALREADY CONTACTED THE LOCAL ENVIRONMENTAL AGENT AND HE WILL BE COMING OVER TO MAKE OUT THE FORMS AND RECEIVE HIS COPIES.

SINCERELY



PRESIDENT

Bureau of Air Monitoring  
Mobile Sources

JUN - 7 2000

RECEIVED

PERCHLOROETHYLENE DRY CLEANER  
AIR GENERAL PERMIT NOTIFICATION FORM

RECEIVED  
FEB 28 2000  
Bureau of Air Monitoring  
& Mobile Sources

Part III. Notification of Intent to Use General Permit

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): <i>UNCHAINED ENTERPRISES INC.</i>
2. Site Name (For example, plant name or number): <i>WASH &amp; DRY STATION</i>
3. Hazardous Waste Generator Identification Number:
4. Facility Location: Street Address: City: <i>9784 66<sup>th</sup> ST N</i> County: <i>PINELLAS</i> Zip Code: <i>FL 33782</i>
5. Facility Identification Number (DEP Use ONLY - do not fill in): <i>1030426-002</i>

Responsible Official

6. Name and Title of Responsible Official: Name: <i>DON KELLY</i> Title: <i>PRESIDENT</i>
7. Responsible Official Mailing Address: Organization/Firm: Street Address: <i>9784 66<sup>th</sup> ST N</i> City: <i>PINELLAS PARK</i> County: <i>Pinellas</i> Zip Code: <i>33782</i>
8. Responsible Official Telephone Number: Telephone: <i>(727) 541-0639</i> Fax: ( ) -

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):
10. Facility Contact Address: Street Address: City: County: Zip Code:
11. Facility Contact Telephone Number: Telephone: <i>(727) 541-0639</i> Fax: ( ) -

1030426-002

P16

3. "All steam and hot water generating units exempt" should be marked. Mark put "No such units and initial."

**Facility Information**

**1.(a) DRY-TO-DRY MACHINES ONLY**

How many dry-to-dry machines do you have on-site? 1

1  
[ 1 ]

For each dry-to-dry machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
5/1/81	Existing	RC/CA/None required	5/1/81
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

\*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

**1.(b) TRANSFER MACHINES ONLY**

How many washers do you have on-site? [ ]

How many dryers/reclaimers do you have on-site? [ ]

If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an **EXISTING** unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a **NEW** unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

\*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

2.(a) How much perchloroethylene (perc) have you used within the last 12 months?

[ 20 ] gallons (You must fill this in)

(b) If less than 12 months, how many? [ 8 ] months

Check why it is less than 12 months: New owner: [ ] Did not keep records: [ ]

New store: [ ] New machine [ ]

Unopened store [ ] (date of expected opening \_\_\_\_\_)

3. What is the facility's source classification based on the definitions found in section (3) of Part II? Indicate with an "X". Select one classification only.)

- Small Area Source
- Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)
  - Transfer only on-site (used less than 200 gallons of perc per year)
  - Both machine types on-site (used less than 140 gallons of perc per year)
- Large Area Source
- Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)
  - Transfer only on-site (used 200 - 1,800 gallons of perc per year)
  - Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)

- |  |   |
|--|---|
| <u>Existing machines at small area source</u><br>(NONE REQUIRED) <input checked="" type="checkbox"/>   | <u>New machines at small area source</u><br>Refrigerated condenser <input type="checkbox"/> |
| <u>Existing machines at large area source</u><br>Carbon adsorber <input type="checkbox"/><br>Refrigerated condenser <input type="checkbox"/> | <u>New machines at large area source</u><br>Refrigerated condenser <input type="checkbox"/> |

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt  OR  
No such units on-site

How many boilers do you have on-site?

For each boiler, indicate its horsepower (HP) rating:

What type of fuel do you use?  propane  natural gas  
 No. 2 fuel oil  No. 4 fuel oil  
 No. 6 fuel oil  Other (please list) \_\_\_\_\_

6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases/solvent addition log
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Startup, shutdown, malfunction plan

7. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:


- I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are \_\_\_\_\_
- No DEP air permits currently exist for the operation of the facility indicated in this notification form.

**Responsible Official Certification**

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

Don Kelly  
Print name of responsible official

  
Signature

2/25/00  
Date

*[Handwritten Signature]*

**TITLE V AIR QUALITY AIR GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

**TYPE OF INSPECTION:** ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

AIRS ID#: <u>1030426</u>	DATE: <u>8/29/00</u>	TIME IN: <u>11:12 a.m.</u>	TIME OUT: <u>11:45 a.m.</u>
FACILITY NAME: <u>Unchained Enterprises, Inc. (dba Wash &amp; Dry Station)</u>			
FACILITY LOCATION: <u>9784 66th Street North</u> <u>Pinellas Park, FL, 33782</u>			
RESPONSIBLE OFFICIAL: <u>Peter Katulski</u>		Phone No.: <u>(727) 541-0639</u>	
Permit No. <u>1030426-003-AG</u>		Exp. Date: <u>5/13/2005</u>	

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance **discrepancies** were noted (only items which are checked):

**Inspection Summary Report Guidance**

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.



	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylen-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

Comments: \_\_\_\_\_

*If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.*

Inspection Conducted by: Jeff Morris

Inspector's Signature: 

Phone Number: 464-4422

**PERCHLOROETHYLENE DRY CLEANERS  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST**

**TYPE OF INSPECTION:** ANNUAL  RE-INSPECTION  COMPLAINT/DISCOVERY

<b>AIRS ID#:</b> <u>1030426</u>	<b>Date:</b> <u>8/29/00</u>	<b>TIME IN:</b> <u>11:12am</u>	<b>TIME OUT:</b> <u>11:45am</u>
<b>FACILITY NAME:</b> <u>Unchained Enterprises, Inc.</u>			
<b>FACILITY LOCATION:</b> <u>9784 66th Street North</u> <u>Pinellas Park, FL, 33782</u>			
<b>RESPONSIBLE OFFICIAL:</b> <u>Peter Katulski</u>		<b>PHONE:</b> <u>(727) 541-0639</u>	
<b>CONTACT:</b> <u>Peter Katulski</u>		<b>PHONE:</b> <u>(727) 541-0639</u>	

<b>PART I: NOTIFICATION</b>	
(Check appropriate box)	
1. Existing facility notified DARM By 9/1/96	<input type="checkbox"/>
2. New facility notified DARM 30 days prior to startup <i>(facility notified 5/13/00)</i>	<input checked="" type="checkbox"/>
3. Facility failed to notify DARM to use general permit	<input checked="" type="checkbox"/>

<b>PART II: CLASSIFICATION</b>	
Facility indicated on notification form that it is: (Check appropriate box)	
<input type="checkbox"/> No notification form	
<input type="checkbox"/> Drop store / out of business / petroleum	
<b>A.</b>	
1. Existing small area source <input checked="" type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr <i>(Constructed before 12/9/91)</i>	2. New small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr <i>(Constructed on or after 12/9/91)</i>
3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 < x < 2,100$ gal/yr transfer only, $200 < x < 1,800$ gal/yr both types, $140 < x < 1,800$ gal/yr <i>(Constructed before 12/9/91)</i>	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 < x < 2,100$ gal/yr transfer only, $200 < x < 1,800$ gal/yr both types, $140 < x < 1,800$ gal/yr <i>(Constructed on or after 12/9/91)</i>
This is a correct facility classification: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> Can not determine	
If no, please check the appropriate classification:	
<input type="checkbox"/> facility qualified for a general permit as number _____ above	
<input type="checkbox"/> facility exceeds above limits and is not eligible for a general permit	
<b>B.</b> The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was <u>25</u> gallons.	

### PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  NA
2. Examining the containers for leakage?  Y  N  NA
3. Closing and securing machine doors except during loading/unloading?  Y  N
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  NA
5. Maintaining solvent-to- carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  NA

### PART IV: PROCESS VENT CONTROLS

#### In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

#### A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

1. Equipped all machines with the appropriate vent controls?  Y  N
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  NA
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  NA
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  NA
6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  NA  
 Is the temperature differential equal to or greater than 20° F?  Y  N  NA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  NA  
 Is the perc concentration equal to or less than 100 ppm?  Y  N  NA
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc. concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend contraction, or expansion; and downstream from no other inlet?  Y  N  NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  NA
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  NA

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
  - a. documentation of leaks repaired w/in 24 hrs? or; *(temperature sensor refrigerated)*  Y  N  NA
  - b. documentation of parts ordered to repair leak and leak repaired *condenser repaired 8/7/02* w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  NA
4. Maintained calibration data? *(for direct reading instrument only)*  Y  N  NA
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  NA
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  NA  
 Problem corrected?  Y  N  NA
8. Maintained compliance plan, if applicable?  Y  N  NA

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks:

- |   |  |                          |  |
|---|--|--------------------------|--|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers             | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Door gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills                   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Filter gaskets and seating                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators                                | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |                          |  |

4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent of exterior surfaces)
  - Physical detection (airflow felt through gaskets)
  - Odor (noticeable perc odor)
  - Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
  - Halogen leak detector

**If using direct-reading instrumentation, is the equipment:**

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm.  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only).  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clear and secure area when not in use.  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Jeff Morris  
Inspector's Name (Please Print)

[Signature]  
Inspector's Signature

8/29/00  
Date of Inspection

2/29/2001  
Approximate Date of Next Inspection



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

403239

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID # 1030426  
WASH & DRY STATION  
SILVIA KATULSKI  
9784 66TH STREET NORTH  
PINELLAS PARK FL 33782

*1-19-01 pd*

RECEIVED  
MAIL ROOM  
JAN 19 01

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: A1  
Fund: 20-2-035001  
Obj.: 002273