

PERCHLOROETHYLENE DRY CLEANER
AIR GENERAL PERMIT NOTIFICATION FORM

RECEIVED
MAR 27 2009
Bureau of Air, Water, and
Mobile Sources

Part III. Notification of Intent to Use General Permit

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

3/27/09 - per
telecon w/
CONTRACTOR
E. PAULEY
DK

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	Pacer Inc. d.ba. - STERLING CLEANERS
2. Site Name (For example, plant name or number):	4th Street
3. Hazardous Waste Generator Identification Number:	FLD040208480
4. Facility Location: Street Address: City: St. Petersburg County: Pinellas Zip Code: 33704	1800 4th Street N.
5. Facility Identification Number (DEP Use ONLY - do not fill in):	1030466-004

Responsible Official

6. Name and Title of Responsible Official: Name: Ashli CARUBBS Title: Owner	
7. Responsible Official Mailing Address: Organization/Firm: Street Address: 1800 4th Street N. City: St. Petersburg County: Pinellas Zip Code: 33704	
8. Responsible Official Telephone Number: Telephone: (727) 822-3159 Fax: (727) 822-1607	

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):	Elizabeth Pauley
10. Facility Contact Address: Street Address: City: St. Petersburg County: Pinellas Zip Code: 33704	1800 4th Street North
11. Facility Contact Telephone Number: Telephone: (727) 822-3159 Fax: (727) 822-1607	

Facility Information

1.(a) DRY-TO-DRY MACHINES ONLY

How many dry-to-dry machines do you have on-site?

For each dry-to-dry machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
Nov 1999	Existing/New	RC/CA/None required	Same
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

8/23/09
 SEE ATTACHED E-MAIL AS AN ADDENDUM TO THIS APPLICATION. DD

CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

1.(b) TRANSFER MACHINES ONLY

How many washers do you have on-site? Petroleum

How many dryers/reclaimers do you have on-site?

If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an **EXISTING** unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a **NEW** unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

2.(a) How much perchloroethylene (perc) have you used within the last 12 months?

gallons (You must fill this in)

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: Did not keep records:

New store: New machine

Unopened store (date of expected opening _____)

* ADDENDUM TO APPLICATION
DATED MAR 27, 2009, ASRS ID# 1030466-004

Dibble, Dickson

From: Elizabeth [epclean@fdn.com]
Sent: Friday, March 27, 2009 1:57 PM
To: Dibble, Dickson

PAGE 15

Mr. Dribble,

1A - Purchase of DC Machine.

We have looked for a manufacturers' date on the machine and cannot locate one. My accounting records indicate the machine was purchased new in 1999. It would have been installed in November.

Please let me know if you need any other information.

Elizabeth Pauley
Controller

3. What is the facility's source classification based on the definitions found in section (3) of Part II?
 Indicate with an "X". Select one classification only.)

- Small Area Source
- Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)
 - Transfer only on-site (used less than 200 gallons of perc per year)
 - Both machine types on-site (used less than 140 gallons of perc per year)
- Large Area Source
- Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)
 - Transfer only on-site (used 200 - 1,800 gallons of perc per year)
 - Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?
 (Indicate with an "X".)

- | | |
|--|---|
| <u>Existing machines at small area source</u>
(NONE REQUIRED) <input checked="" type="checkbox"/> | <u>New machines at small area source</u>
Refrigerated condenser <input type="checkbox"/> |
| <u>Existing machines at large area source</u>
Carbon adsorber <input type="checkbox"/>
Refrigerated condenser <input type="checkbox"/> | <u>New machines at large area source</u>
Refrigerated condenser <input type="checkbox"/> |

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt OR
 No such units on-site

How many boilers do you have on-site?

For each boiler, indicate its horsepower (HP) rating:

What type of fuel do you use? propane natural gas
 No. 2 fuel oil No. 4 fuel oil
 No. 6 fuel oil Other (please list) _____

6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases/solvent addition log
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Startup, shutdown, malfunction plan

7. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

- I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are _____.
- No DEP air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.


Ashli Grobbs
Print name of responsible official

Ashli Grobbs
Signature

3/25/09
Date

Olsen Inc.

1808 4th Street N.
St. Petersburg FL
33704



General Permits Section
attn: Dijon Dribbbs
Dept. of Environmental Protection
Bureau of Air Monitoring MS 5510
2600 Blair Stone Road
Tallahassee FL 32399-2400