

Florida Department of Environmental Protection

Bob Martinez Center 2600 Blair Stone Road Tallahassee, Florida 32399-2400 Charlie Crist Governor

Jeff Kottkamp Lt. Governor

Michael W. Sole Secretary

December 3, 2007

Mr. Douglas Minkel AAA Printing, Incorporated 6801 114th Avenue North Largo, Florida 33773

Dear Mr. Minkel:

This is to acknowledge that your notification of intent to use the authority of Rule 62-210.310 to operate your facility was received on October 25, 2007. We have assigned ARMS Number 1030488-007 to this facility.

As you know, pursuant to Florida Statutes section 403.814, authority to operate under general permits commences thirty days after receipt of the registration form unless you have been notified by this office that your facility has not shown entitlement to operate pursuant to the rule provisions.

For your information, authority to operate pursuant to Rule 62-210.310 expires after 5 years. Therefore, a new registration form must be received no later than 5 years after the date your notice was received as indicated above. If your general permit rule conditions require testing, such testing must be completed within the time frame specified in the rule.

If you have any additional questions, please contact Dickson Dibble at 850/921-9586.

Sincerely,

Sandra F. Veazey, Chief Bureau of Air Monitoring

and Mobile Sources

SFV/pg

cc: Mr. Gary Robbins, Pinellas County

ייר כו / דר

PRINTING OPERATIONS AIR GENERAL PERMIT REGISTRATION FORM

Part II. Notification to Permitting Office

(Detach and submit to appropriate permitting office; keep copy onsite)

Instructions: To give notice to the Department of an eligible facility's intent to use this air general permit, the owner or operator of the facility must detach and complete this part of the Air General Permit Registration Form and submit it to the appropriate Department of Environmental Protection or local air pollution control program office which has permitting authority. Please type or print clearly all information, and enclose the appropriate air general permit registration processing fee pursuant to Rule 62-4.050, F.A.C. (\$100 as of the effective date of this form)

Registration Type		100 700 00	<u> </u>
Check one:			•
INITIAL REGISTRATION - Notificat ☐ Construct and operate a proposed ne ☐ Operate an existing facility not curre air operation permit to an air general	ew facility. ently using an air general pe	permit (e.g., a facility proposing to go from an	
RE-REGISTRATION (for facilities cur Continue operating the facility after Continue operating the facility after Make an equipment change requiring other change not considered an admi	expiration of the current te a change of ownership. g re-registration pursuant to	orm of air general permit use. To Rule 62-210.310(2)(e), F.A.C., or any	Sureau & M
Surrender of Existing Air Operation Pe	rmit(s) - For Initial Regis	strations Only	ot Air obile _f
or operator upon the effective date of this a operation permits being surrendered. If no	air general permit. In such air operation permits are he this facility are hereby sur umber(s):		Sureau of Air Monitorin, & Mobile Sources
General Facility Information			_
Facility Owner/Company Name (Name of operates, controls, or supervises the facility AAA Printing, Inc.		dividual owner who or which owns, leases,	
Site Name (Name, if any, of the facility sit owned, a registration form must be comple AAA Printing		s Plant, etc. If more than one facility is	
Facility Location (Provide the physical loc		ecessarily the mailing address.)	
Street Address: 6801 114th Avenue I	North County: Pinellas	Zip Code: 33773	
City: Largo	County: Fineiras	Zip Code: 33113	

DEP Form No. 62-210.920(1)(f) Effective: January 10, 2007

Facility Start-Up Date (Estimated start-up date of proposed new facility.) (N/A for existing facility) N/A

DEP Form No. 62-210.920(1)(f) Effective: January 10, 2007 Owner/Authorized Representative

Name and Position Title (Person who, by signing this form below, certifies that the facility is eligible to use this

air general permit.)

Print Name and Title: Douglas Minkel, Corporate Secretary

Owner/Authorized Representative Mailing Address

Organization/Firm: AAA Printing, Inc.
Street Address: 6801 114th Avenue North

City: Largo

County: Pinellas

Zip Code: 33773

Owner/Authorized Representative Telephone Numbers

Telephone: (727) 544-0767 x 535

Fax: (727) 544-0765

Cell phone (optional):

Facility Contact (If different from Owner/Authorized Representative)

Name and Position Title (Plant manager or person to be contacted regarding day-to-day operations at the facility.)

Print Name and Title: Same as above

Facility Contact Mailing Address

Organization/Firm: Street Address:

City:

County:

Zip Code:

Facility Contact Telephone Numbers

Telephone:

Fax:

Cell phone (optional):

Owner/Authorized Representative Statement

I, the undersigned, am the owner or authorized representative of the owner or operator of the facility addressed in this Air General Permit Registration Form. I hereby certify, based on information and belief formed after reasonable inquiry, that the facility addressed in this registration form is eligible for use of this air general permit and that the statements made in this registration form are true, accurate and complete. Further, Lagree to operate and maintain the facility described in this registration form so

This statement must be signed and dated by the person named above as owner or authorized representative

use of this air general permit and that the statements made in this registration form are true, accurate and complete. Further, I agree to operate and maintain the facility described in this registration form so as to comply with all applicable standards for control of air pollutant emissions found in the statutes of the State of Florida and rules of the Department of Environmental Protection and revisions thereof.

I will promptly notify the Department of any changes to the information contained in this registration

Signature

10/22/07

Printing Process/InkType(s)
Check all that apply: ☐ Heatset Offset Lithographic ☐ Screen or Letterpress ☐ Flexographic ☐ Rotogravure ☐ Check all that apply: ☐ Non-Heatset Offset Lithographic ☐ Digital ☐ Ultraviolet Cured
Compliance Assurance - Initial Registration (Not Required for Re-Registration)
Below, or as an attachment to this form, provide the method (mass balance or material usage rates) expected to be used to demonstrate compliance with Rule 62-210.310(4)(f)2., F.A.C. Provide the estimated amount of materials containing hazardous air pollutants and solvent-containing materials expected to be used over a 12-month period.
The calculation methodolgy to be used for compliance assurance will be as described in 62-210.310(4)(f).a F.A.C., emission limits of less than 80% of the major source thresholds. The attached spreadsheet tracks all raw materials usage and calculates Total VOC's, Total HAP's, and Individual HAP's. Usage is calculated by month and as an aggregate total by year.
Since the facility has only been operating as AAA Printing under the current owners since June 2007, an actual 12-month usage and emissions total cannot be determined. However, an extrapolation of the available data allowing for 1000% growth over the 5-year life of the permit indicates that the facility's VOC and HAP usage and emissions will remain well below the eligibility thresholds. The usage and emissions estimates are attached as a separate spreadsheet. The spreadsheet shows the actual usage and emissions calculations under the facility's existing FESOP recordkeeping requirements as well as the expected emissions using the Air General Permit calculation methodology (without mitigating AP-42 factors or the control device's destruction efficiency).

DEP Form No. 62-210.920(1)(f) Effective: January 10, 2007

Compliance Determination - Re-Registration (Not Required for Initial Registration) Below, or as an attachment to this form, provide the highest 12-month total quantity of materials containing														
Below, or as an attachment to this form, provide the highest 12-month total quantity of materials containing hazardous air pollutants and the highest 12-month total quantity of solvent-containing materials used in the last five years to show compliance with sub-subparagraph 62-210.310(4)(f)2.b., F.A.C. (material usage rates) or provide all calculations to show compliance with sub-subparagraph 62-210.310(4)(f)2.a., F.A.C. (mass balance).														
N/A														
	` .													
	•													
	:													
	·													
•														

DEP Form No. 62-210.920(1)(f) Effective: January 10, 2007

Description of Facility

Below, or as an attachment to this form, provide a description of the printing operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Information should include a description of the number and types of printing processes, presses and ink systems being used at the facility. Describe all air pollutant-emitting processes and equipment at the facility, and identify any air pollution control measures or equipment used.

- 1. The process inks used contain VOC's but no HAP's, and are delivered directly to the ink units automatically from sealed totes via a pumping system. The specialty inks are manually added to the ink units, and some contain solvents with HAP's.
- 2. Harris M1000 6-unit heatset 38" web press This press operates at around 800 feet per minute, and is equipped with a single-chamber, dual-control oven that is routed to a Thermal Oxidizer which operates at approximately 1300 deg F. The process inks used on this press contain VOC's. Some of the specialty inks used on this press also contain HAP's.
- 3. UV Coater This coater uses low VOC (0% 5%) coatings. No solvent is used in this process other than the small quantity of Isopropyl Alcohol used to clean the unit.
- 4. The application of the Blanket Wash is done manually with rags. The solvent-soaked rags are stored in closed, fireproof containers throughout the press room prior to disposal. The Fountain Solution(s) are diluted with water and are automatically delivered to the wells via a closed-loop pumping and chilling system.
- 5. Pre-Press and plate preparation Aqueous developers and replenishers are used on the plates. These solutions are released to the POTW with only pH neutralization required prior to release.
- 6. The Bindery operations only involve cutting, folding, and stitching. No gluing is done at the facility. Paper scrap from the stitcher is routed to the compactor via ductwork and a vacuum system. All other paper scrap is manually delivered to the compactor.
- 7. All VOC and HAP containing raw materials and waste are stored in closed containers when not in use.

DEP Form No. 62-210.920(1)(f) Effective: January 10, 2007

	1.575,510	10.00				71														Page 3 of 3	,
RAW MATERIALS/ <u>HAP</u> S	ib/gal	% VOCs	lb/gal VOCS	Vo HAN		2007	2007	AUG 2007	SEPT 2007	TOTAL USAGE	Units	(AP-42) Lb/Yr Total VOC Emits	(AP-42) TPY VOC Emits	Lb/Yr	(AP-42) TPY HAP S Emits		General Permit Actual VOC TPY	General Permit Actual HAP TPY		1000% Growth GP VOC TPY	1000 Growt HAP
				CAL	CULAT	ION MET	HODOLO	GY (FE	SOP)			-	<u> </u>	<u> </u>	·		CA1 (01)				
	Ink V	OC and (HARO	nicolo-									T	T			CALCUL	ATION MET	HODOLO	GY (GEN'L F	PERMI
INKS	above	reflect	30% s	nission Libetra	s were	calculat	ea using the ink e	the AP	-42 Emi	ssions F	actor	for heatse emission	t lithogr	phy. Ti	e values				<u> </u>		
	1				10.000		Life iiik 3	Jivents	and 70	% rereas	sed as	emission	5.				General P	nditions of ermit no S	operatir	g under an a	Air
							1										Device Eff	īciencies w	ere used	to mitigate	the fi
	Blanks	at Wach	VOCa	nd HA	D omic	-lone we											IVUL and F	IAP tons/v	ear emic	sione Allfir	- 1 i
BLANKET WASHES	heatse	et lithog	raphy.	The v	alues :	above ref	re calcula Rect a 50	ited usi	ing the	Manual /	Applica	ation AP-4 applicati	2 Emissi	ons Fact	or for		emission v	alues equa	al total V	OC and HAP	usage
			T					70 Tete	IICIOII GI	Solvent	in the	applicati	on rags a	nd 50%			values.				
	1			·				*** * * * * * * * * * * * * * * * * * *	1	<u> </u>	† 	-	ļ								
	Founta	ain Solu	tion V	OC and	HAPe	missione	WOTO OT	lavila A					ļ <u>.</u>								
FOUNTAIN SOLUTIONS	lithogr	raphy.	The val	ues ab	ove re	flect a 30	were ca Subsi	rate re	1 using t	the AP-4	2 Emi	ssions Fac ased as er	tor for h	eatset							ļ
									Cention	and 70%	o relea	ased as er	nissions.								
	l		 	ļ											ļ						
	All oth	er raw	materi	als' em	ission	Were ca	lculated	aulth au			1										<u> </u>
ALL OTHER RAW MAT'LS	VOC ar	nd HAP	emissi	ons are	equal	to the V	OC and I	IAP usa	it emissi age.	ions fact	ors. I	n the case	of these	raw ma	terials,						
	IT								-												-
	1		 	 								·									
NOTE:	In acc	ordance	with t	he con	ditions	of AAA	Printing'	e ale es				e capture			 -						
NOTE:	efficier	icles we	ere use	d to re	duce t	he final	emission	S repor	rmit, no rted	Control	Devic	e capture	and des	ruction							
	-		<u> </u>																		
	I									***************************************											
			,		·																-
						·	-														
	j		ı———								<u> </u>										
					 	-															
						·															
		i																			
	·				l								1								
						 			1							- 1		T I		1	
																	•				
																	•				
																	•				

Page 1 of 3

AAA Printing VOC Tracking - 12 Month Rolling Average

	100000			11111111111				1		-144-144-144	440000	(AP-42)	ZAD 441V	7.00 (ADV	2. V. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	General	General	1000%	1000%
RAW MATERIALS/ <u>HAPs</u>	lb/gal	% VOCs	lb/gal	% HAPS	(b/gal	JUN 2007	JUL 2007	AUG 2007	SEPT 2007	TOTAL	Units	Lb/Yr Total VOC	(AP-42) TPY VOC		(AP-42) TPY HAP	Permit Actual VOC	Permit Actual HAP	Growth G	P. Growth GP
·			VOCS			2007	2007	2007	2007	USAGE		Emits	Emits	HAP Emits	: Emits:	TPY	TPY	VOC TPY	HAP TPY
						IN	KS	•										INKS	
Red H/S Process Ink (Tote)	8.36	41.2%	3.44			354	657	371	698	2080	Ibs	599.87	0.300			0.428		4.285	
Yellow H/A Process Ink (Tote)	7.96	42.2%	3.36			381	708	560	506	2155	lbs	636.59	0.318			0.455		4.547	
Black H/S Process Ink (Tote)	8.25	40.6%	3.35			496	920	92	585	2093	ibs	594.83	0.297			0.425		4.249	
Blue H/S Process Ink (Tote)	8.27	42.1%	3.48			255	474	556	448	1733	ibs	510.72	0.255			0:365		3.648	
TA-5333 H/S Purple	8.44	30.2%	2.55			ļ		ļ	ļ	· · · · · ·	ibs	0.00	0.000		220222	0.000		0.000	<u> </u>
TA-5011 H/S PMS Violet	8.29	31.4%	2.60				Va. 15			0	lbs	0.00	0.000			0.000		0.000	
Cobalt Compounds	37 31	25 4 57	, p	1.0%	0.08		The state of	\$11		1 . 1 . 1 . 1 . 2	7 4		J 30% (8)	0.00	o.000	J. 18 4 1. 12	0.000	· Charles	0.000
TA-1392 H/S 1525 Orange	1.96	30.0%	0.59	14.14.44.4	::::::::::::::::::::::::::::::::::::::	. 8	14	<u> </u>		22	ibs	4.62	0.002			0.003		0.033	1.1.
TA-5731 H/S 300 Blue	8.4	31.4%	2.64	111111111			A., 942.75	2	77 99 926 9	Ó	ibs	0.00	0.000	**************************************	2 22 27 7	0.000		0.000	
Cobalt Compounds		r ser <u>el</u>	3000	1.0%	0.08	Martin St	3.347				هوا دراد			. 0.00	0.000	\$300 A	0.000	2016 (C. 1)	0.000
TA-2259 H/S PMS 350 Green	5.63	25.3%	1.42	110000000			15	ļ	-	15	ibs	2.66	0.001			0.002		0.019	
TA-4814 H/S PMS 032 Red	8.55	28.3%	2.42	12122			-	 	 	0	ibs	0.00				0.000		0.000	
TA-1051 H/S Coated 201 Maroon	7.08	29.3%	2.07							0	ibs	0.00	0.000			0.000		0.000	
TA-2264 O/S Laser 185 Red	9.02	12.0%	1.08							0	lbs	0.00	0.000			0.000		0.000	
Manganese Compounds	W. 0	ر د د و		5.0%	· 0.40.	بريق سرم	13 13	13,0,182	25/24/	14 8 1 4 2 S	45.37	199 - W	在外級	Ø 0.00	.: 0.000 ···	H441811 ()	· 0.000	25 64 45	0.000
Cobalt Compounds	新统约	15 d. 18	18 - x	1.0%	.0.08	2.1	200		1750	359Q4	, 000 o	Section .		0.00	0.000	TO THE STATE OF TH	0.000	11.5	0.000
TA-771 H/A Reflex Blue	7.999	31.2%	2.50							. 0	lbs	0.00	0.000			0.000		0.000	
Cobalt Compounds	海型:		43% EV	1.0%	∞0.08	1777 1	4500	Administra	Krya XP	进山市等	Colored Co.	を表現を	· 中国	0.00	/ ₊ 0.000 _{*/}	************	0.000	Man de proprieta	J
TA-452 O/S PMS 187 Red	1.002	8.2%	0.08				L			0	lbs	0.00	0.000			0.000		0.000	
»Manganese Compounds	新 到於	The state of the s	Marker 1	5.0%	0.05	40 22 T	3.000	3 4 . 4.	WEST.	情感记	1100		AND THE SECOND	∮√0.00 ∤	(O.000	To the first of the	0.000	1. 1979年	0.000
Cobalt Compounds	- \$\$ J. 2	10 th 12	Section .	1.0%	. 0.017	1 F 1	学等	7 7	J. 107/12	1967 6 1	4.	State of the state	古書政府	0.00	A 0.000	155 a C. J.	0.000 📆	पृक्षित्रिक्षः ।	0.000
TA-546 O/S PMS 199 Red	8.39	8.0%	0.67			<u> </u>				0	lbs	0.00	0.000			0.000		0.000	
Manganese Compounds	644 F.S	47.72		5.0%	20.42	15 15 16	182 1 2	L 410 7 3	71. 1819	GRY. Y. Y.	A Visite	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	LESSEE	0.00:	0.000	被称" "。	0.000	o di nasa	0.000
Cobalt Compounds	Facility 1		學家就是	1.0%	″0.08	学过了	7270			等等等	S 4888	製 产品的	Wateh #	3 0.00	0.000	History, my	0.000	HE COLLE	0.000
TA-1737 H/S Laser Rhod Red	8.538	29.8%	2.54					Defect to the		0	lbs	0.00	0.000			0.000		0.000	
Cobalt Compounds		T. (40°4)	建筑。	1.0%	0.09	THE STATE OF	心想意思	1 1 37 7 3	· 和 花的多	\$ 1.45 m	1. 16.00	0.00	F.13339	(14, 0.00 J	0.000	MATERIA.	0.000		0.000
TA-435 O/S PMS 541 Blue	1.002	تعبينا	0.17			19	36		Description	55	lbs	6.35	0.003		(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	0.005	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.045	
Manganese Compounds	23,000			5.0%	0.05	8 1, S.	1,1275	* · · · * · ·	2.2	gy terminal in	1.58	* 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	1. 支援	: 41.93	0.001		0.001	2.25 Mg. (1)	
Cobalt Compounds	79/7	12.0 200		1.0%	0.01	10 m 21	17.12.49	17.	و کو گوائز موا	ode de Es	527.53	154	2 2 4	0.39	**0.000	ALC: ALC: ALC: ALC: ALC: ALC: ALC: ALC:	√√ (0.000 s.k.	100	2 0.003
TA-141 O/S PMS 186 Red	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11.7%			201 201217	Walter Miles	200 20000000	- 12 3VE 94 0 - 0	177.44 CH 3489	0	lbs	0.00	0.000	624.224.224.00	16.2.2224	0.000	1968 2 2 2 2 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	0.000	G. 1271123
Manganese Compounds	S September 1	TARES			0.44	Files a vis	PARTIES	06 P.b.	100	The state of the s	924		AT TO	7.0.00	0.000 €		0.000	STATE OF THE	
Cobalt Compounds	0.404	5. L.F. 14.54		1.0%	a, 0.09 g	李朱弘 (**)	7.45	新沙东 克	77.48	0	4774	• • • • • • • • • • • • • • • • • • • 	- a.2. a 3.2.a.a.	0.00	460.000 -	3544V 4774	0.000		± 0.000 ·
SC-5015 PMS Transwhite	8.194	<u> </u>	0.69	1.6%	⊕0.13 ±	1212		(hings of P	- FAVST	i i i	lbs	0.00	0.000	0.00	0.000	0.000	5 0.000°75	0.000	0.000
TA-4870 H/S Pro Red	8.095	36.6%	2.96	21.076	.~U.13 %	EGENES " P	27 A24029-37	7.77	1 70 70 70	0	lbs	0.00	0.000	7,0.00	0.000	0.000	0.000	0.000	0.000
TA-4871 H/S Pantone Blue	8.187	31.4%	2.57			+		+	 	0	lbs	0.00	0.000			0.000		0.000	
Cobalt Compounds		4612/		1.0%	0.08	20 fg4.5%	49/275/64	147550	· 经产生产生	12 37 m	1.32	10×12,00	Company of	17.0.00 h	0.000	V2777-3-44	0.000	12/2/20	/ 0.000 k
·	447, 47	111111111	1920 State 1	1.1.1.1.1.1.1		70.29.312	1977 Jackson	* (***********************************	2,640,410,44	The second second	19,00 5,00	1 TO 25 CF 3 TH AG 1 TO 52 PH	e Weller of West	1120.00		0.000	7, 342, 01000 4: 34	0.000	
							1	 	 							0.000		0.000	
· · · · · · · · · · · · · · · · · · ·		1	<u>ئىدىنىدىن</u>	<u> </u>	A	LLIED C	HEMICA	LS.			1	<u>Mariatan da barata</u> A	•				ALLIE	CHEMICALS	
Solvent 100 Binkt/Wash (gai)	7.09	100.0%	7.09	1000000		11	19	25	1	390	iiibs	194.98	0.097	100000000000000000000000000000000000000	100000000	:::0:195:::		1.950	
Xylene (1330-20-7)	1 2	7. K-13.6	<u> </u>	9.0%	0.67	3 . S. A.	18. F. A	(- ,	7.5 7.4	87.00	0.51	3 m 1 m 1	1 2 3	17.55	0.009	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.018 4/	" Pope"	0.175
Cumene (98-82-8)	1 24 6 6	115 J.	Contract of	3.0%	0.21	17200	700 MASK		1, 3, 3, 3,	***V.35	177.03	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	· * ***	5.85	÷0.003	THE RELL BY	0.006	- 10 Page 11 Page 1	
ProWash MRC (gal)		100.0%		10000		1	3	1	0.5	31	lbs	15.60	0.008			0.016		0.156	
Toluene (108-88-3)				50.0%	3.47			+	100			2	1 3 2 2	7.80	√ 0.004	(44) Jane (5, 5)	0.008	3 A A A A A A A A A A A A A A A A A A A	0.078
Methanol (67-56-1)	_	7		25.0%	******	3.	10m2 10		17.5 \$.5.7			3 00 13 4	7 40.75	3.90	0.002	* 3,1	0.004	Q 34.0 x 5	0.039
Prima Wash WM BI/Wash (gal)		100.0%		1,2,2,2,2			T			0	Ibs	0.00	0.000			0.000		0.000	
Xylene (1330-20-7)		(3,4)		1.0%	0.07	1. 41 15 1. 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		S	100				135	0.00	0.000	17.4	0.000	100	0.000
Unitrol 924 Fountain Sol'n (gal)		7.0%				4	6	18	13	365	lbs	17.75	0.009			0.013		0.127	
Diethylene Glycol Monobutyl Ether (112-34-5)			1.7 9.44	7.0%	0.71			1	ar North					17.75	0.009	***	0.013	, 6 % , 68 x 1	0.127
Isopropanol (gal)	6.55	100.0%	6.55				2	1.5	0.5	26	lbs	26.20	0.013			0.013		0.131	
Prisco E-Cure 109F UV Coat	8.76	0.0%	0.00						82	82	lbs	0.00	.0.000			0.000		0.000	

,	334343	F1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	333333	1200000	1414141414		1		T	-1-1-1-1-1-1-1-1		(AP-42)	(AP-42)	(AP-42)	(AP-42)	General	General	1000%	1000%
RAW MATERIALS/HAPs	lb/gal	% vocs	lb/gal	% HAP	lb/gal HAPs	JUN 2007	JUL 2007	AUG 2007	SEPT 2007	TOTAL	Units	Lb/Yr Total VOC	TPY VOC	Lb/Yr	TPY HAP	Permit Actual VOC	Permit Actual HAP	Growth GP	Growth GP
												Emits	. Emits.	HAP Emits	Emits	TPY	трү	VOC.TPY	НАР ТРУ
UVC-10333 UV Gloss Coating	9.103	4.5%	0.41			12	28	80		120	lbs	5.40	0.003			0.003		0.027	
A.C.E. Plate Cleaner (gal)	8.512	35.0%	2.98			1	2	1		∷:34::::	∷lbs∷	11.92	0.006			0.006		0.060	
Ultranox Antiskin for Inks(oz)	6.576	90.0%	5.92							0	lbs	0.00	0.000			0.000		0.000	
Eurofin Plate Gum (oz)	9.013	2.0%	0.18							· · · · · O · · · ·	lbs	0.00	0.000			0.000		0.000	
Lithocleaner R (gal)	6.63	100.0%	6.63					<u>l</u>	15	99.45	lbs	99.45	0.050			0.050		0.497	
Xylene (1330-20-7)				2.5%	0.17				l					1.243125	0.00062		0.001		0.012
Cumene (98-82-8)			<u> </u>	2.5%	0.17					l				1.243125	0.00062		0.001		0.012
									<u> </u>										
																	11010101010101		
-																			
· ·	111111111111111111111111111111111111111												1::::::::::						
	12000								1										
_									T										
															110001000				
	33333																		
	1311111		4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4			i													
	133333		100000		: ::::::::	1	1	1	1		-11.11.11				- (1:1:1:1:1:1:1)	1111111111111			
	111111		10000		: 11111111	Î	1	1			33.33.3				14414444				
	111111						1		1										
	111111							1											
	153333		1000			1	1	1			433434					(4) (4) (4)			::::::::::::::::::::::::::::::::::::
	10000		10000	1	1000000			†		2000	1111111					14	11:11:11:11:11:11		
	33333					1		1								444444444	- 4000000000000000000000000000000000000		
				,	*** 5	UMMA	RY DAT	TA ***		 	<u> </u>	-1-3-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4	ikini dan bis			G	ENERAL PERMI	T SUMMARY DAT	A
																Gen'i Pe	ermit TPY	Gen'l Per	mit TPY
	Total	Raw Ma	terial (Jsage ir	Pound	s				9301	1					VOC's	HAP's	VOC's	HAP's
				_															
	T	otal VO	C Emis	sions (II	bs/yr ai	nd tons	/yr)					2726.93	1.363			1.97734		19.77338	
			Total F	IAP Emi	ssions	(lbs/yr	and ton	s/yr)						57.65	0.029		0.05192		0.51916
						Individ	ual HAP	s								Individua	I HAP TPY	Individual	HAP TPY
				1			ļ			 		1	ļ	lb/yr					
Cobalt Compounds				_				 	ļ		ļ	-		+	0.000		0:00028		0.00275
Manganese Compounds				 	1	ļ		1	1	1	-	1	ļ	1.93			0.00138		0.01375
Xylene (1330-20-7)				+		<u> </u>		 	↓		<u> </u>	ļ	 	18.79			0:02044		0.18791
Toluene (108-88-3)				-		ļ		.	-	↓	-	-	ļ	7.80	0.004		0.00780		0.07802
Methanol (67-56-1)				+			Ļ	<u> </u>		1	<u> </u>	1	ļ	3.90	0.002		0.00390		0.03901
				 	ļ	L	.	 	 			1	ļ ·	7.09	0.004	000000000	0.00709		0.07092
Diethylene Glycol Monobut	yl Ether	(112-34	-5)	 	↓	L			_	ļ	↓	1		17.75	0.009	100000000000000000000000000000000000000	0:01268		0.12680
				 	 	ļ	4	ļ	_		<u> </u>	1		+	 		400000000		4
				ļ	_	 	1	-	1		<u> </u>		↓	 	 				
	-			1	ļ		 			ļ	_	↓	 			18389133	1000000000		1000000
					1	1	1	1	1	·	1	1	i	L	1		political land		1409900000

PROCOMP, LLC____

PROFESSIONAL COMPLIANCE GROUP, LLC ENVIRONMENTAL AND HEALTH & SAFETY COMPLIANCE SPECIALISTS

EMAIL: procomp@procomp-pa.com

October 19, 2007

Florida DEP - Receipts P.O. Box 3070 Tallahassee, FL 32315-3070

Re: Air General Permit Registration Form AAA Printing, Inc.

6801 114th Avenue North

Largo, FL 33773

To Whom It May Concern:

Enclosed please find an Air General Permit Registration Form for AAA Printing, Inc. The facility currently has a Federally Enforceable Air Operating Permit (#1030488-005-AO) under which they are operating. Upon approval of this General Permit, that FESOP will be considered rescinded.

Should there be technical questions or a need for additional information, please call my office at (561) 967-1008 or my cell phone at (215) 356-3934. I can also be reached by email at ToniG@procomp-pa.com. On behalf of AAA Printing and myself, thank you for your consideration.

Sincerely,

Toni J. Gossett

cc: AAA Printing, Inc.

PHONE: (561) 967-1008

Encl.

7140 COLONY CLUB Dr. # 203 LAKE WORTH, FL 33463

FAX: (561) 967-3044

•	11.11.11.11		deren.				-	.1				(AP-42)	(AP-42)	740-421	(AP-42)		General	General		1000%	10009
RAW MATERIALS/HAPS	ib/gal	% vocs	lb/gal VOCS	% HAPS	lb/gal	JUN 🦈	JUL	AUG	SEPT	TOTAL	Units	Lb/Yr Total VOC		Lb/Yr HAP Emiti	TPY HAP		Permit	Permit Actual HAP		Growth GP	Growth
KATT HATEKEALD/IIALZ			vocs		HAPE	2007	2007	2007	2007	USAGE		Emits	Emits	HAP Emiti	::Emits::		TPY	TPY		VOC TPY	HAP TE
	-1-1-1-1-1		1.1.1.1.1.1.1		1.1.1.2.2.2.2.2.2			1		1.1.1.1.1.1.1.1.1		- Littles									1
<u></u>	ا			CALC	THE ATT	N MET	10001	GY (FE	SOB)	<u> </u>			L	<u> </u>	1		CALCUL	ATION MET	HODOLO	GY (GEN'L F	PERMIT
				CALL	ULATI	JN MEII	TODOL	JOT (FE	30F)					· · · · · ·		-				(32.1.2.1	
	Tak V	oc and h	IAD on	lecione	Wore /	alculate	ed using	the AP	-42 Fmi	seions F	ctor fo	or heatse	t lithoar	aphy. Th	e values						-
INKS	TUK AC	roflect	1AP EII 2004 e	ubetrat	o reten	tion of t	tu using	, uie ar Inlvents	-74 EIIII 201 70	951UIIS FI 94 relead	ed as	emissions	t iitilogi.	upy	C 10.0C3					ng under an	
	above	Tellect .	3070 3	ubsti at	e recen		116 1111	30110110	1 110 70	70 101003			-							Factors or C	
									 	<u> </u>				 	1					to mitigate	
	1		 		 		<u> </u>				ļ									sions. All fi	
***************************************	Blank	et Wash	VOC a	nd HAP	emissi	ons wer	e calcu	lated us	ing the	Manual /	pplica	tion AP-4	2 Emiss	ons Fact	or for			/aiues equi	ai totai v	OC and HAP	usage
BLANKET WASHES	heats	at lithog	raphy.	The va	alues al	ove ref	lect a 5	0% rete	ention of	f solvent	in the	application	on rags	and 50%		V	alues.				
							T				1										
			İ					1													
	1	l	<u> </u>	i	·																
	Fount	ain Solu	tion V	C and	HAP en	nissions	were c	alculate	d using	the AP-4	2 Emis	sions Fac	tor for i	ieatset							
FOUNTAIN SOLUTIONS	lithog	raphy. 1	The va	lues ab	ove ref	ect a 30)% sub:	strate re	etention	and 709	6 relea	ised as er	nissions								
	1																				
						ļ												ļ			
							l				1										
ALL OTHER RAW MAT'LS										sions fac	tors. I	n the cas	e of the	e raw ma	aterials,					<u> </u>	
ALL OTHER RAW PIAT LS	VOC a	nd HAP	emissi	ons are	equal	to the V	OC and	HAP us	age.	Ţ		,	,							ļ	
					ļ						ļ			_							<u> </u>
		<u> </u>	ļ			1	-								- I			ļ		<u> </u>	
		<u> -</u>		٠.				<u> </u>													
NOTE:										o Contro	l Devic	e capture	and de	struction	<u> </u>						
	efficie	encies w	ere us	ed to re	duce ti	ne final	emissi	ons repo	orted.		+		,	.,						ļ	_
										-		ļ		ļ	- -				ļ. <u></u>	ļ	_
			ļ		-	ļ <u>-</u>	-			-l	<u> </u>	ļ	-		-			ļ		-	_
	ļ			·	+	 		-	-									-		-	
				-		 				-	-			-	- -			ļ	ł		
	1-			-					-		 			-	-			·		-	
			1			-	+	-				 		-	+ +		· · · ·		·	+	+
				·	·				+	-					<u> </u>			·	<u> </u>	<u> </u>	1
					-	-	· · · · · · · · · · · · · · · · · · ·								1			 			
					 	l .	 	-			 	ļ									-
	1				1	1					†									<u> </u>	1
					1		T	_													
									1	1	Ī								1		
											1										
			L		1																
•		<u></u>					.		1									ļ			
	ļ		<u> </u>				ļ			ļ	1				-				ļ		
		ļ	 	1	4		1		4				-					_	L		+
								-		-					_			ļ			_
		ļ		-	4	-	-	-	-		1	-	-	_				l		 	
	1		-	-	-		+		-			-	-	+				· .	 		
		<u> </u>	ļ	-			 		-	-	-			-					l	-	-
· · · · · · · · · · · · · · · · · · ·	I	ļ	 	-		 		-		-				-	- -			·	ļ		_
		1	1	-		-				-		-		+				·	 		
			1 .			4	1	1		_l	1	ļ							I	1	
			ļ	·															1		
							-			-		ļ			- -				ļ		

RAW MATERIALS/ <u>HAP</u> s	lb/gal	% VOCs	lb/gal VOCS	% HAPs	lb/gal HAPs	JUN 2007	JUL 2007,	AUG 2007	SEPT 2007	TOTAL USAGE	Units	(AP-42) Lb/Yr Total VOC Emits	(AP-42) TPY VOC Emits	(AP-42) Lb/Yr HAP Emit	(AP-42) TPY HAP Emits	 General Permit Actual VOC TPY	General Permit Actual HAP TPY		1000% Growth GP VOC TPY	1000% Growth GI HAP TPY
				CALC	ULATIO	N METH	IODOLO	GY (FE	SOP)	·						 CALCUL	ATION MET	HODOLO	GY (GEN'L F	PERMIT)
INKS	Ink VO	OC and F	IAP em 30% si	issions	were o	alculate	d using	the AP	-42 Emi	ssions Fa % releas	actor fo	or heatse emissions	l lithogr	aphy. Th	e values	General Pe Device Eff	ermit, no E iciencies v	mission ere used	ng under an . Factors or Co I to mitigate ssions. All fil	ontrol the final
BLANKET WASHES	Blank heats	et Wash et lithog	VOC a	nd HAP The va	emissi lues at	ons wer	e calcul lect a 5	ated us 0% rete	ing the	Manual / f solvent	Applica in the	tion AP-4 applicati	2 Emiss on rags	ions Fact and 50%	or for				OC and HAP	
														<u> </u>				ļ <u></u>		
												<u> </u>								
FOUNTAIN SOLUTIONS	Fount lithog	ain Solu raphy.	tion VO	ues abo	HAP en ove refi	ect a 30	were ca % sub	strate re	d using etention	tne AP-4 and 70%	2 Emis 6 relea	sions Fac sed as e	tor for l	eatset		 				
	<u> </u>				ļ <u> </u>		ļ	<u> </u>		ļ		ļ	ļ			 				-
ALL OTHER RAW MAT'LS	All ot	her raw ind HAP	materi emissi	als' em ons are	issions equal	were ca to the V	iculate OC and	d withou HAP <u>us</u>	ut emis: age.	sions fac	tors. I	n the cas	e of the	se raw m	aterials,	 <u> </u>				+
			ļ	ļ				ļ		ļ		ļ		Ţ						1
	·	\	1							 		ļ	 	-	 	 	ļ	ļ		
NOTE:	In acc	cordance encies w	e with tere us	the cone	ditions duce t	of AAA ne final	Printing emission	s air po ons repo	ermit, n orted.	o Contro	l Devic	e capture	and de	struction						-
			T																	
	l	 		 	-						ļ	ļ	- 				<u> </u>			
											-					 				
	 	<u> </u>	<u> </u>	ļ —	-	·	-	-		 	 		-		-	 ļ	-			
					-															
		<u> </u>							 	 	-					 <u> </u>				
		ļ	 	ļ												 				
								-	_			·			-	 		ļ	 	
			 	-												 				
·		· .	 		 			-	-									-		
· · · · · · · · · · · · · · · · · · ·			1																	
			· 			ļ	ļ	-		ļ				-		 		-		
											<u> </u>					 				
	l	-	 		 				-			ļ	-			 		-	1	
	ļ		1		L					1								<u> </u>		
			 		ļ		 		-		-	-		-		 				
								ļ		1			<u> </u>							
	 				<u> </u>			ļ	-			 		 		 	<u> </u>		ļ	
			···				ļ		-		-	-			-	 		 	ļ	
	1							<u> </u>						 	 	 ·	† 	1	 	-

Florida Department of Environmental Protection Cash Receiving Application (CRA) Cashlisting by Deposit #: 281242 thru 281242 Printed: 10/25/2007 4:17:03 PM - Page 12

Cashlisting: Deposit No:

64800 281242

Cashlist Area: Date Deposited: 10/25/2007

3755

Description: DIV OF AIR RESOURCES MGMT.

Contact: PATTY ADAMS

<u>Object</u> 002272		<u>Dep DDN</u> 477645	Receipt Number 604353	Pre- Numbered <u>Receipt</u>	Name AAA PRINTING, INC.	Check Number 001169		10/31/2007	Payment Number 845209	Remittance Number 752884	Fund PFTF
					Object Code 002272 Subtotal:		\$100.00				
002278	45383 45383	477637 477637	604345 604345		DARCCO ENVIRONMENTAL, INC. DARCCO ENVIRONMENTAL, INC.	25225 25225	\$100.00 \$200.00		845190 845191	752876 752876	APCTF APCTF
					Object Code 002278 Subtotal:		\$300.00				
					Cashlisting 64800 Total:		\$400,00				

AAA Printing 6801 114th Ave N Largo, 71 33773

CERTIFIED MAIL.



7007 1490 0003 5062 0871



0000



\$5.94 00021992-1

RETURN RECEIPT REQUESTED

> Florida Dep - Receipts P.O. Box 3070 Tallahassee, 7/32315-3070