

Florida Department of Environmental Protection

Bob Martinez Center 2600 Blair Stone Road Tallahassee, Florida 32399-2400 Charlie Crist Governor

Jeff Kottkamp Lt. Governor

Michael W. Sole Secretary

May 13, 2008

Mr. Gary Sparks
Vice President
Duratek Precast Technologies, Incorporated
3390 Highway 17 North
Bartow, Florida 33830

Dear Mr. Sparks:

This is to acknowledge that your notification of intent to use the authority of Rule 62-210.310 to operate your facility was received on April 7, 2008. We have assigned ARMS No. 1050345-002 to this facility.

As you know pursuant to Horida Statutes section 403.814, authority to operate under general permits to expense accommences thirty days after receipt of the registration form unless you have been notified by this office that a constant symmetric through a your facility has not shown entitlement to operate pursuant to the rule provisions.

For your information, authority to operate pursuant to Rule 62-210.310 expires after 5 years.

Therefore, a new registration form must be received no later than 5 years after the date your notice was received as indicated above. If your general permit rule conditions require testing, such testing must be completed within the time frame specified in the rule.

If you have any additional questions, please contact Dickson Dibble at 850/921-9586.

Sincerely,

Sandra F. Veazey, Chief Bureau of Air Monitoring and Mobile Sources

SFV/pg

cc: Ms. Danielle Henry, Southwest District

& Mobile Sources

RECEIVEL (APR 0 9 2008 Bureau of Air Monitoria)

CONCRETE BATCHING PLANT AIR GENERAL PERMIT REGISTRATION FORM

Part II. Notification to Permitting Office

(Detach and submit to appropriate permitting office; keep copy onsite)

Instructions: To give notice to the Department of an eligible facility's intent to use this air general permit, the owner or operator of the facility must detach and complete this part of the Air General Permit Registration Form and submit it to the appropriate Department of Environmental Protection or local air pollution control program office which has permitting authority. Please type or print clearly all information, and enclose the appropriate air general permit registration processing fee pursuant to Rule 62-4.050(4)(0), F.A.C. (\$100 as of the effective date of this form)

Registration Type		1030343-6
Check one:		-
INITIAL REGISTRATION - Notification Construct and operate a proposed new Operate an existing facility not currer air operation permit to an air general	v facility. ntly using an air general perr	nit (e.g., a facility proposing to go from an
RE-REGISTRATION (for facilities curr Continue operating the facility after e Continue operating the facility after a Make an equipment change requiring other change not considered an admin	expiration of the current term change of ownership. re-registration pursuant to F	of air general permit use. Rule 62-210.310(2)(e), F.A.C., or any
Surrender of Existing Air Operation Per	mit(s) - For Initial Registra	ations Only
If the facility currently holds one or more at or operator upon the effective date of this at operation permits being surrendered. If no All existing air operation permits for general permit; specifically permit nu 1050345-001-AG	ir general permit. In such ca air operation permits are hel this facility are hereby surre	se, check the first box, and indicate the
No air operation permits currently ex	ist for this facility.	
General Facility Information		
Facility Owner/Company Name (Name of coperates, controls, or supervises the facility		idual owner who or which owns, leases,
Duratek Precast Technologies, Inc.	DI . A 3.6	d
Site Name (Name, if any, of the facility site owned, a registration form must be completed.)		iant, etc. If more than one facility is
Duratek Precast Technologies, Inc.		
Facility Location (Provide the physical local	tion of the facility, not nece	ssarily the mailing address.)
Street Address:3390 Highway 17 North City: Bartow	County: Polk	Zip Code: 33830
Facility Start-Up Date (Estimated start-up of N/A	late of proposed new facility	/.)(N/A for existing facility)

DEP Form No. 62-210.920(2)(b) Effective: January 10, 2007

Owner/Authorized Representative Name and Position Title (Person who, by signing this form below, certifies that the facility is eligible to use this air general permit.) Print Name and Title: Gary Sparks, Vice President Owner/Authorized Representative Mailing Address Organization/Firm: Duratek Precast Technologies, Inc. Street Address: 3390 Highway 17 North City: Bartow County: Polk Zip Code: 33830 Owner/Authorized Representative Telephone Numbers Telephone: (863) 519-0828 Fax: (863) 519-0829 Cell phone (optional): Facility Contact (If different from Owner/Authorized Representative) Name and Position Title (Plant manager or person to be contacted regarding day-to-day operations at the facility.) Print Name and Title: Facility Contact Mailing Address Organization/Firm: Street Address: County: Zip Code: City: Facility Contact Telephone Numbers Telephone: Fax: Cell phone (optional): **Owner/Authorized Representative Statement** This statement must be signed and dated by the person named above as owner or authorized representative I, the undersigned, am the owner or authorized representative of the owner or operator of the facility addressed in this Air General Permit Registration Form. I hereby certify, based on information and belief formed after reasonable inquiry, that the facility addressed in this registration form is eligible for use of this air general permit and that the statements made in this registration form are true, accurate and complete. Further, I agree to operate and maintain the facility described in this registration form so as to comply with all applicable standards for control of air pollutant emissions found in the statutes of the State of Florida and rules of the Department of Environmental Protection and revisions thereof.

I will promptly notify the Department of any changes to the information contained in this registration form.

Signature

Date

4/3/08

Type of Facility	
Check one:	
⊠ Stationary Facility	Relocatable Facility
	·
Type(s) of Reasonable Precautions Used	to Prevent Unconfined Emissions
Check all precautions to be used for the	management of roads, parking areas, stock piles and yards:
Pave Roads	☐ Pave Yards ☐ Pave Yards
 ✓ Maintain Roads/Parking/Yards ✓ Remove Particulate Matter 	 ☑ Use Water Application ☐ Use Dust Suppressant ☐ Reduce Stock Pile Height ☑ Install Wind Breaks
Kemove l'articulate Watter	Reduce Stock The Height
Check all precautions to be used for the	management of drop points to trucks:
Spray Bar	☐ Chute ☐ Enclosure
	Partial enclosure
Description of Reasonable Precautions	
	rovide details of all types of reasonable precautions to be used to prevent
unconfined emissions at the facility.	
	nce of paved roads and drives including periodic dry sweeping for removal
piles.	cation to stock piles and unpaved drives, barrier walls for material stock
Note: No drop points to trucks.	
:	
	•

DEP Form No. 62-210.920(2)(b) Effective: January 10, 2007

Description of Facility

Below, or as an attachment to this form, provide a description of the concrete batching plant operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe all air pollutant-emitting processes and equipment at the facility, and identify any air pollution control measures or equipment used.


Duratek Wall Corporation manufactures pre-cast concrete tilt-up walls and panels. They produce on average 90 cubic yards of concrete per day. They may operate between the hours of 4:30am to 8:00pm. The Facility ID No. is 1050345.

Typical concrete batch plant with two cement silos. The silo capacities are as follows: Silo A = 700 barrels and Silo B = 270 barrels. The typical cement silo loading rate is equal to approximately 25 tons per hour.

Air pollution control equipment:

- -- WAM (Model ROI), 265 ft squared poly pleat panels (Silo A)
- -- Belgrade, Eighteen 8"*49.5" polyester bags (Silo B)

DEP Form No. 62-210.920(2)(b) Effective: January 10, 2007



VISIBLE EMISSION OBSERVATION FORM 1

Method (Circle One) Method 9 203A 2038	Other	
Company Name		
Duratek Precast Tech	nu logies	
Facility Name Sauce	,	İ
Street Address Huy 17 North	1	
Ohv —		73830
Barlow	172	55870
Process	Unit # Operating M	lode , load
Control Equipment	Unit of Operating N Silv 145.8 Operating N	5 Thr mre
Bin Vent Filter	pals	
Describe Emission Point		
Bin Vent Filter ato	1 c'/a.	İ
3111 10017 1117 4770	7.11.0	
Union And Forder Da	Turkey of Control Ch. Co.	o Obressure
Height of Erriss. Pt. Start ± 44 'End Sang	Height of Emiss. Pt. Rel. t Start $\pm 44'$ E	o Observer
Distance to Emiss Pt	Direction to Emiss. Pt. (D	egrees)
Start # 282 End # 282	Start ± 235 B	4235
Vertical Angle to Obs. Pt	Direction to Obs. Pt. (De	
Start 4 How End 7 9 7 90 Distance and Direction to Observation Point	Start # 235 E	nd Since
1 A	Find SAME	1
-	Bid Same	
Describe Emissions	~ C'A D. I	
Stort No VIG. 6/2 PONISSION COLOR	DEnd 501/31/C Water Droplet Plume	
Start N/A End N/A	Attached Detac	hed None 2
Describe Plume Background		, , ,
Start Clouds (OUTVAS) Bookground Color	End //// (Sky Conditions	(sveringt)
accidiound color	Start exercast E	nd Salme
Wind Speed	IWind Direction	
Start 3-4 m/h End SAIM-e	Start (27) S Wet Builto Temp.	ind SAME RH Percent
Amb of Temp. Start ± 68 F End FAM C	West SCHO Harris	£95
bin great filt source to	yout Sketch	Drow North Arrow
bin Grani Silo rage	Bin vent filten gilo	DIN MAN
[101]	Bin vent fiften silo	\wedge
	,	
		, ,,
X Observe	allon Point Conv	.belt
5000	/	, ,
1 And	<u> </u>	<u> </u>
9:10		282 = 1
		CSC HEI
Observe	r's Position	Side View
		Stock With
140		Plume
1		sun ⊕

L	<u> </u>									
Observat			Trne Zon	tern	Start Time 0743:05	_	End I	me 2/3	hr	3
Sec	0	15	30	45			ments			
1	0	0	0	O						
2	0	0	0	0		v				
3	0	Ö	0	ن	•					
4	0	0	0	0						
5	0	0	0	Ö	<u> </u>					
6	0	0	0	0						
7	0	0	Ö	0						
8	٥	0	o	0						
9	D	0	0	0						
10	0	0	Ó	D						
11	O,	0	0	0						
12	0	0	. 0	0						
13	0	0	0	0						
14	0	O	0	0						
15	0	0	0	0						
16	0	0	0	a						
17	0	0	0	ن						
18	0.	0	0	0						
19	0	a	0	0						
20	0	0	0	0						
21	0	0	0	0						
22	0	0	6	0						
23	0	0	0	0						
24	0	0	0	0						
25	0	0	0	0						
26	0	0	0	0						
27	0	. 0	0	0				. <u> </u>		
28	0	0	0	0			<u>. </u>			
29	0	0	0	0						
30	0	0	0	0			<u> </u>			

Air General Permit # 1050345
Facility

Observer's Name (Pfinit)	
Douglas W. Sauman	
Observer's Signature Roman	Date 2/7/2008
General Environmental	Engineering Inc.
Control by	Date 1/11/2008



is an acknowledgment that Bill of Lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

WARNING!

Portland cement. Cemplus Slag and lime are injurious to eyes and cause skin irritation. Avoid eye contact or prolonged contact with skin. Wash thoroughly after handling. In case of eye contact flush with plenty of water for at least lifteen minutes. Consult a physician immediately. Keep out of reach of children.




RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading

Suwannee American Cement Company • 5117 U.S. Hwy. 27, Branford, Florida, USA

the property described below, in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destinated as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person of corporation in possession of the property under the contract) agrees to carry to its usual place of delivery of said destination, it is mutually agreed, as to each carrier of all of any of said property over all or any portion or said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the lerms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) Uniform Freight Classification in effect on the date hereof, if this is a rail or rail-water shipment, or (2) in the applicable motor carrier classification or tartif if this is a motor carrier shipment, or

salpment, or (2) in the applicable motor carrier classification of tariff it this is a motor carrier salpries Shipper hereby certifies he is familiar with all the terms and conditions of to governs the transportation of this shipment, and the said terms and conditi	he said bill of lading, including those on the back t	nereof, set forth in the classification or tariff which pted for himself and his assigns.
This shipment is correctly described. Subject to varification by the EASTERN OR SOUTHERN WEIGHING & INSPECTION BUREAU according to agreement.		his is the property of the shipper, and no reconsignment or iversion is to be made unless authorized by consignor.
If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is carrier's or shipper's weight.	Subject to Section 7 of conditions of applicable bill of lading, if the shipment is to be defivered to the consignee without recourse on the	If charges are to be prepaid, write or stamp here. To be Prepaid. TO BE PREPAID
NOTE: Where the rate is dependent on value, the shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically	consignor, the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.	Received \$
by the shipper to be not.	Suwannee American Cement	to apply in prepayment of the charges on the property described hereon.
•		Agent or Cashier Per
exceeding Per	Per (SIGNATURE OF CONSIGNOR)	(The signature here acknowledges only the amount prepaid)
CONSIGNED TO/DESTINATION SHIPPING PLANT AND DATE	CARRIER	Charges advanced: \$
	FOB41 02/07/2008 507	WEIGHI GROSS 25 500
3390 HWY 17 NORTH	n de la companya de la companya de la companya de la companya de la companya de la companya de la companya de La companya de la co	GHOSS 38.590.
BARTOW FL	8 216 02:20	TARE 13.570
33830 02/07/200	3400802	NET 25.020 Lbs
COMMENTS / SPECIAL INSTRUCTION		CSCALESUW3
R CARRIER. SEAL 37401	The second secon	CHECKED BY/FOREMAN TIME
CUSTOMER ORDER NO. DELIVERY DATE & TIME BILL OF LACE 6023 02/07/2008 02:20 800294	19499	CAR INITIAL STRUCK NO. FROM SILO 77.7 / 111 5
PRODUCT STATE QUANTITY-RESE. NO. 31 CODE: WEIGHT PKGS.	COMMODITY	RATE FREIGHT
4254081 50,040.00 25.02	Type I/II Fortland Bu	
Arrive 6,30AM.	Ba	the Lyn
7:38 End IAM. EPA TANK START STARK	PRESSURE	21.1100
DO GIVE TEST TOURK	S) MA PRESSURC, OPSI	
lthis product meets astm c 150 and	AXSATO M85 SPECIFICATION	DNS 🤫
MAY CONTAIN UP TO 5% LIMESTONE ADI	DITION	
•		
CUSTOMER REMA	RKS	
Suwannee American Cement Shipper, RECEIVED AT DES	TINATION - CUSTOMER / AGENT SIGNATURE DATE	
PerARRIVAL		N 1 1 2.611
FORM NO.	Agent	MAD in 12866.
FL- 135210	Per	ANCh WILLES



VISIBLE EMISSION OBSERVATION FORM 1

Method tised (Circle One)	
Method 9 203A 203B	Other
Metriod y ZASA 2036	Otres:
Company Nome Duratek PRELAST	
Duratek PRECAST	ENUNDIALIES
Facility Name	700110000103
1. Com, 19412	1
SAME	
Street Address	Alante
Street Address 33,96 Hay 17	/Y01/10
Oty o	State FL 20 33830
Chy Bartow	State FL 20 33830
L	1
Process	Unit #11 Operating Mode The rate
Loading Snall Silo	PC10 12 45.8 110 1479
Control Equipment	Operating Mode
Bin Vent Filter	palsing
Jir. VENT FINE	
Describe Emission Point	
	. • /
Bin vent filter alop	5110
	_
Height of Emiss, Pt.	Height of Erniss, Pt. Rel. to Observer
T + 1/1/	
Start = 44' End Same	Start £44 End Same
Distance to Emiss. Pt.	Direction to Emiss. Pt. (Degrees)
start = 255' End Same	Start = 230° End Same
5.5	101.0
Martical Anala to Ohe Ot	Direction to Ohs Pt (Decrees)
Vertical Angle to Obs. Pt.	Direction to Obs. Pt. (Degrees)
Same I Too and Same	and = 2300 and some
Start I 100 End SAME Distance and Direction to Observation Point	Start = 230° End Same
Start I 100 End SAME Distance and Direction to Observation Point	Start = 230° End Same
Same I Too and Same	and = 2300 and some
Start I / W End Same Distance and Direction to Observation Point Start / W AWN [Describe Emissions	Start = 235° End Squve If from Emission Point End Squx
Start I / W End Same Distance and Direction to Observation Point Start / W AWN [Describe Emissions	Start = 235° End Squue I from Emission Point End Squux
Start I 100 End SAME Distance and Direction to Observation Poin Start 11" AWN Describe Emissions Start NI VISIBLE EMISSIONS	Start = 230° End Squve I from Emission Point End Squve
Start I 100 End SAME Distance and Direction to Observation Poin Start 1/1" AWN Describe Emissions Start NI VISIBLE EMISSIONS	Start - 236" End Squue If from Emission Point End Squur End Squur Water Droptet Plume
Start I 100 End SAME Distance and Direction to Observation Poin Start 11" AWN Describe Emissions Start NI VISIBLE EMISSIONS	Start = 230° End Squve I from Emission Point End Squve
Start I / O End Same Distance and Direction to Observation Poin Start / / dwn Describe Emissions Start N Visible emissions Emission Color	Start - 236" End Squue If from Emission Point End Squur End Squur Water Droptet Plume
Start I /0° End Same Distance and Direction to Observation Poin Start (1" AWN Describe Emissions Start N1 VISIBLE EMISSIONS Emission Color Start N/A End N/A	Start - 236" End Squue If from Emission Point End Squur End Squur Water Droptet Plume
Start I / O End SAME Distance and Direction to Observation Poin Start (I" AWN Describe Emissions Start N Y Y S B CW/55/W15 Emission Color Start N A End N A Describe Plume Background	Start = 236" End Squire I from Emission Point End Squire End Squire Water Droplet Plume Attached Detached None
Start I /0° End Same Distance and Direction to Observation Poin Start (1" AWN Describe Emissions Start N VSSU CW/55/U15 Emission Color Start N/H End N/A Describe Plume Background	Start = 236" End Sque I from Emission Point End Squex End Squex Water Droplet Plume Attached Detached None End Cland's (overlas)
Start I / O End SAME Distance and Direction to Observation Poin Start / / AWN Describe Emissions Start N / N / N / N / C / C / S / V / S / S	Start = 236" End Sque I from Emission Point End Squex End Squex Water Droplet Plume Attached Detached None End Clard's (overces) Sky Conditions
Start I / O End SAME Distance and Direction to Observation Poin Start / / AWN Describe Emissions Start N / N / N / N / C / C / S / V / S / S	Start = 236" End Squue If from Emission Point End Squux Find Squux Find Squux Water Droplet Plume Attached Detached None Styr Conditions Styr Conditions Styr Conditions Styr Conditions
Start I /0° End SAME Distance and Direction to Observation Poin Start (I" AWN Describe Emissions Start NI VISIBLE EMISSIONS Emission Color Start N/A End N/A Describe Plume Background Start MANAS (NVCVLAS) Background Color Start H. 9/12 End SAME	Start - 236" End Squue If from Emission Point End Squux Find Squux End Squux Water Droptet Plume Attached Detached None Sty Conditions Start Durast End overlast Wind Direction from
Start I /0° End SAME Distance and Direction to Observation Poin Start (I" AWN Describe Emissions Start NI VISIBLE EMISSIONS Emission Color Start N/A End N/A Describe Plume Background Start Wands (overtas) Background Color Start H. 9/12 End Same	Start - 236" End Squue If from Emission Point End Squux Find Squux Find Squux Water Droptet Plume Attached Detached None Start Oraclistors Start Oraclistors Start Oraclistors Wind Direction Form
Start I 100 End SAME Distance and Direction to Observation Point Start 1/1" AWN Describe Emissions Start N/1 VISTA CW/55/U15 Emission Color Start N/A End N/A Describe Plume Background Start Woulds (overtas) Background Color Start H. 9/12 End SAME Wind Speed Start 3-4 Wink End SAME	Start = 236" End Sque I from Emission Point End Squex Find Squex Water Droplet Plume Attached Detached None Start Overlast Wind Direction from Start Overlast Well Direction from Note Start Squex Note Squex I find Squ
Start I /0" End SAME Distance and Direction to Observation Point Start (1" AWN Describe Emissions Start N / N N S B CM / SSIMS Emission Color Start N / A End N / A Describe Plume Background Start M of M / B Describe Plume Background Start M of M / B Start M / A End SAME Wind Speed Start 3 - 4 Imp End SAME Start 3 - 4 Imp End SAME	Start = 236" End Sque I from Emission Point End Squex Find Squex Water Droplet Plume Attached Detached None Start Overlast Wind Direction from Start Overlast Well Direction from Note Start Squex Note Squex I find Squ
Start I /0° End SAME Distance and Direction to Observation Poin Start (I" AWN Describe Emissions Start NI VISIBLE EMISSIONS Emission Color Start N/A End N/A Describe Plume Background Start Wands (overtas) Background Color Start H. 9/12 End Same	Start - 236" End Squue If from Emission Point End Squux Find Squux Find Squux Water Droptet Plume Attached Detached None Start Oraclistors Start Oraclistors Start Oraclistors Wind Direction Form
Start I /0" End SAME Distance and Direction to Observation Point Start (1" AWN Describe Emissions Start N / N N S B CM / SSIMS Emission Color Start N / A End N / A Describe Plume Background Start M of M / B Describe Plume Background Start M of M / B Start M / A End SAME Wind Speed Start 3 - 4 Imp End SAME Start 3 - 4 Imp End SAME	Start = 236" End Sque I from Emission Point End Squex Find Squex Water Droplet Plume Attached Detached None Start Overlast Wind Direction from Start Overlast Well Direction from Note Start Squex Note Squex I find Squ
Start I 100 End SAME Distance and Direction to Observation Point Start (1" AWN Describe Emissions Start N 1 1515 H CM/55/015 Emission Color Start N/H End N/A Describe Plume Background Start N/H End Same Wind Speed Start J-4 My L End Same Wind Speed Start J-4 My L End Same Start J-4 My L End Same Start Los F End Same	Start = 236" End Sque I from Emission Point End Squex Find Squex Water Droplet Plume Attached Detached None Start Overlast Wind Direction From Start Start Start What Direction From Start Start Well Bulb Temp. Rit Percent 195
Start I 100 End SAME Distance and Direction to Observation Point Start (1" AWN Describe Emissions Start N 1 1515 H CM/55/015 Emission Color Start N/H End N/A Describe Plume Background Start N/H End Same Wind Speed Start J-4 My L End Same Wind Speed Start J-4 My L End Same Start J-4 My L End Same Start Los F End Same	Start - 236" End Squue If from Emission Point End Squux Find Squux Find Squux Water Droplet Plume Attached Detached None End Clouds (overlast) Sky Concitions Start Overlast Wind Direction From Start Overlast While Direction From Start Start Wet Bulb Temp. The Percent Tell Percent Tell Percent Tell Percent Tell Percent Tell Percent Tell Percent Tell Percent Tell Percent Tell Percent
Start I 100 End SAME Distance and Direction to Observation Point Start (1" AWN Describe Emissions Start N 1 VISIBLE CM/55/M5 Emission Color Start N/H End N/R Describe Plume Background Start N/H End SAME Wind Speed Start J-4 My L End SAME Start J-4 My L End SAME Start (28 F End SAME Source Le	Start = 235" End Sque I from Emission Point End Squex Find Squex Water Droplet Plume Attached Detached None Start Overlast Wind Direction From Start Start Start What Direction From Start Start Well Bulb Temp. Rit Percent 195
Start I 100 End SAME Distance and Direction to Observation Point Start (1" AWN Describe Emissions Start N 1 VISIBLE CM/55/M5 Emission Color Start N/H End N/R Describe Plume Background Start N/H End SAME Wind Speed Start J-4 My L End SAME Start J-4 My L End SAME Start (28 F End SAME Source Le	Start - 236" End Squire If from Emission Point End Squire Find Squire Water Droplet Plume Attached Detached None S End Clouds (overlast) Sky Concisions Start Overlast End overlast Wind Direction From Start Start Start Well Bulb Temp. RH percent 193
Start I /0° End SAME Distance and Direction to Observation Point Start (1" AWN Describe Emissions Start N/ VISIBLE EMISSIONS Emission Color Start N/A End N/A Describe Plume Background Start Monds (overlast) Background Color Start H g/Ay End SAME Wind Speed Start 3-4 km h End SAME Start 68 F End SAME Source La	Start - 236" End Squire If from Emission Point End Squire Find Squire Water Droplet Plume Attached Detached None S End Clouds (overlast) Sky Concisions Start Overlast End overlast Wind Direction From Start Start Start Well Bulb Temp. RH percent 193
Start I /0° End SAME Distance and Direction to Observation Point Start (1" AWN Describe Emissions Start N/ VISIBLE EMISSIONS Emission Color Start N/A End N/A Describe Plume Background Start Monds (overlast) Background Color Start H g/Ay End SAME Wind Speed Start 3-4 km h End SAME Start 68 F End SAME Source La	Start = 235" End Squire If from Emission Point End Squire Water Droplet Plume Attached Detached None Start Overlast Wind Direction From Start Overlast Wind Direction From Start Droplet Start Squire West Bulb Temp. Rit Percent 195 Drow North Allow Drow North Allow
Start I 100 End SAME Distance and Direction to Observation Point Start (1" AWN Describe Emissions Start N 1 VISIBLE CM/55/M5 Emission Color Start N/H End N/R Describe Plume Background Start N/H End SAME Wind Speed Start J-4 My L End SAME Start J-4 My L End SAME Start (28 F End SAME Source Le	Start - 236" End Squue If from Emission Point End Squux Find Squux Find Squux Water Droplet Plume Attached Detached None End Clouds (overlast) Sky Concitions Start Overlast Wind Direction From Start Overlast While Direction From Start Start Wet Bulb Temp. The Percent Tell Percent Tell Percent Tell Percent Tell Percent Tell Percent Tell Percent Tell Percent Tell Percent Tell Percent

Source Layout Sketch	Diaw North Arrow		
Bin vent filter for small silv for h	age O		
sault silv belt			
Observer's Position	Side View		
Largusilo	Stock With Plume		
	Sun ⊕		
Sur Locollon Line	Wnd		
18 48 14.3" W LOTHING 27 54 19.8" N Dect	notion = 3° N		

Additional information No bicuttoinable	· odors	Tack	325	_
J				
	· · · · · · · · · · · · · · · · · · ·			

AIR CENERAL	PERMIT NO.	1050345
11/2 021	Loci lity	

					real II			
Form Number				Page		Of	1	
Confinued on Vi	O For	m Nu	nber	 <u> </u>		T		

Observa 2/7	ion Date	7	Time Zon	9	Start Time	End Time 08/3 h/s
Sec	0	15	30	45		comments
Mn \				0	·	
2	0	0	0.	0		
3						
. 4	0	0:	0	0		
5	0	0	0	0	<u> </u>	
6	0	0	0			
	Ö	0	0	0		
7	0	0	0	0		
8	0	0	0	0		
9	0	0	0	0		
10	0	0	0	0		
11	0	8	0	0		
12	0	0	0	0		
13	0	8	0	0		
14	0	0	0	0		
15	0	0	0	0		
16	0	0	U	0		
17	0	0	0	0		
18	0	0	0	0		
19	0	0	0	0		
20	0	0	0	0		
21	0	0	0	0		
22	0	0	0	0		
23	0	0	0	0		<u></u>
24	O	0	0	0		
25	0	0	0	0		
26	0	0	0	0		
27	0	. 0	0	0		
28	0	0	0	0		
29	0	0	0	0		
30	0	0	0	0		

2/7/2008
Engineering
Date 1/11/2008



THIS MEMORANDUM

is an acknowledgment that Bill of Lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

WARNING!

Portland cement. Cemplus Stag and lime are injurious to eyes and cause skin irritation. Avoid eye contact or prolonged contact with skin. Wash thoroughly after handling. In case of eye contact flush with plenty of water for at least lifteen minutes. Consult a physician immediately. Keep out of reach of children.



RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading

Suwannee American Cement Company • 5117 U.S. Hwy. 27, Branford, Florida, USA

the property described below, in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person of corporation in possession of the property under the contract) agrees to carry to its usual place of delivery of said destination, if on its route, otherwise to delivery to another carrier on the route to said destination, and as to each party at any time interested in all or any to said property over all or any portion or said route to destination, and as to each party at any time interested in all or any to said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) Uniform Freight Classification in effect on the date hereof, if this is a rail or rail-water shipment, or (2) in the applicable motor carrier classification or tarriff it his is a motor carrier shipment.

Shipper hereby certifies he is familiar with all the terms and conditions of the said bill of lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

This shipment is correctly described. Subject to varification by the EASTERN OR SOUTHERN WEIGHING & INSPECTION BUREAU according to agreement.	Suwannee American Cement Shipper	This is the property of the shipper, and no reconsignment or Diversion is to be made unless authorized by consignor.
"If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading state whether it is carrier's or shipper's weight. NOTE: Where the rate is dependent on value, the shippers are required to state specifically in writing agreed or declared value of the property. The agreed or declared value of the property is hereby specific by the shipper to be not.	shipment is to be delivered to the consignee without recour consigner, the consignor shall sign the following statement.	se on the To be Prepaid. TO BE PREPAID
by the Shipper to be trui.	Suwannee American Cement	to apply in prepayment of the charges on the property described hereon.
4	Survaince American Someth	Agent or Cashier
anned to	Per	Per
exceeding Per CONSIGNED TO/DESTINATION SHIPPING PLA AND DATE AND DATE	(SIGNATURE OF CONSIGNOR) NT CARRIL	amount prepaid)
AND DATE	HOUTE	advanced: \$
5904251 5006485 DURATEK PRECAST TECH - BARTOW	FOB41 02/06/2008 4607	.WEIGHT
OOKO TEEN AM MANUENT		GROSS 38.450
3390 HWY 17 NORTH BARTOW FL	ada na na na ang ang ang ang ang ang ang a	TARE TO A COLOR
33830 02/06/2	008 338 15:42	TARE 13.010
02/00/2	33936	38 NET 25,440 to
COMMENTS / SPECIAL INSTRUC	<u>.</u>	WEIGHED BY DATE
the same of the sa	The grant of the control of the cont	CSCALESUW1
R CARRIER SEAL 23142	The second	CHECKED BY/FOREMAN TIME
CUSTOMER ORDER NO. DELIVERY DATE & TIME BILL O	F LADING NO: SEALS:	CAR INITIALS/TRUCK NO. FROM SILO
	948931	205/200
PRODUCT QUANTITY NO. CODE WEIGHT PKGS.	COMMODITY PROPERTY SAFER OF SA	RATE . FREIGHT
4254081 50,880.00 25.4	4 Type I/II Portland	Bulk AASHTO
	O AM E PA	TANK Pressure
2) ENDING TIME 8:10		$(14ps_1)$
aut A Luis	TEST	
Bultuy & Sex 2	17108	TANK LINE
21	, , , , ,	(10PSI)
THIS PRODUCT MEETS ASTM C 150 AN MAY CONTAIN UP TO 5% LIMESTONE A		#325
•	K Gal	rlong
CUSTOMER R	EMARKS	
Suwannee American Cement Shipper,		
	DESTINATION - CUSTOMER / AGENT SIGNATURE D	ATE
Per		
FORM NO. ARRIVAL TIME	Ag	gent
FL-135192 DEPARTURE		
TIME	. Pe	25



Whitlow Enterprises, LLC

www.smokeschool.net

Certifies that

Doug Bauman of General Environmental Engineering

Has passed the certification test required by 40 CFR 60Appendix A

and is qualified as a visible emissions evaluator

Certification Date: January 11,2008 Location: Tampa, Fl

George Whitlow

President

Florida Department of Environmental Protection Cash Receiving Application (CRA) Cashlisting by Deposit #: 281572 thru 281572 Printed: 4/7/2008 4:39:54 PM - Page 20

Cashlisting:

67726

Cashlist Area:

3755

Description: DIV OF AIR RESOURCES MGMT.

Deposit No:

281572

Date Deposited: 04/07/2008

Contact: E. WALKER

Object 002272 	Transmittat 47780 47780	Dep.DDN 481840 481862	Receipt Number 621184 621206	Pre- Numbered Receipt	Name DURATEK PRECAST TECHNOLOGIES I J A LAROCCO ENTERPRISE INC	017299	\$100.00 \$100.00	Reference Account	Payment Number 868655 868675	Remittance Number 771469 771491	Fund PFTF PFTF F
					Object Code 002272 Subtotal:		\$200.00				
002278	47780	481851	621195		LVI ENVIRONMENTAL SERVICES INC	545683	\$200.00	47892	868665	771480	APCTF
•	47780	481851	621195		LVI ENVIRONMENTAL SERVICES INC	545683	\$100.00	48280	868666	771480	APCTF
	47780	481853	621197		GREENBERG ENVIRONMENTAL INC	7740	\$100.00	48221	868667	771482	APCTF
•	47780	481857	621201		BROCK SPECIALTY SERVICES LTD	146450	\$300.00	47696	868671	771486	APCTF
					Object Code 002278 Subtotal:		\$700.00				
					·	•					
					Cashlisting 67726 Total:		\$900.00				

DURATEK PRECAST TECHNOLOGIES INC.
2180 AMERICAN FLYER WAY
BROOKSVILLE, FL 34604-6829
352-796-5944

Date Pari 3, Date 363-27/631 FL
364

Pay to the Slorida. DEP \$ 100. Co

One hundred and Dollars

Bank of America

ACH R/T 063100277

Rerewal of General Air permit
For DEP Facility 1D#1050345

©Clarke American







7006 0100 0005 0326 3119 Additional country-specific prohibitions/restrictions may apply. See International Mail Manual (IMM) country pages for details.





1. Complete Address Area Type or Print required return address and addressee information in customer block area or on label.



2. Payment Method Affix postage or meter strip to area indicated in upper right hand corner. Visit us at usps.com

From:/Expéditeur:

GENERAL ENVIRONMENTAL ENGINEERING, INC. 5305 PINEVIEW WAY APOPKA, FL 32703

To:/Destinataire:

FDEP Receipts

P.O. Box 3070

Tallahassee, FL 32315-3070