RECEIVE

NONMETALLIC MINERAL PROCESSING PLANT (CRUSHER) AIR GENERAL PERMIT EXAMPLE REGISTRATION WORKSHEET

APR 27 2012

DIVISION OF AIR
RESOURCE MANAGEMENT

| Facility Identification Number - If know | wn (seven digit number) |
|--|---|
| 1050405 | 1050405-002 |
| Registration Type | |
| Check one: | |
| INITIAL REGISTRATION - Notifica | |
| Construct and operate a proposed n | ew facility. ty not currently using an air general permit (e.g., a facility proposing to go |
| | ir general permit). If the facility currently holds one or more air operation |
| permits, such permit(s) must be sur | rendered by the owner or operator upon the effective date of this air general |
| permit. (See "Surrender of Existing | ; Air Operation Permit(s)" below.) rrently permitted or using an air general permit. |
| Operates an existing facility not cur | rrently permitted or using an air general permit. |
| RE-REGISTRATION (for facilities cu | arrently using an air general permit) - Notification of intent to: |
| | r expiration of the current term of air general permit use. |
| Continue operating the facility after | r a change of ownership. ng re-registration pursuant to Rule 62-210.310(2)(e), F.A.C. |
| | n administrative correction under Rule 62-210.310(2)(d), F.A.C. |
| | |
| Surrender of Existing Air Operation Pe | ermit(s) - For Initial Registrations Only, if Applicable |
| All existing air operation permits for this permit; specifically permit number(s): | facility are hereby surrendered upon the effective date of this air general |
| General Facility Information | |
| Facility Owner/Company Name (Name of operates, controls, or supervises the facilit Hanson Hardscape Products, LLC. | f corporation, agency, or individual owner who or which owns, leases, ty.) |
| Site Name (Name if any of the facility si | ite; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a |
| complete registration must be submitted for | |
| Hanson Hardscape Products - Haines City | |
| Facility Lagation (Physical location of the | e facility, not necessarily the mailing address.) |
| Street Address: 1980 Marley Drive | |
| City: Haines City | County: Polk Zip Code: 33844 - 9202 3 3 date of proposed new facility.)(N/A for existing facility.) |
| E The Grant Day (E. C.) | |
| Facility Start-Up Date (Estimated start-up N/A | date of proposed new facility.)(N/A for existing facility.) |
| | |
| | mo 2 |

| Facility Contact | | |
|--|---------------------------------|-----------------------------------|
| Name and Position Title (Plant manager or person to Print Name and Title: Scott Simpson, Plant Manager | o be contacted regarding day-to | -day operations at the facility.) |
| Facility Contact Telephone Numbers Telephone: 863-421-7743 Cell phone: 863-557-0091 E-mail: scott.simpson@hanson.com | Fax: <u>863-421</u> | 1-7433 |
| Facility Contact Mailing Address Organization/Firm: Hanson Hardscape Products, LLC. Mailing Address: 1980 Marley Drive City: Haines City | County: Polk | Zip Code: <u>33844</u> |
| Correspondence Contact/Representative (to serv Name and Position Title Print Name and Title: Charles Piwowarski, Area Environn | VIVI | ontact) |
| Correspondence Contact/Representative Telephone Telephone: 386-734-6228 Cell phone: 407-408-5917 E-mail: _charles.piwowarski@hanson.com | Numbers Fax: <u>386-738</u> | 3-7018 |
| Correspondence Contact/Representative Mailing Actor Organization/Firm: Lehigh Hanson Mailing Address: 840 West Avenue City: DeLand | Idress County: Voluisa | Zip Code: <u>32720</u> |
| Government Facility Code (check only one) | | |
| Facility not owned or operated by a fede | _ | t. |
| Facility owned or operated by the federa | ıl government. | |
| Facility owned or operated by the state. | | |
| Facility owned or operated by the county | y . | |
| Facility owned or operated by the munic | ipality. | |
| Facility owned or operated by a water m | anagement district | |

FLORIDA DEPARTMENT OF ENVIRONHENTAL PROTECTION

7012 APR 26 AM 9: 14
FINANCE & ACCOUNTING
REVENUE

| neck one: Stationary Facility | Relocatable Facility | |
|---|--------------------------------------|----------------------|
| | | |
| pe(s) of Precautions Used to Prevent | Unconfined Emissions | |
| Check all that apply for the management | of roads, parking areas, stock piles | and yards: |
| ■ Maintain Roads/Parking/Yards | Use Water Application | Use Dust Suppressant |
| <u> </u> | | |
| Remove Particulate Matter | Reduce Stock Pile Height | Install Wind Breaks |
| Remove Particulate Matter | | |
| <u> </u> | | |

Emission Unit Details

| Emission Chit I | | | | | | |
|--------------------------|------------------|-------------|----------------|--|---------------|---------------|
| COMPONENT | MANUFACTURER | | MODEL | SERIAL | RATED | SUBJECT TO |
| DESCRIPTION | | MANUFACTURE | NUMBER | NUMBER | CAPACITY | 40 CFR, PART |
| (e.g. primary, secondary | | | , | 1 | (tons/hr, hp) | 60, SUBPART |
| crusher, screener, | | | | | | . 000 |
| conveyor, RICE* engine | · | | | | 1 | (Yes or No)** |
| and fuel type, etc.) | | | <u></u> | | | <u> </u> |
| Screener | Argus Industrial | 3/9/2007 | EZ Screen 1200 | CXL2196 | 10 hp | No |
| | | | | | | |
| | | | | | | <u></u> |
| | ļ | | ļ | <u> </u> | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | · | | | | : : |
| | | | | | | |
| Screener | | | | | | |
| | | | | | · | |
| | | | | | | * |
| | | | | | | |
| | | | | | | |
| | | | | ļ | | |
| | | | | | | |
| | | | | | | |
| | | | | ļ | | |
| -{ | l | | 1 | ł | 1 | • |

*RICE: Reciprocating Internal Combustion Engine

**NMMP Facilities subject to Subpart OOO:
Stationary sand and gravel plants with a machine (or a maximum) rated capacity greater than 150 tons per hour.
Portable sand and gravel plants with a machine (or a maximum) rated capacity greater than 25 tons per hour.
Clay and pumice plants with a machine (or a maximum) rated capacity greater than 10 tons per hour.

Page 4 of 5

Description of Facility

Below, or as an attachment to this worksheet, provide a description of the nonmetallic mineral processing plant operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe material(s) processed, all air pollutant-emitting processes, and identify any air pollution control measures used. Mobile source equipment information is not needed (eg.: trucks, bulldozers, front-end loaders, etc.)

This is an application to operate an EZ Screen 1200XL at the Hanson Hardscape Products, LLC. Haines City Facility, the screen will be permanently located at the Haines City Facility.

The EZ Screen 1200 XL has a 5' by 6' wide douple deck screen box with end tensioned screens, utilizing a 10 hp Yanmar air cooled diesel engine. The hydraulically drivin 24" wide conveyor has an 8'11" dump height. The EZ Screen XL has the capacity to screen 600 tons per day.

The EZ Screen XL will be operated in a stand-alone configuration to screen production waste to be recycled as aggregate, and in conjunction with a relocatable Rubble Master RM70 Crusher processing production waste to be recycled as aggregate.

Helpful Definitions:

- "Capacity" Per 40 CFR 60.671, the cumulative rated capacity of all initial crushers that are part of the plant.
- "Department" or "DEP" The State of Florida Department of Environmental Protection.
- "Emissions Unit" Any part or activity of a facility that emits or has the potential to emit any air pollutant.
- "Facility" All of the emissions units which are located on one or more contiguous or adjacent properties, and which are under the control of the same person (or persons under common control).
- "Owner" or "Operator" Any person or entity who or which owns, leases, operates, controls or supervises an emissions unit or facility.
- "Nonmetallic Mineral Processing Plant" Per 40 CFR 60.671, any combination of equipment that is used to crush or grind any nonmetallic mineral wherever located, including lime plants, power plants, steel mills, asphalt concrete plants, portland cement plants or any other facility processing nonmetallic minerals except as provided in 40 CFR §60.670 (b) and (c).
- "Relocatable Facility" A facility such as, but not limited to, an asphalt plant, portable power generator, or relocatable nonmetallic mineral processing plant, which is designed to be physically moved to, and operated on, different sites by being wholly or partially dismantled and re-erected in essentially the same configuration. It shall not be operable while in transit.
- "Screening Operation" Per 40 CFR 60.671, a device for separating material according to size by passing undersize material through one or more mesh surfaces (screens) in series and retaining oversize material on the mesh surfaces (screens). Grizzly feeders associated with truck dumping static (non-moving) grizzlies used anywhere in the nonmetallic mineral processing plant are not considered to be screening operations.
- "Size" Per 40 CFR 60.671, the rated capacity in tons per hour of a crusher, grinding mill buckets elevator, bagging operation, or enclosed truck or railcar loading station; the total surface are of the top screen of a screening operation; the width of a conveyor belt; and the rated capacity in tons of a storage bin.
- "Unconfined Emissions" Emissions which escape and become airborne from unenclosed operations or which are emitted into the atmosphere without being conducted through a stack.

THE EZ WAY TO DOUBLE PRODUCTION...

WITHOUT ADDING ANOTHER LOADER!



Ordinary box screeners can't work as hard as the EZ Screen 1200, unless they're teamed with two loaders. The secret's the EZ Screen 1200's built-in conveyor system.

With a typical box screener, the loader operator has two jobs. Job one is keeping the screener filled with material. Job two is using the loader to scoop fines out of the machine and move them to the stockpile.

With the **EZ Screen 1200** on the site, the loader operator has just one job: loading the screener. The other job, moving fines, is handled by the 24"- wide conveyor that's able to stockpile material 8' high or into a truck.

New screener math: productivity is doubled. In fact, yield is now dependent only on the efficiency of the loading operation. No more wasted time running the screener without material, thereby maximizing production.

Increased efficiency is only half the productivity equation. The other half is dependability.

Which is why the **EZ Screen 1200** is built with the highest-quality components. Like its never-say-die, air-cooled diesel engine. It sips fuel, so it'll run long and hard without refueling.

The EZ Screen 1200. The EZ way to double your production.


Is the **EZ Screen 1200** right for your applications? Ask us, it's all part of our total commitment to customer service.

- Weight 7940 lbs. Tongue weight 1630 lbs.
- Overall length 29' Overall width 5'-7" Overall height 9'-1"

The **EZ Screen 1200** is a product of Argus Industrial Co., manufacturer of the EZ Screen range of screening plants – all offering innovation, productivity, versatility and value through patented designs, exclusive features, quality manufacturing and outstanding customer service.

Argus Industrial Co., L.L.C. has a policy of continuous product improvements and reserves the right to change specifications, designs or prices anytime without notice or the incurring of any obligations.

ARGUS INDUSTRIAL CO. 18 W. Huron, Pontiac, MI 48342 (248) 745-5828 Fax: (248) 745-5825 ez-screen.com











FEATURES

- Loading bucket size range: ½ to 1¾ yards with a 8′ feed height - Air-cooled diesel, 10-HP with low oil and high temperature shut down.

- An hour meter and electric starting system is standard

- Exide "Spiral Wound" battery for long life in a vibratory environment

- Dual stage air filter system

- Fully enclosed, lockable engine compartment and starter panel

Patented non-hydraulic screen drive

- Hydraulically driven 24" wide vulcanized "Endless" conveyor with 8' dump height

- Hydraulic drive components are by Eaton and Char-Lynn

- Conveyor components are U.S. made CEMA "B" grade - All EZ-Screen surfaces are a baked powder coat finish

- Custom made sealed wiring harness with lights for street legal towing

Tow hitch has safety chains, automatic safety break-away controller with battery
Hydraulic raising and lowering tongue with 3" pintle eye/lunette ring
7,000 lb. capacity E-Z lube axle on rear with hydraulic activated rear pivoting assembly

- Electric brakes, 235/85R16 Load range "E" 10 ply trailer tires plus detachable mud-flaps.


*To insure safe towing, always be certain that the tow vehicle is properly equipped.

ARGUS INDUSTRIAL CO.

18 W. Huron • Pontiac, MI 48342 (248) 745-5828 Fax (248) 745-5825

ez-screen.com





105 0405

RECEIVED

APR 27 2012

DIVISION OF AIR RESOURCE MANAGEMENT Lehigh Hanson
HEIDELBERGCEMENTGroup

Lehigh Hanson 840 West Avenue DeLand, Florida 32724 (386) 734-6228 (386) 740-0556

April 25, 2012

FedEx Tracking Number: 798326651677

FDEP Receipts 3800 Commonwealth Blvd. MS 77 Tallahassee, FL 32399

RE: Hanson Hardscape Products, LLC. – Haines City
Air General Permit Registration: ARMS ID: 1050405

To whom it may concern:

Hanson Hardscape Products, LLC. (Hanson) is submitting this Nonmetallic Mineral Processing Plants air general permit registration for re-registration of the above referenced facility.

Hanson has enclosed the NONMETALLIC MINERAL PROCESSING PLANT (CRUSHER)

AIR GENERAL PERMIT EXAMPLE REGISTRATION WORKSHEETfor the re-registration of this
existing facility and has enclosed the required \$100 air general permit registration processing fee
per Rule 62-4.050(4)(p)(2), F.A.C. for the facility.

ARMS ID: 1050405 Check Number: 40148693

If you have any questions or comments, please do not hesitate to contact me at (386) 734-6228.

Sincerely,

Lehigh Hanson

Environmental Safety and Health

Charles J. Riwowarski Environmental Manager

Attachments:

Nonmetallic Mineral Processing Plant AGP Example Registration Worksheet and Check

CC:

Scott Simpson, HHP Paul Carpenter, HHP

