

Department of **Environmental Protection**

Lawton Chiles Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

Virginia B. Wetherell Secretary

August 27, 1997

Mr. Sonja L. Nye Northeast Laundry Northeast Shopping Plaza 17th and Lockwood Ridge Sarasota, Florida 34235

Re: Facility No. 1150093

Dear Mr. Nye:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on August 6, 1997.

Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely

Dotty Diltz, Chief

Bureau of Air Monitoring and Mobile Sources

DD/jw

cc: Mr. Louis Fernandez, Southwest District

"Protect, Conserve and Manage Florida's Environment and Natural Resources"



Department of Environmental Protection

Jeb Bush Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

David B. Struhs Secretary

August 27, 2002

Mr. Bruce Nye Northeast Laundry & Drycleaning 4800 Benchmark Court Sarasota, Florida 34238

Re: Facility No.: 1150120-001

Dear Mr. Nye:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on July 22, 2002.

Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office Bureau of Air Monitoring and Mobile Sources MS 5510 Department of Environmental Protection 2600 Blair Stone Road Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the district or local air program compliance inspector in your area.

Sincerely,

Joe Kahn, Chief رجوا

Bureau of Air Monitoring and Mobile Sources

JK/jw

cc: Mr. Jose' Zornitta, Sarasota County

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Grant, Patricia

From: Bowman, Sandy

Sent: Monday, November 07, 2005 3:11 PM

To: Zhu, Yi

Cc: 'Susan Cameron'; Thomas, Bruce X.; Grant, Patricia

Subject: RE: Data Cleanup for 2005 AOR - Facility

Yi,

I have checked further into this and have spoken with Elizabeth. AIRS ID 1150120 should be deleted. All information is now under AIRS ID 1150093. Sorry for the confusion on this one.

Sandy

Sandy Bowman
Environmental Administrator
Division of Air Resource Management
850/921-9583 or sandy.bowman@dep.state.fl.us

----Original Message-----

From: Zhu, Yi

Sent: Friday, November 04, 2005 4:04 PM

To: Bowman, Sandy

Cc: 'Susan Cameron'; Thomas, Bruce X.

Subject: RE: Data Cleanup for 2005 AOR - Facility

Does it mean 1150093 should be deleted? It has many compliance activates and has TV fee data for several years. We can not delete the facility with these data attached. 1150120 has no compliance activity, but it has fee data also. Could you check it again? Thanks.

From: Bowman, Sandy

Sent: Friday, November 04, 2005 3:07 PM

To: Zhu, Yi

Cc: 'Susan Cameron'; Thomas, Bruce X.

Subject: FW: Data Cleanup for 2005 AOR - Facility

Yi,

As best I can determine, 1150093 is another facility that we neglected to inform you about. Again, my apologies.

We received a letter from Bruce Nye telling us that 1150120 was sold in 2004 to Lee Horning. Based on this information, the status was changed to INACTIVE. The facility remains INACTIVE because we have not received a notification form from Mr. Horning and technically he is and has been operating without entitlement.

Please let us know if you need additional information or assistance.

Sandy

Sandy Bowman

Environmental Administrator
Division of Air Resource Management
850/921-9583 or sandy.bowman@dep.state.fl.us

-----Original Message-----

From: Zhu, Yi

Sent: Friday, November 04, 2005 1:24 PM

To: Bowman, Sandy

Subject: FW: Data Cleanup for 2005 AOR - Facility

Sandy,

This is another one for you to check. Please let me know what is going on. Thank you.

From: Susan Cameron [mailto:SCAMERON@scgov.net]

Sent: Friday, November 04, 2005 1:00 PM

To: Zhu, Yi

Subject: RE: Data Cleanup for 2005 AOR - Facility

There should be. Data for them is entered into ASGP. If there is no link check w/Tallahassee Title V GP staff and find out if they no longer paid the fee and are not operating. I inspect once per year; but Tqllahassee collects Title V GP fees.

Susan

>>> "Zhu, Yi" <Yi.Zhu@dep.state.fl.us> 11/4/2005 11:31:17 AM >>> Why is there no permit linked to NE Laundry in ARMS?

From: Susan Cameron [mailto:SCAMERON@scgov.net]

Sent: Thursday, November 03, 2005 8:21 AM

To: Zhu, Yi

Subject: Re: Data Cleanup for 2005 AOR - Facility

Yi -

I was out of the office the last week and am updating data for AOR now. NE Laundry operates under a general permit. Jeld Wen just submitted their application; the facility does not yet have a construction permit.

Thank you,
Susan Cameron, ESIII
Sarasota County ESBC AIr Quality/ Storage Tank Management
2817 Cattlemen Road
Sarasota, Florida 34232
scameron@scgov.net
(941)861-6237

>>> "Zhu, Yi" <Yi.Zhu@dep.state.fl.us> 11/2/2005 9:24:26 AM >>>

Attached is a list of facilities that are Title V or synthetic non Title V. They are not required to submit AOR according to ARMS. They operate under a regular permit. According to the rule, these should be required to submit AOR. Please check the permit and make necessary updates in ARMS. Please do not forget to update the emissions unit, SCC, and pollutant data too.

Grant, Patricia

From:

Zhu, Yi

Sent:

Monday, November 07, 2005 3:24 PM

To:

Bowman, Sandy

Cc:

'Susan Cameron'; Thomas, Bruce X.; Grant, Patricia

Subject: RE: Data Cleanup for 2005 AOR - Facility

Thanks, Sandy. I have deleted 1150120. I am glad we have everything straight now.

From: Bowman, Sandy

Sent: Monday, November 07, 2005 3:11 PM

To: Zhu, Yi

Cc: 'Susan Cameron'; Thomas, Bruce X.; Grant, Patricia **Subject:** RE: Data Cleanup for 2005 AOR - Facility

Yi,

I have checked further into this and have spoken with Elizabeth. AIRS ID 1150120 should be deleted. All information is now under AIRS ID 1150093. Sorry for the confusion on this one.

Sandy

Sandy Bowman Environmental Administrator Division of Air Resource Management 850/921-9583 or sandy.bowman@dep.state.fl.us

----Original Message-----

From: Zhu, Yi

Sent: Friday, November 04, 2005 4:04 PM

To: Bowman, Sandy

Cc: 'Susan Cameron'; Thomas, Bruce X.

Subject: RE: Data Cleanup for 2005 AOR - Facility

Does it mean 1150093 should be deleted? It has many compliance activates and has TV fee data for several years. We can not delete the facility with these data attached. 1150120 has no compliance activity, but it has fee data also. Could you check it again? Thanks.

From: Bowman, Sandy

Sent: Friday, November 04, 2005 3:07 PM

To: Zhu, Yi

Cc: 'Susan Cameron'; Thomas, Bruce X.

Subject: FW: Data Cleanup for 2005 AOR - Facility

Yi,

As best I can determine, 1150093 is another facility that we neglected to inform you about. Again, my apologies.

We received a letter from Bruce Nye telling us that 1150120 was sold in 2004 to Lee Horning. Based on this information, the status was changed to INACTIVE. The facility remains INACTIVE because we have not received a notification form from Mr. Horning and technically he is and has been operating without entitlement.

Please let us know if you need additional information or assistance.

Sandy

Sandy Bowman
Environmental Administrator
Division of Air Resource Management
850/921-9583 or sandy.bowman@dep.state.fl.us

----Original Message-----

From: Zhu, Yi

Sent: Friday, November 04, 2005 1:24 PM

To: Bowman, Sandy

Subject: FW: Data Cleanup for 2005 AOR - Facility

Sandy,

This is another one for you to check. Please let me know what is going on. Thank you.

From: Susan Cameron [mailto:SCAMERON@scgov.net]

Sent: Friday, November 04, 2005 1:00 PM

To: Zhu, Yi

Subject: RE: Data Cleanup for 2005 AOR - Facility

There should be. Data for them is entered into ASGP. If there is no link check w/Tallahassee Title V GP staff and find out if they no longer paid the fee and are not operating. I inspect once per year; but Tqllahassee collects Title V GP fees.

Susan

>>> "Zhu, Yi" <Yi.Zhu@dep.state.fl.us> 11/4/2005 11:31:17 AM >>> Why is there no permit linked to NE Laundry in ARMS?

From: Susan Cameron [mailto:SCAMERON@scgov.net]

Sent: Thursday, November 03, 2005 8:21 AM

To: Zhu, Yi

Subject: Re: Data Cleanup for 2005 AOR - Facility

Yi-

I was out of the office the last week and am updating data for AOR now. NE Laundry operates under a general permit. Jeld Wen just submitted their application; the facility does not yet have a construction permit.

Thank you,
Susan Cameron, ESIII
Sarasota County ESBC AIr Quality/ Storage Tank Management
2817 Cattlemen Road
Sarasota, Florida 34232
scameron@scgov.net

(941)861-6237

>>> "Zhu, Yi" <Yi.Zhu@dep.state.fl.us> 11/2/2005 9:24:26 AM >>>

Attached is a list of facilities that are Title V or synthetic non Title V. They are not required to submit AOR according to ARMS. They operate under a regular permit. According to the rule, these should be required to submit AOR. Please check the permit and make necessary updates in ARMS. Please do not forget to update the emissions unit, SCC, and pollutant data too.

Thank you.

<<AORREQ.XLS>>

AIRS J.D. HS61

eau of Air Monitorine y Mobile Sources

Drycleaning

April 5, 2004

Department of Environmental Protection

Dear Sir or Madam:

This letter is in reference to the notice I have received about the Clean Air Act. I have written on several occasions and faxed letters and I do not seem to be getting any where. We sold the business back in 2002 and since have turned all the information over to the new owner several times. The new owner is Lee Horning and his address is 4445 opal court Sarasota, fl 34233 and I would appreciate if someone would make these changes in there paper work. I appreciate your attention to this matter if there is any question please call Sonja Nye at 941-922-4090.

Sincerely,

Bruce Nye **Owner**

CLOSING STATEMENT SALE OF BUSINESS - NORTHEAST LAUNDRY

3343 Northeast Plaza, Sarasota, FL 34235

SELLER: Northeast Laundry, Inc.

BUYER: Mr. Lee's Inc.

CLOSING AGENT: Robert M. Fournier, Esq.

CLOSING DATE: October 18, 2002

CLOSING BAIL. OCCOBET 10,	2002	•
	DUE SELLE	CREDIT BUYER
Selling Price	\$475,000.0	0
Deposit		\$ 20,000.00
Amount Financed (short-term note) .	100,000.00
Amount Financed (long-term note)		275,000.00
Tangible Property Tax 2002 (01/01/02 10/18/02) 291 x 1.4772		.429.86
Last month's rent	-0-	
Security Deposit	2,200.	00
TOTAL	\$477,200. 395,429.	
BALANCE DUE SELLER	\$ 81,770.	14
SELLERS' EXPENSES		BUYER'S EXPENSES
Sales Tax for Dodge Caravan Atty. Fee Costs UC Fund of Florida	500.00 105.00 950.00 35.00 223.00	Atty. Fee (billed separately) UCC Search (billed separately) File UCC-1 (Sec.State) 25.00 Record UCC-1 10.50 Doc. Stamps Note 1 962.50 Doc. Stamps Note 2 350.00 \$1,348.00
SELLER'S SUMMARY		BUYER'S SUMMARY
Deposit (Paid direct) Balance Due Seller 81,	-0- 770.14	Bal. Due Seller \$ 81,770.14 + Buyer Exp
	770.14 813.00	
NET CASH DUE SELLERS \$ 79,	957.14	NET CASH FROM BUYER \$ 83,118.10

NORTHEAST LAUNDRY, INC.

MR. LEE'S, INC

By:



Department of Environmental Protection

Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

Colleen M. Castille Secretary

TO: Holder of Title V Air General Permit

Our records indicate that, as the owner or operator of an eligible facility, you have claimed entitlement to the use of a Title V Air General Permit under Rule 62-213.300, Florida Administrative Code (F.A.C.).

For your facility to maintain its eligibility for the Title V Air General Permit, Rule 62-213,300(3)(b), F.A.C. states "...the owner or operator of the facility must, upon written notice from the Department, submit payment of an annual operation fee in the amount of \$50.00. This fee is due and payable between January 15 and March 1 of each year for which the facility is in operation and subject to the requirements of this rule and the general permit." This invoice constitutes the Department's written notice, as required under the general permit rule.

Please make your check or money order payable to the Department of Environmental Protection and staple it to the detachable portion of this invoice below. To maintain your facility's eligibility for the general permit, the fee must be received by the Department not later than March 1. Your check and the detachable portion of this invoice below should be mailed to:

Title V Air General Permits Receipts Post Office Box 3070 Tallahassee, FL 32315-3070

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.

TOTAL AMOUNT DUE: \$75.00

Do NOT Remove Label

115 0120

NORTHEAST LAUNDRY & DRYCLEANING BRUCE NYE 4800 BENCHMARK CT SARASOTA, FL 34238

A 100 750 (0.4100000 - -

FOR GOVERNMENT USE ONLY ORG.: 37550101000 EO: B1

FUND: 20-2-035001 OBJECT: 002273



Department of **Environmental Protection**

Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

Colleen M. Castille Secretary

April 1, 2004

NOTICE OF LATE PAYMENT OF ANNUAL OPERATION FEE VIA: CERTIFIED MAIL WITH RETURN RECEIPT

TO: User of Title V Air General Permit

Department records indicate that during calendar year 2003 you operated a facility which is a source of air pollution. You have also claimed eligibility for this facility to operate under a Title V Air General Permit pursuant to Chapter 62-213, Florida Administrative Code (F.A.C.).

As a source of air pollution subject to Title V of the federal Clean Air Act, your facility is required under Section 403.0872, Florida Statutes (F.S.), to pay an annual operation fee, as established by the Department in Rule 62-213.205, F.A.C. You are also required, under Rule 62-213.300(2)(c)2, F.A.C., to notify the Department in writing of any change in facility status.

The annual operation fee is \$50 for calendar year 2003. A notice of your obligation to pay the annual operation fee was sent to you by certified mail, along with an invoice form and instructions. This notice (with the enclosed replacement invoice) is being sent as a reminder.

The Department has not received your annual operation fee. Accordingly, in accordance with Rule 62-213.205(1)(g), F.A.C., the Department is assessing a 50% penalty against your facility, for a total fee of \$75.00 for calendar year 2003.

Under Rule 62-213.205(1)(g), F.A.C., failure to timely pay the required annual operation fee, penalty, or interest constitutes grounds for revocation of your Title V Air General Permit. If the fee and penalty are not promptly paid, the Department will proceed to revoke your facility's Title V Air General Permit and will also seek interest in accordance with Section 220.807, F.S.

To submit your \$75.00 payment, please follow the directions on the enclosed invoice form. If you have any questions, you may call Bruce Thomas at 850/921-7744 or Rick Butler at 850/921-9586. Thank you for your prompt attention to this matter.

Sincerely,

Joseph Kahn, Chief

Bureau of Air Monitoring

and Mobile Sources

/JK

Enclosure: Invoice Form

"More Protection, Less Process"

Printed on recycled paper.

AIRS ID # 1150120-001

A1) 8/12/02 08/12/2002

Rick Butler spoke with Mrs. Nye who is the wife of the RO Bruce Nye. She stated that she filled out the form and could answer questions on the dry cleaning facility. Two questions were asked of Mrs. Nye. Question 1. When was the dry-to-dry machine originally purchased from the manufacturer? She replied Sep. 1997. Question 2. How many propane boilers are located at the facility? None. Only the dryers use propane gas. The selected fuel type was marked in error.

Page 15

1.(a) For the Dry-to-Dry Machine, add the Date Initially Purchased from the Manufacturer. (September 1997)

Page 16

- 4. <u>New Machines at Small Area Source</u> Refrigerated Condenser should be marked for 1997 machines.
- 5. This question is only for steam and hot water generating units (i.e. boilers).

Bureau of A:r Monitoring Sources sildom &

PERCHLOROETHYLENE DRY CLEANER AIR GENERAL PERMIT NOTIFICATION FORM



Part III. Notification of Intent to Use General Permit

Part III. Notification of Intent to Use General Permit

And Air Monitorina

Completed form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and keep a convertely of the form to the address listed in the instructions and the convertely of the form to the address listed in the instruction and the convertely of the form to the address listed in the instruction and the convertely of the convertely of t

ه ل	ompleted form to the address listed in the instructions and keep	a copy of the form for your files.
Fac	cility Name and Location	
	Facility Owner/Company Name (Name of corporation, agency, or indiv	vidual owner):
	Alasania - Langa - 5 December	-110
2.	NORTHEAST LANNDRY 5 Dryclear Site Name (For example, plant name or number):) TNG
۷.		
	N.E. SHOPPING PLAZA	
3.	Hazardous Waste Generator Identification Number:	
	•	•
4.	Facility Location:	
	Street Address:	
	City: 33-13 NE. Plaza County: Sarasota	Zip Code: 34235
\$5 .	Facility Identification Number (DEP Use ONLY - do not fill in)	
		50120-001
াইন্দর্গন্ত	· · · · · · · · · · · · · · · · · · ·	
	sponsible Official	
	Name and Title of Responsible Official:	
Nar	ne: BRUCE NUE Title: OL	WNER
7.		
	Organization/Firm:	
	Street Address:	7: C-1:- 5
	City: 4800 BENCHMARK Crt Sarasota	Zip Code: 3.4238
8.	Responsible Official Telephone Number:	
	Telephone: (941)922-4090 Fax: (N/A
Fac	eility Contact (If different from Responsible Official)	
9.	Name and Title of Facility Contact (For example, plant manager):	
_	DRUCE NUE	
10.	Facility Contact Address:	
	Street Address: Same AS ALOUE	
	Street Address: County:	Zip Code:
		-
11.	Facility Contact Telephone Number:	, L) [A
	Telephone: $(941)955-4876$ Fax: () - N/A
	<u>- </u>	·

DEP Form No. 62-213.900(2)

DEP Form No. 62-213.900(2)

Facility Information

racinty information			
1.(a) DRY-TO-DRY M	ACHINES ONL	Y	•
How many dry-to-dry ma	chines do you ha	ve on-site?	
For each dry-to-dry mach	ine on-site, pleas	e provide the following information	on:
Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
	Existing/No	ew RC/CA/None required	Same
	Existing/No	ew RC/CA/None required	
	Existing/No	ew RC/CA/None required	
*CONTROL DEVICE K	EY: RC = r	refrigerated condenser CA =	- carbon adsorber
1.(b) TRANSFER MAC	HINES ONLY	1	
How many washers do yo	ou have on-site?	$ _ $	
How many dryers/reclaim	ners do you have	on-site? []	
unit. If the transfer maching 1993, it is a NEW unit (r	ine was purchased to units purchased	from the manufacturer between l	December 9, 1991, it is an EXISTING December 9, 1991 and September 22, owed to operate under this general formation:
Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
	Existing/New	RC/CA/None required	
· 	Existing/New	RC/CA/None required	
	Existing/New	RC/CA/None required	
*CONTROL DEVICE K	EY: RC = r	refrigerated condenser CA =	carbon adsorber
2.(a) How much perchlo	roethylene (perc)	have you used within the last 12 n	nonths?
	ns (You must fill	this in)	
(b) If less than 12 mor	nths, how many?	months A5 O	F 10/2001
Check why it is les	ss than 12 months	s: New owner: [\(\)] Did not kee	ep records: []
		New store: New machin	e []
		Unopened store [] (date of	expected opening)

DEP Form No. 62-213.900(2)

3. What is the facility's source classification based on the definitions found in section (3) of Part 11? Indicate with an "X". Select one classification only.)
Small Area Source
Dry-to-dry machines only on-site (used less than 140 gallons of perc per year) Transfer only on-site (used less than 200 gallons of perc per year) Both machine types on-site (used less than 140 gallons of perc per year)
Large Area Source []
Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year) Transfer only on-site (used 200 - 1,800 gallons of perc per year) Both machine types on-site (used 140 - 1,800 gallons of perc per year)
4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)
Existing machines at small area source (NONE REQUIRED) New machines at small area source Refrigerated condenser
Existing machines at large area source Carbon adsorber Refrigerated condenser [] Refrigerated condenser
5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).
All steam and hot water generating units exempt No such units on-site OR
How many boilers do you have on-site?
For each boiler, indicate its horsepower (HP) rating: [] []
What type of fuel do you use? [] No. 2 fuel oil [] No. 4 fuel oil [] No. 6 fuel oil [] Other (please list)
6. Equipment Monitoring and Recordkeeping Information
Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:
(a) Purchase receipts and solvent purchases/solvent addition log
(b) Leak detection inspection and repair
(a) Purchase receipts and solvent purchases/solvent addition log (b) Leak detection inspection and repair (c) Refrigerated condenser temperature monitoring (d) Carbon adsorber exhaust perc concentration monitoring
(d) Carbon adsorber exhaust perc concentration monitoring
(e) Startup, shutdown, malfunction plan

DEP Form No. 62-213.900(2)

DEP Form No. 62-213.900(2) Effective: 2/24/99

Signature

Instructions for Completing Part III of Notification Form

The Perchloroethylene Dry Cleaning Facility Notification of Intent to Use General Permit, Part III of this form, shall be completed and submitted to the Division of Air Resources Management at least 30 days prior to beginning operations under the general permit. Please type or print clearly all information. A copy of this notification form shall be kept on-site and made available for review by Department personnel.

The responsible official of the facility, as defined in Part II of this notification form, is responsible for ensuring that the facility complies with all applicable terms and conditions of this general permit, as set forth in Part II of this form.

Mail the signed and completed Part III of this form to:

General Permits Section
Bureau of Air Monitoring and Mobile Sources, MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400

Facility Name and Location

- 1. Facility Owner/Company Name Enter the name of the corporation, agency, or individual that has ownership or control of the dry cleaning facility for which this notification is submitted.
- 2. Site Name Enter the common name, if any, of the facility site; for example, Plant A, Metropolis plant, etc. If more than one facility is owned, a notification form must be completed for each.
- 3. Hazardous Waste Generator Identification Number Enter the hazardous waste generator identification number, if known, assigned by the Department to the facility.
- 4. Facility Location Enter the street address and zip code of the facility and the city and county in which it is located.
- 5. Facility Identification Number (DEP Use ONLY) Please leave this space blank. DEP will enter the facility identification number assigned to you by ARMS.

Responsible Official

- 6. Name and Title of Responsible Official Enter the name and title of the designated responsible official for the facility who, by signing this form, is certifying that the facility is eligible for a general permit pursuant to the requirements of Part II of this notification form and Rule 62-213.300, F.A.C.
- 7. Responsible Official Mailing Address Enter the mailing address for the responsible official if different than the address entered in No. 4 above.
- 8. Responsible Official Telephone Number Enter the telephone number and facsimile number, if available, at which the responsible official can be contacted.

Facility Contact

Name and Title of Facility Contact - Enter the name of the facility contact, if other than the
responsible official. For example, a plant manager could be designated as the facility contact for
Department inspections.

- 10. Facility Contact Address Enter the mailing address for the facility contact, if different than the address entered in No. 4 above.
- 11. Facility Contact Telephone Number Enter the telephone number and facsimile number, if available, at which this person can be contacted.

Facility Information

- 1. For each machine located at the facility, select the appropriate machine type and type of air pollution control device installed on the machine (for example, dry-to-dry unit w/ ref. condenser). If the dry-to-dry machine was purchased from the manufacturer prior to or on December 9, 1991, it is an EXISTING unit. If the dry-to-dry machine was purchased from the manufacturer after December 9, 1991, it is a NEW unit. Beginning with dry-to-dry machines, enter the date the machine was initially purchased from the manufacturer in the dd-mth-yy format. If you do not know the exact date of purchase, but can confirm it was prior to December 9, 1991, enter 08-DEC-91. Indicate the status of the machine as either new or existing. Circle the required control equipment for that machine (if required) and enter the date of its installation (in the dd-mth-yy format). If control equipment is required, but has not yet been installed, indicate this with an "X". If the control device was already included at the time of purchase, enter "SAME". Up to three dry-to-dry machines may be entered across this table. Complete the other table for transfer machines located at the facility, as applicable. Submit additional copies of these tables if more than three machines per type are located at the facility.
- 2. Enter the total amount, in gallons, of perchloroethylene consumed during the preceding twelve months. If this amount represents a period of less than twelve months, indicate the actual time period used to determine solvent consumption and the reason for this discrepancy (for example, new store). New owners should attempt to obtain solvent purchase records from the previous owner.
- 3. Using the amount of perc.entered in No. 2 above, select the facility's classification. The classification is based on the definitions found in paragraph (3) of Part II.
- 4. Indicate which control technology is required on machines pursuant to paragraph (5) of Part II, based upon the selection in No. 3 above. Existing small area sources are not required to install any additional control equipment.
- 5. Indicate with an "X" that all steam and hot water generating units on-site are exempt from permitting pursuant to Rule 62-210.300(3), F.A.C., or that the facility has no such units on-site. Provide information on the quantities of boilers, their horsepower rating(s), and fuel used.

Equipment Monitoring and Recordkeeping Information

6. Indicate all logs which are required to be kept on-site in accordance with the requirements of this notification form with an "X".

Surrender of Existing DEP Air Permit(s)

7. Rule 62-213.300(2)(a)2., F.A.C., makes the surrender of all existing DEP air permits authorizing the operation of a facility a condition precedent for the entitlement to a DEP air general permit. Indicate whether the responsible official surrenders such permit(s) or whether no such permit(s) exist with an "X" and list all existing DEP air permit numbers.

Responsible Official Certification

This statement must be both printed and signed by the person named on page 13, Field 6, of this form.

RECEIVED

IMPORTANT

FUL 2 2 2002

Bureau of Air Monitoring & Mobile Sources

A facility is eligible to operate under a Title V air general permit for no more than five (5) years. Your facility is approaching the end of the five (5) year period for which it was entitled to operate with an air Title V general permit

• If you wish to continue your entitlement, please complete the enclosed notification form and return it to the Department of Environmental Protection at the address included with the notification form. A fee is not required with this notification submittal

If you are a new owner, please check this and return this form with your completed notification form.

☐ If you are a **new RO** (Responsible Official), and/or your existing business has **moved** to a new location, please check this box and return this form with your completed notification form.

• If you do not wish to continue your eligibility, please disregard this notice.



Department of Environmental Protection

Division of Air Resources Management

PERCHLOROETHYLENE DRY CLEANER AIR GENERAL PERMIT NOTIFICATION FORM

Part I. Procedures For Use of General Permit

- (1) Eligibility Determination. The Department of Environmental Protection has established a Title V air general permit under Rule 62-213.300(1)(a), F.A.C., for perchloroethylene dry cleaning facilities, the terms and conditions of which are listed in Part II of this Perchloroethylene Dry Cleaner Air General Permit Notification Form. A perchloroethylene dry cleaning facility may use this Title V air general permit provided the facility meets the eligibility criteria set forth in the rule and, throughout the term of the general permit, maintains its eligibility to use the general permit and complies with all terms and conditions of the general permit. The responsible official of the perchloroethylene dry cleaning facility shall determine the facility's eligibility for the Title V air general permit and notify the Department of intent to use the general permit.
 - (a) A perchloroethylene dry cleaning facility is eligible to operate under the terms and conditions of the Title V air general permit established at Rule 62-213.300(1)(a), F.A.C., provided the responsible official has submitted a completed Part III of this notification form to the Department at least 30 days prior to beginning operations under the general permit and, throughout the term of the general permit, all of the following conditions are met:
 - 1. The facility operates no emissions units other than perchloroethylene dry cleaning systems and emissions units which are considered insignificant pursuant to the criteria of Rule 62-213.300(2)(a)1., F.A.C., set forth in paragraph (1)(b);
 - 2. The facility is classified as a small or large area source pursuant to 40 CFR Part 63, Subpart M; that is, the facility is a Title V source by virtue of being subject to 40 CFR Part 63, Subpart M, but does not emit any pollutant in a major amount as set forth in paragraphs (a) through (e) of the definition of "major source of air pollution" at Rule 62-210.200, F.A.C.; and
 - 3. The facility complies with all general conditions of Rule 62-213.300(3), F.A.C., set forth in Part II of this notification form, and all requirements of 40 CFR Part 63, Subparts A and M, as applicable, also set forth in Part II of the notification form.
 - (b) No facility which contains an emissions unit, other than perchloroethylene dry cleaning systems or a unit considered insignificant pursuant to this paragraph, shall be eligible to use this air general permit. No facility is eligible to use more than one air general permit. An emissions unit or activity shall be considered insignificant if all of the following criteria are met:
 - 1. The emissions unit or activity would be subject to no unit-specific applicable requirement.
 - 2. The emissions unit or activity would neither emit nor have the potential to emit:
 - a. 500 pounds per year or more of lead and lead compounds expressed as lead;
 - b. 1,000 pounds per year or more of any hazardous air pollutants;
 - c. 2,500 pounds per year or more of total hazardous air pollutants; or
 - d. 5.0 tons per year or more each of any other regulated pollutants.
 - 3. The emissions unit or activity, in combination with other units and activities at the facility, would neither cause the facility to emit nor have the potential to emit:
 - a. 100 tons per year or more of carbon monoxide, nitrogen oxides, particulate matter, sulfur dioxide, or volatile organic compounds;
 - b. 5 tons per year or more of lead and lead compounds expressed as lead;
 - c. 10 tons per year or more of any hazardous air pollutant;
 - d. 25 tons per year or more of total hazardous air pollutants; or

- e. 100 tons per year or more of any other regulated pollutant.
- (c) Any facility that would use a Title V air general permit under Rule 62-213.300, F.A.C., must surrender all existing air permits authorizing the operation of the facility.
- (d) If a facility at any time becomes ineligible for the use of the Title V air general permit and is subject to the source-specific Title V air operation permit requirements of Chapter 62-213, F.A.C., it shall be subject to enforcement action for operating without an air operation permit.
- (e) Notwithstanding the shield provisions of Rule 62-213.460, F.A.C., any facility utilizing a Title V air general permit will be subject to enforcement action for operation without a permit under Chapter 62-213, F.A.C., if it is determined to be initially ineligible for the air general permit which is being utilized.
- (2) Notification. For each facility intending to operate under the provisions of this Title V air general permit, the responsible official must complete and submit Part III of this Perchloroethylene Dry Cleaner Air General Permit Notification Form (DEP Form No. 62-213.900(2)) to give notice to the Department of intent to use such permit.
- (3) Administrative Corrections. Within 30 days of any changes requiring corrections to information contained in this notification form, the responsible official shall notify the Department in writing. Such changes shall include:
 - '(a) Any change in name of the responsible official or facility address or phone number;
 - (b) A change in facility status requiring more frequent monitoring or reporting by the responsible official from that noted on the most recent notification form; and
 - (c) Any other similar minor administrative change at the facility.
- (4) Violation of Permit. This Title V air general permit is valid only for the specific activity indicated. Any deviation from the specified activity and the conditions for undertaking that activity is a violation of the permit. The responsible official is placed on notice that violation of the permit constitutes grounds for revocation and suspension pursuant to Rules 62-4.100 and 62-4.530(4), F.A.C., and initiation of enforcement action pursuant to s. 403.141 through 403.161, F.S. No revocation shall become effective except after notice is served by personal service, certified mail, or newspaper notice pursuant to Section 120.60(5), F.S., upon the person or persons named therein and a hearing held, if requested within the time specified in the notice. The notice shall specify the provision of the law or rule alleged to be violated, or the permit condition or Department order alleged to be violated, and the facts alleged to constitute a violation thereof.
- (5) Nullification of Eligibility. Eligibility for use of a Title V air general permit is automatically nullified by:
 - (a) Submission of false or inaccurate information in the notification form for use of the Title V air general permit or in the required reports;
 - (b) Refusal of lawful inspection by Department staff;
 - (c) Failure to submit operational reports or other information required by the general permit; or
 - (d) Failure to timely pay the required annual emissions fee, penalty, or interest.
- (6) Use of Permit. Any facility eligible to operate under the terms of a Title V air general permit may use the permit 30 days after giving notice to the Department without any agency action.

Effective: 2/24/99

DEP Form No. 62-213.900(2)

PERCHLOROETHYLENE DRY CLEANER AIR GENERAL PERMIT NOTIFICATION FORM

Part II. Permit Terms and Conditions (Keep this Part onsite for use by facility staff.)

- (1) Applicability. This part of the Perchloroethylene Dry Cleaner Air General Permit Notification Form establishes the terms and conditions of this Title V air general permit. Throughout the term of this air general permit, the responsible official shall ensure that the facility maintains its eligibility to use the general permit and complies with all general conditions of Rule 62-213.300(3), F.A.C., set forth below, and all requirements of 40 CFR Part 63, Subparts A and M, as applicable, also set forth in this part of the notification form.
- (2) General Conditions. All terms, conditions, requirements, limitations, and restrictions set forth in Rule 62-213.300(3), F.A.C., and listed below (Rule 62-213.300(3)(a) through (s), F.A.C.) are "general permit conditions" and are binding upon the owner or operator and upon the responsible official of the facility utilizing this Title V air general permit.
 - (a) The duration of this general permit is five years. No later than 30 days prior to the fifth anniversary of the filing of intent to use this general permit, the responsible official shall submit a new notice of intent which shall contain all current information regarding the facility. The general permit is not transferable and does not follow a change in ownership of the facility. Prior to any sale, other change of ownership, or permanent shutdown of the facility, the responsible official shall notify the Department.
 - (b) The owner or operator of the facility must, upon written notice from the Department, submit payment of an annual operation fee in the amount of \$50.00. This fee is due and payable annually between January 15 and March 1 for the preceding year which the facility was in operation and subject to the requirements of this general permit.
 - (c) This general permit is valid only for the specific activity indicated. Any deviation from the specified activity and the conditions for undertaking that activity shall constitute a violation of the permit.
 - (d) This general permit does not convey any vested rights or any exclusive privileges, nor does it authorize any injury to public or private property nor any invasion of personal rights. It does not authorize any infringement of federal, state, or local laws or regulations.
 - (e) This general permit does not relieve the responsible official or the owner or operator of the facility from liability and penalties when the operation of the permitted activity causes harm or injury to human health or welfare; causes harm or injury to animal, plant or aquatic life; or causes harm or injury to property. It does not allow the responsible official, owner, or operator to cause pollution in contravention of Florida law.
 - (f) This general permit conveys no title to land or water, nor does it constitute state recognition or acknowledgment of title.
 - (g) The responsible official shall make every reasonable effort to conduct the specific activity authorized by this general permit in a manner that will minimize any adverse effects on adjacent property or on public use of the adjacent property, where applicable, and on the environment, including fish, wildlife, natural resources, water quality, or air quality.
 - (h) The responsible official shall allow a duly authorized representative of the Department access to the permitted facility or activity at reasonable times to inspect and test, upon presentation of credentials or other documents as may be required by law, to determine compliance with this general permit and Department rules.
 - (i) The responsible official shall maintain any permitted facility or activity in good condition.

(j)	This general permit shall be effective until suspended, revoked, surrendered, expired, or nullifie pursuant to Rule 62-213.300, F.A.C.						
	-						

DEP Form No. 62-213.900(2) Effective: 2/24/99

- (k) Monitoring and Related Recordkeeping and Reporting Requirements.
 - The responsible official shall maintain records of monitoring information that specify the date, place, time, and operating conditions of measurement; the methodology used; the company or entity which performed the monitoring; and the analytical results. These shall include all calibration and maintenance records, original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit.
 - 2. The responsible official shall retain records of all monitoring data and supporting information for a period of at least five years from the date of collection.
 - 3. The responsible official shall keep records in which all occurrences of deviations from any specific monitoring requirements and from the procedures of any startup, shutdown, and malfunction plan required pursuant to paragraph (2)(1), shall be clearly identified. Reports of these deviations shall be submitted to the Department during facility inspections and also submitted with the annual compliance certification as required by paragraph (2)(n)2. The responsible official shall certify each report as true, accurate, and complete.
 - 4. The responsible official shall ensure that the Department is promptly notified of deviations from any specific monitoring requirements, including those attributable to upset conditions. Notification shall include the probable cause of such deviations and any corrective actions or preventive measures taken, except that notification shall not be required of actions taken consistent with any startup, shutdown, and malfunction plan required pursuant to paragraph (2)(1). Notification shall be provided within one working day of occurrence of the deviation and may be given by telephone.
- (1) Operation and Maintenance Requirements.
 - The responsible official shall maintain on-site a startup, shutdown, and malfunction plan for the
 facility that describes, in detail, procedures for operating and maintaining the equipment during
 periods of startup, shutdown, and malfunction. The plan may be in the form of an equipment
 operation manual and shall also specify corrective action for malfunctioning process and air
 pollution control equipment.
 - 2. During periods of startup, shutdown, or malfunction, the responsible official shall operate and maintain equipment in accordance with the procedures specified in the plan. Records of compliance with the plan shall be kept on-site for a minimum of five years and shall contain a certification statement signed by the responsible official that the documentation is true, accurate, and complete, based upon information and belief formed after reasonable inquiry.
 - 3. If any action is taken which is inconsistent with the plan, the responsible official shall record and report the actions taken in accordance with the requirements of paragraph (2)(k)3 and 4. The record shall explain the circumstances of the event, the reason for not following the startup, shutdown, and malfunction plan, and whether any excess emissions and/or parameter monitoring exceedances are believed to have occurred. Taking actions inconsistent with those in the plan constitutes a violation of a permit condition and shall be subject to the provisions of Part 1, paragraph (4).

(m) Compliance Plan Requirements.

For each applicable permit condition with which the facility is not in compliance at the time of
giving notice to the Department of intent to use this general permit and for which the facility has
not come into compliance within 30 days after the giving of such notice, the responsible official
shall submit to the Department a compliance plan. The compliance plan shall contain measurable
and enforceable milestones, including specific dates for completion of each milestone.

2. The responsible official shall notify the Department in writing, within 15 days after the date for completion of each milestone, detailing the achievement of compliance, of progress achieved, requirements met or unmet, corrective measures adopted, and an explanation of any measures not met by the completion date for the compliance milestone. The responsible official shall certify that such notice is complete and accurate. Any deviation from the compliance plan shall constitute a violation of the permit condition and shall be subject to the provisions of Rule 62-213.300(2)(d), F.A.C.

(n) Compliance Certification.

- 1. For each applicable requirement with which the facility is in compliance, the responsible official shall submit a statement certifying such compliance to the Department annually. The responsible official shall certify each statement as true, accurate, and complete.
- 2. The statement of compliance shall identify each term or condition of the permit with which the facility has remained in compliance during the period covered by the statement and shall specify the method used to demonstrate compliance. It shall identify each term or condition of the permit with which the facility has not been in continuous compliance during that reporting period. It shall also include the monitoring report required pursuant to paragraph (3)(k)3.
- 3. For those terms or conditions which the facility has not been in continuous compliance during any reporting period, the statement shall include the exact period of non-compliance, actions taken to achieve compliance, and the method used to demonstrate compliance.
- (o) This general permit does not authorize any demolition or renovation of the facility or its parts or components which involves asbestos removal. This permit does not constitute a waiver of any of the requirements of Chapter 62-257, F.A.C., and 40 CFR Part 61, Subpart M, National Emission Standard for Asbestos, adopted and incorporated by reference in Rule 62-204.800, F.A.C.
- (p) Refrigerant Requirements. Any facility having appliances or refrigeration equipment, including air conditioning equipment, which use Class I or II ozone-depleting substances such as chlorofluorocarbons and hydrochlorofluorocarbons listed as refrigerants in 40 CFR Part 82 Subpart A, Appendices A and B, which are adopted and incorporated by reference in Rule 62-204.800, F.A.C., shall service, repair, and maintain such equipment according to the work practices, personnel certification requirements, reporting and recordkeeping requirements, and certified recycling and recovery equipment specified in 40 CFR Part 82, Subpart F, adopted and incorporated in Rule 62-204.800, F.A.C. No person shall knowingly vent or otherwise release any Class I or II substance into the environment during the repair, servicing, maintenance, or disposal of any such device except as provided in 40 CFR Part 82, Subpart F.
- (q) This general permit does not authorize any open burning nor does it constitute any waiver of the requirements of Chapter 62-256, F.A.C.
- (r) No person shall circumvent any air pollution control device or allow the emission of air pollutants without the proper operation of all applicable air pollution control devices.
- (s) All reports and notices submitted by the facility and all records required to be maintained according to paragraph (2) (k) 3., shall contain a certification statement signed by the responsible official that the documentation is true, accurate, and complete, based upon the information and belief formed after reasonable inquiry.
- (3) **Definitions.** The following words and phrases, when used in this notification form, shall have the following meanings:
 - (a) "Ancillary Equipment" The equipment used with a dry cleaning machine in a dry cleaning system, including emission control devices, pumps, filters, muck cookers, stills, solvent tanks, solvent containers, water separators, exhaust dampers, diverter valves, interconnecting piping, hoses, and ducts.
 - (b) "Articles" Any clothing, garments, textiles, fabrics, and leather goods that are dry cleaned.

- (c) "Area Source" A perchloroethylene dry cleaning facility which consumes an amount of perchloroethylene less than or equal to 2,100 gallons per year for dry-to-dry machines only, or consumes less than or equal to 1,800 gallons per year and utilizes either only transfer or both dry-to-dry and transfer machines on-site, where the amount of perchloroethylene consumed is determined by purchase receipts or by the solvent consumption log in accordance with the requirements of paragraph (6) of this Part.
- (d) "Biweekly" Any consecutive 14-day period of time.
- (e) "Carbon Adsorber" A bed of activated carbon into which an air-perchloroethylene gas-vapor stream is routed and which adsorbs the perchloroethylene on the carbon.
- (f) "Coin-operated Dry Cleaning Machine" A dry cleaning machine that is operated solely by the customer.
- (g) "Colorimetric Detector Tube" A glass tube (sealed prior to use) containing material impregnated with a chemical that is sensitive to perchloroethylene and is designed to measure the concentration of perchloroethylene in air.
- (h) "Construction" The fabrication (on-site), erection, or installation of a dry cleaning system.
- "Control Device" Any device used to minimize perchloroethylene emissions, such as a refrigerated condenser or a carbon adsorber.
- (j) "Desorption" The regeneration of a carbon adsorber by removal of the perchloroethylene adsorbed on the carbon.
- (k) "Diverter Valve" A flow control device that prevents room air from passing through a refrigerated condenser when the door of the dry cleaning machine is open.
- (I) "Dry Cleaning" The process of cleaning articles using perchloroethylene.
- (m) "Dry Cleaning Cycle" The washing and drying of articles in a dry-to-dry machine or transfer machine system.
- (n) "Dry Cleaning Facility" An establishment with one or more dry cleaning systems.
- (o) "Dry Cleaning Machine" A dry-to-dry machine or each machine of a transfer machine system.
- (p) "Dry Cleaning Machine Drum" The perforated container inside the dry cleaning machine that holds the articles during drycleaning.
- (q) "Dry Cleaning System" A dry-to-dry machine and its ancillary equipment or a transfer machine system and its ancillary equipment.
- (r) "Dryer" A machine used to remove perchloroethylene from articles by tumbling them in a heated air stream (see reclaimer).
- (s) "Dry-to-dry Machine" A one-machine dry cleaning operation in which washing and drying are performed in the same machine.
- (t) "Episodic Exceedance" Any exceedance of the perchloroethylene solvent consumption level which occurs three years or more after the most recent prior exceedance of the same type.
- (u) "Emissions Unit" Any part or activity of a facility that emits or has the potential to emit any air pollutant.
- (v) "Exhaust Damper" A flow control device that prevents the air-perchloroethylene gas-vapor stream from exiting the drycleaning machine into a carbon adsorber before room air is drawn into the dry cleaning machine
- (w) "Existing" Dry cleaning machines which were manufactured or initially purchased from the manufacturer on or before December 9, 1991.

- (x) "Filter" A porous device through which perchloroethylene is passed to remove contaminants in suspension. Examples include lint filter (button trap), cartridge filter, tubular filter, regenerative filter, prefilter, polishing filter, and spin disc filter.
- (y) "Heating Coil" A device used to heat the air stream circulated from the dry cleaning machine drum, after perchloroethylene has been condensed from the air stream and before the stream reenters the dry cleaning machine drum.
- (z) "Large Area Source" A dry cleaning facility which:
 - 1. Contains only dry-to-dry machines and consumes equal to or between 140 and 2,100 gallons per year of perchloroethylene.
 - Contains only transfer machines and consumes equal to or between 200 and 1,800 gallons per year of perchloroethylene.
 - 3. Contains both dry-to-dry and transfer machines and consumes equal to or between 140 and 1,800 gallons per year of perchloroethylene.
- (aa) "Major Source" A dry cleaning facility which consumes an amount of perchloroethylene exceeding 2,100 gallons per year for dry-to-dry machines only or exceeding 1,800 gallons per year for either transfer machines only or facilities containing both dry-to-dry and transfer machines.
- (bb) "Muck Cooker" A device for heating perchloroethylene-laden waste material to volatilize and recover perchloroethylene.
- (cc) "New" Dry cleaning machines which were manufactured or initially purchased from the manufacturer after December 9, 1991.
- (dd) "Perceptible Leaks" Any perchloroethylene vapor or liquid leaks that are obvious from:
 - 1. The odor of perchloroethylene.
 - 2. Visual observation, such as of pools or droplets of liquid.
 - The detection of gas flow by passing fingers over the surface of the equipment.
- (ee) "Perchloroethylene Consumption" The total volume of perchloroethylene purchased yearly by the facility or added to the machine, based upon purchase receipts or other reliable measures.
- (ff) "Reclaimer" A machine used to remove perchloroethylene from articles by tumbling them in a heated air stream (see dryer).
- (gg) "Reconstruction" The replacement of a washer, dryer, or reclaimer; or replacement of any components of a dry cleaning system to such an extent that the fixed capital cost of the new components exceeds 50 percent of the fixed capital cost that would be required to construct a comparable new system.
- (hh) "Refrigerated Condenser" A vapor recovery system into which an air-perchloroethylene gas-vapor stream is routed and the perchloroethylene is condensed by cooling the gas-vapor stream.
- (ii) "Refrigerated Condenser Coil" The coil containing the chilled liquid used to cool and condense the perchloroethylene.
- (ii) "Responsible Official" One of the following:
 - 1. For a corporation: a president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation, or a duly authorized representative of such person if the representative is responsible for the overall operation of one or more manufacturing, production, or operating facilities applying for or subject to a permit under Chapter 62-213, F.A.C.;
 - 2. For a partnership: a general partner;
 - 3. For a sole proprietorship: the owner;

- 4. For a municipality, state, federal, or other public agency: either a principal executive officer or ranking official.
- (kk) "Small Area Source" A dry cleaning facility which:
 - Contains only dry-to-dry machines and consumes less than 140 gallons per year of perchloroethylene.
 - 2. Contains only transfer machines and consumes less than 200 gallons per year of perchloroethylene.
 - Contains both dry-to-dry and transfer machines and consumes less than 140 gallons per year of perchloroethylene.
- (II) "Source" Each dry cleaning facility.
- (mm)"Still" Any device used to volatilize and recover perchloroethylene from contaminated perchloroethylene.
- (nn) "Temperature Sensor" A thermometer or thermocouple used to measure temperature.
- (00) "Transfer Machine System" A multiple-machine dry cleaning operation in which washing and drying are performed in different machines. Examples include:
 - 1. A washer and dryer(s)
 - 2. A washer and reclaimer(s), and/or
 - A dry-to-dry machine and reclaimer(s) and/or dryer(s).
- (pp) "Washer" A machine used to clean articles by immersing them in perchloroethylene. This includes a dry-to-dry machine when used with a reclaimer.
- (qq) "Water Separator" A device used to recover perchloroethylene from a water-perchloroethylene mixture.
- (rr) "Year or Yearly" Any consecutive 12-month period of time.

(4) Basic Requirements.

- (a) The responsible official shall determine the eligibility of the facility for this permit and shall submit a completed Part III of this Dry Cleaner Air General Permit Notification Form at least 30 days prior to beginning operations under this general permit.
- (b) The responsible official shall certify in the initial notification and annually thereafter that the annual consumption of perchloroethylene does not exceed 2,100 gallons per year for dry-to-dry facilities or 1,800 gallons per year for transfer or combination facilities. The annual consumption total shall be based upon purchase receipts and the average shall be recalculated on a monthly basis.
- (c) New facilities shall comply with all applicable requirements upon start-up.
- (d) The operation of transfer cleaning machines purchased after September 22, 1993, is prohibited.
- (e) This permit does not apply to the operation of coin-operated dry cleaning units used solely by customers.
- (5) Control Technology Requirements. Control technology requirements are based upon the facility's classification as a small or large area source; the type of machine(s) used, and its date of manufacture or initial purchase from the manufacturer. If the solvent consumption exceeds the source limit for the facility's classification, the facility shall immediately comply with all additional requirements of 40 CFR Part 63, Subpart M, for the appropriate higher classification; unless the consumption meets the definition of an episodic exceedance. Additionally, facilities previously classified as large area sources must apply for a major source permit under Chapter 62-213, F.A.C., within 180 days of exceeding the solvent consumption level. The facility shall operate and maintain equipment according to the manufacturer's specifications. The manuals, design specifications, and other instructional materials shall be kept on-site by the responsible official.
 - (a) General Control Requirements. All facilities shall:

- Store perchloroethylene in tightly sealed containers which are impervious and chemically unreactive to the solvent.
- 2. Examine the containers for leakage as required in paragraph (7) of this Part.
- 3. Close and secure machine doors except during loading and unloading.
- 4. Drain cartridge filters in their housing or in sealed containers for a minimum of twenty-four hours.
- 5. Maintain the solvent-to-carbon ratio and steam pressure for carbon adsorber beds to ensure that stripping occurs according to the manufacturer's specifications.
- (b) Process Vent Controls.
 - 1. All existing dry cleaning systems located in small area source facilities and new transfer dry cleaning systems located in small area source facilities which contain only transfer cleaning systems do not require process vent controls.
 - 2. For all new dry cleaning systems located in small area source facilities, the owner or operator shall:
 - a. Equip all machines with a refrigerated condenser, except for the transfer dry cleaning systems subject to paragraph (5)(b)1. above.
 - b. Equip dry-to-dry, dryer, and reclaimer machines with a closed-loop vapor venting system, such that the air-perchloroethylene gas-vapor stream contained within the machine shall not be vented or released to the atmosphere while the machine drum is rotating.
 - c. Operate the refrigerated condenser with a diverter valve, which prevents air drawn into the dry cleaning machine when the door of the machine is opened from passing through the refrigerated condenser.
 - d. Measure and record the exhaust stream temperature of the outlet on the refrigerated condenser on a weekly basis. The temperature must not exceed 45 degrees Fahrenheit (F) [7.2 degrees Celsius (C)].
 - e. Repair or adjust the equipment within twenty-four hours if the exhaust stream temperature exceeds 45 degrees F. The repair shall be documented as required in paragraph (6) of this Part.
 - f. The temperature sensor used in Section (5)(b)2.d. above shall be designed to measure an exhaust stream temperature of 45 degrees F [7.2 degrees C] to an accuracy of plus or minus 2 degrees F [1.1 degrees C]. The sensor must have a detectable range of at least 32 degrees F to 120 degrees F [0 to 48.9 degrees C].
 - g. Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
 - 3. For all existing dry cleaning systems located in large area source facilities, the owner or operator shall:
 - a. Comply with all the requirements listed for new dry cleaning systems located in small area source facilities, except that machines equipped with carbon adsorbers on or before September 22, 1993 are not required to refit with refrigerated condensers.
 - b. Measure and record the exhaust stream temperature on the outlet side of a refrigerated condenser located on dry-to-dry machines, reclaimers, and dryers on a weekly basis as required in paragraph (5)(b)2.d. of this Part.
 - c. Measure and record the temperature of the washer exhaust at both the inlet and outlet sides of the refrigerated condenser. If the temperature differential is less than 20 degrees F [11.1 degrees C], the equipment shall be repaired or adjusted within twenty-four hours. The repair shall be documented pursuant to paragraph (7) of this Part.

Effective: 2/24/99

DEP Form No. 62-213.900(2)

- d. Measure and record the concentration of perchloroethylene in the exhaust from the carbon adsorber at a sampling port on a weekly basis using a colorimetric tube. The measurement shall be obtained at the end of the final dry cleaning cycle prior to desorption while the machine is venting to the carbon adsorber. If the concentration of perchloroethylene exceeds parts per million (ppm), the equipment shall be repaired or adjusted within twenty-four hours. The repair shall be documented as required in paragraph (7) of this Part.
- e. The location of the sampling port for measuring perchloroethylene concentrations in the exhaust duct shall be at least eight stack or duct diameters downstream from any flow disturbances such as a bend, expansion, contraction, or outlet; downstream from no other inlet; and two stack or duct diameters upstream from any flow disturbance such as a bend, expansion, contraction, inlet, or outlet.
- f. Transfer systems shall be equipped with individual refrigerated condenser coils for dryers, reclaimers, and washers.
- g. The airflow shall never be routed to bypass the carbon adsorber.
- 4. For all new dry cleaning systems located in large area source facilities, the owner or operator shall:
 - a. Comply with all the requirements listed for existing dry cleaning systems located in large area source facilities, except that all machines shall be equipped with a refrigerated condenser.

(6) Recordkeeping Requirements.

- (a) The responsible official shall maintain the following records in a log kept on-site, for a minimum of five years:
 - 1. All purchase receipts for determination of perchloroethylene solvent consumption and monthly consumption logs.
 - 2. All leak detection inspection and repair reports.
 - All control equipment monitoring data on perchloroethylene concentrations and exhaust stream temperatures.
- (b) On the first business day of the month, the responsible official shall record the total amount of perchloroethylene purchased in the previous month and calculate the total amount purchased in the preceding twelve months, as a measure of perchloroethylene consumption.

(7) Leak Detection Requirements.

- (a) The responsible official or equipment operator of a large area source facility must conduct a weekly leak detection and repair inspection of the facility; however, small area sources may conduct the inspection on a biweekly basis. The responsible official or equipment operator shall enter the results of the inspection into the inspection and repair log kept on-site.
- (b) The responsible official or equipment operator shall use one of the following methods to detect leaks:
 - 1. Visual examination of condensed solvent on exterior surfaces.
 - 2. Detection of air flow through improperly seated gaskets.
 - 3. Detection of perchloroethylene odors.
- (c) The following items shall be inspected for leaks:
 - 1. Hose and pipe connections, fittings, couplings, and valves.
 - 2. Door gasket seating.
 - 3. Filter gaskets and seating.
 - 4. Pumps.

DEP Form No. 62-213.900(2)

- 5. Solvent tanks and containers.
- Water separators.
- Muck cookers.

- 8. Stills.
- 9. Exhaust dampers.
- 10. Diverter valves.
- 11. Cartridge filter housings.
- (d) Leaks shall be repaired within twenty-four hours of detection, unless repair equipment must be ordered.
 - Equipment parts needed to repair the machine shall be ordered within two working days of leak detection.
 - 2. Repair parts shall be installed within five working days of receipt.
- (e) Colorimetric tubes and bellows or piston-driven pumps shall be operated according to the manufacturer's specifications and shall be verified for accuracy by the use of duplicate samples. The tube should be designed to measure a concentration of 100 parts per million by volume of perchloroethylene in air to an accuracy of +/- 25 parts per million by volume.
- (f) The integrity of all rubber seals on the pump shall be inspected on a weekly basis for large area sources (biweekly for small area sources) and all equipment shall be kept in a clean and secure area when not in use.
- (8) Local Program Requirements. All facilities located within the borders of Duval County shall comply with the following additional requirements:
 - (a) Pursuant to Jacksonville Environmental Board Rule 2.901, no person shall cause, suffer, allow or permit the discharge of air pollutants which cause or contribute to an objectionable odor, and
 - (b) Pursuant to Jacksonville Ordinance Code Chapter 376, any facility that causes or contributes to the emission of objectionable odors which results in the Air Quality Division (AQD) receiving and validating complaints from five or more different households within a 90-day period may be cited for objectionable odors.

Effective: 2/24/99

DEP Form No. 62-213.900(2)

AIRS ID#: New TBD01118

Revised 10/10/96

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: NAME:	easd	Lau	ndru			DATI	E: <u>) - </u>	14.97
FACILITY LOCATION: 17								
Sayasot						0		
Annual Reporting Period:	April		OT <u>CP</u>		ادرا م	<u> </u>	24	_1997
Based on each term or condition of the Title 62-213.300, Florida Administrative Code (I	-	-	•		Ė		DEP Rule	
If NO, complete the following:								
#1. Term or condition of the general permi	t that has not be	en in conti	nuous complia	ance duri	ing the repo	rting per	riod stated	above:
Exact period of non-compliance: from	<u>`</u>	-)/ ~	97	_ to	7-27	1 - 9	כ	
Action(s) taken to achieve compliance:	Loo	con	tela	نگ				
Method used to demonstrate compliance:	100							
#2. Term or condition of the general permi	t that has not be	en in conti	nuous complia	ance dun	ng the repo	rting per	iod stated	above:
Exact period of non-compliance: from				to				
Action(s) taken to achieve compliance:	,							
Method used to demonstrate compliance:								
•								
As the responsible official, I hereby certify, made in this notification are true, accurate upon rolling averages of purchase receipts, year for transfer or combination facilities. RESPONSIBLE OFFICIAL:	and complete. I	urther, my	annual consu	umption	of perchlor	oethylen	e solvent,	based
	me (Please Print))		Sign	ature	<u> </u>	Da	te

RECEIVED

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

AUG 6 1997

Dota		ak XXXX	Perc. purshased	Renning total
7/24/97	Y/Y	Suit ini		
7/25/97			30 g/cy/02	
	C			

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

ł.	Facility Owner/Company Name (Nam	ne of corporation, agency, o	or individual owner):	
	SONJA L. NYE			
2.	Site Name (For example, plant name of	or number):		
	NoRTH EAST Hazardous Waste Generator Identifica	LaunDRY		
3.	Hazardous Waste Generator Identifica	tion Number:		_
4.	Facility Location: NORTHESS Street Address: 1774, and Loc	1 Shurring Plaz	A	
	City: SARASOTA	-Kwood RIDGE County: SARASOTI	4 Zin Code	3 4 2 7 C
			2.15 0000.	2 1 633
	Facility Identification Number (DEP L	#####################################	11500	9.3
,	to the property of the second	の地では、「「Tenners of Menners of M	71000	7 0 1 1 1 1 2 2 2 2 2 2
		Responsible Official		
()	Name and Title of Responsible Officia	1:		
•	SONJAL NYE			
7.	Responsible Official Mailing Address:			
	Organization/Firm: SAme AS Street Address:	ABoue		
	City:	County:	Zip Co	ode:
8.	Pasnonsible Official Talanham Numb	ar:	<u>.</u>	
0.	Responsible Official Telephone Numb Telephone: (941) 955 - 48) -	
	Facility Contact	t (If different from Respo	nsible Official)	
	No. 1711 CO. T. C			
9.	Name and Title of Facility Contact (Fo	or example, plant manager):		
10.	Facility Contact Address:			
	Street Address:	,		
	City:	County:	Zip Code:	
11.	Facility Contact Telephone Number:			
	Telephone: () -	Fax: () -	
				RECET
		A to the state of		

'AUG 6 1997

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

	l	Date	Date	1	Date	Date		Date	Date
		Machine	Control		Machine	Control		Machine	Control
		Initially	Device		Initially	Device		Initially	Device
Type of Machine	ID	Purchased	Installed	ID	Purchased	Installed	ID	Purchased	Installed
Example	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-9
Dry-to-Dry Unit									
(1) w/ ref. condenser									
(2) w/ carbon adsorber									
(3) w/ no controls	1	1985							
Washer Unit	•				•			•	-
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit					•			. <u>L</u>	
(10) w/ ref. condenser							ı		
(11) w/carbon adsorber									
(12) w/ no controls									
(b) Control devices are (c) No control devices 2.(a) What was the total of the control of the control devices (b) If less than 12 mont Check why it is less	are requant	equired to be ity of perchk ons	installed [_ proethylene (perc)					[]
3. What is the facility's so (Indicate with an "X".	Selec ea so	t one classifi	cation only.)) Pw sn	nitions foun nall area sour	rce [Wall	3) of t	Part II?	
enisting in se are	-u 301		14	1(1)	ge men agin	ι.	1		

DEP Form No. 62-213.900(2) Effective: 6-25-96

Page 14 of 16

#1150093 North East Laundry

P.13 le add title-Owner (from 1.)

4. What control technology is required on machines put (Indicate with an "X".)	ursuant to section (5) of Part II of this notification form?
Existing large area source Carbon adsorber []	Refrigerated condenser []
New small area source Refrigerated condenser	·
New large area source Refrigerated condenser []	
5. A facility which contains non-exempt emissions un	its shall not be eligible to use the general permit pursuant
to Rule 62-213.300, F.A.C. Verify that all steam and hexemption criteria or that no such units exist on-site:	
All steam and hot water generating units on-site (1) had boiler HP or less), and (2) are fired exclusively by nate during which propane or fuel oil containing no more to	
All steam and hot water generating units exempt No such units on-site	
·	
•	
Equipment Monitoring and	d Recordkeeping Information
Check all logs which are required to be kept on-site in	accordance with the requirements of this general permit:
(a) Purchase receipts and solvent purchases	
(b) Leak detection inspection and repair	
(c) Refrigerated condenser temperature monitoring	[]
(d) Carbon adsorber exhaust perc concentration monitor	oring (]
(e) Instrument calibration	[]
(f) Start-up, shotdown, malfunction plan	

DEP Form No. 62-213.900(2) Effective: 6-25-96

Surrender of Existing Air Permit(s)

[}	I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)				
	No air permits currently exist for the operation of the facility indicated in this notification form.				
	Responsible Official Certification				
this notij statemen maintain	dersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in fication. I hereby certify, based on information and belief formed after reasonable inquiry, that the ats made in this notification are true, accurate and complete. Further, I agree to operate and the air pollutant emissions units and air pollution control equipment described above so as to with all terms and conditions of this general permit as set forth in Part II of this notification form.				
l will pro	omptly notify the Department of any changes to the information contained in this notification.				

DEP Form No. 62-213 900(2) Effective: 6-25-96

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

		-	
I. Fa	acility Owner/Company Name (Name	of corporation, agency, or individu	ial owner):
<	ONJA L. NYE		
	te Name (For example, plant name or i	number):	
	NORTHEAST /	æun DRY	
3. H:	NORTHEAST Z	on Number:	_
4. Fa	ncility Location: NORTHEST	Shupping PlazA	
S	treet Address: 17Th, and Local	Kward RIDGE	
Cı	iy: SARASOTA	County: SARASOTA	Zip Code: 3423.5
	icility Identification Number (DEP Use		
			1150093
£ 344.	<u>andra and an analysis and an an analysis and analysis and an analysis and an analysis and analysis and an analysis and an analysis and an analysis and an analysis and analysis and analysis analysis and analysis and an analysis analysis analysis analysis analysis and analysis analysis analysis</u>	- Control of the Cont	
		Responsible Official	
6. Na	ame and Title of Responsible Official:		
	SONJAL NYE	4	
7. Re	esponsible Official Mailing Address:	owner	
	ganization/Firm: SAme AS	ABoue	
Sti	reet Address:		Tr. C. dr.
Ci	ty:	County:	Zip Code:
	sponsible Official Telephone Number	_	
Te	elephone: (941) 955 - 487	Fax: ()	•
_			
	Facility Contact (If different from Responsible Of	ficial)
9. Na	nme and Title of Facility Contact (For a	example, plant manager):	
10. Fa	cility Contact Address:		
C			
Sti Ci	reet Address tv:	County:	Zip Code:
	cility Contact Telephone Number:	12	
16	lephone: () -	Fax: ()	- '- •
			RECEL
		· .	KECEI

'AUG 6 1997

Bureau of Air Monitoring & Mobile Sources

DEP Form No. 62-213 900(2) Effective: 6-25-96

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

			Date		Date	Date		Date	Date
1		Machine	Control		Machine	Control		Machine	Control
		Initially	Deviće		Initially	Device	1	Initially	Device
Type of Machine	ID	Purchased	Installed	ID	Purchased	Installed	ID	Purchased	Installed
Example	# /	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
Dry-10-Dry Unit	_								
(1) w/ ref. condenser									
(2) w/ carbon adsorber					Ţ				
(3) w/ no controls	T	1985	_						
Washer Unit	•	· · · · · · · · · · · · · · · · · · ·	,						
(4) w/ ref. condenser						1			
(5) w/ carbon adsorber									
(6) vv/ no controls									
Dryer Unit					·				
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls							1		
Reclaimer Unit					•				
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls		i						i	

(-)	<u></u>
(c)	No control devices are required to be installed []
2.(a)	What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months? [3] gallons
(b)	If less than 12 months, how many? [4] months Check why it is less than 12 months: New owner: [4] New store: [4] Did not keep records: [4]

3. What is the facility's source classification based on the definitions found in section (3) of Part II? (Indicate with an "X". Select one classification only.)

Existing small area source [New small area source [New large area source] | New large area source | |

DEP Form No. 62-213.900(2)

Effective: 6-25-96

Page 14 of 16

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)						
Existing large area source Carbon adsorber [] Refrigerated condenser []						
New small area source Refrigerated condenser []						
New large area source Refrigerated condenser []						
5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant						
to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:						
All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 hoiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.						
All steam and hot water generating units exempt No such units on-site []						
Equipment Monitoring and Recordkeeping Information						
Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:						
(a) Purchase receipts and solvent purchases						
(b) Leak detection inspection and repair						
(c) Refrigerated condenser temperature monitoring						
(d) Carbon adsorber exhaust perc-concentration monitoring						
(e) Instrument calibration						
(f) Start-up, shutdown, malfunction plan						

DEP Form No. 62-213,900(2) Effective: 6-25-96

		Surrender of Existing All Termin(s)					
Ple	Please indicate with an "X" the appropriate selection:						
	[]	I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)					
		No air permits currently exist for the operation of the facility indicated in this notification form.					
		Responsible Official Certification					
	this notific statements maintain t	ersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in cation. I hereby certify, based on information and belief formed after reasonable inquiry, that the made in this notification are true, accurate and complete. Further, I agree to operate and the air pollutant emissions units and air pollution control equipment described above so as to the all terms and conditions of this general permit as set forth in Part II of this notification form.					
	I will prod	aptly notify the Department of any changes to the information contained in this notification.					
	Signature	Injo INDE 7-24-97 Junia INDE 8-25-97					

DEP Form No. 62-213 900(2) Page 16 of 16 Effective: 6-25-96

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

type of inspection:	ANNUAL RE-INSPECTION		COMPLAINTOISC	COVERY	×
AIRS 10#: The HE			M: <u>9:70-6</u> TM	1E OUT: <u>2</u>	:15p
FACILITY NAME:	realtri	+ Lai	ngra		
FACILITY LOCATION:	our wro to		Exword F	2-1800	RS
		~ - 			
THE TOWN TOWN TO A TOWN					
PART I: NOTIFICATION					
(check appropriate box)	24. 01.106				
Existing facility notified DAR New facility and FARMAR	•				
2. New facility notified DARM 3	-	_			٦
3. Facility failed to notify DARN	4 to use general pe	rmit	·		×
			_		
PART II: CLASSIFICATION					
Facility indicated on notificatio (check appropriate box)	n form that it is:				
A.				,	
1. Existing small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed before 12/9/91)	c . 💢	2. New small dry-to-dry only transfer only, so both types, x< (constructed or	/, x<140 gal/yr <<200 gal/yr		
3. Existing large area source dry-to-dry only, 140 <x<2, 100="" 200<x<1,800="" gz<="" only,="" td="" transfer=""><td>) gal/yr al/yr</td><td>transfer only, 2</td><td>v, 140<x<2, 100="" gal="" yr<br="">200<x<1,800 gal="" td="" yr<=""><td></td><td></td></x<1,800></x<2,></td></x<2,>) gal/yr al/yr	transfer only, 2	v, 140 <x<2, 100="" gal="" yr<br="">200<x<1,800 gal="" td="" yr<=""><td></td><td></td></x<1,800></x<2,>		
both types, 140 <x<1,800 (constructed="" 12="" 9="" 91)<="" before="" gal="" td="" y=""><td>π</td><td>• •</td><td>)<x<1,800 gal="" yr<br="">n or after 12/9/91)</x<1,800></td><td>í</td><td></td></x<1,800>	π	• •) <x<1,800 gal="" yr<br="">n or after 12/9/91)</x<1,800>	í	
This is a correct facility classific	ation	Ду Ои			
If no, please check the appropria	te classification:				
	d for a general per above limits and i			<i>-</i>	
B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 30 gallons.					

Revised 10/28/96

PART III: GENERAL CONTROL REQUIREMENTS	
Is the responsible official of the dry cleaning facility: (check appropriate boxes)	
1. Storing perchloroethylene in tightly sealed and impervious containers?	MY ON
2. Examining the containers for leakage?	XY □N
3. Closing and securing machine doors except during loading/unloading?	ЖУ □и
4. Draining cartridge filters in their housing or in scaled containers for at least 24 hours prior to disposal?	XX ON
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	OY ON XVIA
PART IV: PROCESS VENT CONTROLS	
In Part II-A:	
If classification 1 has been checked, no controls are required. Proceed to Part	v.
If classification 2 has been checked, the machine should be equipped with a refu (complete A helow).	rigerated condenser
If classification 3 has been checked, the machine should be equipped with either condenser or a carbon adsorber (complete A and B below). Carbon adsorber mit installed prior to September 22, 1993	_
If classification 4 has been checked, the machine should be equipped with a refu (complete A and B below).	rigerated condenser
A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)	
1. Equipped all machines with the appropriate vent controls?	ОУ ОИ
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	□Y '□N □N/A
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	OY ON ON/A
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	j □A □N
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?	ОУ ОИ
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	ОУ ОИ

B. Has the responsible official of an existing large or new large area source also:	
Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	OY ON
Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	□Ү □М
Is the temperature differential equal to or greater than 20° F?	OY ON
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	OY ON ON/A
Is the perc concentration equal to or less than 100 ppm?	OY ON
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	OY ON
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	OY ON ON/A
6. Routed airflow to the carbon adsorber (if used) at all times?	OY ON ON/A
	_
PART V: RECORDKEEPING REQUIREMENTS	
Has the responsible official: (check appropriate boxes)	
	Жу □м
(check appropriate boxes)	MY ON OY MY
(check appropriate boxes) 1. Maintained receipts for perc purchased?	
(check appropriate boxes) 1. Maintained receipts for perc purchased? 2. Maintained rolling monthly averages of perc consumption?	
 (check appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: 	OY XV OY XV OY XV
 (check appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days 	OY XV OY XV OY XV
 (check appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? 	OY XN
 (check appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Maintained calibration data? (for direct reading instruments only) 	OY XW OY XW OY ON XWA
 (check appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Maintained calibration data? for direct reading instruments only) Maintained exhaust duct monitoring data on perc concentrations? 	OY XN OY XN OY XN OY XN OY ON XNA OY ON W/A
 (check appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Maintained calibration data? (for direct reading instruments only) Maintained exhaust duct monitoring data on perc concentrations? Maintained startup/shutdown/malfunction plan? 	OY XN OY XN OY XN OY ON XN/A OY ON W/A XY ON
 (check appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Maintained calibration data? (for direct reading instruments only) Maintained exhaust duct monitoring data on perc concentrations? Maintained startup/shutdown/malfunction plan? Maintained deviation reports? 	
 (check appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Maintained calibration data? for direct reading instruments only) Maintained exhaust duct monitoring data on perc concentrations? Maintained startup/shutdown/malfunction plan? Maintained deviation reports? Problem corrected? Maintained compliance plan, if applicable? 	
 (check appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Maintained calibration data? (for direct reading instruments only) Maintained exhaust duct monitoring data on perc concentrations? Maintained startup/shutdown/malfunction plan? Maintained deviation reports? Problem corrected? Maintained compliance plan, if applicable? PART VI: LEAK DETECTION AND REPAIRS 	
 (check appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Maintained calibration data? for direct reading instruments only) Maintained exhaust duct monitoring data on perc concentrations? Maintained startup/shutdown/malfunction plan? Maintained deviation reports? Problem corrected? Maintained compliance plan, if applicable? 	

2.	Which method of detection is use	d by the respon	nsible offi	cial?		-
	Visual examination (corder	ised solvent or	exterior s	surfaces)	×	
	Physical detection (airflow)	M M M				
	Odor (noticeable perc odor)	×				
	Use of direct-reading instru	mentation (FII	O/PID/calo	orimetric tubes)		
	If using direct-reading ins					
	a. Capable of detec	cting perc vapo	or concent	rations in a range of 0-500 ppm?	ΠY	ΠN
	b. Calibrated again (PID/FID only)		gas prior t	to and after each use	ΩY	□N
	c. Inspected for lea	aks and obviou	ıs signs of	wear on a weekly basis?	ΩY	ПΝ
	d. Kept in a clean	and secure are	a when no	ot in use?	ΩУ	ΠN
	e. Verified for acc	uracy by use of	duplicate	e samples (calorimetric only)?	\Box Y	□И
3.	Has the facility maintained a leak	log?			\Box Y	Mи
4.	Does the responsible official chec	k the following	g areas for	r leaks?		
	Hose connections, fittings, couplings, and valves	XY	□и	Muck cookers	ΆY	ПΝ
	Door gaskets and seating	Ϋ́Y	ПΝ	Stills	YY	ПИ
	Filter gaskets and seating	XY	ПΝ	Exhaust dampers	×Υ	ПN
	Pumps	×Υ	ПИ	Diverter valves	Y	ΠИ
	Solvent tanks and container	s XY	ΠN	Carridge filter housings	¥Υ	ΠN
	Water separators	XY	и	<i>,</i> '		
		_				·
	Name of Responsible (Official .				
	Name of Responsible C	Miciai				
_	Inspector's Name (Pleas	on Print)		7-24-9 Date of Inspe		
	Inspector's rvaine (Pleas	ς FΠΙΙΙ)		∠ /	CHOIL	
_	(/ ~) > 0e	n dete		<u> </u>	Nove T	nonation
	Inspector's Signatur	е		Approximate Date of I	Next I	nspection

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM SONJA L NYE SONJA L NYE NORTH EAST LAUNDRY SARASOTA FL 34235 Do NOT Remove Label

Do NOT Remove Label 12/31 1998 Annual Reporting Period: Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. If NO, complete the following: #1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above: Exact period of non-compliance: from Action(s) taken to achieve compliance: Method used to demonstrate compliance: #2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above: Action(s) taken to achieve compliance: Method used to demonstrate compliance: As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

RESPONSIBLE OFFICIALS

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

T	YPE	OF	INSPECTION:

ANNUAL




COMPLAINT/DISCOVERY

RE-INSPECTION

AIRS ID#: 150093 DATE: \$198 TIME IN: 1:000 TIME OUT	: PA
FACILITY NAME: Northeast Landry	
FACILITY LOCATION: 11th Abut of M. Lockwood Ridge @ 2	W6 27
RESPONSIBLE OFFICIAL: Longo Myl PHONE: 955-4546	Syd C
CONTACT NAME: The PHONE:	ing
PART I: NOTIFICATION	
(check appropriate box)	
1. New facility notified DARM 30 days prior to startup	
2. Facility failed to notify DARM to use general permit	
PART II: CLASSIFICATION	
Facility indicated on notification form that it is:	

(check appropriate box)

1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91)



both types, $140 \le x \le 1,800$ gal/yr

(constructed before 12/9/91)

5. This is a correct facility classification

☐ Drop store/out of business/petroleum

2. New small area source dry-to-dry only, x < 140 gal/yrtransfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91)

4. New large area source dry-to-dry only, $140 \le x \le 2{,}100 \text{ gal/yr}$ transfer only, $200 \le x \le 1,300 \text{ gal/yr}$ both types, $140 \le x \le 1,800$ gal/yr (constructed on or after 12/9/91)

□Can not determine

If no, please check the appropriate classification:

facility qualified for a general permit as number _ facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchlorocthylene (perc) purchased within the preceding 12 months by this dry cleaning facility was () gallons,

PART III: GENERAL CONTROL REQUIREMENTS	
Is the responsible official of the dry cleaning facility: (check appropriate boxes)	' '.
1. Storing perchloroethylene in tightly sealed and impervious containers?	AVA ON ON/A
2. Examining the containers for leakage?	AINO NO YA
3. Closing and securing machine doors except during loading/unloading?	DIY DN
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	ANO NO YO
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	OY ON KINIA
PART IV: PROCESS VENT CONTROLS	
In Part II-A: If classification has been checked, no controls are required. Proceed to Part V.	
If classification 2 has been checked, the machine should be equipped with a refrige (complete A below).	erated condenser
If classification 3 has been checked, the machine should be equipped with either a condenser or a carbon adsorber (complete A and B below). Carbon adsorber must installed prior to September 22, 1993	•
If classification 4 has been checked, the machine should be equipped with a refrige (complete A and B below).	erated condenser
A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)	
1. Equipped all machines with the appropriate vent controls?	DY ON
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	אוחם חם צוס
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	אוחם חם אל
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?	dy □n
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	Y ON ON/A
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	ďy □n

B.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΩУ	ПN	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ОΥ	Ωи	□N/A
	Is the temperature differential equal to or greater than 20° F?	ΟY	$\square \aleph$	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	ΩY	ПΝ	□N/A
	Is the perc concentration equal to or less than 100 ppin?	ΩΥ	_	□N/A
4.				□N/A
_	Equipped transfer machines (dryers, reclaimers, and washers) with individual	- *		
٦.	condenser coils?	ΩΥ	ПΝ	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΩY	ΠИ	□N/A

PART V: RECORDKEEPING REQUIREMENTS			
Has the responsible official: (check appropriate boxes)	. ,		
1. Maintained receipts for perc purchased?	da on		
2. Maintained rolling monthly averages of perc consumption?	MA ON		
3. Maintained leak detection inspection and repair reports for the following:	· · · · · · · · · · · · · · · · · · ·		
a. documentation of leaks repaired w/in 24 hrs? or;	DY DN DNA		
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	DY DN DAVA		
4. Maintained calibration data? (for applicable direct reading instruments)	OY ON \$\psi N/A		
5. Maintained exhaust duct monitoring data on perc concentrations?	DY DN DYNA		
6. Maintained startup/shutdown/malfunction plan?			
6. Maintained startup/shutdown/malfunction plan? 7. Maintained deviation reports?	ANAM NO YO		
Problem corrected?	DY DN WANA		
8. Maintained compliance plan, if applicable?	אואל אם צם		

PART VI: LEAK DETECTION AND REPAIRS

_						
3.	1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair					
	inspection?				ØΥ	א□
2.	Has the facility maintained a leak log?				ϕ_{λ}	□и
3.	Does the responsible official check the	following ar	cas for leaks?		Γ.	
	Hose connections, fittings,	V			V	
	couplings, and valves	אם צפ	□N/A	Muck cookers	thy.	אותם מם
	Door gaskets and seating	MDY ON	□N/A	Stills	KAY.	□N □N/A
	Filter gaskets and seating	dy On	□N/A	Exhaust dampers	YY	□N □N/A
	Pumps	DY DM	□N/A	Diverter valves	KY.	□N □N/A
	Solvent tanks and containers	MD AM	□N/A	Cartridge filter housings	$\not = A$	□N □N/A
	Water separators	AT ON	□N/A			
4.	Which method of detection is used by t	he responsibl	le official?		,	
Visual examination (condensed solvent on exterior surfaces)					Ų	
Physical detection (airflow felt through gaskets)					\(\bar{A}\)	
	Odor (noticeable perc odor)				K	
	Use of direct-reading instrumenta	ition (FID/PI	D/calorimetric	tubes)		
	Halogen leak detector Will (or time			K	
	If using direct-reading instr		is the equipme	ent:	M/N/	A
	a. Capable of detecting	perc vapor co	ncentrations in	a range of 0-500 ppm?	ФĀ	DИ
	b. Calibrated against a standard gas prior to and after each use (PID/FID only)?					□и
c. Inspected for leaks and obvious signs of wear on a weekly basis?					\Box Y	□и
	d. Kept in a clean and secure area when not in use?				ΩΥ	□И
	e. Verified for accuracy	by use of dup	olicate samples	(calorimetric only)?	ΩΥ	מם

Inspector's Name (Please Print)

Date of Inspection

Inspector's Signature

Approximate Date of Next Inspection

TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL XX	COMPLAINT/DISCOVERY RE-INSPECTION
TIME IN: CO pr . TIME OUT:	AIRS ID#: 1150093
TYPE OF FACILITY: Dry Cleaner	
FACILITY NAME: North Easty Laundry	DATE: <u>08/07/98</u>
FACILITY LOCATION: 17th Street and North	Lockwood Ridge Rd.
Sarasota, FL	
RESPONSIBLE OFFICIAL: Sonja Nye	PHONE NUMBER: <u>941/955-4876</u>
Based on the results of the compliance requirements of compliance with DEP Rule 62-213.300, Florida Adm	evaluated during this inspection, the facility is found to be in inistrative Code (F.A.C.).
discrepancies were noted:	evaluated during this inspection, the following compliance
COMPLIANCE REQUIREMENT/PROBLEM	M FOLLOW-UP ACTION REQUIRED
	P
	ENGLE PLEST CONTRACTOR OF THE PROPERTY OF THE
	Sources Sources
COMMENTS:	
	L
The Annual Compliance Certification form has been properly of	certified and submitted to the inspector. YES NO
DATE OF NEXT INSPECTION: 08/99	(Approximate)
INSPECTION CONDUCTED BY: Susan CAmeron	1
INSPECTOR'S SIGNATURE: John 2.	(Please Print) PHONE NUMBER: 378-6128
	•

Revised 10/96

Revised 10/10/96

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Northlast Landry	DATE: \$/1/98
FACILITY LOCATION: Corner DE 114 A. A N. Lockwood Rdg	<u> </u>
Annual Reporting Period: 1991 TO 11	19 🕌
Based on each term or condition of the Title V general air permit, my facility has remained in compliance	with DEP Rule
62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.	S □NO
If NO, complete the following:	
#1. Term or condition of the general permit that has not been in continuous compliance during the report	ing period stated above:
Exact period of non-compliance: from	
Action(s) taken to achieve compliance:	
Method used to demonstrate compliance:	
#2. Term or condition of the general permit that has not been in continuous compliance during the report	ing period stated above:
	P
Exact period of non-compliance: from to	- 'C
Action(s) taken to achieve compliance:	N. K.
Method used to demonstrate compliance:	Thomas Co
As the responsible official, I hereby certify, based on information and belief formed after reasonable inqu	
made in this notification are true, accurate and complete. Further, my annual consumption of perchloroe upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilitie	
year for transfer or combination facilities.	N/4/ N
RESPONSIBLE OFFICIAL: Name (Please Print) Signature	Note Date
ivanic (Ficase Finit)	Date

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION:	ANNUAL	₹X	COMPLAINT/DISC	OVERY	, D
	RE-INSPECTION	N 🗆		7	, 1
,				, 	· —
AIRS ID#: 1150093	DATE: 9/20/9	9 TIME I	N: Tim	EOUE _	
FACILITY NAME:	NORTHEAST LA	UNDRY		OF P. C.	
FACILITY LOCATION:	17th STREET 8	NORTH LO	CKWOOD RIDGE	e Source	
	SARASOTA, FL			Oring	
RESPONSIBLE OFFICIAL	: SONJA & BI	RUCE NYE	PHONE: 941/9	55-4876	
CONTACT NAME: R	e Bake, V	Nanage	_PHONE:		
PART I: NOTIFICATION					
(check appropriate box)					
1. New facility notified DARI	A 30 days prior to start	tup	•		
2. Facility failed to notify DA	RM to use general peri	mit			
PART II: CLASSIFICATIO	N				
Facility indicated on notifica (check appropriate box)	tion form that it is:		☐ No notification for ☐ Drop store/out of t		oleuni
A. 1. Existing small area soudry-to-dry only, x < 140 gal/y transfer only, x < 200 gal/y both types, x < 140 gal/yr (constructed before 12/9/91	ıVyı 🔨 r	2. New small a dry-to-dry only, transfer only, x both types, x < 1 (constructed on	x < 140 gal/yr < 200 gal/yr	Dahar 11 Felog	Sgal
3. Existing large area soudry-to-dry only, $140 \le x \le 1$, transfer only, $200 \le x \le 1$, both types, $140 \le x \le 1$,800 (constructed before 12/9/91)	2,100 gal/ут 800 gal/уг) gal/уг	transfer only, 20 both types, 140	rca source $140 \le x \le 2,100 \text{ gal/yr}$ $00 \le x \le 1,300 \text{ gal/yr}$ $00 \le x \le 1,800 \text{ gal/yr}$ 00 gal/gr 00 gal/gr	- No49	75
5. This is a correct facility	classification	DY DN	□Can not determine		
☐ faci	e appropriate classifica lity qualified for a gene lity exceeds above limi	eral permit as nu	imber above gible for a general perm		
B. The total quantity of perch facility was gallon	lorocthylene (pero) pur s. 1996 on = 9 M	rchased within the	ne preceding 12 months	s by this dry	cleaning

PART III: GENERAL CONTROL REQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) ON ON/A 1. Storing perchloroethylene in tightly scaled and impervious containers? DN DN/A 2. Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in scaled containers for at least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) 1. Equipped all machines with the appropriate vent controls? 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? אואם אם צב 3. Equipped the condenser with a diverter valve so airflow will be directed away from the □N □N/A condenser upon opening the door? 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the

□N □N/A

6. Conducted all temperature monitoring after an appropriate cooldown period and after

verifying that the coolant had been completely charged?

condenser exceeded 45°F?

_				
В	. Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΩY	ПN	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΟY	מם	□N/A
	Is the temperature differential equal to or greater than 20° F?	ΟY	DИ	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,			
	if machines are equipped with a carbon adsorber?	ΩΥ	ΠИ	□N/A
	Is the perc concentration equal to or less than 100 ppin?	ΠY	ПN	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction,			
	or expansion; and downstream from no other inlet?	ΩΥ	ПΝ	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΟY	ПΝ	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΠY	ΩΝ	□N/A

PART V: RECORDKEEPING REQUIREMENTS Has the responsible official: (check appropriate boxes) 1. Maintained receipts for perc purchased? 2. Maintained rolling monthly averages of perc consumption? 3. Maintained leak detection inspection and repair reports for the following: AND WO YEAR door gastal a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? DY DN **D**INA 4. Maintained calibration data? (for applicable direct reading instruments) OY ON ∯N/A 5. Maintained exhaust duct monitoring data on perc concentrations? MD VM 6. Maintained startup/shutdown/malfunction plan? DY DN \$\dag{\partial} N/A 7. Maintained deviation reports? OY ON ∯N/A Problem corrected? OY ON **Ŭ**N/A 8. Maintained compliance plan, if applicable?

fixed Foor 3/98 CHarged file = 5/99

PART VI: LEAK DETECTION AND REPAIRS

_					
1.	1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair				
	inspection?			№ Y □	N
2.	Has the facility maintained a leak log	?		dry c	N
3.	Does the responsible official check th	e following areas for leaks	s?	/ 1	
	Hose connections, fittings, couplings, and valves	DY ON ON/A	Muck cookers	YY ON	□N/A
	Door gaskets and seating	DY ON ONIA	Stills	AY ON	□N/A
	Filter gaskets and seating	DA ON ONV	Exhaust dampers	DY ON	□N/A
	Pumps	AND NO Y	Diverter valves	AY ON	□N/A
	Solvent tanks and containers	DY ON ONA	Cartridge filter housings	BA ON	□N/A
	Water separators	AND NO YA			
4.	Which method of detection is used by	the responsible official?			
	Visual examination (condensed	solvent on exterior surface	es)	₩	
	Physical detection (airflow felt through gaskets)				
	Odor (noticeable perc odor)			7	
	Use of direct-reading instrumen	tation (FID/PID/calorimet	ric tubes)	â	
	Halogen leak detector				
	If using direct-reading inst	rumentation, is the equi	pment:	DINA	
	a. Capable of detecting	g perc vapor concentration	s in a range of 0-500 ppm?	ОУ ОИ	
	b. Calibrated against a (PID/FID only)?	standard gas prior to and	after each use	□У □И	
	c. Inspected for leaks a	and obvious signs of wear	on a weekly basis?	OY ON	
	d. Kept in a clean and	secure area when not in u	se?	ПА ПИ	
	e. Verified for accurac	y by use of duplicate samp	les (calorimetric only)?	OY ON	

Inspector's Name (Please Print)

Date of Inspection

Inspector's Signature

Approximate Date of Next Inspection



DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME:	NORTHEAST LAUNDRY		DATE: 9/20/99
FACILITY LOCATION:	17th STREET & NORTH I	LOCKWOOD RIDGE	
	SARASOTA, FL		
Annual Reporting Period:	08/07 19	98 TO	
	of the Title V general air permit, my f tive Code (F.A.C.), during the period c	<u>- V</u>	
-	neral permit that has not been in contir	nuous compliance during the reporti	ng period stated above:
Exact period of non-compliance	: from	to	
Action(s) taken to achieve comp	liance:	<u> </u>	
Method used to demonstrate cor	nalianas		
#2. Term or condition of the ge	neral permit that has not been in contin	nuous compliance during the reporting	ng period stated above:
Exact period of non-compliance	: from	to	
Action(s) taken to achieve comp	liance:	<u> </u>	
Method used to demonstrate cor	npliance:		
made in this notification are tru	eby certify, based on information and be, accurate and complete. Further, my se receipts, does not exceed 2,100 gall facilities.	annual consumption of perchloroet	hylene solvent, based

1 1 Page ____ of ____.

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

TIT V AIR QUALITY GENERAL PEI IT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION:	KX JAUNNA	COM	PLAINT/DISCOVERY	RE-INSPECTION	
TIME IN:	TIME OUT:		AIRS ID#:	1150093	
TYPE OF FACILITY:	DRYCLEANER			· .	
FACILITY NAME:	NORTHEAST LA	UNDRY		DATE:	
FACILITY LOCATION:	17th STREET	& NOR	TH LOCKWOOD RIDGE		
	SARASOTA, FL		·		
RESPONSIBLE OFFICIAL: S	ONJA & BRUCE NYE		PHONE NUMBER:_	941/955-4876	
E.J.	the compliance requirements		ed during this inspection, the facilitive Code (F.A.C.).	ty is found to be in	
Based on the results of discrepancies were not	• •	s evaluat	ed during this inspection, the follow	wing compliance	
COMPLIANCE REQ	UIREMENT/PROBLE	EM	FOLLOW-UP ACTIO	N REQUIRED	
i					
·					
				,	
			· · · · · · · · · · · · · · · · · · ·		
			·		
COMMENTS:					
The Annual Compliance Certific	,	y certifie	d and submitted to the inspector.	YES NO	
DATE OF NEXT INSPECTIO	N: 9/2000	(App	roximate)		
INSPECTION CONDUCTED	BY: SUSA	N CAN			
INSPECTOR'S SIGNATURE:	941/378_6128				

Revised 10/96

ERCHLOROETHYLENE DRY CLEANERS TITLE V GENERAL PERMIT

COMPLIANCE INSPECTION CHECKLIST TYPE OF INSPECTION:

COMPLAINT/DISCONER ΚX ANNUAL

RE-INSPECTION

AIRS ID#: 1150093 DATE: FACILITY NAME: NORTHEAST LAUNDRY FACILITY LOCATION: 17th STREET & NORTH LOCKWOOD RIDGE SARASOTA, FL RESPONSIBLE OFFICIAL: SONJA & BRUCE NYE PHONE: 941/955-4876 CONTACT NAME: Dy Via Lobaton, Mgr. PHONE:

PART I: NOTIFICATION	
(check appropriate box)	
1. New facility notified DARM 30 days prior to startup	
2. Facility failed to notify DARM to use general permit	

PART II: CLASSIFICATION		
Facility indicated on notification form that it is: (check appropriate box)	☐ No notification form ☐ Drop store/out of business/petroleum	
1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91)	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)	-
3. Existing large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr (constructed before $12/9/91$)	4. New large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,300$ gal/yr both types, $140 \le x \le 1,800$ gal/yr (constructed on or after $12/9/91$)	
5. This is a correct facility classification	□Y □N □Can not determine 5/00 □	
If no, please check the appropriate classific		>
B. The total quantity of perchlorocthylene (perc) per facility was gallons.	urchased within the preceding 12 months by this dry cleaning	

Is the responsible official of the dry cleaning facility: (check appropriate boxes) 1. Storing perchloroethylene in tightly scaled and impervious containers? □N □N/A □N □N/A 2. Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at ON ON/A least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) 1. Equipped all machines with the appropriate vent controls? DY DN 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? DY ON ON/A 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? DY DN DN/A 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? DY DN 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F? DY DN DN/A 6. Conducted all temperature monitoring after an appropriate cooldown period and after OY ON verifying that the coolant had been completely charged?

PART III: GENERAL CONTROL REQUIREMENTS

B.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΩY	ПN	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΩΥ	ПΝ	□N/A
	Is the temperature differential equal to or greater than 20° F?	ΟY	ΠN	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,			
	if machines are equipped with a carbon adsorber?	\Box Y	ΠИ	□N/A
	Is the perc concentration equal to or less than 100 ppm?	ПΥ	ΠИ	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction,			
	or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΩΥ	ПИ	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΩΥ	ПИ	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΩY	ПИ	□N/A

PART V: RECORDKEEPING REQUIREMENTS						
Has the responsible official: (check appropriate boxes)						
Maintained receipts for perc purchased?	אם צו					
2. Maintained rolling monthly averages of perc consumption?	MA DN					
3. Maintained leak detection inspection and repair reports for the following:	`,					
a. documentation of leaks repaired w/in 24 hrs? or;	אואם אם צעף					
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	OY ON ONA					
4. Maintained calibration data? (for applicable direct reading instruments)	אמן אם צם					
5. Maintained exhaust duct monitoring data on perc concentrations?	OY ON ₩N/A					
6. Maintained startup/shutdown/malfunction plan?	אם צען .					
7. Maintained deviation reports?	איא שׁ אם צם ב					
Problem corrected?	OY ON ∰N/A					
8. Maintained compliance plan, if applicable?	OY ON MINIA					

		·	,				
PART VI: LEAK DETECTION AND REPAIRS							
1. Does the responsible official conduct a	weekly (for small sources, b	i-weekly) leak detection ar	nd repair				
inspection?			אם צא				
2. Has the facility maintained a leak log?			אם צו				
3. Does the responsible official check the	following areas for leaks?						
Hose connections, fittings, couplings, and valves	MY DN DN/A	Muck cookers	AY ON ON/A				
Door gaskets and scating	MY ON ON/A	Stills	MY ON ON/A				
Filter gaskets and seating	DY ON ON/A	Exhaust dampers	DY ON ON/A				
Pumps	DY ON ON/A	Diverter valves	ØY □N □N/A				
Solvent tanks and containers	ØY □N □N/A	Cartridge filter housings	ΦY ON ON/A				
Water separators	AND ND Y						
4. Which method of detection is used by the	ne responsible official?		,				
Visual examination (condensed so	olvent on exterior surfaces)	•	<u>6</u>				
Physical detection (airflow felt thr	ough gaskets)		þ				
Odor (noticeable perc odor)			6				

Use of direct-reading instrumentation (FID/PID/calorimetric tubes)

If using direct-reading instrumentation, is the equipment:

d. Kept in a clean and secure area when not in use?

Halogen leak detector

(PID/FID only)?

Inspector's Name (Please Print)	Date of Inspection
Inspector's Signature	Approximate Date of Next Inspection

a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?

b. Calibrated against a standard gas prior to and after each use

c. Inspected for leaks and obvious signs of wear on a weekly basis?

e. Verified for accuracy by use of duplicate samples (calorimetric only)?

Ò

ØN/A

ND YD

DY DN

NO YO

DY DN

DY DN

TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION:	ANNUAL XX	COM	PLAINT/D	ISCOVERY]	RE-INSPE	CTION _
TIME IN: 155	TIME OUT:			AIRS ID#:_	1150	0093	
TYPE OF FACILITY:	DRYCLEANER					· / -	
FACILITY NAME:	NORTHEAST LAUNDRY				D	ATE:	> /00
FACILITY LOCATION:	17th STREET & NOR	TH I	LOCKWOO	DURIDGE			
	SARASOTA, FL						
RESPONSIBLE OFFICIAL:	SONJA & BRUCE NYE	2		_PHONE NUME	BER:	941/955-	4876
compliance with DEP I Based on the results of	the compliance requirements e Rule 62-213.300, Florida Adm the compliance requirements e	inistra	tive Code (1	F.A.C.).			
discrepancies were note COMPLIANCE REO	^{ed:} UIREMENT/PROBLEN	м	FO	LLOW-UP A	CTION	N REOUII	RED
		-					
					•		· :
		,	· · · · · · · · · · · · · · · · · · ·				
·							
	·						
<u> </u>				<u> </u>			•
				•.			
COMMENTS:	· ·		_			.	
The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO							
DATE OF NEXT INSPECTIO	DATE OF NEXT INSPECTION:						
INSPECTION CONDUCTED	(Approximate)						
INSPECTOR'S SIGNATURE:		(Plea	ase Print)	PHONE NUMB	ED. (9/4	1) 31x	-6/2X
morector soldina ture.	YEC MI			· HONE NUMB	Z/	756/5	>
	Pag	ge	_of		,	•	Revised 10/96

AIRS ID#: 1150093

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: NORTHEAS	I LAUNDRY DATE: 8/15/00
FACILITY LOCATION: 17th STR	EET & NORTH LOCKWOOD RIDGE
SARASOTA	, FL
Annual Reporting Period: $\frac{9}{20}$	_19TO
62-213.300, Florida Administrative Code (F.A.	general air permit, my facility has remained in compliance with DEP Rule A.C.), during the period covered by this statement.
If NO, complete the following:	1
#1. Term or condition of the general permit t	hat has not been in continuous compliance during the reporting period stated above:
Exact period of non-compliance: from	to
Action(s) taken to achieve compliance:	
Method used to demonstrate compliance:	
#2. Term or condition of the general permit t	hat has not been in continuous compliance during the reporting period stated above:
Exact period of non-compliance: from	to
Action(s) taken to achieve compliance:	
Method used to demonstrate compliance:	
made in this notification are true, accurate ar	assed on information and belief formed after reasonable inquiry, that the statements and complete. Further, my annual consumption of perchloroethylene solvent, based ones not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per legislation of the statements of the statement of the statements of the statement of the st

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

PERCHLOROETHYLENE DRY CLEANERS TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST COMPLAINT/DISCOVERY TYPE OF INSPECTION: ANNUAL **RE-INSPECTION** TIME IN: $\frac{1}{2}$ AIRS ID#: 1150093 TIME-OUT: NORTHEAST LAUNDRY FACILITY NAME: FACILITY LOCATION: 17 th STREET & NORTH LOCEWOODER RIDGE SARASOTA, FL PHONE: 941/955-4876 RESPONSIBLE OFFICIAL: SONJA & BRUCE NYE PHONE: PART I: NOTIFICATION (check appropriate box) 1. New facility notified DARM 30 days prior to startup \Box 2. Facility failed to notify DARM to use general permit PART II: CLASSIFICATION Facility indicated on notification form that it is: ☐ No notification form (check appropriate box) ☐ Drop store/out of business/petroleum 1. Existing small area source 2. New small area source dry-to-dry only, x < 140 gal/yr dry-to-dry only, x < 140 gal/yrtransfer only, x < 200 gal/yrtransfer only, x < 200 gal/yrboth types, x < 140 gal/yrboth types, x < 140 gal/yr (constructed before 12/9/91) (constructed on or after 12/9/91) 3. Existing large area source 4. New large area source dry-to-dry only, $140 \le x \le 2,100 \text{ gal/yr}$ dry-to-dry only, $140 \le x \le 2{,}100 \text{ gal/yr}$ transfer only, $200 \le x \le 1,800 \text{ gal/yr}$ transfer only, $200 \le x \le 1,300 \text{ gal/yr}$ both types, 140 < x < 1.800 gal/yr both types, $140 \le x \le 1,800$ gal/yr (constructed before 12/9/91) (constructed on or after 12/9/91) 5. This is a correct facility classification $\Box Y$ ΠN □Can not determine If no, please check the appropriate classification: facility qualified for a general permit as number facility exceeds above limits and is not eligible for a general permit \angle B. The total quantity of perchlorocthylene (perc) purchased within the preceding 12 months by this dry cleaning

Revised 8/11/97

facility was _____ gallons.

PART III: GENERAL CONTROL REQUIREMENTS	
Is the responsible official of the dry cleaning facility: (check appropriate boxes)	,
1. Storing perchloroethylene in tightly scaled and impervious containers?	DY ON ONA
2. Examining the containers for leakage?	DAY ON ONIA
3. Closing and securing machine doors except during loading/unloading?	DAY ON
4. Draining cartridge filters in their housing or in scaled containers for at least 24 hours prior to disposal?	YY ON ONA
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	OY ON ONA
PART IV: PROCESS VENT CONTROLS	
In Part II-A:	
If classification 1 has been checked, no controls are required. Proceed to Part	v.
If classification 2 has been checked, the machine should be equipped with a ref (complete A below).	frigerated condenser
. If classification 3 has been checked, the machine should be equipped with either condenser or a carbon adsorber (complete A and B below). Carbon adsorber minstalled prior to September 22, 1993	er a refrigerated oust have been
If classification 4 has been checked, the machine should be equipped with a ref (complete A and B below).	Frigerated condenser
A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)	
1. Equipped all machines with the appropriate vent controls?	ОУ ОМ
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	. מאם אם אאם
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	OY ON ON/A
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?	· 🗆 У 🗀 М
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?	□У □N □N/A
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	OY ON

В	. Has the responsible official of an existing large or new large area source also:			
~				
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located			
	on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	\Box Y	ПΝ	
2.	Measured and recorded the washer exhaust temperature at the condenser			-
1	inlet and outlet weekly?	ЦΥ	ÜМ	□N/A
	Is the temperature differential equal to or greater than 20° F?	DΥ	DΝ	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly			
1	at the end of the final drying cycle while the machine is venting to the adsorber,			_
	if machines are equipped with a carbon adsorber?	. П Ү	$\Box \mathcal{N}$	\Box N/A
	Is the perc concentration equal to or less than 100 ppin?	\Box Y	ПЙ	□N/A
ľ				
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring			
	perc concentrations is at least 8 duct diameters downstream of any bend, contraction,			
JI.	or expansion; is at least 2 duct diameters upstream from any bend, contraction,	_	_	_
ľ	or expansion; and downstream from no other inlet?	ЦY	ΠИ	□N/A
_	Equipped transfer machines (dryers, reclaimers, and washers) with individual			
٦.	condenser coils?	ПΥ	ПИ	DN/A
	Condition control		□ 1 (1 17/1
6.	Routed airflow to the carbon adsorber (if used) at all times?	\Box Y	ПΝ	□N/A
L				

PART V: RECORDKEEPING REQUIREMENTS					
Has the responsible official: (check appropriate boxes)	1.7				
1. Maintained receipts for perc purchased?	DY DN				
2. Maintained rolling monthly averages of perc consumption?	gki on				
3. Maintained leak detection inspection and repair reports for the following:					
a. documentation of leaks repaired w/in 24 hrs? or,	DY DN DNA				
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	אוא א אום אם				
4. Maintained calibration data? (for applicable direct reading instruments)	OY ON MONY				
5. Maintained exhaust duct monitoring data on perc concentrations?					
6. Maintained startup/shutdown/malfunction plan?	DY ON				
7. Maintained deviation reports?	OZ ON DINA				
Problem corrected?	OY ON ON/A				
8. Maintained compliance plan, if applicable?	OY ON DYNA				

PART VI: LEAK DETECTION AND REPAIRS

=						
1.	1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair					
	inspection?			∯Y □N		
2.	Has the facility maintained a leak log	,?	•	אט יאלי		
3.	Does the responsible official check th	e following areas for leak:	s?	,		
	Hose connections, fittings, couplings, and valves	אומם מם אם	Muck cookers	אוחם אם צבו		
	Door gaskets and scating	AN ON ONIA	Stills	ANO NO YA		
	Filter gaskets and seating	AND NO YO	Exhaust dampers	ØY □N □N/A		
	Pumps	AL ON ONIA	Diverter valves	אואם אם יום		
	Solvent tanks and containers	אורם אם אוא באר	Cartridge filter housings	DY DN DN/A		
	Water separators	QY ON ON/A				
4.	Which method of detection is used by	the responsible official?				
	Visual examination (condensed	À (
	Physical detection (airflow felt t	R				
	Odor (noticeable perc odor)			À		
	Use of direct-reading instrument	tation (FID/PID/calorimet	ric tubes)	Ó		
	Halogen leak detector					
	If using direct-reading inst	rumentation, is the equi	pment:	∕ DN/A		
	a. Capable of detecting	gperc vapor concentration	is in a range of 0-500 ppm?	DY DN		
	b. Calibrated against a (PID/FID only)?	standard gas prior to and	after each use	OY ON		
	c. Inspected for leaks a	OY ON				
	d. Kept in a clean and	OY ON				
	e. Verified for accuracy	y by use of duplicate samp	oles (calorimetric only)?	OY ON		
				ļ		

Inspector's Name (Please Print)

nspector's Signature

Approximate Date of Next Inspection

Revised 8/11/97

AIRS ID#:	150093
-----------	--------


DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

		 		
FACILITY NAME:	NORTHEAST LAUN	IDRY		DATE: Lug. 13, 2001
FACILITY LOCATION: _	17th STREET &	LOCKWOOD RID	GE	· ,
	SARASOTA, FL			
Annual Reporting Period:	08/15	20 00	TO \$13	20.01
Based on each term or condit	ion of the Title V general a	air permit, my facility	has remained in complia	nnce with DEP Rule
62-213.300, Florida Administ	trative Code (F.A.C.), duri	ng the period covered	by this statement.	yes u no
If NO, complete the following	5. 3.			
#1. Term or condition of the	general permit that has no	t been in continuous c	ompliance during the rep	porting period stated above:
Exact period of non-complian	ce: from		to	
Action(s) taken to achieve con	mpliance:			
Method used to demonstrate of	compliance:			
#2. Term or condition of the	general permit that has not	t been in continuous c	ompliance during the rep	porting period stated above:
Exact period of non-complian	ce: from		to	
Action(s) taken to achieve cor	mpliance:			
Method used to demonstrate o	compliance.			
As the responsible official, I h in this notification are true, ac purchase receipts, does not ex combination facilities. RESPONSIBLE OFFICIAL	scurate and complete. Fur sceed 2,100 gallons per year	ther, my annual cons	umption of perchloroethy	


^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION:	ANNUAL KX	СОМР	LAINT/DISCOVERY	RE-INSPECTION			
TIME IN:	TIME OUT:		AIRS ID#:	1150093			
TYPE OF FACILITY:	perchloroethylene drycleaner						
	ACILITY NAME: NORTHEAST LAUNDRY DATE: Aug. 13,200						
FACILITY LOCATION: 17th STREET & NORTH LOCKWOOD RIDGE							
	SARASOTA, FL						
RESPONSIBLE OFFICIAL:_	PONSIBLE OFFICIAL: SONJA & BRUCE NYE PHONE NUMBER: 941/955-4876						
<u> </u>	f the compliance requirements Rule 62-213.300, Florida Ad		d during this inspection, the fave Code (F.A.C.).	cility is found to be in			
Based on the results of discrepancies were not	•	s evaluate	d during this inspection, the fo	llowing compliance			
COMPLIANCE REQ	UIREMENT/PROBLE	CM	FOLLOW-UP ACT	TION REQUIRED			
				-			
			<u></u>				
	. /						
		*					
COMMENTS:							
The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO							
DATE OF NEXT INSPECTION: 1 Aug. 2002							
(Approximate)							
INSPECTION CONDUCTED BY: Owners							
INSPECTOR'S SIGNATURE: PHONE NUMBER: 7-11-378-6128							
	P	agec	of	Revised 10/96			



SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Signature Agent Addressee B. Received by (Printed Name) C. Date of Delivery
1 Article Addressed to:	D. Is delivery address different from item 17
ID# 1150120 BRUCE NYE NORTHEAST LAUNDRY &	
DRYCLEANING 4800 BENCHMARK CT SARASOTA, FL 34238	3. Service Type Certified Mall Registered Receipt for Merchandise Insured Mall C.O.D.
	4. Restricted Delivery? (Extra Fee) Yes
2 Article Number (Transfer from service label) 7001 1140 0	001 7556 3814
PS Form 3811 August 2001 Domestic Ret	turn Receipt/ 102595-02-M-1540



U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided) 53 m ~ Ŋ Postage 797 Certified Fee Return Receipt Fee (Endorsement Required) 0001 Restricted Delivery Fee (Endorsement Required) AIRS ID#1150093 20 NORTH EAST LAUNDRY E SONJA L NYE Stre 3343 NORTHEAST PLAZA 7001 or F SARASOTA FL City 34235 PS Form 3800, January 2001

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 1 Article Addressed to: AIRS ID#1150093 NORTH EAST LAUNDRY SONJA L-NYE 3343 NORTHEAST PLAZA 	A. Signature
SARASOTA FL 34235	3. Service Type Certified Mail Registered Return Receipt for Merchandise C.O.D.
	4. Restricted Delivery? (Extra Fee)
2 Article Number (Transfer from service label) 7001 0:32	0 0001 7975 7353

UNITED STATES POSTAL SERVICE



First-Class Mail Postage & Fees Paid USPS Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

EUR. OF AIR MONITORING & MOSILE SOURCES
DEPT. OF ENVIRONMENTAL PROTECTION FOR MAIL STATION 5510
2600 BLAIR STONE ROAD
TALLAHASSEE, FLORIDA 32399-2400

OF TALLAHASSEE, FLORIDA 32399-2400

	A. Received by (Please Print Clearly) C. Signature X D. Is delivery address different from item 1? If YES, enter delivery address below:
NORTH EAST LAUNDRY 3343 NORTHEAST PLAZA SARASOTA FL 34235	3. Service Type Certified Mail
in takan	4. Restricted Delivery? (Extra Fee)
² 7001 0320 0001 7975 8732 PS Form 3811, July 1999 Domestic Re	102595-99-M-1789

}		MAIL REC	EIPT Coverage Provided)
8732		ICIAL	JSE.
7975	Postage Certified Fee	\$	
1000	Return Receipt Fee (Endorsement Required) Restricted Delivery Fee (Endorsement Required)		Pasimetr V
7001 0320	or PO Bo 3343 NO	AIRS ID # 1150 NYE EAST LAUNDRY RTHEAST PLAZA TA FL 34235	
1	PS Form 3800, January 20	001	See Reverse for Instructions

0880	(Domestic Mail O	MAIL™ RECE	verage Provided)
	For delivery information	ation visit our website at	www.usps.com⊕
3939			
m	Postage	\$	
02	. Certified Fee		Market de
2000	Return Receipt Fee (Endorsement Required)		Postmark Here
510	"Restricted Delivery Fee (Endorsement Required)		
Ŋ	Total Pt AIRS ID	# 1150093 1stC	
]	Sent To NORTH	EAST LAUNDRY	
7004	17th and	Lockwood Ridge	
/ ~	Street, At SARASO	OTA, FL 34235	******
	City, Stati		
	PS Form 3800 June 20	Control of the second of the s	See Reverse for Instructions

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse, so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. AIRS ID# 1150093 1stC NORTH EAST LAUNDRY	B. Received by (Printed Name) C. Date of Delivery C. Date of Delivery
17th and Lockwood Ridge SARASOTA, FL 34235	3. Service Type Certified Mail
2 Article Number (Transfer from service label) 7004 2.51	0 0002 3939 0850
PS Form 3811, February 2004 Domestic Retu	urn Receipt 102595-02-M-1540

UNITED STATES POSTAL SERVICE



First-Class Mail Postage & Fees Paid USPS Permit No. G-10

tallantitallitatitaattaattatatatatatistiihii)hiinihiilij

• Sender: Please print your name, address, and ZIP+4 in this box •

BUS OF AIR MONITORING & MOBILE SOURCES BUE OF AIR MONITORING & MOBILE SOURCES
DEPTS OF ENVIRONMENTAL PROTECTION
MAIL STATION 5010
2600 BLAIR STONE ROAD
TALLAHASSEE DLORIDA 32399-2400

4988	U.S. Postal ServiceTM CERTIFIED MAILTM REC (Domestic Mail Only; No Insurance C	
939	For delivery information visit our website	at www.usps.com _®
102 3	Postage \$ Certified Fee	
000 0'	Return Receipt Fee (Endorsement Required) Restricted Delivery Fee	Postmark Here
2510	(Endorsement Required) Total Postego & Eage \$	
7004	Sent To NORTH EAST LAUNDRY	d Cert 05
	Street, Api 17th and Lockwood Ridge or PO Box SARASOTA, FL 34235	
	City, State, #= 11 50093	ions

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpled or on the front if space permits. 1. Article Addressed to: 1. Article Addressed to: AIRS ID# 1-15009c+0062 nd Cert 05 NORTH EAST LAUNDRY 17th and Lockwood Ridge	B. Received by (Printed Name) C. Date of Delivery
SARASOTA, FL 34235	3. Service Type Certified Mail Express Mail Registered Return Receipt for Merchandise Insured Mail C.O.D. Restricted Delivery? (Extra Fee) Yes
2. Article Number 7004 25	10 0002 3939 49,88
PS Form 3811, February 2004 Dom	estic Return Receipt 102595-02-M-1540

UNITED STATES POSTAL SERVICE...



First-Class Mail Postage & Fees Paid USPS Permit No. G-10

DARM/MOBILE SOURCE CONTROL PROBLEM
DEPT. OF ENVIRONMENTAL PROTECTION
MAIL STATION 5510
2000 BLAIR STONE ROAD
TALLAHASSEE, FLORIDA 32399-2400



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

412507 JAN 22802 📉

Do NOT Remove Label

AIRS ID # 1150093 NORTH EAST LAUNDRY SONJA L NYE 3343 NORTHEAST PLAZA SARASOTA FL 34235

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: A1 Fund: 20-2-035001

Obi.: 002273

Northeast Laundry & Dry Cleaning, Inc. 890 Hillcrest Drive Nokomis, Florida 34275



TITLE V - General Permit Receipts Post Office Box 3070 Tallahassee, FL 32315-3070

399705 THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 1150093

NORTH EAST LAUNDRY SONJA L NYE 3343 NORTHEAST PLAZA SARASOTA FL 34235

FOR GOVERNMENT USE ONLY Org.: 37550101000 EO: A1

Fund: 20-2-035001 Obi.: 002273

10-

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00 MAIL ROOM

RECEIVED

JAN 30 98

Do NOT Remove Label

AIRS ID#1150093

SONJA L NYE SONJA L NYE NORTH EAST LAUNDRY SARASOTA FL 34235

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1

Fund: 20-2-035001 Оы.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING 448950 MAR11 2865

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID# 1150093 1stC NORTH EAST LAUNDRY 17th and Lockwood Ridge SARASOTA, FL 34235

FOR GOVERNMENT USE ONLY

ORG.: 37550101000 EO: A1

FUND: 20-2-035001 OBJECT: 002273

Printed on recycled paper.



THIS PORTION MUST BE ATTACHED TO PEMITTANCE FOR PROPER HANDLING

0355721

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00



MAIL ROOM

Do NOT Remove Label

AIRS ID # 1150093

NORTH EAST LAUNDRY SONJA L NYE NORTH EAST LAUNDRY SARASOTA FL 34235

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1

Fund: 20-2-035001 Obj.: 002273



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

422566 FEB 62003

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

NORTH EAST LAUNDRY

AIRS ID#1150093

AIRS ID#1150093

Org.: 37550101000 EO: AI

SARASOTA FL

34235


Fund: 20-2-035001
Obj.: 002273

NORTHEAST LAUNDRY

1037

	DEPT OF E	NVIRONMENTAL	PROTECTION	02/0	4/2003	\$50.0	0 Contr	rol #1037
	DEI I OI E			Invo	ice		—— Pay	ment ———
Invoice	Date	Description	G	ross	Retaina	ge D	oiscount_	Amount
11503	01/15/2003	ENVIR PERMIT	\$5	00.00				\$50.00

LEE HORNING 4445 OPAL COURT SARASOTA, FL 34233



TITLE V - General Permit Receipts Post Office Box 3070 Tallahassee, FL 32315-3070

32315+3070 99 hillioddiddiadddiadddiadddiadddiddi



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0390139

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

DEC 3 0 1999


Do NOT Remove Label

AIRS ID # 1150093

NORTH EAST LAUNDRY SONJA L NYE NORTH EAST LAUNDRY SARASOTA FL 34235

Eureau of Air Monitoring & Mobile Sources

FOR GOVERNMENT USE OLY Org.: 37550101000 EO: B1 Fund: 20-2-035001 Obj.: 002273





}	U.S. Postal Service CERTIFIED MAIL RECEIP (Domestic Mail Only; No Insurance Cover	
360		
ر ت	OFFIGIAL.	La Espi
2.5	Postage \$	1.
7-9	Certified Fee	Pharmark Pharmark
000	Return Receipt Fee (Endorsement Required)	Hêre
00	Restricted Delivery Fee (Endorsement Required)	
20	Total Pc AIRS II	D#1150120
03.0	NORTHEAST LAUNDRY & DRYCLE BRUCE NYE	EANING —
17	Street, Ac 4800 BENCHMARK CT	
7007	City, State 34238	
j	PS Form 3800, January 2001	See Reverse for Instructions

