

Department of Environmental Protection

Lawton Chiles Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

Virginia B. Wetherell Secretary

June 30, 1998

Mr. Greg McElroy Wildwood Quality Cleaners Post Office Box 918 Wildwood, Florida 34785

Re: Facility No.: 1190029

Dear Mr. McElroy:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on June 29, 1998.

Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office Bureau of Air Monitoring and Mobile Sources MS 5510 Department of Environmental Protection 2600 Blair Stone Road Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

Dotty Diltz, Chief

Bureau of Air Monitoring and Mobile Sources

DD/jw

cc: Mr. Louis Fernandez, Southwest District

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

	111000
P14	
/.(c)	Should not be marked. Morbout ond initial.
	one initial.
,	
1	1

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

	\mathcal{P}_{\bullet}	
		•
	Perchloroethylene Dry Cleaning Facility Notification	
	Perchloroethylene Dry Cleaning Facility Notification Facility Name and Location Facility Owner/Company Name (Name of corporation, agency, or individual owner): Wildwood Quality Cleaners Site Name (For example, plant name or number):	1998
1.	Facility Owner/Company Name (Name of corporation, agency, or individual owner):	,),
	Wildwood Quality Cleaners	ring.
2.	Site Name (For example, plant name or number):	
3.	Hazardous Waste Generator Identification Number:	
		•
4.	Facility Location: 200 S. Main St	
	Street Address: 200 S. Wellawood Sumter Zip Code: 34785	
100 - 900.000	57/85	
5.	Facility Identification Number (DEP Use): 1/19029	
	Responsible Official	
6.	Name and Title of Responsible Official:	
6.	Name and Title of Responsible Official: Greg Mc Elroy, Owner	
 7. 	Name and Title of Responsible Official: Greg Mc Elroy, Owner Responsible Official Mailing Address: 113 days and 100 days	
	Name and Title of Responsible Official: Greg Mc Elroy, Owner	
	Name and Title of Responsible Official: Greg McElroy, Owner Responsible Official Mailing Address: Wildwood Quality Clearers Organization/Firm Street Address: P.O. Box 918 City: Wildwood County: Sunter Zip Code: 34785 Responsible Official Telephone Number:	
7.	Name and Title of Responsible Official: Greg Mc Elroy, Owner Responsible Official Mailing Address: Wildwood Quality Clearers Organization/Firm D. D. Box 918 City: Wildwood County: Sunter Zip Code: 34785	
7.	Name and Title of Responsible Official: Greg McElroy, Owner Responsible Official Mailing Address: Wildwood Quality Clearers Organization/Firm Street Address: P.O. Box 918 City: Wildwood County: Sunter Zip Code: 34785 Responsible Official Telephone Number:	
8.	Name and Title of Responsible Official: Greg Mc Elroy, Owner Responsible Official Mailing Address: Wildwood Quality Clearers Organization/Firm D. D. Box 918 City: Wildwood County: Sunter Zip Code: 34785 Responsible Official Telephone Number: Telephone: (352746 1787 Fax: () -	
8.	Name and Title of Responsible Official: Greg McElroy, Owner Responsible Official Mailing Address: Wildwood Quality Cleaners Organization/Firm D. D. Box 918 City: Wildwood County: Sunter Zip Code: 34785 Responsible Official Telephone Number: Telephone: (352748 1787 Fax: () -	
7. 8. 9.	Name and Title of Responsible Official: Greg McElroy, Owner Responsible Official Mailing Address: Wildwood Quality Cleaners Organization/Firm D. D. Box 918 City: Wildwood County: Sunter Zip Code: 34785 Responsible Official Telephone Number: Telephone: (352748 1787 Fax: () -	
7. 8. 9.	Name and Title of Responsible Official: Greg Mc Elroy, Owner Responsible Official Mailing Address: Wildwood Quality Clearers Organization/Firm P.O. Box 918 City: Wildwood County: Survier Zip Code: 34785 Responsible Official Telephone Number: Telephone: (352748-1787 Fax: () Facility Contact (If different from Responsible Official) Name and Title of Facility Contact (For example, plant manager):	
7. 8. 9.	Name and Title of Responsible Official: Greg McElroy, Owner Responsible Official Mailing Address: Wildwood Quality Clearers Organization/Firm D.D. Box 918 Street Address: P.D. Box 918 City: Wildwood County: Sunter Zip Code: 34785 Responsible Official Telephone Number: Telephone: (352748-1787 Fax: () Facility Contact (If different from Responsible Official) Name and Title of Facility Contact (For example, plant manager):	
7. 8. 9.	Name and Title of Responsible Official: Greg Mc Elroy, Owner Responsible Official Mailing Address: Wildwood Quality Clearers Organization/Firm D.D. Box 918 City: Wildwood County: Sunter Zip Code: 34785 Responsible Official Telephone Number: Telephone: (352748 [787] Fax: () Facility Contact (If different from Responsible Official) Name and Title of Facility Contact (For example, plant manager): 9. Facility Contact Address: Street Address:	

DEP Form No. 62-213.900(2)

Effective: 6-25-96

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Mashine	ID	Date Machine Initially	Date Control Device Installed	ID.	Date Machine Initially Purchased	Date Control Device	ID	Date Machine Initially Purchased	Date Control Device
Type of Machine	ID	Purchased	installed	ID	Purchased	Installed	ID	Purchased	Installed
Example	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-9
Dry-to-Dry Unit									
(1) w/ ref. condenser	#1	1994	1994						
(2) w/ carbon adsorber	<u> </u>	, ,	1						
(3) w/ no controls									
Washer Unit	,		_ : :		•				
(4) w/ ref. condenser									·
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit									• :
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit	2.5		4.77			the second second	• •		
(10) w/ ref. condenser									
(11) w/carbon adsorber	•								
(12) w/ no controls									
(b) Control devices ar (c) No control devices 2.(a) What was the total (b) If less than 12 more Check why it is less	s are r quant] gallo	equired to be ity of perchlons ow many? [e installed [_ oroethylene (× perc)	purchased in				
3. What is the facility's so (Indicate with an "X".					initions found	d in section ((3) of	Part II?	

DEP Form No. 62-213.900(2)

Effective: 6-25-96

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form (Indicate with an "X".)	?
Existing large area source Carbon adsorber [] Refrigerated condenser []	
New small area source Refrigerated condenser	
New large area source Refrigerated condenser []	
5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursua to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:	ant
All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.	
All steam and hot water generating units exempt No such units on-site	
Equipment Monitoring and Recordkeeping Information	
Check all logs which are required to be kept on-site in accordance with the requirements of this general perm	it:
(a) Purchase receipts and solvent purchases	
(b) Leak detection inspection and repair	
(c) Refrigerated condenser temperature monitoring	
(d) Carbon adsorber exhaust perc concentration monitoring	
(e) Instrument calibration	
(f) Start-up, shutdown, malfunction plan	

DEP Form No. 62-213.900(2) Page 15 of 16 Effective: 6-25-96

Surrender of Existing Air Permit(s)

	Surreliate of Existing All Termit(3)
Please indica	te with an "X" the appropriate selection:
	I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)
iχi	No air permits currently exist for the operation of the facility indicated in this notification form.
	Responsible Official Certification
this notij statemer maintair	dersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in fication. I hereby certify, based on information and belief formed after reasonable inquiry, that the ats made in this notification are true, accurate and complete. Further, I agree to operate and a the air pollutant emissions units and air pollution control equipment described above so as to with all terms and conditions of this general permit as set forth in Part II of this notification form.
I will pro	omptly notify the Department of any changes to the information contained in this notification. Date

DEP Form No. 62-213.900(2) Effective: 6-25-96

PERCHLOROETHYLENE DRY CLEANERS TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST TYPE OF INSPECTION: ANNUAL COMPLAINT/DISC **RE-INSPECTION** AIRS ID#: 119 002 9 DATE: 6/18/98 TIME IN: 11:40 TIME OUT FACILITY NAME: FACILITY LOCATION: RESPONSIBLE OFFICIAL: (9) PEA PHONE: 352-748-1787 CONTACT NAME: PHONE: PART I: NOTIFICATION (check appropriate box) 1. New facility notified DARM 30 days prior to startup 2. Facility failed to notify DARM to use general permit PART II: CLASSIFICATION Facility indicated on notification form that it is: No notification form ☐ Drop store/out of business/petroleum (check appropriate box) 1. Existing small area source 2. New small area source dry-to-dry only, x < 140 gal/yrdry-to-dry only, x < 140 gal/yrtransfer only, x < 200 gal/yrtransfer only, x < 200 gal/yrboth types, x < 140 gal/yrboth types, x < 140 gal/yr(constructed before 12/9/91) (constructed on or after 12/9/91) 4. New large area source 3. Existing large area source dry-to-dry only, 140 < x < 2.100 gal/yrdry-to-dry only, 140 < x < 2.100 gal/yr transfer only, $200 \le x \le 1,800 \text{ gal/yr}$ transfer only, $200 < x \le 1,800$ gal/yr both types, 140 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr(constructed before 12/9/91) (constructed on or after 12/9/91) 5. This is a correct facility classification $\square N$ □Can not determine If no, please check the appropriate classification: facility qualified for a general permit as number _____ above facility exceeds above limits and is not eligible for a general permit B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 40 gallons.

PART III: GENERAL CONTROL REQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) 1. Storing perchloroethylene in tightly sealed and impervious containers? 2. Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? ZY ON ON/A 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) 1. Equipped all machines with the appropriate vent controls? MY ON ON/A 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the MOY ON ON/A condenser upon opening the door? 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?

B.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΘY	ПN	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΟY	ΠN	□N/A
	Is the temperature differential equal to or greater than 20° F?	ΠY	ПN	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,			
	if machines are equipped with a carbon adsorber?	ΠY	ΠN	□N/A
	ls the perc concentration equal to or less than 100 ppm?	\Box Y	ПN	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction,			
	or expansion; and downstream from no other inlet?	ΠY	ŪИ	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΠY	ПΝ	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΠY	ПИ	□N/A

PART V: RECORDKEEPING REQUIREMENTS					
Has the responsible official: (check appropriate boxes)					
Maintained receipts for perc purchased?	M y □n				
2. Maintained rolling monthly total of perc consumption?	□Y ÆN				
3. Maintained leak detection inspection and repair reports for the following:	-				
a. documentation of leaks repaired w/in 24 hrs? or;	□Y Ã N □N/A				
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	DY DN DX /A				
4. Maintained calibration data? (for applicable direct reading instruments)	DY DN BONA				
5. Maintained exhaust duct monitoring data on perc concentrations?	DY DN ÆN/A				
6. Maintained startup/shutdown/malfunction plan?	XY ON				
7. Maintained deviation reports?	DY DN ANA.				
Problem corrected?	DY DN ASTVA				
8. Maintained compliance plan, if applicable?	DY ON ANA				

PA	PART VI: LEAK DETECTION AND REPAIRS						
1.	Does the responsible official conduct a	weekly (for small source	s, bi-weekly) leak detection a	nd repair			
	inspection?		X □N				
2.	Has the facility maintained a leak log?			□Y Z Ń			
3.	Does the responsible official check the	following areas for leaks	?				
	Hose connections, fittings, couplings, and valves	DN ON/A	Muck cookers	MY ON ON/A			
	Door gaskets and seating	DY ON ON/A	Stills	Y ON ON/A			
	Filter gaskets and seating	ÆÎŶ □N □N/A	Exhaust dampers	AVY ON ON/A			
	Pumps	XY ON ON/A	Diverter valves	Y ON ON/A			
	Solvent tanks and containers	Y ON ON/A	Cartridge filter housings	MY ON ON/A			
	Water separators	ZY ON ON/A	·				
4.	Which method of detection is used by the	he responsible official?		,			
	$ \mathcal{P}($						
	P						
	Odor (noticeable perc odor)			Q -			
	Use of direct-reading instrumenta	tion (FID/PID/calorimet	ric tubes)				
	Halogen leak detector						
	If using direct-reading instru	umentation, is the equip	oment:	ØN/A			
	a. Capable of detecting p	perc vapor concentration	s in a range of 0-500 ppm?	OY ON			
	□Y □N						
	OY ON						
	d. Kept in a clean and se	ecure area when not in us	e?	□Y □N			
	e. Verified for accuracy	by use of duplicate samp	oles (calorimetric only)?	□Y □N			

Margaret Canapo	
Inspector's Name (Please Print)	
Margaret Carops	
Unspector's Signature U	_

Approximate Date of Next Inspection

1994 Muraclean 5235

Serve \$ 1 600

AIRS ID#: 1190029

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Wildwood	Quality Cleaners	DATE: 12/1/98
FACILITY LOCATION: 2005 .	Main St.	
11) ild was	d. FL	_
	1, T	*****
Annual Reporting Period:	<u>6-18-</u> 19 <u>98</u> то <u>12-</u>	<u>1 - 1998</u>
	V general air permit, my facility has remained in compliance A.C.), during the period covered by this statement.	
If NO, complete the following:		
#1. Term or condition of the general permit	that has not been in continuous compliance during the repor	ting period stated above:
Exact period of non-compliance: from	to	
Action(s) taken to achieve compliance:		
Method used to demonstrate compliance:		
#2. Term or condition of the general permit	that has not been in continuous compliance during the repor	ting period stated above:
Exact period of non-compliance: from	to	THE PER IT
Action(s) taken to achieve compliance:	·	30° 5 5 6
Method used to demonstrate compliance:		South The second
		Ces to ing
made in this notification are true, accurate a	pased on information and belief formed after reasonable inquind complete. Further, my annual consumption of perchlored does not exceed 2,100 gallons per year for dry-to dry facility	ethylene solvent, based
Nan	ne (Please Print) Signature	Date

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.



TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

	ION SK
FACILITY NAME: Wildwood FACILITY LOCATION: 200 S. Y Wildwood RESPONSIBLE OFFICIAL: Greg N	
PART I: NOTIFICATION	
(check appropriate box)	
1. New facility notified DARM 30 days prior to s	tartup
2. Facility failed to notify DARM to use general p	permit
PART II: CLASSIFICATION	
Facility indicated on notification form that it is	·
(check appropriate box) A.	☐ Drop store/out of business/petroleum
1. Existing small area source	2. New small area source
dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr	dry-to-dry only, $x < 140 \text{ gal/yr}$
both types, x < 140 gal/yr	transfer only, x < 200 gal/yr both types, x < 140 gal/yr
(constructed before 12/9/91)	(constructed on or after 12/9/91)
3. Existing large area source	4. New large area source
dry-to-dry only, $140 \le x \le 2{,}100 \text{ gal/yr}$	dry-to-dry only, $140 \le x \le 2,100 \text{ gal/yr}$ transfer only, $200 \le x \le 1,800 \text{ gal/yr}$
transfer only, $200 \le x \le 1,800 \text{ gal/yr}$	II
both types, $140 \le x \le 1,800 \text{ gal/yr}$ (constructed before $12/9/91$)	both types, $140 \le x \le 1,800 \text{ gal/yr}$ (constructed on or after $12/9/91$)
(constructed before 12/9/91)	(constructed on or after 12/9/91) DEC 1 5 1990
5. This is a correct facility classification	□N □Can not determine Bureau of Air Monite & Mobile Source
If no, please check the appropriate classi	fication.
	general permit as number above
Tacinty exceeds above	limits and is not eligible for a general permit
B. The total quantity of perchloroethylene (perc) facility was of gallons.	purchased within the preceding 12 months by this dry cleaning

i of 5

PART III: GENERAL CONTROL REQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) 1. Storing perchloroethylene in tightly sealed and impervious containers? 2. Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) .**Ò**YY □N 1. Equipped all machines with the appropriate vent controls? BY ON ONA 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the AND NO YEA condenser upon opening the door? 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the DY ON ON A condenser exceeded 45° F? 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?

B. Has the responsible official of an existing large or new large area source also:	
1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	OY ON
Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	OY ON ON/A
Is the temperature differential equal to or greater than 20° F?	DY DN DN/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,	
if machines are equipped with a carbon adsorber?	OY ON ON/A
ls the perc concentration equal to or less than 100 ppm?	OY ON ON/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction,	
or expansion; and downstream from no other inlet?	DY DN- DN/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	OY ON ON/A
6. Routed airflow to the carbon adsorber (if used) at all times?	DY DN DN/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official: (check appropriate boxes)	
1. Maintained receipts for perc purchased?	æy □x
2. Maintained rolling monthly total of perc consumption?	DA ON .
3. Maintained leak detection inspection and repair reports for the following:	
a. documentation of leaks repaired w/in 24 hrs? or;	AND NO AS
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	OY ON \$65 A
4. Maintained calibration data? (for applicable direct reading instruments)	OA ON ô xa
5. Maintained exhaust duct monitoring data on perc concentrations?	DA DZ 🗫 Y
6. Maintained startup/shutdown/malfunction plan?	8 0. 37
7. Maintained deviation reports?	א א לב אם אם
Problem corrected?	□Y □N ♣XA
ξ. Maintained compliance plan, if applicable?	DY DX 🚁 A

PA	ART.VI; LEAK DETECTION AND REPAIRS - CONSTRUCTION OF THE SAME	18.17
1.	Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection a	nd repair 👉
	inspection?	NO. YOU
2.	Has the facility maintained a leak log?	-QY ON
3.	Does the responsible official check the following areas for leaks?	· · · · · · · · · · · · · · · · · · ·
	Hose connections, fittings, couplings, and valves TY DN DN/A, Muck cookers	DY ON ON/A
	Door gaskets and seating	Y ON ONA
	Filter gaskets and seating	DY DN DN/A
	Pumps Diverter valves	אותם אם אואם
	Solvent tanks and containers OY ON ON/A Cartridge filter housings	DY ON ON/A
	Water separators	
4.	Which method of detection is used by the responsible official?	,
	Visual examination (condensed solvent on exterior surfaces)	Ø
	Physical detection (airflow felt through gaskets)	ra .
	Odor (noticeable perc odor)	Ø.
	Use of direct-reading instrumentation (FID/PID/calorimetric tubes)	<u> </u>
	Halogen leak detector	
	If using direct-reading instrumentation, is the equipment:	∑ KÎ/A
	a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?	OY ON
 	b. Calibrated against a standard gas prior to and after each use (PID/FID only)?	OY ON
İ	c. Inspected for leaks and obvious signs of wear on a weekly basis?	OY ON
}	d. Kept in a clean and secure area when not in use?	DY DN
	e. Verified for accuracy by use of duplicate samples (calorimetric only)?	□Y □N
	•	

MARGARET CANGRO
Inspector's Name (Please Print)
Margaret (ange
(Inspector's Signature)

Date of Inspection

Approximate Date of Next Inspection

RECEIVED

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

RE-INSPECTION: ANNUAL	ON SX
FACILITY NAME: Wildwood FACILITY LOCATION: 200 S. N Wildwood RESPONSIBLE OFFICIAL: Greg M	198 TIME IN: 10:00 TIME OUT: 10:15 Quality Clarners rain St CElroy PHONE: 352-748-1787 PHONE:
PART I: NOTIFICATION	
(check appropriate box) 1. New facility notified DARM 30 days prior to sta 2. Facility failed to notify DARM to use general pe PART II: CLASSIFICATION	
Facility indicated on notification form that it is: (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr	O No notification form O Drop store/out of business/petroleum 2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr O Drop store/out of business/petroleum A PR
facility exceeds above lin	transfer only, $200 \le x \le 1,800 \text{ gal/yr}$ both types, $140 \le x \le 1,800 \text{ gal/yr}$ (constructed on or after 12/9/91)
facility was 60 gallons.	

PART III: GENERAL CONTROL REQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) DY DN DYNA 1. Storing perchloroethylene in tightly sealed and impervious containers? DY DN \$1N/A 2. Examining the containers for leakage? DY DN 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? ON ON/A 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) 1. Equipped all machines with the appropriate vent controls? DY ON ON/A 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the $\Delta V \square N \square V \Delta C$ condenser upon opening the door? 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the AMAD ND PSE condenser exceeded 45° F? Conducted all temperature monitoring after an appropriate cooldown period and after DN YES verifying that the coolant had been completely charged?

B.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΟY	ΠN	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΠY	ПN	□N/A
	Is the temperature differential equal to or greater than 20° F?	ΩY	□и	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,			
	if machines are equipped with a carbon adsorber?	ПY	$\square N$	□N/A
	Is the perc concentration equal to or less than 100 ppm?	ΠY	ΩN	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction,			
	or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΩY	ПN	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΟY	N	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΟY	ПИ	□N/A

PART V: RECORDKEEPING REQUIREMENTS	·			
Has the responsible official: (check appropriate boxes)				
Maintained receipts for perc purchased?	æy □n:			
2. Maintained rolling monthly total of perc consumption?	אַם א ַעַ			
3. Maintained leak detection inspection and repair reports for the following:				
a. documentation of leaks repaired w/in 24 hrs? or;	DY ON ON/A			
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	□Y □N \$ \$1/A			
4. Maintained calibration data? (for applicable direct reading instruments)	□A □N ∯X\V			
5. Maintained exhaust duct monitoring data on perc concentrations?	OY ON ANIVA			
6. Maintained startup/shutdown/malfunction plan?	SOLUTION			
7. Maintained deviation reports?	DY DN J NNA			
Problem corrected?	□Y □N \$\\\			
8. Maintained compliance plan, if applicable?	DY DN AK/A			

PART VI: LEAK DETECTION AND REPAIRS				
1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair				
insp	ection?			AN ON
2. Has	the facility maintained a leak log?			ZOY DN
3. Doe	s the responsible official check the f	following areas for leaks?		
	Hose connections, fittings, couplings, and valves	ON ON/A	Muck cookers	Y ON ON/A
	Door gaskets and seating	DY ON ON/A	Stills	DY ON ON/A
	Filter gaskets and seating	DY DN DN/A	Exhaust dampers	DY ON ON/A
	Pumps	DY ON ON/A	Diverter valves	DY ON ON/A
	Solvent tanks and containers	DY ON ON/A	Cartridge filter housings	אומם מם יצים
	Water separators	DY DN DN/A		
4. Whi	ch method of detection is used by th	ne responsible official?	•	,
	Visual examination (condensed so	lvent on exterior surfaces))	Ø
	Physical detection (airflow felt thr	ough gaskets)		us.
	Odor (noticeable perc odor)			E
	Use of direct-reading instrumentat	ion (FID/PID/calorimetric	tubes)	
	Halogen leak detector	•		
-	If using direct-reading instru	imentation, is the equipn	nent:	Ø €Î/A
	a. Capable of detecting p	perc vapor concentrations	in a range of 0-500 ppm?	OY ON
	b. Calibrated against a st (PID/FID only)?	andard gas prior to and af	ter each use	חם אם אם
	c. Inspected for leaks an	d obvious signs of wear or	ı a weekly basis?	OY ON
,	d. Kept in a clean and se	cure area when not in use	?	מם עם
	e. Verified for accuracy	by use of duplicate sample	es (calorimetric only)?	OY ON
			<u> </u>	

MARGARET CANGRO	12/1/98
Inspector's Name (Please Print)	Date of Inspection
Margaret Canaro	June 99
(Inspector's Signature)	Approximate Date of Next Inspection

AIRS 1D#: 1190029

Pag /

Revised 10/10/96

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Wildwoo FACILITY LOCATION: 200 S Wildwoo	. Main St.	leaners 5	DATE: 7/13/99 Nobile Sources
Annual Reporting Period:	12-2- 1998	то	7-13-1999
Based on each term or condition of the Title 62-213.300, Florida Administrative Code (F. If NO, complete the following: #1. Term or condition of the general permit	A.C.), during the period covered	by this statement.	YES • NO
Exact period of non-compliance: from	·	to	
Action(s) taken to achieve compliance:			
Method used to demonstrate compliance:			
#2. Term or condition of the general permit	that has not been in continuous c	ompliance during the re	porting period stated above:
Exact period of non-compliance: from		to	
Action(s) taken to achieve compliance:			
Method used to demonstrate compliance:	·		·
As the responsible official, I hereby certify, be made in this notification are true, accurate a upon rolling averages of purchase receipts, a year for transfer or combination facilities. RESPONSIBLE OFFICIAL:	and complete. Further, my annua does not exceed 2,100 gallons pe	l consumption of perch	loroethylene solvent, based

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

PERCHLOROETHYLENE DRY CLEANERS
TITLE V GENERAL PERMIT

OTHER CHARGE

THE CHARG

TYPE OF INSPECTION:	ANNUAL	A	COMPLAINT/DISC	COVERY EL
	RE-INSPECTION		SUF	6. 20 K
		· 		No A 1990
AIRS ID#: 1190029 D.	/ /	· .		(A. 1/2)
FACILITY NAME:	ldwood	Qual	ity Clea	ners
facility location: 20	90 S. Ma	air S	£.'	_
<u>_</u>	Vildwood,	Fa.	34785	
RESPONSIBLE OFFICIAL :	Greg Mc E	lroy	phone: <u>352</u>	-748-1787
CONTACT NAME:	<i>V</i>	0	PHONE:	
· · · · · · · · · · · · · · · · · · ·				
PART I: NOTIFICATION				
(check appropriate box)				
	O designation to atomism			
1. New facility notified DARM 3				_
2. Facility failed to notify DARM	to use general permit			
PART II: CLASSIFICATION				
Facility indicated on notification (check appropriate box)	ı form that it is:		☐ No notification fo☐ Drop store/out of	
A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr	e 🛭 2. ľ	New small ar		\forall
transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91)	tran botl	x-to-dry only, x asfer only, $x < 1$ types, $x < 1$ and x	x < 140 gal/yr 200 gal/yr	
both types, x < 140 gal/yr	tran both (cor 4. I 00 gal/yr dry- gal/yr tran tl/yr both	nsfer only, x < 14 h types, x < 14 nstructed on one of the large are to-dry only, asfer only, 200 h types, 140 \(\)	x < 140 gal/yr 200 gal/yr 40 gal/yr or after 12/9/91)	П
 both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,10 transfer only, 200 ≤ x ≤ 1,800 both types, 140 ≤ x ≤ 1,800 ga 	tran both (cor 2 4. I 00 gal/yr dry gal/yr tran both (cor	nsfer only, x < 14 h types, x < 14 nstructed on one of the large are to-dry only, asfer only, 200 h types, 140 \(\)	x < 140 gal/yr 200 gal/yr 40 gal/yr r after 12/9/91) ea source 140 \le x \le 2,100 gal/yr 0 \le x \le 1,800 gal/yr x \le 1,800 gal/yr	т
both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,10 transfer only, 200 ≤ x ≤ 1,800 both types, 140 ≤ x ≤ 1,800 ga (constructed before 12/9/91) 5. This is a correct facility clas If no, please check the ap	tran both (cor 4. I 00 gal/yr dry- gal/yr tran l/yr both (cor ssification	nsfer only, x < 14 nstructed on one New large are y-to-dry only, nsfer only, 200 th types, 140 < 14 onstructed on one y	x < 140 gal/yr $x < 140 gal/yr$ $x < 140 gal/yr$ $x < 140 gal/yr$ $x < 12/9/91$ The answer of the source of	e e

PART III: GENERAL CONTROL REQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) 1. Storing perchloroethylene in tightly sealed and impervious containers? 2. Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

1. Equipped all machines with the appropriate vent controls?	DX ON
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	A/NO NO VX
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	XY ON ON/A
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?	DA ON
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	XY ON ON/A
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	MA □N

B.	Has the responsible official of an existing large or new large area source also:	
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located	
	on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□Y □N
2.	Measured and recorded the washer exhaust temperature at the condenser	
	inlet and outlet weekly?	DY DN DN/A
	Is the temperature differential equal to or greater than 20° F?	□Y □N □N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,	
	if machines are equipped with a carbon adsorber?	□Y □N □N/A
	Is the perc concentration equal to or less than 100 ppm?	OY ON ON/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction,	,
	or expansion; and downstream from no other inlet?	OY ON ON/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual	
	condenser coils?	OY ON ON/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	QY ON ON/A
PA	ART V: RECORDKEEPING REQUIREMENTS	· ·
	as the responsible official:	
1.	Maintained receipts for perc purchased?	ZY ON

PART V: RECORDKEEPING REQUIREMENTS	,				
Has the responsible official: (check appropriate boxes)					
1. Maintained receipts for perc purchased?	ZY ON				
2. Maintained rolling monthly total of perc consumption?	BY ON				
3. Maintained leak detection inspection and repair reports for the following:					
a. documentation of leaks repaired w/in 24 hrs? or;	· XY ON ON/A				
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	TY ON ON/A				
4. Maintained calibration data? (for applicable direct reading instruments)	DY DN XN/A				
5. Maintained exhaust duct monitoring data on perc concentrations?	DY DN XXN/A				
6. Maintained startup/shutdown/malfunction plan?	ETY ON				
7. Maintained déviation reports?	OY ON ANA.				
Problem corrected?	A/A NO YO				
8. Maintained compliance plan, if applicable?	AVAD NO YO				

PART VI: LEAK DETECTION AND REPAIRS

1.	1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair					
	inspection?			AY ON		
2.	Has the facility maintained a leak log?			DN DN		
3.	Does the responsible official check the	following areas for leaks	s?	7		
	Hose connections, fittings,	\searrow		r		
	couplings, and valves	A'N DN DN'Y	Muck cookers	A/N DN DN/A		
	Door gaskets and seating	AVA ON ON/A	Stills	MY ON ON/A		
	Filter gaskets and seating	AND NO YES	Exhaust dampers	Y DN DN/A		
	Pumps	AA ON ONVA	Diverter valves	KAN ON ON/V		
	Solvent tanks and containers	Y ON ON/A	Cartridge filter housings	AA ON ON/V.		
	Water separators	AV ON ON/A				
4.	Which method of detection is used by	the responsible official?				
	Visual examination (condensed	solvent on exterior surfac	es)	\$		
	Physical detection (airflow felt to	hrough gaskets)		A A A		
	Odor (noticeable perc odor)			A		
	Use of direct-reading instrument	ation (FID/PID/calorimet	ric tubes)			
	Halogen leak detector					
	If using direct-reading inst	rumentation, is the equi	pment:	≥ N/A		
	a. Capable of detecting	perc vapor concentration	as in a range of 0-500 ppm?	DY DN		
		standard gas prior to and	after each use			
	(PID/FID only)?			DY DN		
,	c. Inspected for leaks a	nd obvious signs of wear	on a weekly basis?	OY ON		
	d. Kept in a clean and	secure area when not in u	se?	DY ON		
	e. Verified for accurac	y by use of duplicate sam	ples (calorimetric only)?	OY ON		
l						

Margaret Caharo Inspector's Name (Please Print)	1/13/99
Inspector's Name (Please Print)	Date of Inspection
Margaret Cararo Inspector's Signature	July 2000
() Inspector's Signature	Approximate Date of Next Inspection

PERCHLOROETHYLENE DRY CLEANERS TITLE V GENERAL PERMIT

	COMPLIANCE IN	SPECTION C	HECKLIST	\mathcal{O}°		
TYPE OF INSPECTION:	ANNUAL		COMPLAINT/E	DISCOVERY	-FCI)	
	RE-INSPECTION				M	
	1.0.201101			BL	\sim	
AIRS ID#: 190029 FACILITY NAME: Wil	DATE: 6/21/0	O TIME I	v: 9.'50 ·	rime gur: /	0:15°	
FACILITY NAME: Wil	devood Oi	ialdy	Cleane	NE ST	52	
FACILITY LOCATION:	200 S. M	rain S	f	Our Cere		
	Wildwood				ing	
RESPONSIBLE OFFICIAL/:	Greg McEl	Croy	PHONE: 35	2.748,17	87	
CONTACT NAME:			PHONE:			
	<u> </u>]	
PART I: NOTIFICATION		· · · · · · · · · · · · · · · · · · ·				
(check appropriate box)						
1. New facility notified DARM	I 30 days prior to startu	ıp				
2. Facility failed to notify DAF	2. Facility failed to notify DARM to use general permit					
PART II: CLASSIFICATION	N .					
Facility indicated on notificat	ion form that it is:		☐ No notification	n form		
(check appropriate box) A.			- Drop store/ou	it of business/pe	troleum	
1. Existing small area sour dry-to-dry only, x < 140 gal transfer only, x < 200 gal/yr both types, x < 140 gal/yr	/yr	2. New small a dry-to-dry only, transfer only, x	x < 140 gal/yr	×		
	i	both types, x <	140 gal/yr			
 (constructed before 12/9/91) 3. Existing large area soundry-to-dry only, 140 ≤ x ≤ 2 transfer only, 200 ≤ x ≤ 1,800 both types, 140 ≤ x ≤ 1,800 (constructed before 12/9/91) 	rce	both types, x < (constructed on 4. New large a dry-to-dry only transfer only, 20 both types, 140	140 gal/yr or after 12/9/91)	ут		
(constructed before $12/9/91$) 3. Existing large area soundry-to-dry only, $140 \le x \le 2$ transfer only, $200 \le x \le 1,80$ both types, $140 \le x \le 1,800$	rce	both types, x < (constructed on 4. New large a dry-to-dry only transfer only, 20 both types, 140	140 gal/yr or after 12/9/91) rea source , 140 \le x \le 2,100 g $00 \le$ x \le 1,800 gal/yr \le x \le 1,800 gal/yr	gal/yr yr		
 (constructed before 12/9/91) 3. Existing large area soundry-to-dry only, 140 ≤ x ≤ 2 transfer only, 200 ≤ x ≤ 1,800 both types, 140 ≤ x ≤ 1,800 (constructed before 12/9/91) 	rce	both types, x < (constructed on 4. New large a dry-to-dry only transfer only, 20 both types, 140 (constructed on	140 gal/yr or after 12/9/91) rea source , 140 \leq x \leq 2,100 g 00 \leq x \leq 1,800 gal/yr or after 12/9/91)	gal/yr yr		
(constructed before 12/9/91) 3. Existing large area soundry-to-dry only, 140 ≤ x ≤ 2 transfer only, 200 ≤ x ≤ 1,800 (constructed before 12/9/91) 5. This is a correct facility of facil	rce	tooth types, x < (constructed on 4. New large a dry-to-dry only transfer only, 20 both types, 140 (constructed on Py Physion: eral permit as nu	140 gal/yr or after 12/9/91) rea source , 140 ≤ x ≤ 2,100 g 00 ≤ x ≤ 1,800 gal/yr or after 12/9/91) □Can not determinates	gal/yr fyr mine bove		
(constructed before 12/9/91) 3. Existing large area soundry-to-dry only, 140 ≤ x ≤ 2 transfer only, 200 ≤ x ≤ 1,800 (constructed before 12/9/91) 5. This is a correct facility of facil	rce	tooth types, x < (constructed on 4. New large a dry-to-dry only transfer only, 20 both types, 140 (constructed on Py Physion: eral permit as nu	140 gal/yr or after 12/9/91) rea source , 140 ≤ x ≤ 2,100 g 00 ≤ x ≤ 1,800 gal/yr or after 12/9/91) □Can not determinates	gal/yr fyr mine bove		

Is the responsible official of the dry cleaning facility: (check appropriate boxes) 1. Storing perchloroethylene in tightly sealed and impervious containers? 2. Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

1.	Equipped all machines with the appropriate vent controls?	AN ON	
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	ALK ON	□N/A
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	gr on	- Пи а
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?	DY ON	
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	DY ON	□N'A
6.	Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	DA DN	

В.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΔY	ON	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΠY	ПN	□N/A
	Is the temperature differential equal to or greater than 20° F2	ΩY	ПN	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,			
	if machines are equipped with a carbon adsorber?	ПY	ПN	□N/A
	Is the perc concentration equal to or less than 100 ppm?	\Box Y	$\square N$	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction,			
	or expansion; and downstream from no other inlet?	ΠY	ПИ	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΩY	ПN	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΠY	ПИ	□N/A

PART V: RECORDKEEPING REQUIREMENTS					
Has the responsible official: (check appropriate boxes)					
1. Maintained receipts for perc purchased?	JON ON				
2. Maintained rolling monthly total of perc consumption?	DYON				
3. Maintained leak detection inspection and repair reports for the following:					
a. documentation of leaks repaired w/in 24 hrs? or;	אאם אם אא				
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	DY DN BNA				
4. Maintained calibration data? (for applicable direct reading instruments)	DY DN BANA				
5. Maintained exhaust duct monitoring data on perc concentrations?	DY DN DVA				
6. Maintained startup/shutdown/malfunction plan?	AX ON				
7. Maintained deviation reports?	DY DN PANA				
Problem corrected?	אמס אם אם				
8. Maintained compliance plan, if applicable?	אואפט אם עם				

PA	RT VI: LEAK DETECTION AND	REPAI	RS				
1.	Does the responsible official conduct	weekly	(for	small sources,	bi-weekly) leak detection a	nd rep	air
	inspection?					GA.	_ □N
2.	Has the facility maintained a leak log?					DON	ПN
3.	Does the responsible official check the	follow	ing ar	eas for leaks?		•	
	Hose connections, fittings, couplings, and valves	¥ Y	ПN	□N/A	Muck cookers	ΩY	ON XVA
	Door gaskets and seating	ďΥ	ПΝ	□N/A	Stills	E Y	□N ÓN/A
	Filter gaskets and seating	ПΥ	ПN	□N/A	Exhaust dampers	\mathcal{L}_{λ}	□N □N/A
	Pumps	dý	ПИ	□N/A	Diverter valves	G Y	□N □N/A
	Solvent tanks and containers	Y	ПN	□N/A	Cartridge filter housings	BA	□N □N/A
	Water separators	∯Y	ПN	□N/A			
4.	4. Which method of detection is used by the responsible official?						
	Visual examination (condensed	solvent (on ex	terior surfaces)		D	
	Physical detection (airflow felt t	hrough g	gaske	ts)		3	-
	Odor (noticeable perc odor)					Ŕ	
	Use of direct-reading instrument	ation (F	ID/PI	(D/calorimetric	tubes)		•
	Halogen leak detector					Ü	
	If using direct-reading inst	rument	ation	, is the equipm	ént:	3	ĺΑ
	a. Capable of detecting	perc va	por c	oncentrations in	n a range of 0-500 ppm?	ΞY	ПN
	b. Calibrated against a (PID/FID only)?	standaro	d gas	prior to and afte	er each use	ΠY	□N
	c. Inspected for leaks a	nd obvi	ous si	igns of wear on	a weekly basis?	ΠY	□N
	d. Kept in a clean and	secure a	rea w	hen not in use?		IJΥ	□N
	a Varified for accurac	, by usa	of di	inlicate cample	s (calorimetric only)?	ΠV	ON

MARGARET CANGRO	6/21/00
Inspector's Name (Please Print)	Date of Inspection 1
Margust Canava () Inspector's Signature	Tum 2601 Approximate Date of Next Inspection

AIRS ID#: 1190029

Miller

Revised 10/10/96

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

	od Quality Cleaner	,DATE: <u>6/21/00</u>
FACILITY LOCATION: 200 S.	Main St.	• •
141.60	and	
Annual Reporting Period:	7-14- 199 то	6-21- 2000
Based on each term or condition of the Title	V general air permit, my facility has remained in	n compliance with DEP Rule
62-213.300, Florida Administrative Code (F	A.C.), during the period covered by this stateme	nt. XYES NO
If NO, complete the following:		, , , , , , , , , , , , , , , , , , ,
#1. Term or condition of the general permi	that has not been in continuous compliance duri	ng the reporting period stated above:
Exact period of non-compliance: from	to	
Action(s) taken to achieve compliance:		
Method used to demonstrate compliance:		· · · · · · · · · · · · · · · · · · ·
#2. Term or condition of the general permi	that has not been in continuous compliance duri	ng the reporting period stated above:
Exact period of non-compliance: from	to	
Action(s) taken to achieve compliance:		
•		
Method used to demonstrate compliance:	······································	
made in this notification are true, accurate	based on information and belief formed after reached complete. Further, my annual consumption does not exceed 2,100 gallons per year for dry-tome (Please Print)	of perchloroethylene solvent, based

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.



0355157

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 1190029

WILDWOOD QUALITY CLEANERS GREG MCELROY PO BOX 918 WILDWOOD FL 34785

FOR GOVERNMEN DUSE ONLY Org.: 37550101000 50: 81 Fund: 20-2-035001

Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

389590

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

MAIL RO

Do NOT Remove Label

AIRS ID # 1190029
WILDWOOD QUALITY CLEANERS
GREG MCELROY
PO BOX 918
WILDWOOD FL 34785

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1

Fund: 20-2-035001 Obj.: 002273

U.S. Postal Service CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided) 377E 7976 Postage Certified Fee Return Receipt Fee (Endorsement Required) 0007 Restricted Delivery Fee (Endorsement Required) 밉 Total P 10 AIRS ID# 1190029001AG 03 WILDWOOD QUALITY CLEANERS Sent To GREG MCELROY Street, A 7003 or PO Bc 4909 CR 118 City, Stat WILDWOOD FL 34785

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY				
 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Algnature X Agent Addressee B. Received by (Printed Name) C. Date of Delivery C. Date of Delivery C. Date of Delivery				
Article Addressed to:	D. Is delivery address different from ifem 1? ☐ Yes If YES, enter delivery address below: ☐ No				
10 AIRS ID# 1190029001AG WILDWOOD QUALITY CLEANERS GREG MCELROY					
4909 CR 118 WILDWOOD FL 34785	3. Service Type Certified Mail Registered Receipt for Merchandise C.O.D.				
	4. Restricted Delivery? (Extra Fee)				
2 7001 0320 0001 7976 3118 H					
PS Form 3811, August 2001 Domestic Retu	urn Receipt 102595-02-M-1035				

UNITED STATES POSTAL SERVICE

First-Class Mail Postage & Fees Paid USPS Permit No. G-10

Sender: Please print your name, address, and ZIP+4 in this box

BUR, OF AIR MONITORING & MODILE SOURCES DEPT, OF ENVIRONMENTAL PROTECTION MAIL STATION 5510

հոհահեսինուհերուհեսինուհանե

2600 BLAIR STONE ROAD TALLAHASSEE, FLORIDA 32399-2400 dur en or au Montor in d Medie Sources

2 5 2003

22233/2400



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

421088 DEC26 2892

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID#1190029

WILDWOOD QUALITY CLEANERS GREG MCELROY 4909 CR 118 WILDWOOD FL 34785 FOR GOVERNMENT USE ONLY Org. 2755010 E0: All Fund 202-035001 Obj.: 90273



Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 1190029

WILDWOOD QUALITY CLEANERS

WILDWOOD FL

34785

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: A1

Fund: 20-2-035001 Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

400651

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00 /

Do NOT Remove Label

AIRS ID # 1190029


WILDWOOD QUALITY CLEANERS GREG MCELROY PO BOX 918

WILDWOOD FL 34785

FOR GOVERNMEN SE ONLY Org.: 37550101000 EO: AT Fund: 20-2-035001

Obj.: 002273

P.D. Bry914 D. Idwood, FC 34785



TITLE V - General Permit Receipts Post Office Box 3070 Tallahassee, FL 32315-3070

BEBISHBOTO



THIS PORTION MUST BE ATTACHED TO REIVEL TANCE FOR PROPER HANDLING

434329 DEC15203

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

1190029 GREG MCELROY WILDWOOD QUALITY CLEANERS 4909 CR 118 WILDWOOD FL 34785 FOR GOVERNMENE USE OILY Org.: 37550101000 GO: AI Fund: 20-2-035001 GO: Obj.: 002273