



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary

January 25, 2008

Mr. Mark Lee
Inland Materials, Incorporated
3296 Graves Avenue
Deltona, Florida 32725

Dear Mr. Lee:

This is to acknowledge that your notification of intent to use the authority of Rule 62-210.310 to operate your facility which was received on December 28, 2007. We have assigned ARMS No. 1270044-003 to this facility.

As you know, pursuant to Florida Statutes section 403.814, authority to operate under general permits commences thirty days after receipt of the registration form unless you have been notified by this office that your facility has not shown entitlement to operate pursuant to the rule provisions.

For your information, authority to operate pursuant to Rule 62-210.310 expires after 5 years. Therefore, a new registration form must be received no later than 5 years after the date your notice was received as indicated above. If your general permit rule conditions require testing, such testing must be completed within the time frame specified in the rule.

If you have any additional questions, please contact Dickson Dibble at 850/921-9586.

Sincerely,

A handwritten signature in cursive script that reads "Sandra F. Veazey".

Sandra F. Veazey, Chief
Bureau of Air Monitoring
and Mobile Sources

SFV/pg

cc: Ms. Caroline Shine, Central District

**CONCRETE BATCHING PLANT
AIR GENERAL PERMIT REGISTRATION FORM**

Part II. Notification to Permitting Office

(Detach and submit to appropriate permitting office; keep copy onsite)

Instructions: To give notice to the Department of an eligible facility's intent to use this air general permit, the owner or operator of the facility must detach and complete this part of the Air General Permit Registration Form and submit it to the appropriate Department of Environmental Protection or local air pollution control program office which has permitting authority. Please type or print clearly all information, and enclose the appropriate air general permit registration processing fee pursuant to Rule 62-4.050, F.A.C. (\$100 as of the effective date of this form)

Registration Type

Check one:

INITIAL REGISTRATION - Notification of intent to:

- Construct and operate a proposed new facility.
 Operate an existing facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit).

RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to:

- Continue operating the facility after expiration of the current term of air general permit use.
 Continue operating the facility after a change of ownership.
 Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C., or any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.

Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only

If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. In such case, check the first box, and indicate the operation permits being surrendered. If no air operation permits are held by the facility, check the second box.

- All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s): _____
 No air operation permits currently exist for this facility.

General Facility Information

Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)

INLAND MATERIALS, INC.

Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a registration form must be completed for each.)

DELTONA FACILITY

Facility ID: 1270044

Facility Location (Provide the physical location of the facility, not necessarily the mailing address.)

Street Address: 3296 GRAVES AVE.

City: DELTONA

County: VOLUSIA

Zip Code: 32725

Facility Start-Up Date (Estimated start-up date of proposed new facility.) (N/A for existing facility)

1270044-003

RECEIVED
DEC 28 2007
Bureau of Air Monitoring
& Mobile Emissions

Owner/Authorized Representative

| | | |
|---|--|--|
| <u>Name and Position Title</u> (Person who, by signing this form below, certifies that the facility is eligible to use this air general permit.) Print Name and Title: GREGORY J. MURPHY, PRESIDENT | | |
| <u>Owner/Authorized Representative Mailing Address</u> Organization/Firm: INLAND MATERIALS, INC. Street Address: P.O. BOX 180158 City: CASSELBERRY County: SEMINOLE Zip Code: 32718-0158 | | |
| <u>Owner/Authorized Representative Telephone Numbers</u> Telephone: (407) 339- 5311 Fax: (407) 339- 7491 Cell phone (optional): | | |

Facility Contact (If different from Owner/Authorized Representative)


| | | |
|---|--|--|
| <u>Name and Position Title</u> (Plant manager or person to be contacted regarding day-to-day operations at the facility.) Print Name and Title: MARK LEE, PLANT SUPERVISER | | |
| <u>Facility Contact Mailing Address</u> Organization/Firm: INLAND MATERIALS, INC. Street Address: 3296 GRAVES AVE. City: DELTONA County: VOLUSIA Zip Code: 32725 | | |
| <u>Facility Contact Telephone Numbers</u> Telephone: (386) 789-5302 Fax: (386) 789-5099 Cell phone (optional): | | |

Owner/Authorized Representative Statement

This statement must be signed and dated by the person named above as owner or authorized representative

I, the undersigned, am the owner or authorized representative of the owner or operator of the facility addressed in this Air General Permit Registration Form. I hereby certify, based on information and belief formed after reasonable inquiry, that the facility addressed in this registration form is eligible for use of this air general permit and that the statements made in this registration form are true, accurate and complete. Further, I agree to operate and maintain the facility described in this registration form so as to comply with all applicable standards for control of air pollutant emissions found in the statutes of the State of Florida and rules of the Department of Environmental Protection and revisions thereof.

I will promptly notify the Department of any changes to the information contained in this registration form.

Signature  _____ Date 12-21-07

Type of Facility

Check one:

Stationary Facility

Relocatable Facility

Type(s) of Reasonable Precautions Used to Prevent Unconfined Emissions

Check all precautions to be used for the management of roads, parking areas, stock piles and yards:

Pave Roads

Pave Parking Areas

Pave Yards

Maintain Roads/Parking/Yards

Use Water Application

Use Dust Suppressant

Remove Particulate Matter

Reduce Stock Pile Height

Install Wind Breaks

Check all precautions to be used for the management of drop points to trucks:

Spray Bar

Chute

Enclosure

Partial enclosure

Description of Reasonable Precautions

Below, or as an attachment to this form, provide details of all types of reasonable precautions to be used to prevent unconfined emissions at the facility.

Precautions to Prevent Emissions of Unconfined Emissions

1. Maintenance of roads, parking area, and yards or the application of water to unpaved roads, parking areas, and yards to control emissions.
2. The use of sprinklers on stock piles if necessary.
3. Removal of particulate matter from roads and other paved areas under the control of the owner or operator of the facility to prevent the reentrainment, and from buildings or work areas to prevent particulate from becoming airborne.
4. Landscaping or planting of vegetation.

Description of Facility

Below, or as an attachment to this form, provide a description of the concrete batching plant operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe all air pollutant-emitting processes and equipment at the facility, and identify any air pollution control measures or equipment used.

THIS FACILITY PRODUCES READY MIX CONCRETE FROM PORTLAND CEMENT, FLYASH, ROCK, SAND, AND WATER AT A RATE OF 400 TONS/HOUR. THIS FACILITY CAN OPERATE 2600 HOURS PER YEAR.

THIS IS A CONCRETE BATCH PLANT WITH CEMENT SILO, FLYASH SILO, AND A WEIGH HOPPER. PARTICULATE EMISSIONS FROM THE CEMENT SILO ARE CONTROLLED WITH A SILO MOUNTED BAGHOUSE (BELGRADE STEEL TANK, model # PE37) WITH 225 SQ. FT. OF CLOTH AREA AND A COLLECTION EFFICIENCY OF APPROXIMATELY 99.99%. PARTICULATE EMISSIONS FROM THE FLYASH SILO ARE CONTROLLED WITH A SILO MOUNTED BAGHOUSE (BELGRADE STEEL TANK, model # PE37) WITH 225 SQ. FT. OF CLOTH AREA AND A COLLECTION EFFICIENCY OF APPROXIMATELY 99.99%. PARTICULATE EMISSIONS FROM THE WEIGH HOPPER ARE CONTROLLED WITH A SMALL BAGHOUSE (BELGRADE STEEL TANK, model # 14-23) WITH 23 SQ. FT. OF CLOTH AREA AND A COLLECTION EFFICIENCY OF APPROXIMATELY 99.9%.

| | |
|---|---|
| Facility Name Inland Materials, Inc. | |
| Address 3296 Graves Ave. Deltona, Florida | |
| County Volusia | |
| Phone 386 789-3500 | Permit Number 1270044-002-AG |
| Process Equipment Concrete Batch Plant with Cement Silo | |
| Control Equipment Silo Mounted Baghouse | |
| Describe Emission Point Baghouse Fan Outlet | |
| Height of Emission Point (feet) Start ~50 Finish ~50 | Height Relative to Observer (feet) Start ~45 Finish ~45 |
| Distance From observer (feet) Start ~150 Finish ~150 | Direction To Emission Point (deg.) Start 245 Finish 245 |
| Angle To Observation Point (deg.) Start 13 Finish 13 | Direction To Observation Point (deg.) Start 245 Finish 245 |
| Distance and Direction From Emission Point to Observation Point (feet & deg.) Start Same Point Finish Same Point | |
| Was Steam Present Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> | If Steam Was Present The Plume Was Attached <input type="checkbox"/> Detached <input type="checkbox"/> |
| Emission Color Start Clear Finish Clear | |
| Describe Emission Start Dust Finish Dust | |
| Describe Background Start Sky Finish Sky | |
| Background Color Start Blue Finish Blue | |
| Sky Conditions Start Clear Finish Clear | |
| Wind Speed (mph) Start 5 Finish 5 | Wind Direction Start E Finish E |
| Ambient Temperature (F) Start 70 Finish 70 | Wet Bulb Temperature (F) 64 RH Percent 73 |
| <p>Magnetic North</p> <p>Symbols: Sun: Wind: Stack and Plume: </p> | |
| Longitude 81° 15.3765' W | Latitude 28° 56.9459' N |
| Process Data Unloading Rate = 26.55 tons/hour @10 -12 psi Normal Batching in Progress | |
| Observer Name Kent D. Bottorf | Certified By ETA - ORLANDO |
| Observer signature | Date 8/9/06 |
| Date 12/17/07 | |

| Observation Date | Start Time | | | Stop Time | Comments |
|--------------------------|--------------|----|----|--------------------------|----------|
| 12/17/07 | 10:00 | | | 10:30 | |
| Min/Sec | 0 | 15 | 30 | 45 | |
| 1 | 0 | 0 | 0 | 0 | |
| 2 | 0 | 0 | 0 | 0 | |
| 3 | 0 | 0 | 0 | 0 | |
| 4 | 0 | 0 | 0 | 0 | |
| 5 | 0 | 0 | 0 | 0 | |
| 6 | 0 | 0 | 0 | 0 | |
| 7 | 0 | 0 | 0 | 0 | |
| 8 | 0 | 0 | 0 | 0 | |
| 9 | 0 | 0 | 0 | 0 | |
| 10 | 0 | 0 | 0 | 0 | |
| 11 | 0 | 0 | 0 | 0 | |
| 12 | 0 | 0 | 0 | 0 | |
| 13 | 0 | 0 | 0 | 0 | |
| 14 | 0 | 0 | 0 | 0 | |
| 15 | 0 | 0 | 0 | 0 | |
| 16 | 0 | 0 | 0 | 0 | |
| 17 | 0 | 0 | 0 | 0 | |
| 18 | 0 | 0 | 0 | 0 | |
| 19 | 0 | 0 | 0 | 0 | |
| 20 | 0 | 0 | 0 | 0 | |
| 21 | 0 | 0 | 0 | 0 | |
| 22 | 0 | 0 | 0 | 0 | |
| 23 | 0 | 0 | 0 | 0 | |
| 24 | 0 | 0 | 0 | 0 | |
| 25 | 0 | 0 | 0 | 0 | |
| 26 | 0 | 0 | 0 | 0 | |
| 27 | 0 | 0 | 0 | 0 | |
| 28 | 0 | 0 | 0 | 0 | |
| 29 | 0 | 0 | 0 | 0 | |
| 30 | 0 | 0 | 0 | 0 | |
| Highest 6 Minute Opacity | | | | Number of Readings Above | |
| 0 | | | | 0 % Were 0 | |
| Maximum Reading | | | | Minimum Reading | |
| 0 | | | | 0 | |

| | |
|---|---|
| Facility Name Inland Materials, Inc. | |
| Address 3296 Graves Ave. Deltona, Florida | |
| County Volusia | |
| Phone 386 789-3500 | Permit Number 1270044-002-AG |
| Process Equipment Concrete Batch Plant Flyash Silo | |
| Control Equipment Silo Mounted Baghouse | |
| Describe Emission Point Baghouse Fan Outlet | |
| Height of Emission Point (feet) Start ~50 Finish ~50 | Height Relative to Observer (feet) Start ~45 Finish ~45 |
| Distance From observer (feet) Start ~150 Finish ~150 | Direction To Emission Point (deg.) Start 245 Finish 245 |
| Angle To Observation Point (deg.) Start 13 Finish 13 | Direction To Observation Point (deg.) Start 245 Finish 245 |
| Distance and Direction From Emission Point to Observation Point (feet & deg.) Start Same Point Finish Same Point | |
| Was Steam Present Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> | If Steam Was Present The Plume Was Attached <input type="checkbox"/> Detached <input type="checkbox"/> |
| Emission Color Start Clear Finish Clear | |
| Describe Emission Start Dust Finish Dust | |
| Describe Background Start Sky Finish Sky | |
| Background Color Start Blue Finish Blue | |
| Sky Conditions Start Clear Finish Clear | |
| Wind Speed (mph) Start 5 Finish 5 | Wind Direction Start E Finish E |
| Ambient Temperature (F) Start 70 Finish 70 | Wet Bulb Temperature (F) 64 RH Percent 73 |
| | |
| Longitude 81° 15.3765' W | Latitude 28° 56.9459' N |
| Process Data Unloading Rate = 27.21 tons/hour @10 -12 psi Normal Batching in Progress | |
| Observer Name Kent D. Bottorf | Certified By ETA - ORLANDO |
| Observer signature <i>Kent D. Bottorf</i> | Date 8/9/06 |
| Date 12/17/07 | |

| Observation Date | Start Time | | | | Stop Time |
|--------------------------------------|--------------|----|----|----|--|
| 12/17/07 | 10:00 | | | | 10:30 |
| Min/Sec | 0 | 15 | 30 | 45 | Comments |
| 1 | 0 | 0 | 0 | 0 | |
| 2 | 0 | 0 | 0 | 0 | |
| 3 | 0 | 0 | 0 | 0 | |
| 4 | 0 | 0 | 0 | 0 | |
| 5 | 0 | 0 | 0 | 0 | |
| 6 | 0 | 0 | 0 | 0 | |
| 7 | 0 | 0 | 0 | 0 | |
| 8 | 0 | 0 | 0 | 0 | |
| 9 | 0 | 0 | 0 | 0 | |
| 10 | 0 | 0 | 0 | 0 | |
| 11 | 0 | 0 | 0 | 0 | |
| 12 | 0 | 0 | 0 | 0 | |
| 13 | 0 | 0 | 0 | 0 | |
| 14 | 0 | 0 | 0 | 0 | |
| 15 | 0 | 0 | 0 | 0 | |
| 16 | 0 | 0 | 0 | 0 | |
| 17 | 0 | 0 | 0 | 0 | |
| 18 | 0 | 0 | 0 | 0 | |
| 19 | 0 | 0 | 0 | 0 | |
| 20 | 0 | 0 | 0 | 0 | |
| 21 | 0 | 0 | 0 | 0 | |
| 22 | 0 | 0 | 0 | 0 | |
| 23 | 0 | 0 | 0 | 0 | |
| 24 | 0 | 0 | 0 | 0 | |
| 25 | 0 | 0 | 0 | 0 | |
| 26 | 0 | 0 | 0 | 0 | |
| 27 | 0 | 0 | 0 | 0 | |
| 28 | 0 | 0 | 0 | 0 | |
| 29 | 0 | 0 | 0 | 0 | |
| 30 | 0 | 0 | 0 | 0 | |
| Highest 6 Minute Opacity 0 | | | | | Number of Readings Above 0 % Were 0 |
| Maximum Reading 0 | | | | | Minimum Reading 0 |

| | |
|---|---|
| Facility Name Inland Materials, Inc. | |
| Address 3296 Graves Ave. Deltona, Florida | |
| County Volusia | |
| Phone 386 789-3500 | Permit Number 1270044-002-AG |
| Process Equipment Concrete Batch Plant Cement Weigh Hopper | |
| Control Equipment Baghouse | |
| Describe Emission Point Baghouse Fan Outlet | |
| Height of Emission Point (feet) Start ~50 Finish ~50 | Height Relative to Observer (feet) Start ~45 Finish ~45 |
| Distance From observer (feet) Start ~150 Finish ~150 | Direction To Emission Point (deg.) Start 245 Finish 245 |
| Angle To Observation Point (deg.) Start 13 Finish 13 | Direction To Observation Point (deg.) Start 245 Finish 245 |
| Distance and Direction From Emission Point to Observation Point (feet & deg.) Start Same Point Finish Same Point | |
| Was Steam Present Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> | If Steam Was Present The Plume Was Attached <input type="checkbox"/> Detached <input type="checkbox"/> |
| Emission Color Start Clear Finish Clear | |
| Describe Emission Start Dust Finish Dust | |
| Describe Background Start Sky Finish Sky | |
| Background Color Start Blue Finish Blue | |
| Sky Conditions Start Clear Finish Clear | |
| Wind Speed (mph) Start 5 Finish 5 | Wind Direction Start NE Finish NE |
| Ambient Temperature (F) Start 70 Finish 70 | Wet Bulb Temperature (F) 64 RH Percent 73 |
| | |
| Longitude 81° 15.3765' W | Latitude 28° 56.9459' N |
| Process Data Process is cyclical @ 12 minutes/cycle Normal Batching in Progress | |
| Observer Name Kent D. Bottorf | Certified By ETA - ORLANDO |
| Observer signature <i>Kent D. Bottorf</i> | Date 8/9/06 |
| | Date 12/17/07 |

| Observation Date | Start Time | | | | Stop Time |
|--------------------------|------------|----|----|--------------------------|-------------|
| 12/17/07 | 10:00 | | | | 10:30 |
| Min/Sec | 0 | 15 | 30 | 45 | Comments |
| 1 | 0 | 0 | 0 | 0 | Batching |
| 2 | 0 | 0 | 0 | 0 | |
| 3 | 0 | 0 | 0 | 0 | |
| 4 | 0 | 0 | 0 | 0 | |
| 5 | 0 | 0 | 0 | 0 | |
| 6 | 0 | 0 | 0 | 0 | |
| 7 | 0 | 0 | 0 | 0 | |
| 8 | 0 | 0 | 0 | 0 | |
| 9 | 0 | 0 | 0 | 0 | Batch end |
| 10 | 0 | 0 | 0 | 0 | @ 10:10 |
| 11 | 0 | 0 | 0 | 0 | |
| 12 | 0 | 0 | 0 | 0 | Batch start |
| 13 | 0 | 0 | 0 | 0 | @ 10:13 |
| 14 | 0 | 0 | 0 | 0 | |
| 15 | 0 | 0 | 0 | 0 | |
| 16 | 0 | 0 | 0 | 0 | |
| 17 | 0 | 0 | 0 | 0 | |
| 18 | 0 | 0 | 0 | 0 | |
| 19 | 0 | 0 | 0 | 0 | |
| 20 | 0 | 0 | 0 | 0 | |
| 21 | 0 | 0 | 0 | 0 | |
| 22 | 0 | 0 | 0 | 0 | |
| 23 | 0 | 0 | 0 | 0 | |
| 24 | 0 | 0 | 0 | 0 | Batch end |
| 25 | 0 | 0 | 0 | 0 | @ 10:25 |
| 26 | 0 | 0 | 0 | 0 | |
| 27 | 0 | 0 | 0 | 0 | Batch start |
| 28 | 0 | 0 | 0 | 0 | 10:28 |
| 29 | 0 | 0 | 0 | 0 | |
| 30 | 0 | 0 | 0 | 0 | |
| Highest 6 Minute Opacity | | | | Number of Readings Above | |
| 0 | | | | 0 % Were 0 | |
| Maximum Reading | | | | Minimum Reading | |
| 0 | | | | 0 | |

VISIBLE EMISSIONS EVALUATOR

This is to certify that

KENT D BOTTORF

met the specifications of Federal Reference Method 9 and qualifies as a visible emissions evaluator. Maximum deviation on white and black smoke did not exceed 7.5% opacity and no single error exceeding 15% opacity was incurred during the certification test conducted by Eastern Technical Associates of Raleigh, NC. This certificate is valid for six months from date of issue.



EASTERN TECHNICAL ASSOCIATES

KENT D BOTTORF

BOT396116 STUDENT ID NUMBER

met the specifications of Federal Reference Method 9 and qualifies as a visible emissions evaluator. Maximum deviation on white and black smoke did not exceed 7.5% opacity and no single error exceeding 15% opacity was incurred during the certification test conducted by Eastern Technical Associates of Raleigh, NC. This certificate is valid for six months from date of issue and expires on the date below.

Customer Support
Debbie or Sheila

919-878-3188

www.eta-is-opacity.com

| | | |
|-----------------|-----------------|------------------------|
| ORLANDO, FL | 8/8/2007 | 353346 |
| SCHOOL LOCATION | DATE OF SCHOOL | CERT NUMBER |
| ORLS07 | 2/7/2008 | <i>Kent D. Bottorf</i> |
| LAST LECTURE | EXPIRATION DATE | BEARER |

Donna Santee

From: Roger Caldwell [roger@bottorf.com]
Sent: Monday, December 10, 2007 4:30 PM
To: Donna Santee
Subject: Deltona GP Notification Attached
Attachments: Inland Materials, Inc., Deltona, GP Notification.pdf



Consulting Engineers - Analytical Laboratory

6729 Edgewater Commerce Parkway · Orlando, Florida · 32810-4278 · Phone 407 298-0846 · Fax: 407 299-7053

LETTER OF TRANSMITTAL

| | |
|---|---|
| To: Donna Santee Inland Materials, Inc. P.O. Box 180158 Casselberry, Florida 32718-0158 | Date: December 10, 2007 Project No.: 347-7 |
|---|---|

| We are forwarding to you: Air General Permit Notification Form | | |
|---|----------|--|
| Copies | Dated | Description |
| 1 | 12/10/07 | <p style="text-align: center;">Concrete Batching Plant Air General Permit Notification Form w/ VE Test Reports</p> <p>Please print the attachment, have Gregory Murphy sign and date the enclosed application on page 8, send 1 copy (return receipt requested) along with a check payable to Florida Department of Environmental Protection in the amount of \$100.00 to the address below:</p> <p style="text-align: center;">FDEP Receipts Post Office Box 3070 Tallahassee, FL 32315-3070</p> <p style="text-align: center;">Print and Keep 1 copy for your records</p> <p>This permit is automatically issued by default, 30 days after receipt</p> |

12/11/2007

by FDEP, unless it is denied. The permit expires 5 years after issuance. FDEP is not required to send out any notification that the permit has been issued, sometimes however they do.

Bottorf Associates, Inc. appreciates your business.

Thank you,

Roger T Caldwell

Vice President, Environmental Division

Bottorf Associates, Inc.

6729 Edgewater Commerce Pkwy.

Orlando, Fl. 32810-4278

Phone 407.298.0846

Fax 407.299.7053

Cell Phone 407.341.4971

**Florida Department of Environmental Protection
Cash Receiving Application (CRA)
Cashlisting by Deposit #: 281357 thru 281357
Printed: 12/26/2007 9:23:16 AM - Page 19**

Cashlisting: **65809** Cashlist Area: **3755** Description: **DIV OF AIR RESOURCES MGMT.**
 Deposit No: **281357** Date Deposited: **12/24/2007** Contact: **PATTY ADAMS**


| Object | Transmittal | Dep DDN | Receipt Number | Pre-Numbered Receipt | Name | Check Number | Payment Amount | Reference Account | Payment Number | Remittance Number | Fund |
|-------------------------------------|-------------|---------|----------------|----------------------|--------------------------------|--------------|----------------|-------------------|----------------|-------------------|-------|
| 002272 | 46254 | 479440 | 610631 | | INLAND MATERIALS, INC. | 48901 | \$100.00 | 1270044-003- | 854557 | 759988 | PFTF |
| | 46254 | 479441 | 610632 | | TRINITY MATERIALS, LLC | 0019664 | \$100.00 | 1/11/2008-CEB | 854558 | 759989 | PFTF |
| Object Code 002272 Subtotal: | | | | | | | \$200.00 | | | | |
| 002278 | 46254 | 479443 | 610634 | | CROSS CONSTRUCTION SERVICES, I | 6352 | \$200.00 | 46895 | 854562 | 759991 | APCTF |
| | 46254 | 479444 | 610635 | | ACT | 5387 | \$700.00 | 46984 | 854563 | 759992 | APCTF |
| | 46254 | 479444 | 610635 | | ACT | 5387 | \$200.00 | 47023 | 854564 | 759992 | APCTF |
| Object Code 002278 Subtotal: | | | | | | | \$1,100.00 | | | | |
| Cashlisting 65809 Total: | | | | | | | \$1,300.00 | | | | |

INLAND MATERIALS, INC.

CHECK

48901

| OUR REF. NO. Date | YOUR INVOICE NO. | INVOICE DATE Description | INVOICE AMOUNT | AMOUNT PAID | DISCOUNT TAKEN | NET CHECK AMOUNT Net Amt |
|----------------------|------------------|-----------------------------|----------------|-------------|----------------|-----------------------------|
| 12/21/07 | | project #347-7 | | | | 100.00 |




Payee Fl Dept of Env Protection

Check 48901
Date 12/21/07

NET CHECK
100.00

INLAND MATERIALS, INC.
P. O. Box 180158
Casselberry, Florida 32718-0158




FDEP
Receipts
PO Box 3070
Tallahassee, Fl
32315-3070



A U.S.A. COMPANY

323153070 8099



AIRS IO # 1270044 : ~~01~~ 29/08

THIS APPLICATION & FEE
IS A DUPLICATE (01/04/08) OF
THE 12/24/07 APPLICATION & FEE.

FEE HAS BEEN REFUNDED UNDER
REQUEST # 16082. FILE

2223.
2272

CONCRETE BATCHING PLANT AIR GENERAL PERMIT REGISTRATION FORM

Part II. Notification to Permitting Office

(Detach and submit to appropriate permitting office; keep copy onsite)

Instructions: To give notice to the Department of an eligible facility's intent to use this air general permit, the owner or operator of the facility must detach and complete this part of the Air General Permit Registration Form and submit it to the appropriate Department of Environmental Protection or local air pollution control program office which has permitting authority. Please type or print clearly all information, and enclose the appropriate air general permit registration processing fee pursuant to Rule 62-4.050, F.A.C. (\$100 as of the effective date of this form)

Registration Type

Check one:

INITIAL REGISTRATION - Notification of intent to:

- Construct and operate a proposed new facility.
 Operate an existing facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit).

RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to:

- Continue operating the facility after expiration of the current term of air general permit use.
 Continue operating the facility after a change of ownership.
 Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C., or any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.

Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only

If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. In such case, check the first box, and indicate the operation permits being surrendered. If no air operation permits are held by the facility, check the second box.

- All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s): _____
 No air operation permits currently exist for this facility.

General Facility Information

Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)

INLAND MATERIALS, INC.

Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a registration form must be completed for each.)

DELTONA FACILITY

Facility ID: 1270044

Facility Location (Provide the physical location of the facility, not necessarily the mailing address.)

Street Address: 3296 GRAVES AVE.

City: DELTONA

County: VOLUSIA

Zip Code: 32725

Facility Start-Up Date (Estimated start-up date of proposed new facility.) (N/A for existing facility)

Type of Facility

Check one:

Stationary Facility

Relocatable Facility

Type(s) of Reasonable Precautions Used to Prevent Unconfined Emissions

Check all precautions to be used for the management of roads, parking areas, stock piles and yards:

Pave Roads

Pave Parking Areas

Pave Yards

Maintain Roads/Parking/Yards

Use Water Application

Use Dust Suppressant

Remove Particulate Matter

Reduce Stock Pile Height

Install Wind Breaks

Check all precautions to be used for the management of drop points to trucks:

Spray Bar

Chute

Enclosure

Partial enclosure

Description of Reasonable Precautions

Below, or as an attachment to this form, provide details of all types of reasonable precautions to be used to prevent unconfined emissions at the facility.

Precautions to Prevent Emissions of Unconfined Emissions

1. Maintenance of roads, parking area, and yards or the application of water to unpaved roads, parking areas, and yards to control emissions.
2. The use of sprinklers on stock piles if necessary.
3. Removal of particulate matter from roads and other paved areas under the control of the owner of operator of the facility to prevent the reentrainment, and from buildings or work areas to prevent particulate from becoming airborne.
4. Landscaping or planting of vegetation.

Description of Facility

Below, or as an attachment to this form, provide a description of the concrete batching plant operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe all air pollutant-emitting processes and equipment at the facility, and identify any air pollution control measures or equipment used.

THIS FACILITY PRODUCES READY MIX CONCRETE FROM PORTLAND CEMENT, FLYASH, ROCK, SAND, AND WATER AT A RATE OF 400 TONS/HOUR. THIS FACILITY CAN OPERATE 2600 HOURS PER YEAR.

THIS IS A CONCRETE BATCH PLANT WITH CEMENT SILO, FLYASH SILO, AND A WEIGH HOPPER. PARTICULATE EMISSIONS FROM THE CEMENT SILO ARE CONTROLLED WITH A SILO MOUNTED BAGHOUSE (BELGRADE STEEL TANK, model # PE37) WITH 225 SQ. FT. OF CLOTH AREA AND A COLLECTION EFFICIENCY OF APPROXIMATELY 99.99%. PARTICULATE EMISSIONS FROM THE FLYASH SILO ARE CONTROLLED WITH A SILO MOUNTED BAGHOUSE (BELGRADE STEEL TANK, model # PE37) WITH 225 SQ. FT. OF CLOTH AREA AND A COLLECTION EFFICIENCY OF APPROXIMATELY 99.99%. PARTICULATE EMISSIONS FROM THE WEIGH HOPPER ARE CONTROLLED WITH A SMALL BAGHOUSE (BELGRADE STEEL TANK, model # 14-23) WITH 23 SQ. FT. OF CLOTH AREA AND A COLLECTION EFFICIENCY OF APPROXIMATELY 99.9%.

| | |
|---|---|
| Facility Name Inland Materials, Inc. | |
| Address 3296 Graves Ave. Deltona, Florida | |
| County Volusia | |
| Phone 386 789-3500 | Permit Number 1270044-002-AG |
| Process Equipment Concrete Batch Plant with Cement Silo | |
| Control Equipment Silo Mounted Baghouse | |
| Describe Emission Point Baghouse Fan Outlet | |
| Height of Emission Point (feet) Start ~50 Finish ~50 | Height Relative to Observer (feet) Start ~45 Finish ~45 |
| Distance From observer (feet) Start ~150 Finish ~150 | Direction To Emission Point (deg.) Start 245 Finish 245 |
| Angle To Observation Point (deg.) Start 13 Finish 13 | Direction To Observation Point (deg.) Start 245 Finish 245 |
| Distance and Direction From Emission Point to Observation Point (feet & deg.) Start Same Point Finish Same Point | |
| Was Steam Present Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> | If Steam Was Present The Plume Was Attached <input type="checkbox"/> Detached <input type="checkbox"/> |
| Emission Color Start Clear Finish Clear | |
| Describe Emission Start Dust Finish Dust | |
| Describe Background Start Sky Finish Sky | |
| Background Color Start Blue Finish Blue | |
| Sky Conditions Start Clear Finish Clear | |
| Wind Speed (mph) Start 5 Finish 5 | Wind Direction Start E Finish E |
| Ambient Temperature (F) Start 70 Finish 70 | Wet Bulb Temperature (F) 64 |
| | RH Percent 73 |
| <p>Magnetic North</p> <p>The diagram includes a legend for symbols: Sun (sun icon), Wind (arrow icon), and Stack and Plume (stack icon). The site layout shows a Silo and Emission Point at the top, Bins in the middle, and the Observer Position at the bottom. A Sun Location Line is drawn from the observer position towards the sun icon.</p> | |
| Longitude 81° 15.3765' W | Latitude 28° 56.9459' N |
| Process Data Unloading Rate = 26.55 tons/hour @10 -12 psi Normal Batching in Progress | |
| Observer Name Kent D. Bottorf | Certified By ETA - ORLANDO |
| | Date 8/9/06 |
| Observer signature <i>Kent D. Bottorf</i> | Date 12/17/07 |

| Observation Date | Start Time | | | | Stop Time |
|--------------------------|--------------|----|----|--------------------------|--------------|
| 12/17/07 | 10:00 | | | | 10:30 |
| Min/Sec | 0 | 15 | 30 | 45 | Comments |
| 1 | 0 | 0 | 0 | 0 | |
| 2 | 0 | 0 | 0 | 0 | |
| 3 | 0 | 0 | 0 | 0 | |
| 4 | 0 | 0 | 0 | 0 | |
| 5 | 0 | 0 | 0 | 0 | |
| 6 | 0 | 0 | 0 | 0 | |
| 7 | 0 | 0 | 0 | 0 | |
| 8 | 0 | 0 | 0 | 0 | |
| 9 | 0 | 0 | 0 | 0 | |
| 10 | 0 | 0 | 0 | 0 | |
| 11 | 0 | 0 | 0 | 0 | |
| 12 | 0 | 0 | 0 | 0 | |
| 13 | 0 | 0 | 0 | 0 | |
| 14 | 0 | 0 | 0 | 0 | |
| 15 | 0 | 0 | 0 | 0 | |
| 16 | 0 | 0 | 0 | 0 | |
| 17 | 0 | 0 | 0 | 0 | |
| 18 | 0 | 0 | 0 | 0 | |
| 19 | 0 | 0 | 0 | 0 | |
| 20 | 0 | 0 | 0 | 0 | |
| 21 | 0 | 0 | 0 | 0 | |
| 22 | 0 | 0 | 0 | 0 | |
| 23 | 0 | 0 | 0 | 0 | |
| 24 | 0 | 0 | 0 | 0 | |
| 25 | 0 | 0 | 0 | 0 | |
| 26 | 0 | 0 | 0 | 0 | |
| 27 | 0 | 0 | 0 | 0 | |
| 28 | 0 | 0 | 0 | 0 | |
| 29 | 0 | 0 | 0 | 0 | |
| 30 | 0 | 0 | 0 | 0 | |
| Highest 6 Minute Opacity | | | | Number of Readings Above | |
| 0 | | | | 0 % Were 0 | |
| Maximum Reading | | | | Minimum Reading | |
| 0 | | | | 0 | |

| | |
|---|---|
| Facility Name Inland Materials, Inc. | |
| Address 3296 Graves Ave. Deltona, Florida | |
| County Volusia | |
| Phone 386 789-3500 | Permit Number 1270044-002-AG |
| Process Equipment Concrete Batch Plant Flyash Silo | |
| Control Equipment Silo Mounted Baghouse | |
| Describe Emission Point Baghouse Fan Outlet | |
| Height of Emission Point (feet) Start ~50 Finish ~50 | Height Relative to Observer (feet) Start ~45 Finish ~45 |
| Distance From observer (feet) Start ~150 Finish ~150 | Direction To Emission Point (deg.) Start 245 Finish 245 |
| Angle To Observation Point (deg.) Start 13 Finish 13 | Direction To Observation Point (deg.) Start 245 Finish 245 |
| Distance and Direction From Emission Point to Observation Point (feet & deg.) Start Same Point Finish Same Point | |
| Was Steam Present Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> | If Steam Was Present The Plume Was Attached <input type="checkbox"/> Detached <input type="checkbox"/> |
| Emission Color Start Clear Finish Clear | |
| Describe Emission Start Dust Finish Dust | |
| Describe Background Start Sky Finish Sky | |
| Background Color Start Blue Finish Blue | |
| Sky Conditions Start Clear Finish Clear | |
| Wind Speed (mph) Start 5 Finish 5 | Wind Direction Start E Finish E |
| Ambient Temperature (F) Start 70 Finish 70 | Wet Bulb Temperature (F) 64 RH Percent 73 |
| | |
| Longitude 81° 15.3765' W | Latitude 28° 56.9459' N |
| Process Data Unloading Rate = 27.21 tons/hour @10 -12 psi Normal Batching in Progress | |
| Observer Name Kent D. Bottorf | Certified By ETA - ORLANDO |
| Observer signature <i>Kent D. Bottorf</i> | Date 8/9/06 |
| Date 12/17/07 | |

| Observation Date | Start Time | | | | Stop Time |
|--------------------------------------|--------------|----|----|----|--|
| 12/17/07 | 10:00 | | | | 10:30 |
| Min/Sec | 0 | 15 | 30 | 45 | Comments |
| 1 | 0 | 0 | 0 | 0 | |
| 2 | 0 | 0 | 0 | 0 | |
| 3 | 0 | 0 | 0 | 0 | |
| 4 | 0 | 0 | 0 | 0 | |
| 5 | 0 | 0 | 0 | 0 | |
| 6 | 0 | 0 | 0 | 0 | |
| 7 | 0 | 0 | 0 | 0 | |
| 8 | 0 | 0 | 0 | 0 | |
| 9 | 0 | 0 | 0 | 0 | |
| 10 | 0 | 0 | 0 | 0 | |
| 11 | 0 | 0 | 0 | 0 | |
| 12 | 0 | 0 | 0 | 0 | |
| 13 | 0 | 0 | 0 | 0 | |
| 14 | 0 | 0 | 0 | 0 | |
| 15 | 0 | 0 | 0 | 0 | |
| 16 | 0 | 0 | 0 | 0 | |
| 17 | 0 | 0 | 0 | 0 | |
| 18 | 0 | 0 | 0 | 0 | |
| 19 | 0 | 0 | 0 | 0 | |
| 20 | 0 | 0 | 0 | 0 | |
| 21 | 0 | 0 | 0 | 0 | |
| 22 | 0 | 0 | 0 | 0 | |
| 23 | 0 | 0 | 0 | 0 | |
| 24 | 0 | 0 | 0 | 0 | |
| 25 | 0 | 0 | 0 | 0 | |
| 26 | 0 | 0 | 0 | 0 | |
| 27 | 0 | 0 | 0 | 0 | |
| 28 | 0 | 0 | 0 | 0 | |
| 29 | 0 | 0 | 0 | 0 | |
| 30 | 0 | 0 | 0 | 0 | |
| Highest 6 Minute Opacity 0 | | | | | Number of Readings Above 0 % Were 0 |
| Maximum Reading 0 | | | | | Minimum Reading 0 |

| | |
|---|---|
| Facility Name Inland Materials, Inc. | |
| Address 3296 Graves Ave. Deltona, Florida | |
| County Volusia | |
| Phone 386 789-3500 | Permit Number 1270044-002-AG |
| Process Equipment Concrete Batch Plant Cement Weigh Hopper | |
| Control Equipment Baghouse | |
| Describe Emission Point Baghouse Fan Outlet | |
| Height of Emission Point (feet) Start ~50 Finish ~50 | Height Relative to Observer (feet) Start ~45 Finish ~45 |
| Distance From observer (feet) Start ~150 Finish ~150 | Direction To Emission Point (deg.) Start 245 Finish 245 |
| Angle To Observation Point (deg.) Start 13 Finish 13 | Direction To Observation Point (deg.) Start 245 Finish 245 |
| Distance and Direction From Emission Point to Observation Point (feet & deg.) Start Same Point Finish Same Point | |
| Was Steam Present Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> | If Steam Was Present The Plume Was Attached <input type="checkbox"/> Detached <input type="checkbox"/> |
| Emission Color Start Clear Finish Clear | |
| Describe Emission Start Dust Finish Dust | |
| Describe Background Start Sky Finish Sky | |
| Background Color Start Blue Finish Blue | |
| Sky Conditions Start Clear Finish Clear | |
| Wind Speed (mph) Start 5 Finish 5 | Wind Direction Start NE Finish NE |
| Ambient Temperature (F) Start 70 Finish 70 | Wet Bulb Temperature (F) 64 RH Percent 73 |
| | |
| Longitude 81° 15.3765' W | Latitude 28° 56.9459' N |
| Process Data Process is cyclical @ 12 minutes/cycle Normal Batching in Progress | |
| Observer Name Kent D. Bottorf | Certified By ETA - ORLANDO |
| Observer signature <i>[Signature]</i> | Date 8/9/06 |
| | Date 12/17/07 |


| Observation Date | Start Time | | | | Stop Time | Comments |
|--------------------------|------------|----|----|----|--------------------------|----------|
| 12/17/07 | 10:00 | | | | 10:30 | |
| Min/Sec | 0 | 15 | 30 | 45 | | |
| 1 | 0 | 0 | 0 | 0 | Batching | |
| 2 | 0 | 0 | 0 | 0 | | |
| 3 | 0 | 0 | 0 | 0 | | |
| 4 | 0 | 0 | 0 | 0 | | |
| 5 | 0 | 0 | 0 | 0 | | |
| 6 | 0 | 0 | 0 | 0 | | |
| 7 | 0 | 0 | 0 | 0 | | |
| 8 | 0 | 0 | 0 | 0 | | |
| 9 | 0 | 0 | 0 | 0 | Batch end | |
| 10 | 0 | 0 | 0 | 0 | @ 10:10 | |
| 11 | 0 | 0 | 0 | 0 | | |
| 12 | 0 | 0 | 0 | 0 | Batch start | |
| 13 | 0 | 0 | 0 | 0 | @ 10:13 | |
| 14 | 0 | 0 | 0 | 0 | | |
| 15 | 0 | 0 | 0 | 0 | | |
| 16 | 0 | 0 | 0 | 0 | | |
| 17 | 0 | 0 | 0 | 0 | | |
| 18 | 0 | 0 | 0 | 0 | | |
| 19 | 0 | 0 | 0 | 0 | | |
| 20 | 0 | 0 | 0 | 0 | | |
| 21 | 0 | 0 | 0 | 0 | | |
| 22 | 0 | 0 | 0 | 0 | | |
| 23 | 0 | 0 | 0 | 0 | | |
| 24 | 0 | 0 | 0 | 0 | Batch end | |
| 25 | 0 | 0 | 0 | 0 | @ 10:25 | |
| 26 | 0 | 0 | 0 | 0 | | |
| 27 | 0 | 0 | 0 | 0 | Batch start | |
| 28 | 0 | 0 | 0 | 0 | 10:28 | |
| 29 | 0 | 0 | 0 | 0 | | |
| 30 | 0 | 0 | 0 | 0 | | |
| Highest 6 Minute Opacity | | | | | Number of Readings Above | |
| 0 | | | | | 0 % Were 0 | |
| Maximum Reading | | | | | Minimum Reading | |
| 0 | | | | | 0 | |

VISIBLE EMISSIONS EVALUATOR

This is to certify that

KENT D BOTTORF

met the specifications of Federal Reference Method 9 and qualifies as a visible emissions evaluator. Maximum deviation on white and black smoke did not exceed 7.5% opacity and no single error exceeding 15% opacity was incurred during the certification test conducted by Eastern Technical Associates of Raleigh, NC. This certificate is valid for six months from date of issue.



EASTERN TECHNICAL ASSOCIATES

KENT D BOTTORF

BOT396116 STUDENT ID NUMBER

met the specifications of Federal Reference Method 9 and qualifies as a visible emissions evaluator. Maximum deviation on white and black smoke did not exceed 7.5% opacity and no single error exceeding 15% opacity was incurred during the certification test conducted by Eastern Technical Associates of Raleigh, NC. This certificate is valid for six months from date of issue and expires on the date below.

ORLANDO, FL 8/8/2007 353346
SCHOOL LOCATION DATE OF SCHOOL CERT NUMBER
ORLS07 2/7/2008 1500
LAST LECTURE EXPIRATION DATE BEARER

Customer Support
Debbie or Sheila

919-878-3188

www.eta-ls-opacity.com

INLAND MATERIALS, INC.

CHECK

48945


| OUR REF. NO. | YOUR INVOICE NO. | INVOICE DATE | INVOICE AMOUNT | AMOUNT PAID | DISCOUNT TAKEN | NET CHECK AMOUNT |
|-----------------------------|------------------|--|----------------|-------------|----------------|------------------------------|
| Date 12/28/07 | | Description air permit deltona | | | | Net Amt 100.00 |

Payee FDEP

Check 48945
Date 12/28/07

NET CHECK
100.00

32718



FDEP
Receipts
PO Box 3070
Tallahassee, FL.

32315-3070

Florida Department of Environmental Protection
Cash Receiving Application (CRA)
Cashlisting by Deposit #: 281376 thru 281376
Printed: 1/7/2008 7:52:12 AM - Page 12

Cashlisting: **65968** Cashlist Area: **3755** Description: **DIV OF AIR RESOURCES MGMT.**
 Deposit No: **281376** Date Deposited: **01/04/2008** Contact: **PATTY ADAMS**

| <u>Object</u> | <u>Transmittal</u> | <u>Dep DDN</u> | <u>Receipt Number</u> | <u>Pre-Numbered Receipt</u> | <u>Name</u> | <u>Check Number</u> | <u>Payment Amount</u> | <u>Reference Account</u> | <u>Payment Number</u> | <u>Remittance Number</u> | <u>Fund</u> | |
|------------------------------------|--------------------|----------------|-----------------------|-----------------------------|------------------------|---------------------|-----------------------|--------------------------|-----------------------|--------------------------|-------------|--|
| 002223 002272 | 46380 | 479784 | 611471 | | INLAND MATERIALS, INC. | 48945 | \$100.00 | | 856093 | 761025 | PFTF | |
| Object Code 002223 Subtotal: | | | | | | | \$100.00 | | | | | |
| Cashlisting 65968 Total: | | | | | | | \$100.00 | | | | | |

Florida Department of Environmental Protection
Cash Receiving Application (CRA)
Cashlisting by Deposit #: 281376 thru 281376
Printed: 1/7/2008 7:52:12 AM - Page 12

Cashlisting: **65968** Cashlist Area: **3755** Description: **DIV OF AIR RESOURCES MGMT.**
 Deposit No: **281376** Date Deposited: **01/04/2008** Contact: **PATTY ADAMS**

| Object | Transmittal | Dep DDN | Receipt Number | Pre-Numbered Receipt | Name | Check Number | Payment Amount | Reference Account | Payment Number | Remittance Number | Fund | |
|------------------------------|-------------|---------|----------------|----------------------|------------------------|--------------|----------------|-------------------|----------------|-------------------|---------|--|
| 002223 002272 | 46380 | 479784 | 611471 | | INLAND MATERIALS, INC. | 48945 | \$100.00 | | 856093 | 761025 | 2. PFTF | |
| Object Code 002223 Subtotal: | | | | | | | \$100.00 | | | | | |
| Cashlisting 65968 Total: | | | | | | | \$100.00 | | | | | |

APPLICATION FOR REFUND FORM
THE STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

STATE OF FLORIDA, COUNTY OF _____
Pursuant to the provisions of Section 215.26, or Section _____*, Florida Statutes, I hereby apply for a refund
and request that a State Warrant be drawn in favor of:

NAME: INLAND MATERIALS, INC.
ADDRESS: P.O. BOX 180158
CASSELBERRY, FLORIDA 32718-0158
AMOUNT: \$100.00 CHECK #: 48945 DEPOSIT DATE: 01-04-2008 DEPOSIT: 281376
DOCUMENT NUMBER: 479784 SYS RECEIPT#: 611471 PAYMENT#: 856093 REMIT#: 761025
REV OBJECT CODE: 002272 NON-TITLE V GENERAL PERMIT

which represents moneys I paid into the State Treasury subject to refund, and to substantiate such claim the following facts
are submitted:

REASON FOR CLAIM: DUPLICATE PAYMENT

CERTIFIED TRUE AND CORRECT this _____ day of _____, 20____.

Applicant's Signature

*Must be completed if authority is other than Section 215.26, Florida Statutes.

(FOR AGENCY USE ONLY)

(1) Agency recommends denial of above claim based on the following facts, including statutory authority for collection:

OR

(2) Agency recommends approval of above claim and submits the following information to substantiate such claim. \$100.00 was
originally deposited into the State Treasury,

Receipt _____, dated _____.

NAME OF ACCOUNT:

SAMAS ACCOUNT CODE

3720252600137 _____ 0000000020000

Statutory Authority for Collection _____

It is requested that payment be made from:

NAME OF ACCOUNT:

SAMAS ACCOUNT CODE

3720252600137 _____ 0000002200000

CERTIFIED TRUE AND CORRECT this 25TH day of JANUARY, 2008.

Richard Q. Dibble EST III / Becky Agh SMATT
Signature and Title of Authorized Person

SECTION 215.26 STATES, IN PART: "APPLICATION FOR REFUNDS AS PROVIDED BY THIS SECTION SHALL BE
FILED WITH THE COMPTROLLER, EXCEPT AS OTHERWISE PROVIDED HEREIN, WITHIN 3 YEARS AFTER THE
RIGHT TO SUCH REFUND SHALL HAVE ACCURED ELSE SUCH RIGHT SHALL BE BARRED."

Three years is interpreted as meaning three years from the date of payment into State Treasury.