



# Department of Environmental Protection

Jeb Bush  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

David B. Struhs  
Secretary

February 2, 1999

Mr. Zuheir Bawli  
Ormond Beach Cleaners, Inc.  
1482 West Granada #610  
Ormond Beach, Florida 32174

Re: Facility No.: 1270157

Dear Mr. Bawli:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on January 26, 1999.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

  
Dotty Diltz, Chief  
Bureau of Air Monitoring  
and Mobile Sources

DD/jw

cc: Mr. Anatoliy Sobolevskiy, Central District

*"Protect, Conserve and Manage Florida's Environment and Natural Resources"*

*Printed on recycled paper.*

NEW OWNER

RECEIVED

JAN 26 1999

Bureau of Air Monitoring  
& Mobile Sources

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	Ormond Beach cleaners Inc.
2. Site Name (For example, plant name or number):	
3. Hazardous Waste Generator Identification Number:	
4. Facility Location: Street Address: 1482 W. Granada #610 City: Ormond Beach County: Volusia Zip Code: 32174	
5. Facility Identification Number (DEP Use):	1270157

Responsible Official

6. Name and Title of Responsible Official:	Zuheir Bawli owner
7. Responsible Official Mailing Address: Organization/Firm: Street Address: Same City: County: Zip Code:	
8. Responsible Official Telephone Number: Telephone: (904) 676 - 7700 Fax: ( ) -	

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):	Same
10. Facility Contact Address: Street Address: City: Same County: Zip Code:	
11. Facility Contact Telephone Number: Telephone: ( ) - Fax: ( ) -	

### Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>		<i>#1 03-OCT-93</i>	<i>12-NOV-93</i>		<i>#2 08-DEC-91</i>			<i>#3 02-MAR-92</i>	<i>02-MAR-92</i>
Dry-to-Dry Unit									
(1) w/ ref. condenser		<i>1 1994</i>	<i>1994</i>						
(2) w/ carbon adsorber									
(3) w/ no controls									
Washer Unit									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?  
 gallons

(b) If less than 12 months, how many?  months

Check why it is less than 12 months: New owner:  New store:  Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?  
 (Indicate with an "X". Select one classification only.)

Existing small area source

New small area source

Existing large area source

New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

*All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.*

All steam and hot water generating units exempt   
No such units on-site

### Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- ~~(d)~~ Carbon adsorber exhaust perc concentration monitoring
- ~~(e)~~ Instrument calibration
- (f) Start-up, shutdown, malfunction plan

**Surrender of Existing Air Permit(s)**

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) \_\_\_\_\_

No air permits currently exist for the operation of the facility indicated in this notification form.

**Responsible Official Certification**

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*



Signature

01-13-99

Date

NEW OWNER -

✓

**PERCHLOROETHYLENE DRY CLEANERS**

**TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#: 27057 DATE: 1/13/99 TIME IN: 3:00 TIME OUT: 3:50

FACILITY NAME: Ormond Beach Cleaners

FACILITY LOCATION: 1482 W-Granada Blvd # 610  
Ormond Beach FL 32174

RESPONSIBLE OFFICIAL: Zuheir Pawli PHONE: 904-676-7700

CONTACT NAME: \_\_\_\_\_ PHONE: \_\_\_\_\_

**PART I: NOTIFICATION**

(check appropriate box)

1. New facility notified DARM 30 days prior to startup

2. Facility failed to notify DARM to use general permit

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  No notification form  
(check appropriate box)  Drop store/out of business/petroleum

A.

1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)

5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:  
 facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 30 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

1. Storing perchloroethylene in tightly sealed and impervious containers? *pumped in*  Y  N  N/A
2. Examining the containers for leakage?  Y  N  N/A
3. Closing and securing machine doors except during loading/unloading?  Y  N
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

1. Equipped all machines with the appropriate vent controls?  Y  N
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? *not aware, explained*  Y  N  N/A
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
     Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
     Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N *not aware explained*
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
  - a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A *not aware*
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
     Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A



**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
 

Hose connections, fittings, couplings, and valves	<input type="checkbox"/> Y	<input type="checkbox"/> N	<input type="checkbox"/> N/A	Muck cookers	<input type="checkbox"/> Y	<input type="checkbox"/> N	<input type="checkbox"/> N/A
Door gaskets and seating	<input type="checkbox"/> Y	<input type="checkbox"/> N	<input type="checkbox"/> N/A	Stills	<input type="checkbox"/> Y	<input type="checkbox"/> N	<input type="checkbox"/> N/A
Filter gaskets and seating	<input type="checkbox"/> Y	<input type="checkbox"/> N	<input type="checkbox"/> N/A	Exhaust dampers	<input type="checkbox"/> Y	<input type="checkbox"/> N	<input type="checkbox"/> N/A
Pumps	<input type="checkbox"/> Y	<input type="checkbox"/> N	<input type="checkbox"/> N/A	Diverter valves	<input type="checkbox"/> Y	<input type="checkbox"/> N	<input type="checkbox"/> N/A
Solvent tanks and containers	<input type="checkbox"/> Y	<input type="checkbox"/> N	<input type="checkbox"/> N/A	Cartridge filter housings	<input type="checkbox"/> Y	<input type="checkbox"/> N	<input type="checkbox"/> N/A
Water separators	<input type="checkbox"/> Y	<input type="checkbox"/> N	<input type="checkbox"/> N/A				
4. Which method of detection is used by the responsible official?
 

Visual examination (condensed solvent on exterior surfaces)	<input checked="" type="checkbox"/>
Physical detection (airflow felt through gaskets)	<input checked="" type="checkbox"/>
Odor (noticeable perc odor)	<input checked="" type="checkbox"/>
Use of direct-reading instrumentation (FID/PID/calorimetric tubes)	<input type="checkbox"/>
Halogen leak detector	<input type="checkbox"/>
If using direct-reading instrumentation, is the equipment:	<input type="checkbox"/> N/A
a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?	<input type="checkbox"/> Y <input type="checkbox"/> N
b. Calibrated against a standard gas prior to and after each use (PID/FID only)?	<input type="checkbox"/> Y <input type="checkbox"/> N
c. Inspected for leaks and obvious signs of wear on a weekly basis?	<input type="checkbox"/> Y <input type="checkbox"/> N
d. Kept in a clean and secure area when not in use?	<input type="checkbox"/> Y <input type="checkbox"/> N
e. Verified for accuracy by use of duplicate samples (calorimetric only)?	<input type="checkbox"/> Y <input type="checkbox"/> N

Saadia Qureshi  
 Inspector's Name (Please Print)

11/13/99  
 Date of Inspection

[Signature]  
 Inspector's Signature

4/99  
 Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

Western Automation

Nevada 35

has pan + epoxy.

no odor of perc detected

has pan for ~~seconds~~ haz waste

MCF takes away haz. waste

has zero waste machine

no perc on spotting board

showed + explained calendar.

**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/ DISCOVERY  RE-INSPECTION

TIME IN: 3:00 TIME OUT: 3:50 AIRS ID#: 1270157  
 TYPE OF FACILITY: Dry Cleaning  
 FACILITY NAME: Ormond Beach Cleaners DATE: 1/13/99  
 FACILITY LOCATION: 1482 W Granada Blvd.  
Ormond Beach Fl. 32174  
 RESPONSIBLE OFFICIAL: Zuheir Bawli PHONE NUMBER: 904-676-7700

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:


COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS: change in ownership, explained requirements.

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 4/99  
(Approximate)

INSPECTION CONDUCTED BY: Saadia Dureshi  
(Please Print)

INSPECTOR'S SIGNATURE:  PHONE NUMBER: 407-893-3333

new owner

**PERCHLOROETHYLENE DRY CLEANERS**

**TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

~~1270136K~~ old Alms FD  
or

AIRS ID#: 1270157 ← NEW ATMS FD DATE: 11/13/99 TIME IN: 3:00 TIME OUT: 3:50

FACILITY NAME: Ormond Beach Cleaners

FACILITY LOCATION: 1482 W-Granada Blvd # 610  
Ormond Beach FL 32174

RESPONSIBLE OFFICIAL: Zuheir Banli PHONE: 904-676-7700

CONTACT NAME: \_\_\_\_\_ PHONE: \_\_\_\_\_

**PART I: NOTIFICATION**

(check appropriate box)

1. New facility notified DARM 30 days prior to startup

2. Facility failed to notify DARM to use general permit

RECEIVED  
 DEC 14 1999  
 Bureau of Air Monitoring  
& Mobile Sources

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  
(check appropriate box)

No notification form  
 Drop store/out of business petroleum

A.

1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91) <input type="checkbox"/>	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91) <input checked="" type="checkbox"/>
3. Existing large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91) <input type="checkbox"/>	4. New large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91) <input type="checkbox"/>

5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:

facility qualified for a general permit as number \_\_\_\_\_ above

facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 30 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers? *pumped in*  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? *not aware explained*  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
     Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
     Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N *not aware explained*
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
  - a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A *not aware*
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/maifunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
     Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |  |                           |  |
|---|--|---------------------------|--|
| Hose connections, fittings, couplings, and valves | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |  |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

*Saadia Qureshi*

Inspector's Name (Please Print)

*11/13/99*

Date of Inspection

*[Signature]*

Inspector's Signature

*4/99*

Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

Western Automation

Nevada 35

has pan + epoxy.

no color of perc detected

has pan for ~~seconds~~ haz waste

MCF takes away haz. waste

has zero waste machine

No perc on spotting board

showed + explained calendar.



**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/ DISCOVERY  RE-INSPECTION

TIME IN: 3:00 TIME OUT: 3:50 AIRS ID#: 1270157  
 TYPE OF FACILITY: Dry Cleaning  
 FACILITY NAME: Ormond Beach Cleaners DATE: 1/13/99  
 FACILITY LOCATION: 1482 W Granada Blvd.  
Ormond Beach Fl. 32174  
 RESPONSIBLE OFFICIAL: Zuheir Bawli PHONE NUMBER: 904-676-7700

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS: change in ownership, explained requirements.

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 4/99  
(Approximate)

INSPECTION CONDUCTED BY: Saadia Dureshi  
(Please Print)

INSPECTOR'S SIGNATURE: [Signature] PHONE NUMBER: 407-893-3333

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST

ARMS UPDATED  
DATE 1-21-00  
BY RL

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#: 120157 DATE: 1-21-00 TIME IN: 12:00 TIME OUT: 12:30  
 FACILITY NAME: Ormond Beach Cleaners  
 FACILITY LOCATION: 1482 W. Granada Blvd, #610  
Ormond Beach, FL 32174  
 RESPONSIBLE OFFICIAL: Zuheir Bawli PHONE: 904-676-7700  
 CONTACT NAME: \_\_\_\_\_ PHONE: \_\_\_\_\_

**PART I: NOTIFICATION**  
 (check appropriate box)  
 1. New facility notified DARM 30 days prior to startup   
 2. Facility failed to notify DARM to use general permit

**PART II: CLASSIFICATION**  
 Facility indicated on notification form that it is:  
 (check appropriate box)  No notification form  
 Drop store/out of business/petroleum

<p>A.</p> <p>1. Existing small area source <input type="checkbox"/>                  dry-to-dry only, <math>x &lt; 140</math> gal/yr                  transfer only, <math>x &lt; 200</math> gal/yr                  both types, <math>x &lt; 140</math> gal/yr                  (constructed before 12/9/91)</p> <p>3. Existing large area source <input type="checkbox"/>                  dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr                  transfer only, <math>200 \leq x \leq 1,800</math> gal/yr                  both types, <math>140 \leq x \leq 1,800</math> gal/yr                  (constructed before 12/9/91)</p> <p>5. This is a correct facility classification <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> Can not determine</p>	<p>2. New small area source <input checked="" type="checkbox"/>                  dry-to-dry only, <math>x &lt; 140</math> gal/yr                  transfer only, <math>x &lt; 200</math> gal/yr                  both types, <math>x &lt; 140</math> gal/yr                  (constructed on or after 12/9/91)</p> <p>4. New large area source <input type="checkbox"/>                  dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr                  transfer only, <math>200 \leq x \leq 1,800</math> gal/yr                  both types, <math>140 \leq x \leq 1,800</math> gal/yr                  (constructed on or after 12/9/91)</p>
---	---

If no, please check the appropriate classification:  
 facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 70 gallons.

RECEIVED  
 FEB 2 2000  
 Bureau of Air Monitoring  
 & Mobile Sources

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
 Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
 Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
  - a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
 Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks?

- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent on exterior surfaces)
  - Physical detection (airflow felt through gaskets)
  - Odor (noticeable perc odor)
  - Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
  - Halogen leak detector
- If using direct-reading instrumentation, is the equipment:**  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
  - b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
  - c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
  - d. Kept in a clean and secure area when not in use?  Y  N
  - e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Randall Cunningham  
Inspector's Name (Please Print)

1-21-2000  
Date of Inspection

*Randall Cunningham*  
Inspector's Signature

1-2001  
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

A large, empty rectangular box with a double-line border, occupying most of the page. It is intended for providing additional site information.

270157

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

Acc

FACILITY NAME: Ormond Beach Cleaners DATE: 1-21-00  
 FACILITY LOCATION: 1482 W. Granada Blvd.  
Ormond Beach, FL 32174

Annual Reporting Period: January 1999 TO January 2000

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:


#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: Zuheir Bawli  1-21-2000  
 Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: <u>12:00</u>	TIME OUT: <u>12:30</u>	AIRS ID#: <u>1270157</u>
TYPE OF FACILITY: <u>Dry Cleaner</u>		
FACILITY NAME: <u>Ormond Beach Cleaners</u>		DATE: <u>1-21-00</u>
FACILITY LOCATION: <u>1442 W. Grandda Blvd.</u> <u>Ormond Beach, FL 32174</u>		
RESPONSIBLE OFFICIAL: <u>Zuhair Bawli</u>		PHONE NUMBER: <u>904-676-7700</u>

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS:

In Compliance

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 1-2001 (Approximate)

INSPECTION CONDUCTED BY: Randall Cunningham (Please Print)

INSPECTOR'S SIGNATURE: [Signature] PHONE NUMBER: 407-843-3333



BEST AVAILABLE COPY

7003 0500 0004 0144 9683

**U.S. Postal Service™**  
**CERTIFIED MAIL™ RECEIPT**  
*(Domestic Mail Only; No Insurance Coverage Provided)*

For delivery information visit our website at [www.usps.com](http://www.usps.com)

**OFFICIAL USE**

Postage \$ \_\_\_\_\_

Certified Fee \_\_\_\_\_

Return Receipt Fee (Endorsement Required) \_\_\_\_\_

Restricted Delivery Fee (Endorsement Required) \_\_\_\_\_

Postmark Here *[Signature]*


AIRS ID# 1270157

ZUHEIR BAWLI  
 ORMOND BEACH CLEANERS  
 1482 W GRANADA #610  
 ORMOND BEACH, FL 32174

PS Form 3800, June 2002 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	
<ul style="list-style-type: none"> <li>Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.</li> <li>Print your name and address on the reverse so that we can return the card to you.</li> <li>Attach this card to the back of the mailpiece, or on the front if space permits.</li> </ul>	<p>A. Signature                  X <i>P. W. Maw</i> <input type="checkbox"/> Agent <input checked="" type="checkbox"/> Addressee</p>	
1. Article Addressed to:	B. Received by (Printed Name)	C. Date of Delivery 3/6
AIRS ID# 1270157 ZUHEIR BAWLI ORMOND BEACH CLEANERS 1482 W GRANADA #610 ORMOND BEACH, FL 32174	<p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes                  If YES, enter delivery address below: <input type="checkbox"/> No</p>	
2. Article Number (Transfer from service label)	3. Service Type	
7003 0500 0004 0144 9683	<input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.	
	4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes	

UNITED STATES POSTAL SERVICE



First-Class Mail  
Postage & Fees Paid  
USPS  
Permit No. G-10


• Sender: Please print your name, address, and ZIP+4 in this box

DARWIN MOBILE SOURCE CONTROL PROGRAM  
DEPT. OF ENVIRONMENTAL PROTECTION  
MAIL STATION 5510  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400

Bureau of Air Monitoring  
Tallahassee

MAR 8 2004

RECEIVED



7003 0500 0004 0144 4015

U.S. Postal Service™  
**CERTIFIED MAIL™ RECEIPT**  
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at [www.usps.com](http://www.usps.com)

**OFFICIAL USE**

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	

*Receipt  
Oct 03  
2004*

Total 10 1270157001AG  
 ORMOND BEACH CLEANERS  
 Sent To ZUHEIR BAWLI  
 1482 W GRANADA #610  
 ORMOND BEACH, FL 32174

PS Form 3800, June 2002 See Reverse for Instructions

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:  
  
 10 1270157001AG  
 ORMOND BEACH CLEANERS  
 ZUHEIR BAWLI  
 1482 W GRANADA #610  
 ORMOND BEACH, FL 32174

**COMPLETE THIS SECTION ON DELIVERY**

A. Received by (Please Print Clearly) \_\_\_\_\_ B. Date of Delivery 9-11

C. Signature [Signature]  Agent  Addressee


D. Is delivery address different from item 1?  Yes  
 If YES, enter delivery address below:  No

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)  Yes

2. Article Number 7003 0500 0004 0144 4015  
 (Transfer from service \_\_\_\_\_)

UNITED STATES POSTAL SERVICE



First-Class Mail  
Postage & Fees Paid  
USPS  
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box

DARM/MOBILE SOURCE CONTROL PROGRAM  
DEPT. OF ENVIRONMENTAL PROTECTION  
MAIL STATION 5510  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400

Buy Air Monitoring  
& Mobile Sources

SEP 15 2003

RECEIVED

32399-2400





**SENDER COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece or on the front if space permits.

1. Article Addressed to:

ID# 1270157  
ZUHEIR BAWLI  
ORMOND BEACH CLEANERS  
1482 W GRANADA #610  
ORMOND BEACH, FL 32174

2. Article Number

(Transit)

7003 0500 0004 0144 4398

PS Form 3811, August 2001

Domestic Return Receipt

102595-02-01-1540

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature

X

Agent,

Addressee

B. Received by (*Printed Name*)

C. Date of Delivery

D. Is delivery address different from item 1?  Yes  
If YES, enter delivery address below:  No

3. Service Type

Certified Mail

Express Mail

Registered

Return Receipt for Merchandise

Insured Mail

C.O.D.

4. Restricted Delivery? (*Extra Fee*)

Yes



(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

389600

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID # 1270157

ORMOND BEACH CLEANERS  
ZUHEIR BAWLI  
1482 W GRANADA #610  
ORMOND BEACH FL 32174

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: 12959  
Fund: 20-2-035001  
Obj.: 002273

RECEIVED  
MAIL ROOM  
DEC 16 2009

cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

399710

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

*12/13/00*  
*gnd*

Do NOT Remove Label

AIRS ID # 1270157

ORMOND BEACH CLEANERS  
ZUHEIR BAWLI  
1482 W GRANADA #610  
ORMOND BEACH FL 32174

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EQ: A1  
Fund: 20-2-035001  
Obj.: 002273

RECEIVED  
MAIL ROOM  
DEC 13 2000





(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

414390 FEB22 2002

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

X

Do **NOT** Remove Label

AIRS ID # 1270157  
ORMOND BEACH CLEANERS  
ZUHEIR BAWLI  
1482 W GRANADA #610  
ORMOND BEACH FL  
32174

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: A1  
Fund: 20-2-035001  
Obj.: 002273

**U.S. Postal Service**  
**CERTIFIED MAIL RECEIPT**  
*(Domestic Mail Only; No Insurance Coverage Provided)*

9373 2118 0200 0520 0020

Postage	\$	Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
AIRS ID # 1270157		
R ORMOND BEACH CLEANERS ZUHEIR BAWLI Si 1482 W GRANADA #610 ORMOND BEACH FL Ci 32174		(v mailer) _____ _____

PS Form 3800, February 2000 See Reverse for Instructions

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT OF RETURN ADDRESS

**COMPLETE THIS SECTION ON DELIVERY**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

AIRS ID # 1270157  
 ORMOND BEACH CLEANERS  
 ZUHEIR BAWLI  
 1482 W GRANADA #610  
 ORMOND BEACH FL  
 32174

2. Article Number (Copy from service label)

7000 0520 0020 9373 2118


A. Received by (Please Print Clearly)	B. Date of Delivery
C. Signature <i>Zuheir Bawli</i>	7/9
D. Is delivery address different from item 1? If YES, enter delivery address below:	<input type="checkbox"/> Agent <input type="checkbox"/> Addressee <input type="checkbox"/> Yes <input type="checkbox"/> No

3. Service Type

<input checked="" type="checkbox"/> Certified Mail	<input type="checkbox"/> Express Mail
<input type="checkbox"/> Registered	<input type="checkbox"/> Return Receipt for Merchandise
<input type="checkbox"/> Insured Mail	<input type="checkbox"/> C.O.D.

4. Restricted Delivery? (Extra Fee)  Yes

UNITED STATES POSTAL SERVICE



First-Class Mail  
Postage & Fees Paid  
USPS  
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

DATUMMOBILE SOURCE CONTROL PROGRAM  
DEPT. OF ENVIRONMENTAL PROTECTION  
MAIL STOP CH 1510  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400

Bureau of Air Monitoring  
& Mobile Sources

FEB 11 2002

RECEIVED

999/2400

