



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary

April 17, 2008

Mr. David Kaufman
Limestone Holdings Company, LLC
Post Office Box 1026
Marianna, Florida 32446

Dear Mr. Kaufman:


This is to acknowledge that your notification of intent to use the authority of Rule 62-210.310 to operate your facility was received on March 14, 2008. We have assigned ARMS No. 7775501-001 to this facility.

As you know, pursuant to Florida Statutes section 403.814, authority to operate under general permits commences thirty days after receipt of the registration form unless you have been notified by this office that your facility has not shown entitlement to operate pursuant to the rule provisions.

For your information, authority to operate pursuant to Rule 62-210.310 expires after 5 years. Therefore, a new registration form must be received no later than 5 years after the date your notice was received as indicated above. If your general permit rule conditions require testing, such testing must be completed within the time frame specified in the rule.

If you have any additional questions, please contact Dickson Dibble at 850/921-9586.

Sincerely,



Sandra F. Veazey, Chief
Bureau of Air Monitoring
and Mobile Sources

SFV/pg

cc: Mr. Armando Sarasua, Northwest District

**NONMETALLIC MINERAL PROCESSING PLANTS (CRUSHERS)
AIR GENERAL PERMIT REGISTRATION FORM**

Part II. Notification to Permitting Office

(Detach and submit to appropriate permitting office; keep copy onsite)

Instructions: To give notice to the Department of an eligible facility's intent to use this air general permit, the owner or operator of the facility must detach and complete this part of the Air General Permit Registration Form and submit it to the appropriate Department of Environmental Protection or local air pollution control program office which has permitting authority. Please type or print clearly all information, and enclose the appropriate air general permit registration processing fee pursuant to Rule 62-4.050, F.A.C. (\$100 as of the effective date of this form)

Registration Type

Check one:

INITIAL REGISTRATION - Notification of intent to:

- Construct and operate a proposed new facility.
 Operate an existing facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit).

RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to:

- Continue operating the facility after expiration of the current term of air general permit use.
 Continue operating the facility after a change of ownership.
 Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C., or any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.

Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only

If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. In such case, check the first box, and indicate the operation permits being surrendered. If no air operation permits are held by the facility, check the second box.

- All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s): _____
 No air operation permits currently exist for this facility.

General Facility Information

Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)

Limestone Holdings Co., LLC

Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a registration form must be completed for each.)

Best Mine

Facility Location (Provide the physical location of the facility, not necessarily the mailing address.)

Street Address: 3224 Hwy 73

City: Marianna

County: Jackson

Zip Code: 32446

Facility Start-Up Date (Estimated start-up date of proposed new facility.) (N/A for existing facility)

November 1, 2007 (Effective date of Lease Agreement)

RECEIVED
MAR 17 2008
Bureau of Air Quality
& Mobile Sources

7775501-001

Owner/Authorized Representative

Name and Position Title (Person who, by signing this form below, certifies that the facility is eligible to use this air general permit.)

Print Name and Title: David Kaufman, Superintendent

Owner/Authorized Representative Mailing Address

Organization/Firm: Limestone Holdings Co., LLC

Street Address: P.O. Box 1026

City: Marianna

County: Jackson

Zip Code: 32446

Owner/Authorized Representative Telephone Numbers

Telephone: 850-482-0349

Fax: 850-482-0348

Cell phone (optional): (850) 573-2227

Facility Contact (If different from Owner/Authorized Representative)

Name and Position Title (Plant manager or person to be contacted regarding day-to-day operations at the facility.)

Print Name and Title:

Facility Contact Mailing Address

Organization/Firm:

Street Address:

City:

County:

Zip Code:

Facility Contact Telephone Numbers

Telephone:

Fax:

Cell phone (optional):

Owner/Authorized Representative Statement

This statement must be signed and dated by the person named above as owner or authorized representative

I, the undersigned, am the owner or authorized representative of the owner or operator of the facility addressed in this Air General Permit Registration Form. I hereby certify, based on information and belief formed after reasonable inquiry, that the facility addressed in this registration form is eligible for use of this air general permit and that the statements made in this registration form are true, accurate and complete. Further, I agree to operate and maintain the facility described in this registration form so as to comply with all applicable standards for control of air pollutant emissions found in the statutes of the State of Florida and rules of the Department of Environmental Protection and revisions thereof.

I will promptly notify the Department of any changes to the information contained in this registration form.


Signature

3/12/08
Date

Type of Facility

Check one:

Stationary Facility Relocatable Facility

Type(s) of Precautions Used to Prevent Unconfined Emissions

Check all that apply for the management of roads, parking areas, stock piles and yards:

Maintain Roads/Parking/Yards Use Water Application Use Dust Suppressant
 Remove Particulate Matter Reduce Stock Pile Height Install Wind Breaks

Check the location of spray bars at the nonmetallic mineral processing plant:

Feeders Entrance to "Crusher" Exit of "Crusher"
 Classifier Screens Conveyor Drop Points

Description of Reasonable Precautions

Below, or as an attachment to this form, provide details of all types of reasonable precautions to be used to prevent unconfined emissions at the facility.

- Maintaining equipment, changing filters, etc. to reduce emissions
- Will be replacing older equipment with new equipment having better emissions technology
- Water will be applied to roads as necessary to reduce dust
- A sprayer will be added to the crusher when necessary, and at location necessary

Description of Facility

Below, or as an attachment to this form, provide a description of the nonmetallic mineral processing operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe all air pollutant-emitting processes and equipment at the facility, and identify any air pollution control measures or equipment used.

Overburden is stripped and removed using excavators, front-end loaders, farm tractors with scrapers, and dump trucks to a nearby dumping site as part of a separate agricultural limestone mining operation. The top layer of high quality agricultural limestone is excavated and moved to a stockpile for crushing after excavators, front-end loaders and dump trucks have been cleaned of all dirt and other contaminants.

After the top layer of Marianna Limestone has been removed, the next layer of Crystal River limestone (also called Ocala limestone) is mined for FDOT lime rock base. The first twenty-five to thirty feet of the Crystal River limestone is above the local water table and will be broken for mining using ripper teeth, hydraulic hammers, or buckets on excavators. Occasionally, blasting of this layer may be necessary. The next layer (water rock) will be blasted, then dug with excavators, dragline, or clamshell dredge and allowed to drain. The broken material is loaded into a track type portable crusher with adjustable breaker openings which is set at minus 3 inches. The crushed limerock is deposited at the end of the production conveyer. The crushed limerock is then loaded with front end loaders into customer trucks or stockpiled for future loading into customer trucks.

MINING EQUIPMENT INFORMATION:

- McCloskey Screen with diesel engine, Model R-155, Serial No. SA9000R155/M066220, Year of manufacture 2007, Dimensions: 5'x16', 2-inch mesh
- Screen Diesel Engine: Caterpillar Model 3054C, 120 hp, Serial No. 33420253, Year of manufacture 2007
- LokoTrack Crusher, Model LT1213, Serial No. 72843, Year of manufacture 2005, Capacity: 250 tons/hr
- Crusher Diesel Engine: Caterpillar Model C-12, 425 hp, Serial No. BDL03740, Year of manufacture 2004

Description of Facility

Below, or as an attachment to this form, provide a description of the nonmetallic mineral processing operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe all air pollutant-emitting processes and equipment at the facility, and identify any air pollution control measures or equipment used.

Overburden is stripped and removed using excavators, front-end loaders, farm tractors with scrapers, and dump trucks to a nearby dumping site as part of a separate agricultural limestone mining operation. The top layer of high quality agricultural limestone is excavated and moved to a stockpile for crushing after excavators, front-end loaders and dump trucks have been cleaned of all dirt and other contaminants.

After the top layer of Marianna Limestone has been removed, the next layer of Crystal River limestone (also called Ocala limestone) is mined for FDOT lime rock base. The first twenty-five to thirty feet of the Crystal River limestone is above the local water table and will be broken for mining using ripper teeth, hydraulic hammers, or buckets on excavators. Occasionally, blasting of this layer may be necessary. The next layer (water rock) will be blasted, then dug with excavators, dragline, or clamshell dredge and allowed to drain. The broken material is loaded into a track type portable crusher with adjustable breaker openings which is set at minus 3 inches. The crushed limerock is deposited at the end of the production conveyer. The crushed limerock is then loaded with front end loaders into customer trucks or stockpiled for future loading into customer trucks.

MINING EQUIPMENT INFORMATION:


- McCloskey Screen with diesel engine, Model R-155, Serial No. SA9000R155/M066220, Year of manufacture 2007, Dimensions: 5'x16', 2-inch mesh
- LokoTrack Crusher with diesel engine, Model LT1213, Serial No. 72843, Year of manufacture 2005, Capacity: 250 tons/hr

Description of Facility

Below, or as an attachment to this form, provide a description of the nonmetallic mineral processing operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe all air pollutant-emitting processes and equipment at the facility, and identify any air pollution control measures or equipment used.

Overburden is stripped and removed using excavators, front-end loaders, farm tractors with scrapers, and dump trucks to a nearby dumping site as part of a separate agricultural limestone mining operation. The top layer of high quality agricultural limestone is excavated and moved to a stockpile for crushing after excavators, front-end loaders and dump trucks have been cleaned of all dirt and other contaminants.

After the top layer of Marianna Limestone has been removed, the next layer of Crystal River limestone (also called Ocala limestone) is mined for FDOT lime rock base. The first twenty-five to thirty feet of the Crystal River limestone is above the local water table and will be broken for mining using ripper teeth, hydraulic hammers, or buckets on excavators. Occasionally, blasting of this layer may be necessary. The next layer (water rock) will be blasted, then dug with excavators, dragline, or clamshell dredge and allowed to drain. The broken material is loaded into a track type portable crusher with adjustable breaker openings which is set at minus 3 inches. The crushed limerock is deposited at the end of the production conveyer. The crushed limerock is then loaded with front end loaders into customer trucks or stockpiled for future loading into customer trucks.



March 12, 2008

FDEP Receipts
P.O. Box 3070
Tallahassee, Florida 32315-3070

*RE: Limestone Holdings Co., LLC – Jackson County, Florida
Nonmetallic Mineral Processing Plants Air General Permit*

Attn: Mr. Dick Dibble

Please find enclosed the *Nonmetallic Mineral Processing Plants (Crushers) Air General Permit Registration Form* and permit application fee of \$100 for Limestone Holdings Co., LLC, located at 3224 Hwy 73 North, Marianna, Florida (Jackson County).

Limestone Holdings Co., LLC has recently executed a lease agreement on this mine and will take over limestone mining operations. Although this is an existing mining operation (opened around the 1940s), no air permit has ever been issued for this mine location.

If you have any questions regarding this submittal, or need additional information, please do not hesitate to call me at 850-482-7900 or e-mail me at NikkiBethea@BetheaEngineering.com.

Sincerely,

Nikole Brooks Bethea, P.E.

cc: David Kaufman / Limestone Holdings Co., LLC

Florida Department of Environmental Protection
 Cash Receiving Application (CRA)
 Cashlisting by Deposit #: 281523 thru 281523
 Printed: 3/17/2008 9:50:41 AM - Page 7

Cashlisting: 67330 Cashlist Area: 3755 Description: DIV OF AIR RESOURCES MGMT.
 Deposit No: 281523 Date Deposited: 03/14/2008 Contact: E. WALKER

Object	Transmittal	Dep.DDN	Receipt Number	Pre- Numbered Receipt	Name	Check Number	Payment Amount	Reference Account	Payment Number	Remittance Number	Fund
002272	47433	481355	618853		SCOTT KAUFMAN	1428	\$100.00	7775501-001 3/27/2008 - Nunc	865688	768969	PFTF
Object Code 002272 Subtotal:							\$100.00				
002275	47433	481369	618867		TATUM MANUFACTURING INC	00603467	\$3,750.00	0571305	865707	768983	APCTF
Object Code 002275 Subtotal:							\$3,750.00				
Cashlisting 67330 Total:							\$3,850.00				