Newsord in 19/0 12/14/11

## PERCHLOROETHYLENE DRY CLEANERS AIR GENERAL PERMIT EXAMPLE REGISTRATION WORKSHEET

Facility Identification Number (If known)
- 4501257 ID# 0010099 0010099-00
Registration Type
Check one:  INITIAL REGISTRATION - Notification of intent to:  Construct and operate a proposed new facility.  Operate an existing permitted facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit). If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. (See "Surrender of Existing Air Operation Permit(s)" below.)  Operates an existing facility not currently permitted or using an air general permit.
RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to:  Continue operating the facility after expiration of the current term of air general permit use.  Continue operating the facility after a change of ownership.  Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C., or any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.
All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s):
General Facility Information
Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)  ROBINSON'S CLEANERS TO M
Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a complete registration must be submitted for each.)
Facility Location (Physical location of the facility, not necessarily the mailing address.)  Street Address: 309 NE 16th AVE City: Grinesule, Fl County:Alachua Zip Code: 32601 -377 M
Facility Start-Up Date (Estimated start-up date of proposed new facility.)(N/A for existing facility.)  ———————————————————————————————————

Facility Contact
Name and Position Title (Plant manager or person to be contacted regarding day-to-day operations at the facility.)  Print Name and Title:
Facility Contact Telephone Numbers  Telephone: _352 - 375 - 6175  Cell phone: E-mail:
Facility Contact Mailing Address  Organization/Firm:
Other Contact/Representative (to serve as additional Department contact)
Name and Position Title Print Name and Title:
Other Contact/Representative Telephone Numbers Telephone: Fax: Cell phone: E-mail:

· 3.

## **Facility Information**


## 1.(a) DRY-TO-DRY MACHINES

How many dry-to-dry machines do you have on-site?	[4]

For each dry-to-dry machine on-site, please provide the following information:

		<del></del>	×1						
DATE MACHINE	UNIT CLA		1 47 97 3	TROL DE	VICE	DATE CONT	err 13 -	L DEVI	CE
INSTALLED	(Check one)		(see key)			INSTALLED			
11-19-1991		Existing	pc	<u>, CA</u>		When F	int	chrs	ed
····	New L	Existing	4						
	New L	Existing	<del> </del>						
	New	Existing	ļ			<del> </del>			
	∐ New ∐	Existing			l	<del></del>			· · · · · · · · · · · · · · · · · · ·
Control Device Key	: RC = Refri	gerated Conder	nser	CA = Ca	rbon Ads	orber NR =	None	e Requir	ed
1. (b) Is the facility a	a co-residentia Yes	al Dry Cleaning	g facility No	?					
For each dry-to-dry following information:	machine locat	ted at a co-resid	dential f	acility Dry	Cleaning	facility, please	e pro	vide the	
DATE MACHINE U	JNIT_CLASS	PER	C DRY		CONTR	OL DEVICE	I V	APOR E	ARRIER
	Check one)		ANING		(see key			ICLOS	
		and the second second	CHINE						
	New E	xisting Y	ÆS 🗌	NO				YES [	NO
				NO				YES [	NO
		xisting Y	ES 🗌	NO				YES [	NO
	New E	xisting Y	ÆS 🗌	NO				YES	NO
			ES 🗌	NO				YES [	NO
Control Device Key  2. Perchloroethylene  If this is an initial registramount of perchloroethy	Usage ration for a pe	erchloroethyler	ne dry cl	eaner, prov	rbon Adso			y's expe	
If this is a re-registration	n for a perchl	proethylene dry	v cleane	r. provide t	he amoun	t of perchloroe	thyl	ene used	in
the most recent 12 month		,	,	,,,		F	,		
68									
	<del></del>		<del></del>		a \	•• ••			
<ol> <li>Provide information-site.</li> </ol>	ion on all stea	m and hot wate	er genera	ating units	(boiler) oi	n-site or that ne	o suc	h units	exist
on-site.					\				
No steam and hot wa	ater generating	units (hoiler)	onsite	rti (MC	/)				
110 Stouin and not we	nor gonorum	s units (bonci)	Olisito	4 0	/				
BOILER	- 18 A.Dal	HORSEPOW	ER		- 1 T	UEL TYPE*	. ,		
Fulton		16	-	<u>.                                    </u>		NB	<u> </u>	<u> </u>	
FUCTOR			<i></i>	<u> </u>			_		
			· · · · · · · · · · · · · · · · · · ·				******		
								•	
<del></del>									

<sup>\*</sup>Fuel Type - propane, No. 2 fuel oil, No. 4 fuel oil, No. 6 fuel oil, natural gas, electric, or other





Inflational Administration of the Inflation of the Inflat