

0090145



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

September 17, 1996

Mr. Verlon H. George
President
Evergreen Cleaners
3262 Lake Washington Road
Melbourne, Florida 32934

Dear Mr. George:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on August 20, 1996.

Please note that in November of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

/DD

cc: Mr. Louis Nichols, Central District

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

0090145

p. 14


1(a) add date control
device installed

1(c) should not be
marked

3. new large area
source should be
marked

p. 15

4. new large r.c.
Should be marked



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

March 8, 2001

Mr. Verlon H. George
Evergreen Cleaners
3660 Heartwood Lane
Melbourne, Florida 32934

Dear Mr. George:

Thank you for your letter informing the Division of Air Resource Management that your facility Evergreen Cleaners was sold January 31. We received your letter on March 6 and changed your facility status to inactive in our files.

The invoice you received was for the annual air operation fee. Rule 62-213.300(3), Florida Administrative Code (F.A.C.), requires the owner or operator of a facility, upon written notice from the Department, to submit payment of an annual operation fee in the amount of \$50. This fee is due and payable annually between January 15 and March 1 for the preceding year which the facility was in operation and subject to the requirements. Therefore, since our files indicate that Evergreen Cleaners (AIRS ID #0090145) was in operation in 2000, the fee is now due.

For your convenience, another invoice along with a self-addressed envelope was mailed to you last week. If you have any questions or need additional information or assistance, please call me at 850/921-9583.

Sincerely,

Sandra Bowman
Mobile Source Control Section
Bureau of Air Monitoring
and Mobile Sources

SB/

Enclosure



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

*Rec
12-00
For 2001*
David B. Struhs
Secretary

TO: Holder of Title V Air General Permit

Our records indicate that, as the owner or operator of an eligible facility, you have claimed entitlement to the use of a Title V Air General Permit under Rule 62-213.300, Florida Administrative Code (F.A.C.).

For your facility to maintain its eligibility for the Title V Air General Permit, Rule 62-213.300(3)(b), F.A.C. states "...the owner or operator of the facility must, upon written notice from the Department, submit payment of an annual operation fee in the amount of \$50.00. This fee is due and payable between January 15 and March 1 of each year for which the facility is in operation and subject to the requirements of this rule and the general permit." This invoice constitutes the Department's written notice, as required under the general permit rule.

Please make your check or money order payable to the Department of Environmental Protection and staple it to the detachable portion of this invoice below. To maintain your facility's eligibility for the general permit, the fee must be received by the Department not later than March 1. Your check and the detachable portion of this invoice below should be mailed to:

Title V Air General Permits
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070



(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 0090145

EVERGREEN CLEANERS
VERLON H GEORGE
3262 LAKE WASHINGTON ROAD
MELBOURNE FL 32934

Sold Nos 1-31-01

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: A1
Fund: 20-2-035001
Obj.: 002273

RECEIVED

MAR 05 2001

BUREAU OF AIR REGULATION

3660 Heartwood Lane
Melbourne, Florida 32934
February 28, 2001

RECEIVED

MAR - 6 2001

Florida Department of
Environmental Protection
Air Monitoring
Mobile Offices


Department of Environmental Protection
Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400


Ref: Cancellation of Pollutants License No. 08-000
883-02-00 effective 1-31-01. Airs I 0090145.

This letter is to advise that Evergreen Cleaners at 3262
Lake Washington Road, Melbourne, Florida 32934 was sold
on 1-31-01.

The new owner, Mr. Dale Roach, has been in contact with your
office recently to obtain new pollutant's license effective
February 1, 2001.

Sincerely,


Verlon H. George
President
B&G Investment Co., Inc.
DBA Evergreen Cleaners



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

*Rec
12-00
For 2001*
David B. Struhs
Secretary

TO: Holder of Title V Air General Permit

Our records indicate that, as the owner or operator of an eligible facility, you have claimed entitlement to the use of a Title V Air General Permit under Rule 62-213.300, Florida Administrative Code (F.A.C.).

For your facility to maintain its eligibility for the Title V Air General Permit, Rule 62-213.300(3)(b), F.A.C. states "...the owner or operator of the facility must, upon written notice from the Department, submit payment of an annual operation fee in the amount of \$50.00. This fee is due and payable between January 15 and March 1 of each year for which the facility is in operation and subject to the requirements of this rule and the general permit." This invoice constitutes the Department's written notice, as required under the general permit rule.

Please make your check or money order payable to the Department of Environmental Protection and staple it to the detachable portion of this invoice below. To maintain your facility's eligibility for the general permit, the fee must be received by the Department not later than March 1. Your check and the detachable portion of this invoice below should be mailed to:

Title V Air General Permits
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070



(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 0090145

EVERGREEN CLEANERS
VERLON H GEORGE
3262 LAKE WASHINGTON ROAD
MELBOURNE FL 32934

Sold Nos 1-31-01

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: A1
Fund: 20-2-035001
Obj.: 002273

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): B & G Investment Co, Inc. DBA Evergreen Cleaners
2. Site Name (For example, plant name or number): Evergreen Cleaners
3. Hazardous Waste Generator Identification Number: 08-000883-02-96
4. Facility Location: Street Address: 3262 Lake Washington City: Melbourne County: Brevard Zip Code: 32934
5. Facility Identification Number (DEP Use): 0090145

Responsible Official

6. Name and Title of Responsible Official: Verlon H. George, President
7. Responsible Official Mailing Address: Organization/Firm: Evergreen Cleaners Street Address: 3262 Lk Washington Road City: Melbourne County: Brevard Zip Code: 32934
8. Responsible Official Telephone Number: Telephone: (407) 242 - 9931 Fax: (407) 242 - 9931

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager): Same
10. Facility Contact Address: Street Address: City: County: Zip Code:
11. Facility Contact Telephone Number: Telephone: () - Fax: () -

RECEIVED

AUG 20 1996

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>									
	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
Dry-to-Dry Unit									
(1) w/ ref. condenser	X	<i>May</i> 5-2-92		X	<i>FEB</i> 2-5-96				
(2) w/ carbon adsorber									
(3) w/ no controls									
Washer Unit									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?
 gallons (As of 8-15-96)

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: New store: Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?
 (Indicate with an "X". Select one classification only.)

Existing small area source

New small area source

Existing large area source

New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?
(Indicate with an "X".) (NONE)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.

All steam and hot water generating units exempt

No such units on-site

Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

(a) Purchase receipts and solvent purchases

(b) Leak detection inspection and repair

(c) Refrigerated condenser temperature monitoring

(d) Carbon adsorber exhaust perc concentration monitoring

(e) Instrument calibration

(f) Start-up, shutdown, malfunction plan

Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)

No air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

Verlan George
Signature

Aug 16, 1996
Date

CP
O. J. Nichols ✓

0090145

p. 14

1(a) add date control
device installed

1(c) should not be
marked

3. new large area
source should be
marked

p. 15

4. new large r.c.
Should be marked

Corrections Made 2/18/77
Louis A. Nichols

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): B & G Investment Co, Inc. DBA Evergreen Cleaners
2. Site Name (For example, plant name or number): Evergreen Cleaners
3. Hazardous Waste Generator Identification Number: 08-000883-02-96
4. Facility Location: Street Address: 3262 Lake Washington City: Melbourne County: Brevard Zip Code: 32934
5. Facility Identification Number (DEP Use): 0090145

Responsible Official

6. Name and Title of Responsible Official: Verlon H. George, President
7. Responsible Official Mailing Address: Organization/Firm: Evergreen Cleaners Street Address: 3262 Lk Washington Road City: Melbourne County: Brevard Zip Code: 32934
8. Responsible Official Telephone Number: Telephone: (407) 242 - 9931 Fax: (407) 242 - 9931

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager): Same
10. Facility Contact Address: Street Address: City: County: Zip Code:
11. Facility Contact Telephone Number: Telephone: () - Fax: () -

RECEIVED

AUG 29 1996

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>	<i>#1</i>	<i>03-OCT-93</i>	<i>12-NOV-93</i>	<i>#2</i>	<i>08-DEC-91</i>		<i>#3</i>	<i>02-MAR-92</i>	<i>02-MAR-92</i>
Dry-to-Dry Unit									
(1) w/ ref. condenser	<input checked="" type="checkbox"/>	<i>May</i> 5-2-92	5-2-92	<input checked="" type="checkbox"/>	<i>FEB</i> 2-5-96	1-5-96			<i>J-18-97</i>
(2) w/ carbon adsorber									
(3) w/ no controls									
Washer Unit									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed *J-18-97*

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?
 gallons (As of 8-15-96)

(b) If less than 12 months, how many? months
 Check why it is less than 12 months: New owner: New store: Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?
 (Indicate with an "X". Select one classification only.)

Existing small area source

New small area source

Existing large area source

New large area source *J-18-97*

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?
(Indicate with an "X".) (NONE)

Existing large area source

Carbon adsorber Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser *USA 2-10-97*

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.

All steam and hot water generating units exempt
No such units on-site

Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Instrument calibration
- (f) Start-up, shutdown, malfunction plan

Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) _____

No air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

Verlen George
Verlen George
Signature

7-10-97
Aug 16, 1996
Date

X

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION

AIRS ID#: 0090145 DATE: 2/18/97 TIME IN: 1:30 TIME OUT: 2:05
 FACILITY NAME: EVERGREEN CLEANERS
 FACILITY LOCATION: 3262 LAKE WASHINGTON
MELBOURNE, FL. 32934

PART I: NOTIFICATION

(check appropriate box)

1. Existing facility notified DARM by 9/1/96

2. New facility notified DARM 30 days prior to startup

3. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
(check appropriate box)

A.

1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91) <input type="checkbox"/>	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91) <input type="checkbox"/>
3. Existing large area source <input checked="" type="checkbox"/> dry-to-dry only, $140 < x < 2,100$ gal/yr transfer only, $200 < x < 1,800$ gal/yr both types, $140 < x < 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 < x < 2,100$ gal/yr transfer only, $200 < x < 1,800$ gal/yr both types, $140 < x < 1,800$ gal/yr (constructed on or after 12/9/91)

This is a correct facility classification Y N

If no, please check the appropriate classification:

facility qualified for a general permit as number 4 above NEW LARGE AREA

facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 400 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers? Y N *IN MACHINE AS NEEDED*
- 2. Examining the containers for leakage? Y N
- 3. Closing and securing machine doors except during loading/unloading? Y N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N N/A

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls? Y N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis? *NOT RECORDING EXPLAINED* Y N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F? *N* Y N
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

- | | |
|--|--|
| 1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N |
| 2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? | <input type="checkbox"/> Y <input type="checkbox"/> N |
| Is the temperature differential equal to or greater than 20° F? | <input type="checkbox"/> Y <input type="checkbox"/> N |
| 3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Is the perc concentration equal to or less than 100 ppm? | <input type="checkbox"/> Y <input type="checkbox"/> N |
| 4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? | <input type="checkbox"/> Y <input type="checkbox"/> N |
| 5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Routed airflow to the carbon adsorber (if used) at all times? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

- | | |
|--|---|
| 1. Maintained receipts for perc purchased? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 2. Maintained rolling monthly averages of perc consumption? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 3. Maintained leak detection inspection and repair reports for the following: | |
| a. documentation of leaks repaired w/in 24 hrs? or; | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 4. Maintained calibration data? (for direct reading instruments only) | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 5. Maintained exhaust duct monitoring data on perc concentrations? | <input type="checkbox"/> Y <input type="checkbox"/> N |
| 6. Maintained startup/shutdown/malfunction plan? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 7. Maintained deviation reports? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| Problem corrected? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 8. Maintained compliance plan, if applicable? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
- KEEPING ALL REQUIRED RECORDS*

PART VI: LEAK DETECTION AND REPAIRS

- | | |
|---|--|
| 1. Does the responsible official conduct a weekly leak detection and repair inspection? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
|---|--|

2. Which method of detection is used by the responsible official?

Visual examination (condensed solvent on exterior surfaces) Y N

Physical detection (airflow felt through gaskets) Y N

Odor (noticeable perc odor) Y N

Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Y N

If using direct-reading instrumentation, is the equipment:

a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N

b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N

c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N

d. Kept in a clean and secure area when not in use? Y N

e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

3. Has the facility maintained a leak log? Y N

4. Does the responsible official check the following areas for leaks?

Hose connections, fittings, couplings, and valves Y N

Muck cookers Y N

Door gaskets and seating Y N

Stills Y N

Filter gaskets and seating Y N

Exhaust dampers Y N

Pumps Y N

Diverter valves Y N

Solvent tanks and containers Y N

Cartridge filter housings Y N

Water separators Y N

VERLON H. GEORGE

Name of Responsible Official

LOUIS A. NICHOLS

Inspector's Name (Please Print)

2/13/97

Date of Inspection

Louis A. Nichols

Inspector's Signature

Approximate Date of Next Inspection

Verlon H. George
Elizabeth George



EVERGREEN CLEANERS

Lake Washington Crossing
3262 Lake Washington Road
Melbourne, Florida 32934

407-242-9931

ADDITIONAL SITE INFORMATION:

1. RENZACCI PATRIOT SYSTEM 380 35 LB

2. HOFFMAN 2010 55 LB

BOTH MACHINES HAVE CONTAINMENT PAN

- ZAPPER UNIT FOR WASTE WATER \$900
CHARCOAL FILTER, THEN MIST TO EXHAUST FAN
- SECONDARY CONTAINMENT PAN
- MCF PICKS UP WASTE.
- EPOXY AROUND SPITTING BOARD.
- OWNER VERY COOPERATIVE, GOOD LOOKING PLANT,
CONFORMING TO ALL REGS. EXCEPT RECORDING
OUTLET TEMPERATURE ON CONDENSER. LEFT SAMPLE FORM.

Mail to owner

ADMs
1/23/98
SQ

PERCHLOROETHYLENE DRY CLEANERS
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION

AIRS ID#: 0090145 DATE: 1/20/98 TIME IN: 10:15 TIME OUT: 10:45
FACILITY NAME: Evergreen Cleaners
FACILITY LOCATION: 3262 Wake Washington Blvd
Melbourne, FL
RESPONSIBLE OFFICIAL: Mr. George PHONE: 407-242-9931
CONTACT NAME: _____ PHONE: _____

PART I: NOTIFICATION

(check appropriate box)
1. New facility notified DARM 30 days prior to startup
2. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
(check appropriate box) No notification form
 Drop store/out of business/petroleum

A.

1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91) <input type="checkbox"/>	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91) <input type="checkbox"/>
3. Existing large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91) <input type="checkbox"/>	4. New large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91) <input checked="" type="checkbox"/>

5. This is a correct facility classification Y N Can not determine

If no, please check the appropriate classification:
 facility qualified for a general permit as number _____ above
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 320 gallons.

2 machines
May 1995
Feb. 1996

RECEIVED
FEB 4 1998

Bureau of Air Monitoring
& Mobile Sources

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers? Y N N/A
- 2. Examining the containers for leakage? Y N N/A
- 3. Closing and securing machine doors except during loading/unloading? Y N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N N/A

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls? Y N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
Is the temperature differential equal to or greater than 20° F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly total of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N N/A
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N N/A
Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N
2. Has the facility maintained a leak log? Y N
3. Does the responsible official check the following areas for leaks?
- | | | | |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:** N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

SAADIA QURESHI

Inspector's Name (Please Print)

[Handwritten Signature]

Inspector's Signature

1/20/98

Date of Inspection

1/99

Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

no temp condenser^{monitor} ^ on new machine
has ordered from granger supp.

Good record keeping, clean facilities.

MEF ⇒ hazardous waste

has epoxy & 2ndary containment

In compliance

TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 10:15 TIME OUT: 10:45 AIRS ID#: 009045
 TYPE OF FACILITY: Dry-Cleaning
 FACILITY NAME: Evergreen Cleaners DATE: 1/20/98
 FACILITY LOCATION: 8262 Lake Washington Blvd.
 Melbourne FL.
 RESPONSIBLE OFFICIAL: Mr. George PHONE NUMBER: 407-242-9931

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

RECEIVED
 FEB 1 1998
 Bureau of Air Monitoring
 & Mobile Sources

COMMENTS:
 Good clean facility - good recordkeeping

The Annual Compliance Certification form has been properly certified and submitted to the inspector. *mailed to TAP* YES NO

DATE OF NEXT INSPECTION: 1/99 (Approximate)

INSPECTION CONDUCTED BY: SAADIA QURESHI (Please Print)

INSPECTOR'S SIGNATURE: *[Signature]* PHONE NUMBER: 813-3333

Acc

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

AIRS ID#0090145

B & G INVESTMENT CO INC
 VERLON H GEORGE
 3262 LAKE WASHINGTON ROAD
 MELBOURNE FL 32934

RECEIVED
 JAN 29 1998
 Bureau of Air Monitoring
 & Mobile Sources

Do NOT Remove Label

Annual Reporting Period: 1-1 1997 TO 12-31 1997

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: Verlon George Verlon George 1-19-98
 Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

ARMS UPDATED
DATE 10-19-99
BY RC

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION

RECEIVED
NOV - 19 1999
Bureau of Air & Mobile Sources Monitoring

AIRS ID#: 0090145 DATE: 10-19-99 TIME IN: 11:45 TIME OUT: 12:15
 FACILITY NAME: Evergreen Cleaners
 FACILITY LOCATION: 3262 Lake Washington Rd.
Melbourne, FL
 RESPONSIBLE OFFICIAL: Mr. George PHONE: 407-242-9931
 CONTACT NAME: _____ PHONE: _____

PART I: NOTIFICATION

- (check appropriate box)
1. New facility notified DARM 30 days prior to startup
 2. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is: No notification form
 (check appropriate box) Drop store/out of business/petroleum

A.

1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. New small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input checked="" type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)

5. This is a correct facility classification N Can not determine

If no, please check the appropriate classification:
 facility qualified for a general permit as number _____ above
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 320 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers? Y N N/A
- 2. Examining the containers for leakage? Y N N/A
- 3. Closing and securing machine doors except during loading/unloading? Y N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N N/A

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls? Y N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F? Y N N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

- | | |
|--|---|
| 1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> A |
| 2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Is the temperature differential equal to or greater than 20° F? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Is the perc concentration equal to or less than 100 ppm? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Routed airflow to the carbon adsorber (if used) at all times? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

- | | |
|--|---|
| 1. Maintained receipts for perc purchased? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> A |
| 2. Maintained rolling monthly averages of perc consumption? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> A |
| 3. Maintained leak detection inspection and repair reports for the following: | |
| a. documentation of leaks repaired w/in 24 hrs? or; | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Maintained calibration data? (for applicable direct reading instruments) | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 5. Maintained exhaust duct monitoring data on perc concentrations? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Maintained startup/shutdown/malfunction plan? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> A |
| 7. Maintained deviation reports? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Problem corrected? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 8. Maintained compliance plan, if applicable? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N
2. Has the facility maintained a leak log? Y N
3. Does the responsible official check the following areas for leaks?
- | | | | |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Sills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment: N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Randall Cunningham
Inspector's Name (Please Print)

10-19-99
Date of Inspection

Rdall C
Inspector's Signature

10-2000
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

[Empty rectangular box for additional site information]

ACC

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Evergreen Cleaners DATE: 10-19-99

FACILITY LOCATION: 3262 Lake Washington Blvd Rd. Melbourne, FL

Annual Reporting Period: October 1998 TO October 1999

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. [X] YES [] NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to-dry facilities or 1,800 gallons per year for transfer or combination facilities. RESPONSIBLE OFFICIAL: Vernon George (Name) Vernon George (Signature) 10-19-99 (Date)

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: <u>11:45</u>	TIME OUT: <u>12:15</u>	AIRS ID#: <u>0090145</u>
TYPE OF FACILITY: <u>Dry cleaner</u>		
FACILITY NAME: <u>Evergreen Cleaners</u>		DATE: <u>10-19-99</u>
FACILITY LOCATION: <u>3262 Lake Washington Rd.</u> <u>Melbourne, FL</u>		
RESPONSIBLE OFFICIAL: <u>Mr. George</u>		PHONE NUMBER: <u>407-242-9931</u>

Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).

Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS:

In Compliance

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 10-2000

(Approximate)

INSPECTION CONDUCTED BY: Randall Cunningham

(Please Print)

INSPECTOR'S SIGNATURE: *Randall Cunningham* PHONE NUMBER: (407) 843-3333

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

ARMS UPDATED
DATE 10-25-00
BY RC

✓ TYPE OF INSPECTION: ANNUAL (INS1, INS2) RE-INSPECTION (FUI)

COMPLAINT/DISCOVERY (CI)

AIRS ID#: <u>0090145</u>	DATE: <u>10-25-00</u>	TIME IN: <u>12:00</u>	TIME OUT: <u>12:30</u>
FACILITY NAME: <u>Evergreen Cleaners</u>			
FACILITY LOCATION: <u>3262 Lake Washington Rd.</u> <u>Melbourne, FL 32934</u>			
RESPONSIBLE OFFICIAL: <u>Mr. George</u>		PHONE: <u>407-242-9931</u>	
CONTACT NAME: _____		PHONE: _____	

PART I: NOTIFICATION			
(check appropriate box)		Facility Compliance Status: IN <input checked="" type="checkbox"/>	
1. New facility notified DARM 30 days prior to startup	<input type="checkbox"/>	(ARMS Data)	MNC <input type="checkbox"/>
2. Facility failed to notify DARM to use general permit	<input type="checkbox"/>		SNC <input type="checkbox"/>

PART II: CLASSIFICATION			
Facility indicated on notification form that it is: (check appropriate box)		<input type="checkbox"/> No notification form <input type="checkbox"/> Drop store/out of business/petroleum	
A.			
1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	<input type="checkbox"/>	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)	<input type="checkbox"/>
3. Existing large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	<input type="checkbox"/>	4. New large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)	<input checked="" type="checkbox"/>
5. This is a correct facility classification:		<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> Can not determine	
If no, please check the appropriate classification:			
<input type="checkbox"/> facility qualified for a general permit as number _____ above			
<input type="checkbox"/> facility exceeds above limits and is not eligible for a general permit			
B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was <u>4/6</u> gallons.			

RECEIVED
 OCT 27 2000
 Bureau of Air Monitoring
 & Mobile Sources

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers? Y N N/A
- 2. Examining the containers for leakage? Y N N/A
- 3. Closing and securing machine doors except during loading/unloading? Y N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N N/A

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls? Y N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
- Is the temperature differential equal to or greater than 20° F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
- Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly total of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N N/A
- b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N N/A
- Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N

2. Has the facility maintained a leak log? Y N

3. Does the responsible official check the following areas for leaks?

- | | | | |
|---|--|---------------------------|--|
| Hose connections, fittings, couplings, and valves | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector

If using direct-reading instrumentation, is the equipment: N/A

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Randall Cunningham
Inspector's Name (Please Print)

[Signature]
Inspector's Signature

10-25-00
Date of Inspection

10-2001
Approximate Date of Next Inspection

ACE

**DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM**

FACILITY NAME: Evergreen Cleaners DATE: 10-25-00
 FACILITY LOCATION: 3262 Lake Washington Rd,
Melbourne, FL 32934

Annual Reporting Period: October ¹⁹⁹⁹₂₀ TO October 2000

Based on each term or condition of the Title V general air permit; my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____
 Action(s) taken to achieve compliance: _____
 Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____
 Action(s) taken to achieve compliance: _____
 Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: Verdon George Verdon George 10-25-00
 Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 12:00 TIME OUT: 12:30 AIRS ID#: 0090145
 TYPE OF FACILITY: Dry Clean
 FACILITY NAME: Evergreen Cleaners DATE: 10-25-00
 FACILITY LOCATION: 3262 Lake Washington Rd,
Melbourne, FL 32934
 RESPONSIBLE OFFICIAL: Mr. George PHONE NUMBER: 407-242-9431

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS:

In Compliance

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO


DATE OF NEXT INSPECTION: 10-2001
(Approximate)

INSPECTION CONDUCTED BY: Randall Cunningham
(Please Print)


INSPECTOR'S SIGNATURE: [Signature] PHONE NUMBER: 407-843-3333

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
MS 5510-37550 304000
2600 BLAIR STONE ROAD
TALLAHASSEE FL 32399-2400

CERTIFIED MAIL



7000 0600 0026 4129 1949



10 ↑

JUNE 14, 01

Note Note Note

Verlon George sold Evergreen Cleaners to Mr Dale Roach on 1-31-01. You have been informed several times of this change in ownership.

10 AIRS ID # 0090145001AG
~~VERLON H GEORGE~~
EVERGREEN CLEANERS
3262 LAKE WASHINGTON ROAD
MELBOURNE FL 32934

Bureau of Air Monitoring
& Mobile Sources

JUN 14 2001

RECEIVED

Do Not send any more information to Verlon George

SENDER: COMPLETE THIS SECTION		COMPLETE THIS SECTION ON DELIVERY	
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 		A. Received by (Please Print Clearly)	B. Date of Delivery 2-9-01
1. Article Addressed to:		C. Signature <i>Verlon H George</i>	
<p style="text-align: right;">AIRS ID # 0090145</p> <p>EVERGREEN CLEANERS VERLON H GEORGE 3262 LAKE WASHINGTON ROAD MELBOURNE FL 32934</p>		<input type="checkbox"/> Agent <input type="checkbox"/> Addressee	
2. Article Number (Copy from service label)		D. Is delivery address different from item 1? If YES, enter delivery address below:	
000 0660 0026 4128 4439		<input type="checkbox"/> Yes <input type="checkbox"/> No	
		3. Service Type	
		<input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.	
		4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes	
PS Form 3811, July 1999		Domestic Return Receipt	
		102595-99-M-1789	

U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)	
Postmark Here	
Postage \$	
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total	AIRS ID # 0090151
Recip: METRO DRY CLEANERS DAVIN VOGEL Street: 3054 W NEW HAVEN AVE W MELBOURNE FL 32904 City, St:	
PS Form 3800, February 2000 See Reverse for Instructions	

U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)	
Postmark Here	
Postage \$	
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total	AIRS ID # 0090145
Re: EVERGREEN CLEANERS VERLON H GEORGE Str: 3262 LAKE WASHINGTON ROAD MELBOURNE FL 32934 City:	
PS Form 3800, February 2000 See Reverse for Instructions	

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Received by (Please Print Clearly) <i>Vilma R. Lopez</i>	B. Date of Delivery <i>3/5/99</i>
1. Article Addressed to: <div style="text-align: right;">AIRS ID # 0090145</div> EVERGREEN CLEANERS VERLON H GEORGE 3262 LAKE WASHINGTON ROAD MELBOURNE FL 32934	C. Signature <i>Vilma R. Lopez</i>	<input type="checkbox"/> Agent <input type="checkbox"/> Addressee
	D. Is delivery address different from item 1? If YES, enter delivery address below:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.	
<i>70000600002641259321</i> 2. Article Number (Copy from service label)	4. Restricted Delivery? (Extra Fee)	<input type="checkbox"/> Yes
PS Form 3811, July 1999 Domestic Return Receipt 102595-99-M-1789		

U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)		
Postage \$		Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
Total Postage		AIRS ID # 0090145
Recipient: EVERGREEN CLEANERS VERLON H GEORGE Street, Apt. 3262 LAKE WASHINGTON ROAD MELBOURNE FL 32934 City, State,		
PS Form 3800, February 2000 See Reverse for Instructions		

U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)		
Postage \$		Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
Total Postage	10	AIRS ID # 0090145001AG
R VERLON H GEORGE S EVERGREEN CLEANERS 3262 LAKE WASHINGTON ROAD C MELBOURNE FL 32934		
PS Form 3800, February 2000 See Reverse for Instructions		



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

407108 MAR 12 2001

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label

AIRS ID # 0090145

EVERGREEN CLEANERS
~~VERLON H GEORGE~~
3262 LAKE WASHINGTON ROAD
MELBOURNE FL 32934

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: A
Fund: 20-2-035001
Obj.: 002273

Bureau of Air Mail
& Mobile Services

MAR 14 2001

RECEIVED



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

301022 ✓

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label

AIRS ID#0090145

B & G INVESTMENT CO INC
VERLON H GEORGE
3262 LAKE WASHINGTON ROAD
MELBOURNE FL 32934

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

3755 2273 258600 ✓

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

RECEIVED
MAIL ROOM
JAN 21 97

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID# 0090145
B & G INVESTMENTS CO INC
VERLON H GEORGE
3262 LAKE WASHINGTON ROAD
MELBOURNE FL 32934

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0353982

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 0090145
EVERGREEN CLEANERS
VERLON H GEORGE
3262 LAKE WASHINGTON ROAD
MELBOURNE FL 32934

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

RECEIVED
DEC 15 1998
Bureau of Air Monitoring
& Mobile Sources
RECEIVED
MAIL ROOM
DEC 1 98

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0390372

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 0090145
EVERGREEN CLEANERS
VERLON H GEORGE
3262 LAKE WASHINGTON ROAD
MELBOURNE FL 32934

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

RECEIVED
MAIL ROOM
JAN-4 00



Department of Environmental Protection

Jeb Bush
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

TO: Holder of Title V Air General Permit

Our records indicate that, as the owner or operator of an eligible facility, you have claimed entitlement to the use of a Title V Air General Permit under Rule 62-213.300, Florida Administrative Code (F.A.C.)

For your facility to maintain its eligibility for the Title V Air General Permit, Rule 62-213.300(1)(b), F.A.C. states "...the owner or operator of the facility must, upon written notice from the Department, submit payment of an annual operation fee in the amount of \$50.00. This fee is due and payable between January 15 and March 1 of each year for which the facility is in operation and subject to the requirements of the rule and the general permit." This invoice constitutes the Department's written notice, as required under the general permit rule.

Please make your check or money order payable to the Department of Environmental Protection and staple it to the detachable portion of this invoice below. To maintain your facility's eligibility for the general permit, the fee must be received by the Department not later than March 1. Your check and the detachable portion of this invoice below should be mailed to:

Thought this was for \$100

Title V Air General Permits
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070



NOT \$1000
(cut here)

Value Added

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label

AIRS ID # 0090145
EVERGREEN CLEANERS
~~WILSON H. GEORGE~~
3262 LAKE WASHINGTON ROAD
MELBOURNE FL 32934


FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: A1
Fund: 20-2-035001
Obj.: 002273


Verton George
3660 Heartwood Ln
Melbourne, Florida
32934



TITLE V - General Permit
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070

3231543070





Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

See MAR 6

March 1, 2001

FINAL NOTICE OF ANNUAL EMISSIONS FEE VIA: CERTIFIED MAIL WITH RETURN RECEIPT

TO: User of Title V Air General Permit

Records in the Division of Air Resource Management indicate that during calendar year **2000** you owned or operated a facility which is a source of air pollution. You have also claimed eligibility for this facility to operate under a Title V Air General Permit pursuant to Chapter 62-213, Florida Administrative Code (F.A.C.).

As a source of air pollution subject to Title V of the federal Clean Air Act, your facility is required under Section 403.0872, Florida Statutes (F.S.), to pay an annual emissions fee as established by the Department in Rule 62-213.205, F.A.C. You are also required under Rule 62-213.300, F.A.C., to notify the Department in writing of any change in facility status.

The annual emissions fee for your facility is \$50 for calendar year 2001. A notice of your obligation to pay the annual emissions fee was sent to you by first class certified mail, along with an invoice form and instructions. If you have already submitted the annual emissions fee in response to that request, please disregard this letter.

If you have **not** yet submitted the annual emissions fee, this notice (with the enclosed replacement invoice) is being sent in accordance with Rule 62-213.205(1)(g), F.A.C., as a reminder that any annual emissions fee not postmarked by **March 1, 2001**, may be subject to a 50% penalty, plus interest computed in accordance with Section 220.807, F.S. In addition, under Rule 62-213(1)(g), F.A.C., failure to timely pay any required annual emissions fee, penalty, or interest constitutes grounds for revocation of the Title V Air General Permit.

To submit your fee payment, please follow the directions on the enclosed invoice form. If you have any questions, you may call Rick Butler at 850/921-9586 or Sandra Bowman at 850/921-9583. Thank you for your prompt attention to this matter.

Sincerely,

Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

/DD

Enclosure: Invoice Form

"More Protection, Less Process"