## PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

UPDATED
DATE 8-6-49
BY Re

TYPE OF INSPECTION:

ANNUAL

A

COMPLAINT/DISCOVERY

RE-INSPECTION

AIRS ID#: 0090167 DATE: 8-6-0	99 TIME IN: 10! 38 TIME OUT: 11:00		
FACILITY NAME: Atlantic Cleane	15		
FACILITY LOCATION: 1058 Hwy	AIA PA		
Satellite Br	each, FL 32937		
RESPONSIBLE OFFICIAL: Loga Ngu	/y1n PHONE: 77.73-3388		
CONTACT NAME:	PHONÉ; N. C.		
	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		
PART I: NOTIFICATION	* *\dag{\gamma}		
(check appropriate box)			
1. New facility notified DARM 30 days prior to sta	rtup 🗆		
2. Facility failed to notify DARM to use general pe	rmit 🗆		
PART II: CLASSIFICATION			
Facility indicated on notification form that it is: (check appropriate box)  A.	☐ No notification form ☐ Drop store/out of business/petroleum		
1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91)	2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91)		
3. Existing large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr (constructed before $12/9/91$ )	4. New large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr (constructed on or after $12/9/91$ )		
5. This is a correct facility classification	Can not determine		
If no, please check the appropriate classification:  facility qualified for a general permit as number above facility exceeds above limits and is not eligible for a general permit			
B. The total quantity of perchloroethylene (perc) pu facility was 19.5 gallons.	urchased within the preceding 12 months by this dry cleaning		

## PART III: GENERAL CONTROL REQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) 1. Storing perchloroethylene in tightly sealed and impervious containers? DY ON CANA DY ON DANA 2. Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? ND YS 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Spindisk DY DN DNA 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) 1. Equipped all machines with the appropriate vent controls? DY ON ON/A 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the LY ON ONA condenser exceeded 45°F? 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?

В	. Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΠY	ON	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΩY	ПИ	□N⁄A
	Is the temperature differential equal to or greater than 20° F?	ПY	□и	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,			
	if machines are equipped with a carbon adsorber?	ΠY	ΠN	□N/A
	Is the perc concentration equal to or less than 100 ppm?	ΩY	ПΝ	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction,	Oxa		
	or expansion; and downstream from no other inlet?	ЦY	UN	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΟY	Ди	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΟY	иП	`DN/A

PART V: RECORDKEEPING REQUIREMENTS	
Has the responsible official: (check appropriate boxes)	
1. Maintained receipts for perc purchased?	מס עצ
2. Maintained rolling monthly averages of perc consumption?	מם צש
3. Maintained leak detection inspection and repair reports for the following:	
a. documentation of leaks repaired w/in 24 hrs? or;	dy on ona
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	OY ON PAIA
4. Maintained calibration data? (for applicable direct reading instruments)	DY DN <b>G</b> WA
5. Maintained exhaust duct monitoring data on perc concentrations?	אוס אם אם אם
6. Maintained startup/shutdown/malfunction plan?	MA CH
7. Maintained deviation reports?	AND ND AND
Problem corrected?	DY DN DXVA
8. Maintained compliance plan, if applicable?	OY ON 🎢

PART	PART VI: LEAK DETECTION AND REPAIRS				
1. Doe	1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair				
insp	pection?			Try ON	
2. Has	the facility maintained a leak log?			מם עם	
3. Doe	3. Does the responsible official check the following areas for leaks?				
···	Hose connections, fittings,				
	couplings, and valves	DY DN DN/A	Muck cookers	DY DN DN/A	
	Door gaskets and seating	אואם אם עם	Stills	אואם אם אוא	
	Filter gaskets and seating	AVO NO YO	Exhaust dampers	MY ON ON/A	
	Pumps	DY ON ON/A	Diverter valves	OY ON ON/A	
	Solvent tanks and containers	DY ON ON/A	Cartridge filter housings	DY DN DN/A	
	Water separators	אואם אם אס			
4. Whi	ch method of detection is used by t	he responsible official?			
	Visual examination (condensed s	olvent on exterior surfaces	5)	6	
	Physical detection (airflow felt th	rough gaskets)	•	4	
Odor (noticeable perc odor)			10		
Use of direct-reading instrumentation (FID/PID/calorimetric tubes)					
	Halogen leak detector				
	If using direct-reading instr	umentation, is the equip	ment:	A/MEX	
	a. Capable of detecting p	perc vapor concentrations	in a range of 0-500 ppm?	OY ON	
b. Calibrated against a standard gas prior to and after each use (PID/FID only)?			מם עם		
	,	d obvious signs of wear or	n a weekly basis?	מט עם	
		ecure area when not in use	•	אם צם	
	-	by use of duplicate sample		DY DN	
	·		`	į	
•		•			
'/k	andull Cuninal		8-6-94		

Randall Cunningham

Inspector's Name (Please Print)

Add G-2000

Inspector's Signature

Approximate Date of Next Inspection

One purchase all year

AIRS ID#: \_0090167

## DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM



FACILITY NAME: Atlantic Geaners	DATE: 8-6-94
FACILITY LOCATION: 1058 Hwy AIA	
Satellite Beach, FL	32937
Annual Reporting Period: August	1998 TO August 1999
Based on each term or condition of the Title V general air permi 62-213.300, Florida Administrative Code (F.A.C.), during the pe	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
If NO, complete the following:	
#1. Term or condition of the general permit that has not been in	continuous compliance during the reporting period stated above:
Exact period of non-compliance: from	to
Action(s) taken to achieve compliance:	
Method used to demonstrate compliance:	<del></del>
#2. Term or condition of the general permit that has not been in	continuous compliance during the reporting period stated above:
Exact period of non-compliance: from	to
Action(s) taken to achieve compliance:	· · · · · · · · · · · · · · · · · · ·
Method used to demonstrate compliance:	
As the responsible official, I hereby certify, based on informatio made in this notification are true, accurate and complete. Furth upon purchase receipts, does not exceed 2,100 gallons per year combination facilities.  RESPONSIBLE OFFICIAL:	

Page \_\_\_\_ of \_\_\_\_.

<sup>\*</sup>This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

## TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION:	ANNUAL COM	MPLAINT/DISCOVERY	RE-INSPECTION	
TIME IN:   11:30	TIME OUT: 11:00	AIRS ID#: 009	0167	
TYPE OF FACILITY: Dry	lleaner .			
FACILITY NAME: Atlant	To Urane15		DATE: 4-6-89	
FACILITY LOCATION: 1059	8 Hwy AIA	·		
Sut	ellite Beach, FL	32937		
RESPONSIBLE OFFICIAL:	oan Nguyen	PHONE NUMBER:	773-3388	
<del></del>	the compliance requirements evalu	nated during this inspection, the facilitative Code (F.A.C.).	ty is found to be in	
Based on the results of t discrepancies were note	•	ated during this inspection, the follow	ving compliance	
COMPLIANCE REQU	JIREMENT/PROBLEM	FOLLOW-UP ACTIO	N REQUIRED	
	- 1/2	,		
	·			
COMMENTS:		<u> </u>		
In Com	pliance lury.	5 mall sovict)		
-	$C_{i} \supset A_{i} \supset A_{i}$	fied and submitted to the inspector.	YES NO	
DATE OF NEXT INSPECTION: 8-2000 (Approximate)				
INSPECTION CONDUCTED BY: Randy 11 Cunninghum  (Please Print)				
INSPECTOR'S SIGNATURE:	notall Til	PHONE NUMBER:_	407-893-3333	
	Page_	of	Revised 10/96	