TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION:	ANNUAL 🔽	COM	MPLAINT/DISCOVERY	RE-INSPECTION
TIME IN: 12:30 TYPE OF FACILITY:	TIME OUT:	1:45	Airs ID#:	one 0090178
FACILITY NAME: 10	vchol (1955)	J		DATE: 10/16/98
FACILITY LOCATION:	325 E. MC1	ritt	(Sland Causings	
	Mr. 18lance	y F	7. 32952	
RESPONSIBLE OFFICIAL:	NAID VAYDA	七	PHONE NUMBER:	457-452-8-624
	the compliance requirement Rule 62-213.300, Florida A		ated during this inspection, the facil ative Code (F.A.C.).	ity is found to be in
discrepancies were note	ed:		ated during this inspection, the follo	
COMPLIANCE REQU	UIREMENT/PROBL	EM	FOLLOW-UP ACTIO	ON REQUIRED
				P
				Burn Mark
				Model of the State
				Life Control of the C
•				
				
COMMENTS: NOS been keepin ARANS (NEW 8)	g vecords - h where had h	se di	à not have him complete a neu	notification
The Annual Compliance Certific	ation form has been prope	rly certifi	ied and submitted to the inspector.	YES NO
DATE OF NEXT INSPECTIO	N:	10/90	proximate)	
INSPECTION CONDUCTED	ву:	dia	Quvesmi ease Print)	
INSPECTOR'S SIGNATURE:	4/		PHONE NUMBER:_	407-893-3333
	\mathcal{U}	Page	_of	Revised 10/96

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

TVDE	OF	INSPE		١N٠
7722	20	# 132 =	\sim \sim \sim	17.70

ANNUAL)	K
(Althorat	$\vee \vee$
TE TAKEFOTTON	

COMPLAINTIDISCOVERY

RE-INSPECTION	N D SE NO THE			
0090178 AIRS ID#: 10/5/	198 TIME IN: 12:30 TIME OUT: 1:45			
FACILITY NAME: TOUCH OF C	Lass Cleaners East Menutt Island Courte			
FACILITY LOCATION: 325 E	East Menutt Island Course			
M. Isla	ad EL 32952			
RESPONSIBLE OFFICIAL: VALUE WA	1410A PHONE: 467-452-8837			
CONTACT NAME:	PHONE:			
PART I: NOTIFICATION				
(check appropriate box)	_			
1. New facility notified DARM 30 days prior to startup				
2. Facility failed to notify DARM to use general permit				
PART II: CLASSIFICATION				
Facility indicated on notification form that it is:	O No notification form			
(check appropriate box)	☐ Drop store/out of business/petroleum			
A. 1. Existing small area source	2. New small area source			
dry-to-dry only, x < 140 gai/yr	dry-to-dry only, x < 140 gal/yr			
transfer only, x < 200 gal/yr	transfer only, x < 200 gal/yr both types, x < 140 gal/yr			
both types, x < 140 gal/yr (constructed before 12/9/91)	both types, x < 140 gallyr (constructed on or after 12/9/91) Lylars old			
3. Existing large area source	4. New large area source C			
dry-to-dry only, $140 \le x \le 2,100 \text{ gal/yr}$	dry-to-dry only, $140 \le x \le 2{,}100 \text{ gal/yr}$			
transfer only, $200 \le x \le 1,800 \text{ gal/yr}$	transfer only, $200 \le x \le 1.800$ gal/yr			
both types, $140 \le x \le 1,800 \text{ gail}$) $(\text{constructed before } 12/9/91)$	both types, 140 < x < 1,300 gal/yr (constructed on or after 12/9/91)			
5. This is a correct facility classification	OY ON Can not determine			
If no, please check the appropriate classifi	ācation:			
facility qualinest for a general permit as number acove				
B. The total quantity of perchloroethylene (perc) I	purchased within the preceding 12 months by this dry cleaning			
facility was gallons.	and of			

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility: (check appropriate boxes) **

1. Storing perchloroethylene in tightly scaled and impervious containers? 2. Examining the containers for leakage?

3. Closing and securing machine doors except during loading/unloading?

4. Draining cartridge filters in their housing or in scaled containers for at) Cspindist 1 least 24 hours prior to disposal?

5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

1. Equipped all machines with the appropriate vent controls?

Equipped dry-to-dry machines with a closed-loop vapor venting system?

3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?

4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly oi-weekly basis?

5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?

6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?

PART V: RECORDKEEPING REQUIREMENTS	
Has the responsible official: (check appropriate boxes)	
1. Maintained receipts for perc purchased?	ey en
2. Maintained rolling monthly total of perc consumption?	
3. Maintained leak detection inspection and repair reports for the following:	
a. documentation of leaks repaired w/in 24 hrs? or;	OM ON ON/A
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	ON ON A
4. Maintained califoration data? (for applicable direct reading instruments)	CY CH XWA
5. Maintained exhaust duct monitoring data on perc concentrations?	TIND AD AN
6. Maintained startup/shutdown/malfunction plan?	ÇX □N
7. Maintained deviation reports?	AND NO NA
Problem corrected?	DY DY MANY
8. Maintained compliance plan, if applicable?	AND ND BY

PART VI: LEAK DETECTION AND REPAIRS 1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? 2. Has the facility maintained a leak log? ПN 3. Does the responsible official check the following areas for leaks? Hose connections, fittings, DY ON ONA couplings, and valves Muck cookers ΦY □N □N/A DY ON ONA Door gaskers and seating Stills DAND NO YO Filter gaskets and seeting DIA CN CNA Exhaust dampers DY CN CWA DAND ND AD Pumps Diverter valves DY ON OWA DY ON ONA Solvent tanks and containers Cartridge filter housings DY ON OWA DY ON ONA Water separators 4. Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector

a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?

b. Calibrated against a standard gas prior to and after each use

c. Inspected for leaks and obvious signs of wear on a weekly basis?

e. Verified for accuracy by use of duplicate samples (calorimetric only)?

If using direct-reading instrumentation, is the equipment:

d. Kept in a clean and secure area when not in use?

(PID/FID only)?

Saadiri Geveshi	10/15/98
Inspector's Name (Please Print)	Date of Inspection
	18/99
Appeasor's Signature	Approximate Date of Next Inspection
()	

□N/A

ND YD

DY DN

DY DN

MD AD

UN UN

Suprema, Premier

New Owner (4mths)

only broght 40 gal sofar

pan? yes

epoxy? yes

has heen keeping logs-

Eafety ckan Shazardous waste

IN compliance