

### Department of Environmental Protection

Lawton Chiles Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

Virginia B. Wetherell Secretary

September 16, 1996

Mr. James W. Falkowski President Lamar 1 Hour Dry Cleaners 6430 Pembroke Road Miramar, Florida 33023

Dear Mr. Falkowski:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on August 19, 1996.

Please note that in November of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office Bureau of Air Monitoring and Mobile Sources MS 5510 Department of Environmental Protection 2600 Blair Stone Road Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

Dotty Diltz, Chief Bureau of Air Monitoring

and Mobile Sources

Goety Slietz

/DD

cc: Mr. Robert Wong, Broward County

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

### #0112228

•	
	La Mar 1 Hour Dry Cleaners
	,
P.14	1.(a) add date(s) control device installed
	installed,
	1.(c) mark out "X" and initial
	!}
	· · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·	
	<u> </u>
	, 1
. ,	!

### Perchloroethylene Dry Cleaning Facility Notification

### **Facility Name and Location**

·				
Facility Owner/Company Name (Name of corporation, agency, or individual owner):				
La Mar 1 Hour Dry Cleaners				
2. Site Name (For example, plant name or number):				
La Mar 1 Hour Dry Cleaners				
3. Hazardous Waste Generator Identification Number:				
FLD 981-026-214				
4. Facility Location:				
Street Address: 6430 Pembroke Rd				
City: Miramar County: Broward Zip Code: 33023				
5. Facility Identification Number (DEP Use):				
01/228	7.322.44 - 1.561			
。 [1] 14 14 14 14 14 14 14 14 14 14 14 14 14	GAN.			
Responsible Official				
responsible Official				
6. Name and Title of Responsible Official:				
James W Falkowski Pres				
11.63				
7. Responsible Official Mailing Address: Organization/Firm:				
Organization/Firm: SAME AS a SaJe Street Address:				
City: County: Zip Code:				
8. Responsible Official Telephone Number:				
Telephone: (954) 983-7519 Fax: ( ) -				
Facility Contact (If different from Responsible Official)				
9. Name and Title of Facility Contact (For example, plant manager):				
10. Facility Contact Address:				
Street Address:				
City: County: Zip Code:	}			
2,, 200.				
11. Facility Contact Telephone Number:				

RECEIVED

AUG 1 9 1996

DEP Form No. 62-213.900(2) Effective: 6-25-96

Telephone: ( )

Page 13 of 16

Fax: (

) -

Bureau of Air Monitoring & Mobile Sources

#### **Facility Information**

Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

		Date Machine Initially	Date Control Device		Date Machine Initially	Date Control Device		Date Machine Initially	Date Control Device
Type of Machine	·ID	Purchased	Installed	ID	Purchased	Installed	ID	Purchased	Installed
Example	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-9
Dry-to-Dry Unit							1.5,		
(1) w/ ref. condenser	1	7-95	NIA	2	11-86	NA			
(2) w/ carbon adsorber									
(3) w/ no controls									
Washer Unit	٠.		,		-	2	٠.		100
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit	:			٠.					1.10
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit			·		• . •			1	
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									
(b) Control devices are  (c) No control devices  2.(a) What was the total of [	are requant	equired to be ity of perchlons ow many?	oroethylene (	(perc)	Both)	n the latest 12	2 moi	nths?	
3. What is the facility's so (Indicate with an "X".  Existing small ar	Selectors rea so	ource Survey	ication only.)	ew sn	nall area sou	rce [X	3) of	Part II?	
Existing large are	za 50	uice [	Ne	w ia	rge area sour	LE [	J		

DEP Form No. 62-213.900(2)

Effective: 6-25-96

4. What control technology is required on machines pursua (Indicate with an "X".)	nt to section (5) of Part II of this notification form?
Existing large area source  Carbon adsorber Refri	gerated condenser []
New small area source Refrigerated condenser  [ ]	
New large area source Refrigerated condenser []	
5. A facility which contains non-exempt emissions units sl to Rule 62-213.300, F.A.C. Verify that all steam and hot we exemption criteria or that no such units exist on-site:	
All steam and hot water generating units on-site (1) have a boiler HP or less), and (2) are fired exclusively by natural during which propane or fuel oil containing no more than	gas except for periods of natural gas curtailment
All steam and hot water generating units exempt No such units on-site	] ]
Equipment Monitoring and Re	cordkeeping Information
Check all logs which are required to be kept on-site in acco	
(a) Purchase receipts and solvent purchases	( <del>)</del>
(b) Leak detection inspection and repair	( <u>X</u> )
(c) Refrigerated condenser temperature monitoring	
(d) Carbon adsorber exhaust perc concentration monitoring	
(e) Instrument calibration	
(f) Start-up, shutdown, malfunction plan	( <del>X</del> )

DEP Form No. 62-213.900(2) Effective: 6-25-96

### Surrender of Existing Air Permit(s)

Ple	ase indicate	e with an "X" the appropriate selection:
		I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)
	¥	No air permits currently exist for the operation of the facility indicated in this notification form.
		Responsible Official Certification
	this notific statement maintain	ersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in cation. I hereby certify, based on information and belief formed after reasonable inquiry, that the s made in this notification are true, accurate and complete. Further, I agree to operate and the air pollutant emissions units and air pollution control equipment described above so as to tith all terms and conditions of this general permit as set forth in Part II of this notification form.
	I will proi	nptly notify the Department of any changes to the information contained in this notification.
	Signature	$\frac{S-12.96}{Date}$

Effective: 6-25-96

INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL XI COM	PLAINT/DISCOVERY . RE-INSPECTION .
TIME IN: 9:30 TIME OUT: 11:0	O AIRS ID#: 01/2228
	Perc.
FACILITY NAME: Lamas 1 Hour Dry	
RESPONSIBLE OFFICIAL: James W. Falkowsa	PHONE NUMBER: (954) 983-75/9
Based on the results of the compliance requirements evaluated compliance with DEP Rule 62-213.300, Florida Administra	
Based on the results of the compliance requirements evaluated discrepancies were noted:	ted during this inspection, the following compliance
COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
Favility is in compliance	
	-
COMMENTS:	
The Annual Compliance Certification form has been properly certification	ed and submitted to the inspector. YES NO
DATE OF NEXT INSPECTION:	
	proximate) AVIAN OPRIS ease Print)
INSPECTOR'S SIGNATURE:	PHONE NUMBER: (954) 519-1420
Page 2	2_of_2. Revised 10/96

AIRS ID#: 0/12228

. Revised 10/10/96

## DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Lamon 1 Hour Dry (leavers DATE:  FACILITY LOCATION: 6430 Pembroke Road, Kinaman  Flavidor 33023
FACILITY LOCATION: 6430 Pembrone Road, Miraman
Flavidor 33023
Annual Reporting Period: More 1997 TO May 1998
Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. XYES
If NO, complete the following:
#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:
<u> </u>
Exact period of non-compliance: fromto
Action(s) taken to achieve compliance:
Method used to demonstrate compliance:
#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:
Exact period of non-compliance: fromto
Action(s) taken to achieve compliance:
Method used to demonstrate compliance:
As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.
RESPONSIBLE OFFICIAL: JAMES W. FALKOWSKI 0-12-97
Name (Please Print) Eignature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

Page 1 of 2.

JUN 9 1997

BEST AVAILABLE COLL	IPLAINT/DISCOV. RE-INSPECTION
TIME IN: TIME OUT: 1100	AIRS ID#: 0/2228
TYPE OF FACILITY: Derchloroothyleene	
FACILITY NAME: La Man 1 Hour Dry	cheaners DATE: 11-1-96
FACILITY LOCATION: 6430 Rembroke	RO.
mirainar FL. 330	
RESPONSIBLE OFFICIAL: James W. Falkows	PHONE NUMBER (954) - 983 - 7519
Based on the results of the compliance requirements evaluated compliance with DEP Rule 62-213.300, Florida Administration	ative Code (F.A.C.).
Based on the results of the compliance requirements evalua discrepancies were noted:	sted during this inspection, the following compliance
COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
	,
	RECEIVED
· · · · · · · · · · · · · · · · · · ·	MAY 8 1997
	Bureau of Air Monitoring & Mobile Sources
•	
COMMENTS:	:
The Annual Compliance Certification form has been properly certification	ied and submitted to the inspector. YES NO
DATE OF NEXT INSPECTION: 1/-1-97	
INSPECTION CONDUCTED BY: Paul R. Shelfor	proximate)
INSPECTOR'S SIGNATURE: Paul R. Skotlor	PHONE NUMBER: (954)- 579-1444

Page\_\_\_of\_\_\_.

Revised 10/96

# DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: La Mar /	Hour Dry cleaner	<u>.</u>	ATE: NOU. 1,96
FACILITY LOCATION: 6430	Pembroke RO.		
FACILITY NAME: La Mar / FACILITY LOCATION: 6430  MIRAIN	ar, FL. 33023		
Annual Reporting Period: NOV. /	19_ <b>&amp;</b>	NOU. 1	19 97
Based on each term or condition of the Title 62-213.300, Florida Administrative Code (F.		<u> </u>	ith DEP Rule
If NO, complete the following:			
#1. Term or condition of the general permit	that has not been in continuous com		-
Exact period of non-compliance: from	N-A.	toRECE	IVED
Action(s) taken to achieve compliance:	1X.A.	MAY A	1907
Method used to demonstrate compliance:	N.A.	Bureau of An & Mobile	Menitoring
#2. Term or condition of the general permit	that has not been in continuous com		
Exact period of non-compliance: from	N. A.	to	
Action(s) taken to achieve compliance:	N.A.		
Method used to demonstrate compliance:	N. A.		
As the responsible official, I hereby certify, made in this notification are true, accurate a upon rolling averages of purchase receipts, year for transfer or combination facilities.  RESPONSIBLE OFFICIAL:	and complete. Further, my annual c	onsumption of perchloroeth	ylene solvent, based
DUCONNEIDI E NECTOTAT.	100		$\sim$

Page \_\_\_\_\_ of \_\_\_\_.

<sup>\*</sup>This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

### BEST AVAILABLE COPY

### PERCHLOROETHYLENE DRY CEANERS

DEP RULE 62-213.300 GENERAL PERMIT RECEIVED

Revised 8/9/96

	DMPLIANCE INSPECTION CHECKLIST	
TYPE OF INSPECTION:	ANNUAL SEMI-ANN	MY 8 1997
	8	[P計 Air Mofiltoring Mobile Sources
AIRS ID#: 01/2228	TIME IN: 1000 TIME OUT  Man 1 Hour Dry cleaners  430 Pembroke Rd.	: //00
FACILITY NAME: La h	Mun I Hour Dry cleaners	
FACILITY LOCATION:64	+30 Pembroke Rd.	
m	nikaman LL 33023	
<u> Ar</u>		
;	A STATE OF THE STA	
PART I: NOTIFICATION		
(check appropriate box)		IVED
1. Existing facility notified DARM b	PECE	
2. New facility notified DARM 30 d	ays prior to startup	. ر <sub>عدر</sub> ت
3. Facility failed to notify DARM to	use general permits	. A total
i ·	ACCEPTANCE OF THE PARTY OF THE	
PART II: CLASSIFICATION	AST TO THE STATE OF THE STATE O	
Facility indicated on notification (check appropriate box)		
Facility indicated on notification		
Facility indicated on notification		
Facility indicated on notification		a
Facility indicated on notification (check appropriate box)  A.	n form that Hais The	a
Facility indicated on notification (check appropriate box)  A.  L. Existing small area source	n form that it is 1	a
Facility indicated on notification (check appropriate box)  A.  L. Existing small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr	n form that Hais J.  2. New small area source dry-to-dry only, x<140 gal/yr	۵
A:  L. Existing small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr	2. New small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr	a
Facility indicated on notification (check appropriate box)  A.  L. Existing small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed before 12/9/91)	dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr. (constructed on or after 12/9/91)	·
A:  L. Existing small area source dry-to-dry only, x<140 gal/yr both types, x<140 gal/yr (constructed before 12/9/91)  3. Existing large area source	dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types; x<140 gal/yr (constructed on or after 12/9/91)  4. New large area source	
A:  L. Existing small area source dry-to-dry only, x<140 gal/yr both types, x<140 gal/yr (constructed before 12/9/91)  3. Existing large area source dry-to-dry only, 140 <x<2, 100="" gal="" td="" yr<=""><td>2. New small area source dry-to-dry only, x&lt;140 gal/yr transfer only, x&lt;200 gal/yr both types, x&lt;140 gal/yr (constructed on or after 12/9/91)  4. New large area source dry-to-dry only, 140<x<2, 100="" gal="" td="" yr<=""><td>·</td></x<2,></td></x<2,>	2. New small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed on or after 12/9/91)  4. New large area source dry-to-dry only, 140 <x<2, 100="" gal="" td="" yr<=""><td>·</td></x<2,>	·
A:  L. Existing small area source dry-to-dry only, x<200 gal/yr both types, x<140 gal/yr (constructed before 12/9/91)  3. Existing large area source dry-to-dry only, 140 <x<2, 100="" 200<x<1,800="" gal="" only,="" td="" transfer="" yr="" yr<=""><td>2. New small area source dry-to-dry only, x&lt;140 gal/yr transfer only, x&lt;200 gal/yr both types, x&lt;140 gal/yr (constructed on or after 12/9/91)  4. New large area source dry-to-dry only, 140<x<2, 100="" 200<x<1,800="" gal="" only,="" td="" transfer="" yr="" yr<=""><td>·</td></x<2,></td></x<2,>	2. New small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed on or after 12/9/91)  4. New large area source dry-to-dry only, 140 <x<2, 100="" 200<x<1,800="" gal="" only,="" td="" transfer="" yr="" yr<=""><td>·</td></x<2,>	·
Facility indicated on notification (check appropriate box)  A:  L. Existing small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed before 12/9/91)  31 Existing large area source dry-to-dry only, 140 <x<2, 100="" 140<x<1,800="" 200<x<1,800="" both="" gal="" only,="" td="" transfer="" types,="" yr="" yr<=""><td>dry-to-dry only, x&lt;140 gal/yr transfer only, x&lt;200 gal/yr both types, x&lt;140 gal/yr (constructed on or after 12/9/91)  4. New large area source dry-to-dry only, 140<x<2, 100="" 140<x<1,800="" 200<x<1,800="" both="" gal="" only,="" td="" transfer="" types,="" yr="" yr<=""><td>·</td></x<2,></td></x<2,>	dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed on or after 12/9/91)  4. New large area source dry-to-dry only, 140 <x<2, 100="" 140<x<1,800="" 200<x<1,800="" both="" gal="" only,="" td="" transfer="" types,="" yr="" yr<=""><td>·</td></x<2,>	·
Facility indicated on notification (check appropriate box)  A:  L. Existing small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed before 12/9/91)  3. Existing large area source dry-to-dry only, 140 <x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)<="" before="" both="" gal="" only,="" td="" transfer="" types,="" yr=""><td>dry-to-dry only, x&lt;140 gal/yr transfer only, x&lt;200 gal/yr both types, x&lt;140 gal/yr (constructed on or after 12/9/91)  4. New large area source dry-to-dry only, 140<x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)<="" after="" both="" gal="" on="" only,="" or="" td="" transfer="" types,="" yr=""><td>·</td></x<2,></td></x<2,>	dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed on or after 12/9/91)  4. New large area source dry-to-dry only, 140 <x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)<="" after="" both="" gal="" on="" only,="" or="" td="" transfer="" types,="" yr=""><td>·</td></x<2,>	·
Facility indicated on notification (check appropriate box)  A.  L. Existing small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed before 12/9/91)  31 Existing large area source dry-to-dry only, 140 <x<2, 100="" 140<x<1,800="" 200<x<1,800="" both="" gal="" only,="" td="" transfer="" types,="" yr="" yr<=""><td>dry-to-dry only, x&lt;140 gal/yr transfer only, x&lt;200 gal/yr both types, x&lt;140 gal/yr (constructed on or after 12/9/91)  4. New large area source dry-to-dry only, 140<x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)<="" after="" both="" gal="" on="" only,="" or="" td="" transfer="" types,="" yr=""><td>·</td></x<2,></td></x<2,>	dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed on or after 12/9/91)  4. New large area source dry-to-dry only, 140 <x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)<="" after="" both="" gal="" on="" only,="" or="" td="" transfer="" types,="" yr=""><td>·</td></x<2,>	·
Facility indicated on notification (check appropriate box)  A:  L. Existing small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed before 12/9/91)  3. Existing large area source dry-to-dry only, 140 <x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)<="" before="" both="" gal="" only,="" td="" transfer="" types,="" yr=""><td>2. New small area source dry-to-dry only, x&lt;140 gal/yr transfer only, x&lt;200 gal/yr both types; x&lt;140 gal/yr, (constructed on or after 12/9/91)  4. New large area source dry-to-dry only, 140<x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)="" after="" both="" by<="" gal="" on="" only;="" or="" td="" transfer="" types;="" yr=""><td>·</td></x<2,></td></x<2,>	2. New small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types; x<140 gal/yr, (constructed on or after 12/9/91)  4. New large area source dry-to-dry only, 140 <x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)="" after="" both="" by<="" gal="" on="" only;="" or="" td="" transfer="" types;="" yr=""><td>·</td></x<2,>	·
A:  L. Existing small area source dry-to-dry only, x<140 gal/yr (constructed before 12/9/91)  31 Existing large area source dry-to-dry only, 140 32 Existing large area source dry-to-dry only, 140 33 Existing large area source dry-to-dry only, 140 34 Existing large area source dry-to-dry only, 140 35 Existing large area source dry-to-dry only, 140 36 This is a correct facility classification lf no, please check the appropriate classification of the control of the	2. New small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed on or after 12/9/91)  4. New large area source dry-to-dry only, 140 <x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)="" after="" both="" by<="" gal="" on="" only,="" or="" td="" transfer="" types,="" yr=""><td>·</td></x<2,>	·

1 of 4

HOUR DRY CLEANERS

6430 PEMBROKE ROAD
MIRAMAR, FL. 33023

JAMES FALKOWSKI

7. Conducted all temperature monitoring after an appropriate cooldown
period and after verifying that the coolant had been completely charged?
B. Has the responsible official of an existing large or new large area source also: M. A
1: Measured and recorded the exhaust temperature on the outlet side of the
condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?
2! Measured and recorded the washer exhaust temperature at the condenser
inlet and outlet weekly?
Is the temperature differential equal to or greater than 20° F?
3 Measured and recorded the perc concentration in the exhaust stream weekly
at the end of the final drying cycle while the machine is venting to the adsorber,
if machines are equipped with a carbon adsorber?
Is the perc concentration equal to or less than 100 ppm?
12 the bere concentration edganto or least that so blance
4. Assured that the sampling port on the carbon adsorber exhaust for measuring
perc concentrations is at least 8 duct diameters downstream of any bend, contraction,
or expansion; is at least 2 duct diameters upstream from any bend, contraction,
or expansion; and downstream from no other inlet?
5 Equipped transfer machines (dryers, reclaimers, and washers) with individual
condenser coils?
6 Routed auflow to the carbon adsorber at all times?

PART V: RECORDKEEPING REQUIREMENTS	En la serial de la company
Has the responsible official:  (check appropriate boxes)  1. Maintained receipts for perc purchased?  2. Maintained leak detection inspection and repair reports for the following:	
a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/	in 2 days
and parts installed w/in 5 days of receipt?  3. Maintained calibration data?	מעם אפ
4. Maintained exhaust duct monitoring data on perc concentrations?	אם אם
5. Maintained rolling monthly averages of perc consumption?  6. Maintained startup/shutdown/malfunction plan?	מם אם
7. Maintained deviation reports?  Problem corrected?	שא טא מס איפ
8. Maintained compliance plan, if applicable?	מס אַם
3 of 4	


B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 100 gallons.

PART IH: GENERAL CONTROL REQUIREMENTS				
Is the responsible official of the dry	cleaning facility:			
(check appropriate boxes)				
1. Storing perchloroethylene in tightly sea	led and impervious containers?	מט עט		
2. Examining the containers for leakage?		er on		
3. Closing and securing machine doors ex	cept during loading/unloading?	MO AM		
4. Draining cartridge filters in their housin	g or in sealed containers for at			
least 24 hours prior to disposal?		מל טא		
5. Maintaining solvent-to-carbon ratios an	d steam pressure for carbon adsorber			
beds according to the manufacturer's speci	fications?	EY ON		

PART IV: PROCESS VENT CONTROLS	e maintain and their
In Part II-A	<b>经产品的基础的</b>
If classification i has been checked, no controls are required. Proceed to Part	
If classification 2 has been checked, the machine should be equipped with airely	ricerated condenser
Complete A below	The state of the s
Complete A PCION	
It classification 3 has been checked, the machine should be equipped with eithe	ra refrirerated
Opcondenser or a carbon adsorber (complete A and B below).	
If classification 4 has been checked, the machine should be equipped with a refi	rigerated condenser
(complete A and B below).	
A. Has the responsible official of all new sources and existing large area source	s: The Control of the
(check appropriate boxes)	
1. Equipped all machines with the appropriate vent controls?	BY DN -
[발발: [1] [1] [1] [1] [1] [1] [1] [1] [1] [1]	
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	OY ON
그는 생선 그 그 그 그 그 그 그를 하는 형 것 때문을 그리고 있는데 그	
3. Equipped the condenser with a diverter valve if airflow will be directed.	The state of the second state of the second
away from the condenser upon opening the door?	BY □N N
4. Measured and recorded the temperature of the outlet exhaust stream of a	
refrigerated condenser on a weekly basis?	CHY CON CON 15
5. Repaired or adjusted the equipment within 24 hours if the exhaust	- 4
temperature of the condenser exceeded 45° F?	אם איצ
	Service March 1986
6 Verified the accuracy of the temperature sensor to within plus or minus	
2 degrees of the exhaust temperature?	BY WILLIAM



PART VI: LEAK DETECTION AND R	PAIRS		
1. Does the responsible official conduct a v	reckly leak detection and repair inspection?	d <sub>Y</sub>	. אם
2. Which method of detection is used by th	responsible official?		
Visual examination (condensed so	vent on exterior surfaces)		9
Physical detection (airflow felt thr	ough gaskets)		
Odor (noticeable perc odor)			
Use of direct-reading instrumentate	on (FID)(PID)(colormetric tubes)		
	on (FID/PID/colometric tubes)  Ni A		
		? □Y	□N
	erc vapor concentrations in a range of 0-500 ppm		
use (PID/FID only)?	ndard gas prior to and after each	-ay t	□N
c. Inspected for leaks and	obvious signs of wear on a weekly basis?	ΟY	טח .}
Kept in a clean and sec	ure area when not in use?		ר אם
e Verified for accuracy l	y use of duplicate samples (calormetric only)?	ΩY	ΠN
3 Has the facility maintained a leak log?		YOU	<b>D</b> N
4. The following areas should be checked f		a way deciding to your advantage.	
	Leak Detected?	Leak De	etected?
Hose connections, fittings, couplings, and valves	Muck epokers	ΘY	<b>19</b> 10
Door gaskets and seating	□\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	ΟY	<b>BN</b>
Filter gaskets and seating	DY: CAN Exhaust dampers	ΩY	ON
Pumps		ΩY	OBN
Solvent tanks and containers	Cartridge filter housi	ngs □Y	<u>G</u> N
Water separators	DY ON		
James W Falko			
Name of Responsible Official	wyle		
Vau/ R. Shelton	11/1/86		
Vaul R. Sheles	Date of 1 11/1/97	nspection	
Inspector's Signature	Approximate Date	of Next Insp	ection



DEP facility ID # 068501018 - EDI dean-up
program

Decondary containment around both units

ace

## DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

AIRS ID#0112228

LA MAR 1 HOUR DRY CLEANERS

JAMES W FALKOWSKI
6430 PEMBROKE ROAD

MIRAMAR FL 33023

			တိုင် 🗲
	Do <u>NOT</u> Remove Label		toring es
Annual Reporting Period:	19TO		19
Based on each term or condition of the Title V ger	neral air permit, my facility has remaine	ed in compliance with	h DEP Rule
62-213.300, Florida Administrative Code (F.A.C.)	), during the period covered by this state	ment. YES	$\square_{ m NO}$
If NO, complete the following:			
#1. Term or condition of the general permit that h	has not been in continuous compliance of	luring the reporting p	period stated above:
Exact period of non-compliance: from	to		·
Action(s) taken to achieve compliance:		· .	FE AR
Method used to demonstrate compliance:			-2 REVE
#2. Term or condition of the general permit that b	as not been in continuous compliance d	luring the reporting p	Seriod stated above:
Exact period of non-compliance: from	to		
Action(s) taken to achieve compliance:	· · · · · · · · · · · · · · · · · · ·		
Method used to demonstrate compliance:	·		
As the responsible official, I hereby certify, based on i notification are true, accurate and complete. Further, does not exceed 2,100 gallons per year for dry-to dry f	, my annual consumption of perchloroethy	vlene solvent, based up	on purchase receipts,
RESPONSIBLE OFFICIAL:  Name (Ple	ease Print) Es	ignature	

<sup>\*</sup>This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

### PERCHLOROETHYLENE DRY CLEANERS

### TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

	ANNUAL RE-INSPECTION	<b>□</b>	COMPLAINT/DISC	NA SING SAN
AIRS ID#: 0/12228 EFACILITY NAME: FACILITY LOCATION: CRESPONSIBLE OFFICIAL: CONTACT NAME:	var 1 Hore 1430 lem Kiraman	n Dry brope F/a //Kowy	(leoner) Rol 2012 3302 1 PHONE (954) 9	3
PART I: NOTIFICATION				
(check appropriate box)				
1. New facility notified DARM 3	0 days prior to startup			➣
2. Facility failed to notify DARM	1 to use general permit		•	. 🗅
` <del></del>			<del></del>	
PART II: CLASSIFICATION  Facility indicated on notification (check appropriate box)	n form that it is:		□ No notification form	li li
	n form that it is:		☐ No notification form ☐ Drop store/out of bu	li li
Facility indicated on notification (check appropriate box)	e 🛭 2. r dry trai bot	nsfer only, x th types, x <	Drop store/out of but  rea source x < 140 gal/yr < 200 gal/yr	li li
Facility indicated on notification (check appropriate box)  A.  1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr	e 2. r dry trai bot (co e 4. 00 gal/yr dry gal/yr trai	v-to-dry only nsfer only, x th types, x < onstructed on New large a v-to-dry only nsfer only, 2 th types, 140	Drop store/out of but  rea source x < 140 gal/yr < 200 gal/yr 140 gal/yr or after 12/9/91)	siness/petroleum
Facility indicated on notification (check appropriate box)  A.  1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91)  3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,1 transfer only, 200 ≤ x ≤ 1,800 both types, 140 ≤ x ≤ 1,800 gal/yr (constructed before 12/9/91)	e	v-to-dry only nsfer only, x th types, x < onstructed on New large a v-to-dry only nsfer only, 2 th types, 140 onstructed on	Drop store/out of but  trea source $x < 140 \text{ gal/yr}$ $x < 200 \text{ gal/yr}$	siness/petroleum

PART III: GENERAL CONTROL REQUIREMENTS	<del>-</del>			
Is the responsible official of the dry cleaning facility: (check appropriate boxes)				
1. Storing perchloroethylene in tightly sealed and impervious containers?	OY ON DINA			
2. Examining the containers for leakage?	□Y □N ØMA			
3. Closing and securing machine doors except during loading/unloading?	ÒZIY □N			
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	XSY □N □N/A			
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	ØLY □N □N/A			
PART IV: PROCESS VENT CONTROLS	·			
In Part II-A:	·			
If classification 1 has been checked, no controls are required. Proceed to Part V.				
If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).				
If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993				
If classification 4 has been checked, the machine should be equipped with a refrig (complete A and B below).	erated condenser			
A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)				
Equipped all machines with the appropriate vent controls?	<b>×</b> □ N □ Y			
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	MY ON ON/A			
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	QY ON ON/A			
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?	XY □N .			
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	MY ON ON/A			
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	İXÍY □N			

B.	Has the responsible official of an existing large or new large area source also:	<del></del>	
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ים צם	1
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	OY OY	N □N/A
	Is the temperature differential equal to or greater than 20° F?	ום צם	N/A□, N
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	ום צם	N □N/A
	Is the perc concentration equal to or less than 100 ppm?	OY O	N □N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ים עם	N □N/A
_		<b>-</b> , -,	
٥.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ום צם	N'A .
6.	Routed airflow to the carbon adsorber (if used) at all times?	ום צם	N □N/A

#### Has the responsible official: (check appropriate boxes) 1. Maintained receipts for perc purchased? DALA DIM 2. Maintained rolling monthly total of perc consumption? XIY ON 3. Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; MY ON ON/A b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? AND NO YEA 4. Maintained calibration data? (for applicable direct reading instruments) DY DN DANA 5. Maintained exhaust duct monitoring data on perc concentrations? OY ON DYNA 6. Maintained startup/shutdown/malfunction plan? ØY □N 7. Maintained deviation reports? XIY ON ON/A

PART V: RECORDKEEPING REQUIREMENTS

Problem corrected?

8. Maintained compliance plan, if applicable?

DY DN DN/A

	·					•
P	ART VI: LEAK DETECTION AND R	EPAIRS				
1.	Does the responsible official conduct a v	veekly (for s	small sources, b	i-weekly) leak detection ar	ıd repa	air
	inspection?		•		<b>A</b> A	ИO
2.	Has the facility maintained a leak log?		\$.		ΧÍY	ИO
3.	Does the responsible official check the f	ollowing are	as for leaks?			
	Hose connections, fittings, couplings, and valves	MD A SE	□N/A	Muck cookers	ΦY	□N □N/A
	Door gaskets and seating	AN ON O	□N/A	Stills	ŻΥ	□N □N/A
	Filter gaskets and seating	MY CIN (	□N/A	Exhaust dampers	ΩY	□N <b>53</b> N/A
	Pumps	AL ON	□N/A	Diverter valves	ΩY	□N <b>Ø</b> N/A
	Solvent tanks and containers	AL ON	□N/A	Cartridge filter housings	YY	□N □N/A
	Water separators	MAY ON (	□N/A			
4.	Which method of detection is used by th	e responsible	e official?			
	Visual examination (condensed so	vent on exte	erior surfaces)		À	
	Physical detection (airflow felt thro	ough gaskets	s)		<b>X</b>	
	Odor (noticeable perc odor)				B	
	Use of direct-reading instrumentat	ion (FID/PIE	D/calorimetric to	ubes)	<b>α</b> χ.	N/A
	Halogen leak detector				740	
	lf using direct-reading instru	mentation,	is the equipme	nt:	DAN/	A
	a. Capable of detecting p	erc vapor co	ncentrations in	a range of 0-500 ppm?	ΩY	ПN
	b. Calibrated against a sta (PID/FID only)?	andard gas p	rior to and after	each use	ΩY	ПΝ
	c. Inspected for leaks and	obvious sig	ns of wear on a	weekly basis?	ΠY	□N
	d. Kept in a clean and sec	cure area who	en not in use?		ΩY	ПN
	e. Verified for accuracy b	y use of dup	olicate samples	(calorimetric only)?	ΠY	ПΝ
_						

OCTAVIAN OPRIS	04/29/98
Inspector's Name (Please Print)	Date of Inspection
/ SA -	April 1999
Inspector's Signature	Approximate Date of Next Inspection

BEST	AVAILABLE	COPY
------	-----------	------

#### LOT LETTON SUMMART REPORT

TYPE OF INSPECTION:	ANNUAL [X]	COMPLAINT/DISCOVERY	RE-INSPECTION
	y (leaning an 1 Hour Du 130 Pembros iraman, Flan	- Perci - Perci (leoners re Rivol vila 33023	DATE: 04/29/98
RESPONSIBLE OFFICIAL:	TAMES W. FAL	KOWSKI PHONE NUMI	BER: (43 4) 483 - 7574
compliance with DEP R Based on the results of discrepancies were note	tule 62-213.300, Florida Admir the compliance requirements ev	valuated during this inspection, th	
			<u> </u>
Facility is	in Coupline	C BU MAN OF R.	2, L
		R GOLICE	OTIONIS
			<del></del> .
COMMENTS:			
The Annual Compliance Certific	N: ATU	ertified and submitted to the insper	ector. YES NO
INSPECTION CONDUCTED	Don Ali	(Approximate)  AN OPRIS  (Please Print)	
INSPECTOR'S SIGNATURE		PHONE NUMI	BER: (954) 519-1420
	✓ Pag	e <u>2</u> of <u>2</u> .	Revised 10/96

AIRS ID#: 01/22 28 V 00

## DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Laman / How Dry Cleaners DATE: 04/29/90
FACILITY LOCATION: 6430 Pembroke Road
Miramar, Florida 33023
Annual Reporting Period: 1997 TO April 1998
Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule
62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES
If NO, complete the following:
#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:
Exact period of non-compliance: from
Action(s) taken to achieve compliance:
Method used to demonstrate compliance:
•
#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:
Exact period of non-compliance: from to
Action(s) taken to achieve compliance:
Method used to demonstrate compliance:
vieuloù useu to demonstrate compnance.
As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.
RESPONSIBLE OFFICIAL: W FALKAND V-29-98  Name (Please Print) Signature Date

<sup>\*</sup>This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.



## DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

AIRS ID#0112228

LA MAR I HOUR DRY CLEANERS JAMES W FALKOWSKI 6430 PEMBROKE ROAD MIRAMAR FL 33023 Bureau of Air Monitoring & Mobile Sources

FEB 4 1958

Do NOT Remove Label

						64	O
Annual Reporting Period:	7AN 29		19 <u>97</u> то		29	19	) <u>~6</u>
Based on each term or condition of t 62-213.300, Florida Administrative	_		=	/-	٠V	EP Rule -	
If NO, complete the following:			•				
#1. Term or condition of the general	permit that ha	as not been in cont	inuous complia	ance during the r	eporting peri	stated abo	ve;
Exact period of non-compliance: fro	m			to Z	2 2	1	
Action(s) taken to achieve compliant	e:	·	_/_		9 7 9		
Method used to demonstrate complia	nce:			<u>-</u>	ources	. 0	
#2. Term or condition of the general	permit that ha	s not been-in cont	inuous complia	ance during the r	eporting peri	od stated abo	ve:
Exact period of non-compliance: fro	m			to			
Action(s) taken to achieve compliance	e:		-				
Method used to demonstrate complia	nce:						
As the responsible official, I hereby cer notification are true, accurate and com does not exceed 2,100 gallons per year j	olete. Further,	my annual consum	ption of perchlo	roethylene solveni	, based upon	purchase rece	
RESPONSIBLE OFFICIAL:	Name (Plea	W FALK ase Print)	:0 m7k!	Signature		/~29-9 <sub>8</sub> Date	

<sup>\*</sup>This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

## DRY CLEANER AIR QUALITY GENERAL PERMIT V E D

7	Λ	- 1	MAY 1 0 1999	/ /
FACILITY NAME: have as	1 Horer by	Cleavers	DATE:	04/12/99
FACILITY LOCATION: 6430	Pembrone R	$\omega$ .	Bureau of Air Monitor	ring '
FACILITY NAME: haman  FACILITY LOCATION: 6430  Lino	I la	11/2 7702	7	<del>_</del>
	mai , i rou	an sjee	<u> </u>	<del>_</del>
Annual Reporting Period:	ul1	9 <u>98</u> то <u>В</u>	Juil	19_99
Based on each term or condition of the Title 62-213.300, Florida Administrative Code (F	- · ·		-	P Rule NO
If NO, complete the following:				
#1. Term or condition of the general permit	that has not been in conti	nuous compliance dur	ing the reporting period	i stated above:
Exact period of non-compliance: from		to		
Action(s) taken to achieve compliance:	· · · · · · · · · · · · · · · · · · ·			
Method used to demonstrate compliance:				
#2. Term or condition of the general permit	that has not been in conti	nuous compliance dur	ing the reporting period	i stated above:
Exact period of non-compliance: from		to		
Action(s) taken to achieve compliance:				
Method used to demonstrate compliance:				
As the responsible official, I hereby certify, a made in this notification are true, accurate a upon purchase receipts, does not exceed 2, I combination facilities.	and complete. Further, my	v annual consumption	of perchloroethylene s	olvent, based
RESPONSIBLE OFFICIAL: James	W FACKOWSK	1///		4-12-99
Nar	ne (Please Print)	Sign	nature	' Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

### PERCHLOROETHYLENE DRY CLEANERS

### TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION:	ANNUAL RE-INSPECTION	□ .≱	COMPLAINT/DISCOV	ÆRY 🗀
AIRS ID#: OII 2278 FACILITY NAME: Location: CRESPONSIBLE OFFICIAL:  CONTACT NAME: CONTACT NAME:	mai 1 Hore 6430 Pembr	e Du ple K flo aluxess	rephone: (954)	
PART I: NOTIFICATION				
(check appropriate box)  1. New facility notified DARM  2. Facility failed to notify DARM				ه ه
PART II: CLASSIFICATION				
Facility indicated on notification (check appropriate box)  A.  1. Existing small area sour dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91)	ce	isfer only, $x$ in types, $x < x$	x < 140 gal/yr < 200 gal/yr	siness/petroleum
3. Existing large area sour dry-to-dry only, $140 \le x \le 2$ , transfer only, $200 \le x \le 1.80$	100 gal/yr dry- 0 gal/yr trar	nsfer only, 20	rea source $140 \le x \le 2.100 \text{ gal/yr}$ $00 \le x \le 1.800 \text{ gal/yr}$ $00 \le x \le 1.800 \text{ gal/yr}$	ם
both types, $140 \le x \le 1,800$ g (constructed before $12/9/91$ )	- •		or after 12/9/91)	
(constructed before 12/9/91)  5. This is a correct facility of  If no, please check the  facili	assification Six appropriate classification ty qualified for a general	nstructed on  N  permit as n	□Can not determine	:

### Is the responsible official of the dry cleaning facility: (check appropriate boxes) 1. Storing perchloroethylene in tightly sealed and impervious containers? MY DN DN/A DAY ON ON/A 2. Examining the containers for leakage? ME YE 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? DAY ON ON/A 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? OY ON DYNA PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) MD YES 1. Equipped all machines with the appropriate vent controls? ANA UND YED 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? MY DN DN/A 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? MDY DN 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the MY DN DN/A condenser exceeded 45° F? Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? DEY □N

PART III: GENERAL CONTROL REQUIREMENTS

В.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΟY	ПN	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΟY	ПN	□N/A
	Is the temperature differential equal to or greater than 20° F?	ΟY	ИD	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,			
	if machines are equipped with a carbon adsorber?	ПY	Й	□N/A
	Is the perc concentration equal to or less than 100 ppm?	ПY	ΠN	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction,			
	or expansion; and downstream from no other inlet?	ΟY	ПN	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΟY	ПN	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΟY	אם	□N/A

PART V: RECORDKEEPING REQUIREMENTS						
Has the responsible official: (check appropriate boxes)						
1. Maintained receipts for perc purchased?	MY ON					
2. Maintained rolling monthly total of perc consumption?	MO AR					
3. Maintained leak detection inspection and repair reports for the following:						
a. documentation of leaks repaired w/in 24 hrs? or;	AAA ON ON'Y					
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	MY ON ON/A					
4. Maintained calibration data? (for applicable direct reading instruments)	OY ON DANA					
5. Maintained exhaust duct monitoring data on perc concentrations?	אא מס אם אם					
6. Maintained startup/shutdown/malfunction plan?	MY UK					
7. Maintained deviation reports?	MY ON ON/A					
Problem corrected?	AVAD ND YK					
8. Maintained compliance plan, if applicable?	ANKA NO YO					

PA	PART VI: LEAK DETECTION AND REPAIRS							
1.	1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair							
	inspection?			MY ON				
2.	Has the facility maintained a leak log?			ÒTY □N				
3.	Does the responsible official check the	following areas for leaks	?					
	Hose connections, fittings, couplings, and valves	AVA DIO VIÈ	Muck cookers	₩Y ON ON/A				
	Door gaskets and seating	AND ND YES	Stills	AND NO YES				
	Filter gaskets and seating	אורם מם צולם	Exhaust dampers	AND ND YE				
	Pumps	AND UD AND	Diverter valves	MY ON ONA				
	Solvent tanks and containers	ON ON/A	Cartridge filter housings	MY ON ONA				
	Water separators	MY ON ON/A	-					
4.	Which method of detection is used by	the responsible official?						
	es)	<b>À</b>						
	<b>4</b>							
	Odor (noticeable perc odor)	. DE						
	Use of direct-reading instrumen	אעם /A						
	Halogen leak detector			٥				
	If using direct-reading inst	rumentation, is the equip	pment:	ØN/A				
	a. Capable of detecting	g perc vapor concentration:	s in a range of 0-500 ppm?	DY ON				
	<ul><li>b. Calibrated against a (PID/FID only)?</li></ul>	standard gas prior to and	after each use	מם עם				
	c. Inspected for leaks a	and obvious signs of wear	on a weekly basis?	אם אם				
	d. Kept in a clean and	se?	ND YC					
	e. Verified for accurac	OY □N						
		·						
_								
				1				
_	OCTAVIAN C Inspector's Name (Please Pr	PRIS	04/12/	199				
	Inspector's Name (Please Print)  Date of Inspection							



### Board of County Commissioners, Broward County, Florida Department of Natural Resource Protection POLLUTION PREVENTION AND REMEDIATION PROGRAMS DIVISION



### HAZARDOUS MATERIAL MANAGEMENT ADDENDUM TO TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

				<u> </u>	<u>E GENER</u>	CATED_				
Waste Type Code	Chemical name	Storage Method (Code <sup>1</sup> )	Disposal Method (Code <sup>2</sup> )	P,	Container Size (Cal.) or WT. (LBS)	Total Quantity (Callons)	Monthly Use (Callons)		Hauler Name	
МЗ	Perchloroethylene	11	16	F	15	15	4	MCF	Systams	Allento
МО	Dry Cleaning Filters	//	16	P	25	25	4	MCF	Systems.	Allowa,
72 Tanks 73 40 to 74 Sm. S 75 Open 76 Piled 77 Garba 78 Lab P 79 Other 71 Medit 71 Antifr 72 Antifr		06 07 08 09 10 s) 11 12	Landfill - G Buried on P Pit or Pond Permitted H Public Sew Septic Tank Recycled or Blended or Hazardous Deep Well Filtration O Onsite Neur	roperty lazardo er Reuse Burned Waste i Injectio	us Waste Facility d for Fuel foring ation n		16 Hazar 17 Surfac 18 Open 19 Evapo 20 Used 2 21 Comm 22 Metal 23 Unive 24 CESQ	Questiona dous Wast & Dischar Burning ration Aff Oil Transp recial Lat Reclamat Reclamat G Waste to Energy	2 (Soutinued) ble Treatment  ⇒ Transporter  Se  er Treatment  outer  sudry Service-POT	x.
Total am Hazardoi	ount of hazardous waste streets us waste disposal maniferor inspection.	: generated	l per month	n:		ons. and are avai	lable upon	<b>V</b> Yes	ONC O	
Was any	hazardous material/was	te discarde	ed into dun	npster	s or refuse co	ntainers?		OYes	₽No	
All secor	idary containment has si	ufficient vo	olume to ho	old ma	aterial requir	ed.		<b>Y</b> Yes	ONC	
septic tai	tins in a hazardous mater ak or storm water system is materials.				_			≯Yes	ONC	
	up inspection by Polluti is required at this site.	on Preven	tion Persor	nnel, t	o address pos	ssible enforce	ment	⊃Yes	X1.00	
Comm	ents:			<u>-</u>						
									<u>`.</u>	



0354306

Please include your AIRS ID# on your check or money order. This number can be found belowen your mailing label.

**TOTAL AMOUNT DUE: \$50.00** 

Do NOT Remove Label

AIRS ID # 0112228

LA MAR 1 HOUR DRY CLEANERS JAMES W FALKOWSKI 6430 PEMBROKE ROAD MIRAMAR FL 33023

FOR GOVERNMENT USE ONLY Org.: 37550101000 EO: B1

Fund: 20-2-035001

Obj.: 002273

301546

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

### **TOTAL AMOUNT DUE: \$50.00**

### Do NOT Remove Label

AIRS ID#0112228

LA MAR I HOUR DRY CLEANERS JAMES W FALKOWSKI 6430 PEMBROKE ROAD MIRAMAR FL 33023

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1

Fund: 20-2-035001 Obj.: 002273



Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00** 

412218 DEC26 2001

#### Do NOT Remove Label

AIRS ID # 0112228 LA MAR 1 HOUR DRY CLEANERS JAMES W FALKOWSKI 6430 PEMBROKE ROAD MIRAMAR FL 33023

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: A1 Fund: 20-2-035001

Fund: 20-2-03 Obi.: 002273

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT OF RETURN ADURESS.	TE THIS SECTION ON DELIVERY
<ul> <li>Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.</li> <li>Print your name and address on the reverse so that we can return the card to you.</li> <li>Attach this card to the back of the mailpiece, or on the front if space permits.</li> <li>1. Article Addressed to:</li> <li>10 AIRS ID # 0112228001AG JAMES W FALKOWSKI LA MAR I HOUR DRY CLEANERS 6430 PEMBROKE ROAD MIRAMAR FL 33023</li> </ul>	A. Received by (Please Print Clearly)  B. Date of Delivery  C. Signature  X
2. Article Number (Copy from service label)	Testifica pairety: (Examples)
7000060041299 154	ura Bassist
PS Form 3811, July 1999 Domestic Retu	urn Receipt 102595-99-M-1789

9754	U.S. Postal's CERTIFIED (Domestic Mails)	MAIL REC	EIPT Coverage Provided)
P514 4500	Postage  Certifled Fee  Return Receipt Fee (Endorsement Required)  Restricted Delivery Fee (Endorsement Required)	\$	Postmark Here
7000 0600		IOUR DRY CLEAN ROKE ROAD	

389301

TOTAL AMOUNT DUE: \$50,00 Rs. Please include your AIRS ID# on your check or money order. This number can be found belowen your mailing label.

Do NOT Remove Label

LA MAR 1 HOUR DRY CLEANERS JAMES W FALKOWSKI 6430 PEMBROKE ROAD MIRAMAR FL 33023

FOR GOVERNMENT USE ONL Org.: 37550101000 EO: B1

Fund: 20-2-035001

Obj.: 002273



258015

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

RECEIVED
MAIL ROOM
TOTAL AMOUNT DUE: \$50.00
JAN 14 97

#### Do NOT Remove Label

AIRS ID# 0112228 LA MAR 1 HOUR DRY CLEANERS JAMES W FALKOWSKI 6430 PEMBROKE ROAD

MIRAMAR FL 33023

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1

Fund: 20-2-035001

ОЫ.: 002273



(cut here)

### THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

400031

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00** 

Do NOT Remove Label

AIRS ID # 0112228


LA MAR I HOUR DRY CLEANERS JAMES W FALKOWSKI 6430 PEMBROKE ROAD MIRAMAR FL 33023 EC 15 0


FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: A1 Fund: 20-2-035001

Obj.: 002273

### **BEST AVAILABLE COPY**





TITLE V - General Permit Receipts Post Office Box 3070 Tallahassee, FL 32315-3070

32315+3070 99

