

Department of **Environmental Protection**

leb Bush Governor

Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

David B. Struhs Secretary

June 22, 2001

Mr. Robert Guimares 60-Minute Cleaners 1090 East Hillsboro Boulevard Deerfield Beach, Florida 33441

Dear Mr. Guimares:

Thank you for your submittal of the Perchloroethylene Dry Cleaners Air General Permit Notification Form. The Department received your submittal on June 20.

In reviewing your submittal, it was noted that 60-Minute Cleaners elected to surrender its existing Title V air general permit (AIRS ID 0112237). If your intention is to continue your dry cleaning operations, then your existing permit is not to be surrendered and the notification form will need to be corrected. To correct the form, please remove the checkmark next to the "I hereby surrender" statement and initial the change, resign the form on the back and date.

Please return the corrected form as quickly as possible to:

General Permits Section Bureau of Air Monitoring and Mobile Sources, MS 5510 Department of Environmental Protection 2600 Blair Stone Road Tallahassee, Florida 32399-2400

If you no longer wish to operate a dry cleaning facility under the Title V air general permit, then your permit may be surrendered. In this case, you need to do nothing and your form will continue to be processed as submitted.

Thank you for your attention to this matter and I apologize for the confusion with this portion of the form.

If you have any questions concerning the form or the corrections, please contact either Rick Butler at 850/921-9586 or me at 840/921-9583.

Sincerely,

Sandra Bowman

Bureau of Air Monitoring

and Mobile Sources

SB/

Enclosure

cc: Mr. Jarrett Mack, Broward County

"More Protection, Less Process"

Printed on recycled paper.



Department of Environmental Protection

Lawton Chiles . Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee. Florida 32399-2400

Virginia B. Wetherell Secretary

September 23, 1996

Mr. Robert Guimares 60-Minute Cleaners 1090 East Hillsboro Boulevard Deerfield Beach, Florida 33441

Dear Mr. Guimares:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on August 22, 1996.

Please note that in November of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office Bureau of Air Monitoring and Mobile Sources MS 5510 Department of Environmental Protection 2600 Blair Stone Road Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

potty Diltz, Chief

Bureau of Air Monitoring

and Mobile Sources

/DD

cc: Mr. Robert Wong, Broward County

#0112237

	60-Minute Cleaners
P.14	1. (c) mark out "V" and initial 4. Should be existing large area Source W refing. con. 5.(f) required
	Source W refrig. con.
	2.(1)19ures
·	
,	
	!

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

·
1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):
ROBERT GUIMARES/60 MINUTE CLEANERS
2. Site Name (For example, plant name or number):
60-MINUTE CLEANERS
3. Hazardous Waste Generator Identification Number:
069501292 FLD 053763975
4. Facility Location: 60-MINUTE CLEANERS Street Address: 1090 E, HILLS GORO BLVd.
City: OEERField Be Ach, FL. County: BROWARD Zip Code: 33441
5.1 Facility Identification Number (DEP Use):
011937
Responsible Official
6. Name and Title of Responsible Official:
ROBERT GUIMARES / PROP. OWNER
7. Responsible Official Mailing Address:
Organization/Firm: 60-MINUTE CLEANERS Street Address: 1090 E. H; LLS boro BLVd.
City: DEERFIELD Beach, FL, County: BROWARD Zip Code: 33441
8. Responsible Official Telephone Number: Telephone: (954) 427- 6636 Fax: (954) 255- 8308
Telephone: (954) 427- 6636 Fax: (954) 255- 8308
Facility Contact (If different from Responsible Official)
9. Name and Title of Facility Contact (For example, plant manager):
10. Facility Contact Address:
Street Address:
City: Zip Code:
11. Facility Contact Telephone Number:
Telephone: () - Fax: () -
prcrive p

RECEIVED

AUG 2 2 1996

DEP Form No. 62-213.900(2) Effective: 6-25-96 Page 13 of 16

Bureau of Air Monitoring & Mobile Sources

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID.	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
Example	#1	1	12-NOV-93	#2	08-DEC-91	-	#3	02-MAR-92	02-MAR-
Dry-to-Dry Unit		v						. 1	i i
(1) w/ ref. condenser	(1)	OcT-86	oct 86						
(2) w/ carbon adsorber	<u> </u>	0011 00							
(3) w/ no controls				 					
Washer Unit					, .			1	•
(4) w/ ref. condenser			1						
(5) w/ carbon adsorber									
(6) w/ no controls	<u> </u>								
Dryer Unit		1 2 2	•		•	•			1. 1.,
(7) w/ ref. condenser					-				
(8) w/ carbon adsorber									
(9) w/ no controls						_			
Reclaimer Unit						<u>.</u>			· `
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									
(b) Control devices are required, but not yet installed									
3. What is the facility's so (Indicate with an "X". Existing small ar Existing large are	Selec ea so	t one classifi	cation only.)	ew sm	nitions found nall area sour	rce [3) of 	Part II?	
LAISTING IMIGE AN	-u 301		INC	, vv 1d1	Se area sour		J		

DEP Form No. 62-213.900(2)

Effective: 6-25-96

What control technology is required on machines pursuant to section (5 (Indicate with an "X".)) of Part II of this notification form?
Existing large area source Carbon adsorber Refrigerated conden	ser []
New small area source Refrigerated condenser []	
New large area source Refrigerated condenser []	
5. A facility which contains non-exempt emissions units shall not be eligi	hle to use the general nermit nursuant
to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating exemption criteria or that no such units exist on-site:	
All steam and hot water generating units on-site (1) have a total heat inpuboiler HP or less), and (2) are fired exclusively by natural gas except for puring which propane or fuel oil containing no more than one percent sulp	periods of natural gas curtailment
All steam and hot water generating units exempt No such units on-site	
Equipment Monitoring and Recordkeeping I	nformation
Check all logs which are required to be kept on-site in accordance with the	e requirements of this general permit:
(a) Purchase receipts and solvent purchases	
(b) Leak detection inspection and repair	
(c) Refrigerated condenser temperature monitoring	·
(d) Carbon adsorber exhaust perc concentration monitoring	
(e) Instrument calibration	
(f) Start-up, shutdown, malfunction plan	

DEP Form No. 62-213.900(2) Effective: 6-25-96

Surrender of Existing Air Permit(s)

Please indicate	e with an "X" the appropriate selection:						
	I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)						
No air permits currently exist for the operation of the facility indicated in this notification form.							
	Responsible Official Certification						
this notific statements maintain t	ersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in cation. I hereby certify, based on information and belief formed after reasonable inquiry, that the smade in this notification are true, accurate and complete. Further, I agree to operate and the air pollutant emissions units and air pollution control equipment described above so as to the thin this notification form.						
I will pron	nptly notify the Department of any changes to the information contained in this notification.						
Rolui Signature	8-13-96 Date						

BEST AVAILABLE COPY

INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL CO	DMPLAINT/DISCOVERY RE-INSPECTION						
TIME IN: 09:30 TIME OUT: 10:10	AIRS ID#: 0112237						
TYPE OF FACILITY: DRY CLEANER	···						
FACILITY NAME: 60 MINUTE CLEANERS	DATE: 9/15/97						
FACILITY LOCATION: 1090 E. HILLSBORD	SLVD. PEERFIELD BCH, FL. 33441						
RESPONSIBLE OFFICIAL: ROBERT GUIMARES	PHONE NUMBER: (954) 427-6636						
	Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).						
Based on the results of the compliance requirements eva discrepancies were noted:	luated during this inspection, the following compliance						
COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED						
· .							
COMMENTS:							
·							
The Annual Compliance Certification form has been properly certification.	rified and submitted to the inspector. YES NO						
	Approximate)						

ART TEUNETT

(Please Print)

INSPECTOR'S SIGNATURE: Little Courte

PHONE NUMBER: <u>(954) 519 -1428</u>

Page___of___.

Revised 10/96

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL RE-INSPECTI	COMPLAINT/DISCOVERY
AIRS 10#: 01/2237 DATE: 9/15/9	77 TIME IN: 9:30 TIME OUT: 10:10
FACILITY NAME: 60 MINUTE C	LEANERS
FACILITY LOCATION: 1090 E. I	HILLSBORD BLVD.
DEERFIE	ELD BCH. FL. 33441
RESPONSIBLE OFFICIAL: ROBERT G	DIMARES PHONE: (954)427-6636
CONTACT NAME: //	PHONE:
PART I: NOTIFICATION	
(check appropriate box)	
1. New facility notified DARM 30 days prior to st	•
2. Facility failed to notify DARM to use general p	ermit
PART II: CLASSIFICATION	
Facility indicated on notification form that it is: (check appropriate box)	☐ No notification form ☐ Drop store/out of business/petroleum
Facility indicated on notification form that it is:	
Facility indicated on notification form that it is: (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr	Drop store/out of business/petroleum 2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr
Facility indicated on notification form that it is: (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 \le x \le 2,100 gal/yr transfer only, 200 \le x \le 1,800 gal/yr both types, 140 \le x \le 1,800 gal/yr	Drop store/out of business/petroleum 2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr both types, 140 ≤ x ≤ 1,800 gal/yr
Facility indicated on notification form that it is: (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 \le x \le 2,100 gal/yr transfer only, 200 \le x \le 1,800 gal/yr both types, 140 \le x \le 1,800 gal/yr (constructed before 12/9/91) 5. This is a correct facility classification If no, please check the appropriate classif facility qualified for a general source	Drop store/out of business/petroleum 2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr both types, 140 ≤ x ≤ 1,800 gal/yr (constructed on or after 12/9/91) □ Can not determine

Is the responsible official of the dry cleaning facility: (check appropriate boxes) DN DN/A 1. Storing perchloroethylene in tightly scaled and impervious containers? DY ON ON/A 2. Examining the containers for leakage? OM MO 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at DY ON ON/A least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber EN DN/A beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) DY DN 1. Equipped all machines with the appropriate vent controls? 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? DY DN DN/A 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? OY ON ON/A 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? DY DN 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F? DY DN DN/A 6. Conducted all temperature monitoring after an appropriate cooldown period and after ND YD verifying that the coolant had been completely charged?

PART III: GENERAL CONTROL REQUIREMENTS

B. Has the responsible official of an existing large or new large area source also:	
Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□У □И
Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	OY ON ON/A
Is the temperature differential equal to or greater than 20° F?	QY QN QN/F.
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,	
if machines are equipped with a carbon adsorber?	OY ON ON/A
Is the perc concentration equal to or less than 100 ppm?	DY DN DN/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction,	
or expansion; and downstream from no other inlet?	OY ON ON/A
 Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? 	OY ON ON/A
6. Routed airflow to the carbon adsorber (if used) at all times?	QY ON ON/A.

PART V: RECORDKEEPING REQUIREMENTS					
Has the responsible official: (check appropriate boxes)					
1. Maintained receipts for perc purchased?	OMY □N				
2. Maintained rolling monthly averages of perc consumption?	OM □N				
3. Maintained leak detection inspection and repair reports for the following:					
a. documentation of leaks repaired w/in 24 hrs? or;	DAY ON ON/A.				
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	DY ON ONA				
4. Maintained calibration data? (for applicable direct reading instruments)	OY ON MANA				
5. Maintained exhaust duct monitoring data on perc concentrations?					
6. Maintained startup/shutdown/malfunction plan?					
7. Maintained deviation reports?	OY ON OPANA				
Problem corrected?	OY ON PN/A				
8. Maintained compliance plan, if applicable?	OY ON CAN/A				

PART VI: LEAK DETECTION AND REPAIRS 1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? $\square N$ 2. Has the facility maintained a leak log? ПN 3. Does the responsible official check the following areas for leaks? Hose connections, fittings, MY ON ON/A ZY ON ON/A Muck cookers couplings, and valves DY ON ON/A Door gaskets and seating ZY ON ON/A Stills DY DN DY/A Filter gaskets and seating CY ON ON/A Exhaust dampers DAY ON ON/A Diverter valves DY ON PANA Pumps DY DN DNA ZY ON ON/A Solvent tanks and containers Cartridge filter housings · DY DN DN/A Water separators 4. Which method of detection is used by the responsible official? 0 Visual examination (condensed solvent on exterior surfaces) \mathbf{Z} Physical detection (airflow felt through gaskets) Z Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector DAN/A If using direct-reading instrumentation, is the equipment: DY DN a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use (PID/FID only)? DY DN UY UN c. Inspected for leaks and obvious signs of wear on a weekly basis? DY DN d. Kept in a clean and secure area when not in use? e. Verified for accuracy by use of duplicate samples (calorimetric only)? OY ON

Inspector's Name (Please Print)

Outcook

Inspector's Signature

9/15/97

Date of Inspection

9/28

Approximate Date of Next Inspection

Robert GuiMares

Revised 8/11/97

301075 (ALL)

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

AIRS ID#0112237

ROBERT GUIMARES ROBERT GUIMARES 10090 E HILLSBORO BLVD DEERFIELD FL 33441 RECEIVED

JAN 2 9 1998

Bureau of Air Monitoring & Møbile Sources

Do NOT Remove Label

		-			
Annual Reporting Period:/_ /		19 98	то	1-1	19 <i>99</i>
Based on each term or condition of the Title V g 62-213.300, Florida Administrative Code (F.A.C	-			<u> </u>	th DEP Rule
If NO, complete the following:					
#1. Term or condition of the general permit that	t has not been in con	ntinuous c	complia	nce during the reporting	period stated above:
Exact period of non-compliance: from		-	_	to	A AE
Action(s) taken to achieve compliance:	·				Z FC
Method used to demonstrate compliance:					7 98 1 98 7 1 98 7
#2. Term or condition of the general permit that	t has not been in con	ntinuous c	compliar	nce during the reporting	period stated above:
Exact period of non-compliance: from	-		t	co	
Action(s) taken to achieve compliance:					·
Method used to demonstrate compliance:					
As the responsible official, I hereby certify, based on notification are true, accurate and complete. Furthe does not exceed 2,100 gallons per year for dry-to dry	er, mv annual consun	nntion of r	reechlase	aothulono salvont hasad u	nou nunchasa essainta
RESPONSIBLE OFFICIAL: RobeRT Name (P	Culmanes Please Print)	_ Ro	lt !	Signature	1-20-98 Date

1 13

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: 60 MINUTE	CLENVERS			: DAT	E: <u>9/15/97</u>
FACILITY LOCATION: 1090 E	HILLSBOR	O BLVD	OEE!	RHELD BOH, F	L. 33441
			1		
: /			 		
Annual Reporting Period: 9//5/9	7	19	TO _	9/15/98	19
Based on each term or condition of the Title 62-213.300, Florida Administrative Code (F.				<u> </u>	DEP Rule
If NO, complete the following:					
#1. Term or condition of the general permit	that has not been i	n continuous	complianc	e during the reporting pe	riod stated above:
				DECEI	VED
Exact period of non-compliance: from			to		————
Action(s) taken to achieve compliance:				OCT 2 (1997
Method used to demonstrate compliance:	· .			Bureau of Air	
#2. Term or condition of the general permit	that has not been i	n continuous	complianc		
Exact period of non-compliance: from			to_		
Action(s) taken to achieve compliance:					
Method used to demonstrate compliance:				· · · · · · · · · · · · · · · · · · ·	
As the responsible official, I hereby certify, l made in this notification are true, accurate a upon rolling averages of purchase receipts, a	and complete. Fur	ther, my anni	icl consum	ption of perchloroethyles	ne solvent, based 🕟
year for transfer or combination facilities.	_		0 1	2	-
RESPONSIBLE OFFICIAL: RoberT		<u> </u>	Robot.		9/15/97
Nan	ne (Please Print)	· · · · · · · · · · · · · · · · · · ·		Signature	Date

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

ace

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

ROBERT GUIMARES ROBERT GUIMARES 10090 E HILLSBORO BLVD DEERFIELD FL 33441 AIRS ID#0112237 RECEIVED

JAN 2 9 1998

Bureau of Air Monitoring & Møbile Sources

Do NOT Remove Label

		201-01			
Annual Reporting Period:/ 20	<u> </u>	19 <u>7</u> Z	то	1-20_	1998
Based on each term or condition of the 62-213 300, Florida Administrative C		•			DEP Rule
If NO, complete the following:					
#1. Term or condition of the general p	permit that has not bee	en in continuous	compliance duri	ng the reporting pe	riod stated above:
Exact period of non-compliance: from	1		to		
Action(s) taken to achieve compliance	:				₩ 100 E 100
Method used to demonstrate complian	ce:			· 	7 - 90 7 - 90
#2. Term or condition of the general p	permit that has not bee	en in continuous (compliance duri	ng the reporting per	riod stated above:
Exact period of non-compliance: from	1		to_	& N	艺术
Action(s) taken to achieve compliance	<u></u>			bile objective	10 4
Method used to demonstrate complian	ce:			Comce	Monitoring & CO
As the responsible official, I hereby certinotification are true, accurate and compidoes not exceed 2,100 gallons per year for RESPONSIBLE OFFICIAL:	r dry-to dry facilities or	il consumption of f 1,800 gallons per	nerchiaraethulen	e solvent, based upon or combination facil	s numbers and ainte

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

T (ill

FACILITY NAME: WO HINDTE CLEAVERS	· · · · · · · · · · · · · · · · · · ·	DA	te: <u>9/15/97</u>
FACILITY LOCATION: 1090 E. HILLS BORO E	LVD. DEE	RELD BOH,	FL. 33441
		•	
Annual Reporting Period: 9/15/97 1	9 TO	9/15/98	19
Based on each term or condition of the Title V general air permit, my 62-213.300, Florida Administrative Code (F.A.C.), during the period	•		n DEP Rule
If NO, complete the following:			
#1. Term or condition of the general permit that has not been in conti	nuous complianc	e during the reporting	period stated above:
Exact period of non-compliance: from		RECE	IVED
Action(s) taken to achieve compliance:		OCT 2	0 1997
Method used to demonstrate compliance:			ir Monitoring
			a Sources
#2. Term or condition of the general permit that has not been in conti	inuous complianc		e Sources period stated above:
#2. Term or condition of the general permit that has not been in conti		e during the reporting	٠
	to_	e during the reporting	•
Exact period of non-compliance: from	to_	e during the reporting	٠
Exact period of non-compliance: from Action(s) taken to achieve compliance:	totototototo	e during the reporting of the reasonable inquiry, ption of perchloroethy, dry-to dry facilities or	period stated above: that the statements lene solvent, based

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL RE-INSPECTION:	ON D
AIRS ID#: 0112237 DATE: 9/15/9	8 TIME IN: _//:00 TIME OUT: _/2:00
FACILITY NAME: 60 MINUTE CL	EANERS
FACILITY LOCATION: 1090 E. HIL	LSBORO BLVD.
De	ERFIELD BCH, FL. 33441
RESPONSIBLE OFFICIAL: ROBERT	GUIMARES PHONE: (954)427-6636
CONTACT NAME:	PHONE:
PART I: NOTIFICATION	P
(check appropriate box)	, C
1. New facility notified DARM 30 days prior to sta	artup
2. Facility failed to notify DARM to use general po	ermit & Mor 2/4 C
	16 14 0
	
PART II: CLASSIFICATION	Solitonia.
Facility indicated on notification form that it is: (check appropriate box)	☐ No notification form ☐ Drop store/out of business/petroleum
Facility indicated on notification form that it is:	
Facility indicated on notification form that it is: (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr	Drop store/out of business/petroleum 2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr
Facility indicated on notification form that it is: (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 \le x \le 2,100 gal/yr transfer only, 200 \le x \le 1,800 gal/yr both types, 140 \le x \le 1,800 gal/yr both types, 140 \le x \le 1,800 gal/yr	Drop store/out of business/petroleum 2. New small area source dry-to-dry only, $x \le 140$ gal/yr transfer only, $x \le 200$ gal/yr both types, $x \le 140$ gal/yr (constructed on or after $12/9/91$) 4. New large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr
Facility indicated on notification form that it is: (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr both types, 140 ≤ x ≤ 1,800 gal/yr (constructed before 12/9/91) 5. This is a correct facility classification If no, please check the appropriate classification gallyr qualified for a get	Drop store/out of business/petroleum 2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after $12/9/91$) 4. New large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr (constructed on or after $12/9/91$) \square

Is the responsible official of the dry cleaning facility: (check appropriate boxes)				
1. Storing perchloroethylene in tightly sealed and impervious containers?	SY ON ON/A			
2. Examining the containers for leakage?	ØY ON ON/A			
3. Closing and securing machine doors except during loading/unloading?	ØY ON			
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	מארם אם אלם			
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	OY ON Wh/A			
PART IV: PROCESS VENT CONTROLS				
In Part II-A:				
If classification 1 has been checked, no controls are required. Proceed to Part V.				
If classification 2 has been checked, the machine should be equipped with a refrig (complete A below).	erated condenser			
If classification 3 has been checked, the machine should be equipped with either a condenser or a carbon adsorber (complete A and B below). Carbon adsorber must installed prior to September 22, 1993	· ·			
If classification 4 has been checked, the machine should be equipped with a refrig (complete A and B below).	gerated condenser			
A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)				
1. Equipped all machines with the appropriate vent controls?	אם עם			
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	OY ON ON/A			
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	DY ON ON/A			
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?	OY ON			
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	OY ON ON/A			
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	OY ON			

PART III: GENERAL CONTROL REQUIREMENTS

В.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΟY	ПП	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΩY	ПN	□N/A
	Is the temperature differential equal to or greater than 20° F?	ΩY	ПИ	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	ΟY	ИП	□N/A
	Is the perc concentration equal to or less than 100 ppm?	$\Box Y$	ИП	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΟY	אם	` □N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΩY	ПΠ	□n/a
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΟY	אם	□N/A
		-		
P.:	ART V: RECORDKEEPING REQUIREMENTS			
	as the responsible official: heck appropriate boxes)			
١.	Maintained receipts for perc purchased?	WY.		
2.	Maintained rolling monthly total of perc consumption?	Œ Ý	ИŪ	
3.	Maintained leak detection inspection and repair reports for the following:	,		
	a. documentation of leaks repaired w/in 24 hrs? or;	₫\	ПΝ	□N/A
	b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	⊠ ∱:	ПN	□N/A
4.	Maintained calibration data? (for applicable direct reading instruments)	-		ØN/A
5.	Maintained exhaust duct monitoring data on perc concentrations?			ØN/A
6.	Maintained startup/shutdown/malfunction plan?	ন্ত্ৰ\	ПΝ	
7	Maintained deviation reports?	raK∕	ΠN	□N/A

MY ON ON/A

DY DN DYNA

Problem corrected?

8. Maintained compliance plan, if applicable?

PART VI: LEAK DETECTION AND REPAIRS						
Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair						
inspection? ⊡Y □N						
2. Has the facility maintained a leak log	g?		op√y on			
3. Does the responsible official check th	ne following areas for leaks	?				
Hose connections, fittings,	A	X 1 1	MY ON ON/A			
couplings, and valves	WY ON ON/A	Muck cookers	,			
Door gaskets and seating	MY ON ONA	Stills	MY ON ON/A			
Filter gaskets and seating	MY ON ON/A	Exhaust dampers	ON ON/A			
Pumps	MY ON ON/A	Diverter valves	OY ON ON/A			
Solvent tanks and containers	ON ON A	Cartridge filter housings	אואם אם אם			
Water separators	GY ON ON/A					
4. Which method of detection is used by	y the responsible official?					
Visual examination (condensed	l solvent on exterior surfac	cs)				
Physical detection (airflow felt	through gaskets)					
Odor (noticeable perc odor)			a			
Use of direct-reading instrume	Use of direct-reading instrumentation (FID/PID/calonmetric tubes)					
Halogen leak detector						
If using direct-reading in	strumentation, is the equi	pment:	IN/A			
a. Capable of detection	g perc vapor concentration	is in a range of 0-500 ppm ⁹	OY ON			
b. Calibrated against (PID/FID only)?	a standard gas prior to and	after each use	OY ON			
c. Inspected for leaks	and obvious signs of wear	on a weekly basis?	OY ON			
d. Kept in a clean and	I secure area when not in t	isc'?	OY ON			
e. Verified for accura	cy by use of duplicate samp	ples (calorimetric only)?	OY ON			
			:			
ART PENNETTA	1 2					
Inspector's Name (Please F		9-15-98 Date of Inspe	ection			
	,					
let forth		6EP 1999	,			
Inspector's Signature		Approximate Date of				



Revised 09/15/97

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: 60 MINUTE CLEANERS	DATE: 9-15-98
FACILITY LOCATION: 1090 E. HILLSBORD BLVD),
DEERFIELD B	3CH, FL. 33441
Annual Reporting Period: SEP 15 1997	TO <u>SEP 15</u> 1998
Based on each term or condition of the Title V general air permit, my facility 62-213.300. Florida Administrative Code (F.A.C.), during the period covered	<u>-</u> /
If NO, complete the following:	
#1. Term or condition of the general permit that has not been in continuous	compliance during the reporting period stated above:
Exact period of non-compliance: from	10 & CO
Action(s) taken to achieve compliance:	of St. 1
Method used to demonstrate compliance:	Obje 71. 194 CO
#2. Term or condition of the general permit that has not been in continuous	compliance during the reporting period stated above:
Exact period of non-compliance: from	
Action(s) taken to achieve compliance:	·
Method used to demonstrate compliance:	
As the responsible official, I hereby certify, based on information and belief made in this notification are true, accurate and complete. Further, my annu upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dr combination facilities. RESPONSIBLE OFFICIAL: X BERT GUMARES Name (Please Print)	ual consumption of perchloroethylene solvent, based

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANN RE-II	UAL COMPLAINT/DISCOVERY NSPECTION
FACILITY NAME: 60 MINO FACILITY LOCATION: 1090 RESPONSIBLE OFFICIAL: RO	7-22-99 TIME IN: 11:00 TIME OUT: 11:30 TE CLEANERS E HILLSBORD BLVD. DEERSTEED BOTH FL. BERT GUIMARES PHONE: (954) 42746636
PART I: NOTIFICATION	
(check appropriate box) 1. New facility notified DARM 30 days page 12. Facility failed to notify DARM to use	·
PART II: CLASSIFICATION	
Facility indicated on notification form (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91)	That it is: No notification form Drop store/out of business/petroleum 2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91)
3. Existing large area source dry-to-dry only, $140 \le x \le 2,100$ gal/y transfer only, $200 \le x \le 1,800$ gal/yr	4. New large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr
both types, 140 ≤ x ≤ 1,800 gal/yr (constructed before 12/9/91) 5. This is a correct facility classification	both types, $140 \le x \le 1,800$ gal/yr (constructed on or after $12/9/91$)

P	ART III: GENERAL CONTROL REQUIREMENTS				
	Is the responsible official of the dry cleaning facility: (check appropriate boxes)				
1.	Storing perchloroethylene in tightly sealed and impervious containers?	MY ON ON/A			
2.	Examining the containers for leakage?	MY ON ON/A			
3.	Closing and securing machine doors except during loading/unloading?	M DN			
4.	Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	MY ON ON/A			
5.	Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	ØY □N □N/A			
n	ADT IV. DDOCECC VENT CONTROL C				
==	ART IV: PROCESS VENT CONTROLS Part II-A:				
111	rant II-A:				
	If classification 1 has been checked, no controls are required. Proceed to Part V.	,			
	If classification 2 has been checked, the machine should be equipped with a refrig (complete $\bf A$ below).	erated condenser			
	If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993				
	If classification 4 has been checked, the machine should be equipped with a refrig (complete A and B below).	erated condenser			
	. Has the responsible official of all new sources and existing large area sources: heck appropriate boxes)				
ı.	Equipped all machines with the appropriate vent controls?	□Y □N			
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	OY ON ON/A			
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	OY ON ON/A			
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?	OY ON			
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?	□Y □N □N/A			
6.	Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	OY ON			

В.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΔY	□N	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ПY	□N	□N/A
	Is the temperature differential equal to or greater than 20° F?	ПY	ПΝ	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,			
	if machines are equipped with a carbon adsorber?	ΠY	ПN	□N/A
	Is the perc concentration equal to or less than 100 ppm?	ΠY	ПN	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction,			
	or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΠY	ПN	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	□Y ·	ПN	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΠY	□N	□N/A

PART V: RECORDKEEPING REQUIREMENTS Has the responsible official: (check appropriate boxes) 1. Maintained receipts for perc purchased? MO AR 2. Maintained rolling monthly total of perc consumption? 3. Maintained leak detection inspection and repair reports for the following: DY ON ON/A a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days DY ON ON/A and parts installed w/in 5 days of receipt? DY DN BN/A 4. Maintained calibration data? (for applicable direct reading instruments) DY DN GN/A 5. Maintained exhaust duct monitoring data on perc concentrations? r Pr⊡ 6. Maintained startup/shutdown/malfunction plan? DY DN MYA 7. Maintained deviation reports? DY DN BN/A Problem corrected? DY DN GN/A 8. Maintained compliance plan, if applicable?

P	PART VI: LEAR DETECTION AND REPAIRS						
1.	1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair						
	inspection?			ON ON			
2.	Has the facility maintained a leak log?			DAY ON			
3.	Does the responsible official check the	following areas for leaks?	·				
	Hose connections, fittings, couplings, and valves	MY ON ON/A	Muck cookers	DY ON ON/A			
	Door gaskets and seating	MY ON ON/A	Stills	MY ON ON/A			
	Filter gaskets and seating	Y ON ON/A	Exhaust dampers	DY ON ON/A			
	Pumps	MY ON ON/A	Diverter valves	DY ON ON/A			
	Solvent tanks and containers	OY ON ON/A	Cartridge filter housings	MY ON ON/A			
	Water separators	DY ON ON/A					
4.	Which method of detection is used by the	ne responsible official?					
	Visual examination (condensed so	olvent on exterior surface	s)				
	Physical detection (airflow felt thr	ough gaskets)		1			
	Odor (noticeable perc odor)			M			
	Use of direct-reading instrumentation (FID/PID/calorimetric tubes)						
	Halogen leak detector						
	If using direct-reading instru	umentation, is the equip	ment:	ON/A			
	a. Capable of detecting p	perc vapor concentrations	in a range of 0-500 ppm?	OY ON			
	b. Calibrated against a s (PID/FID only)?	tandard gas prior to and	after each use	OY ON			
	c. Inspected for leaks an	d obvious signs of wear o	on a weekly basis?	DY DN			
	d. Kept in a clean and se	•		OY ON			
	e. Verified for accuracy			OY ON			
		-,	(
_							
	1 P		7 00 00				
_	Inspector's Name (Please Prin	<u></u>					
	Anspector's Ivalic (Flease Fill)	,	Date of hispe	ouon .			
	1/t Vot		JULY 20	000			
_	Inspector's Signature	 -	Approximate Date of 1				

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM



0112237

FACILITY NAME: 60 MINUTE CLEANERS	DATE: 7-22-99
FACILITY LOCATION: 1090 E HILLSBORD BLVD. DO	
Annual Reporting Period: 5EP 15 1998 TO	JULY 22 1999
Based on each term or condition of the Title V general air permit, my facility has re 62-213 300, Florida Administrative Code (F.A.C.), during the period covered by this If NO, complete the following:	
=1. Term or condition of the general permit that has not been in continuous compli-	ance during the reporting period stated above:
Exact period of non-compliance: from	to
Action(s) taken to achieve compliance:	
Method used to demonstrate compliance:	
=2. Term or condition of the general permit that has not been in continuous complication.	ance during the reporting period stated above:
Exact period of non-compliance: from	to
Action(s) taken to achieve compliance:	
Method used to demonstrate compliance:	
As the responsible official, I hereby certify, based on information and belief formed made in this notification are true, accurate and complete. Further, my annual consuson purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facili combination facilities. RESPONSIBLE OFFICIAL: Name (Please Print)	umption of perchloroethylene solvent, based
"This form is made available to you as an aid in order to meet your annual compliand discretion of the responsible official to use this form.	nce certification requirements. It is at the

Page _____ of ____.

				_	
Da.	vised	l Ai	1/1	Q/	nn
L C	vised	U	1/1	O/	w

AIRS ID#: 0112237

Me

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: 60 MINUTE CLEANERS DATE: 7/25/00
FACILITY LOCATION: 1090 E HILLSBORD BLUD DEERFIELD BOH, FL. 33441
<u> </u>
Annual Reporting Period: July 22 1999 TO July 25 2000
Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule
62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.
If NO, complete the following:
#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:
Exact period of non-compliance: fromto
Action(s) taken to achieve compliance:
Method used to demonstrate compliance:
#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:
Exact period of non-compliance: from
Action(s) taken to achieve compliance:
Method used to demonstrate compliance:
As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities. RESPONSIBLE OFFICIAL: RESPONSIBLE OFFICIAL:

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION:	ANNUAL RE-INSPECTION	<u>a</u>	COMPLAIN	I/DISCOVERY	Q
AIRS ID#: <u>0\\2237</u> FACILITY NAME: <u>\(\(\O\)\)</u> FACILITY LOCATION: _	MINUTE CLEAN	JEES	No. P.	TIME OUT:	11:00
RESPONSIBLE OFFICIAL CONTACT NAME:	: ROBERT GU	IMARES	o_ phone: (9)	\$4)427-663 —	lo
PART I: NOTIFICATION					
(check appropriate box)					
New facility notified DARM	1 30 days prior to startup				0
2. Facility failed to notify DAF	•				٥
				- -	
PART II: CLASSIFICATIO	N				
Facility indicated on notificat (check appropriate box)			☐ No notifica☐ Drop store/	tion form out of business/pe	trolcum
Facility indicated on notificat (check appropriate box)	ion form that it is: rce	nsfer only, x h types, x <	Drop store/ area source x < 140 gal/yr < 200 gal/yr	out of business/pe	trolcum
Facility indicated on notificat (check appropriate box) A. 1. Existing small area sour dry-to-dry only, x < 140 gall transfer only, x < 200 gal/yr both types, x < 140 gal/yr	ion form that it is: rce 2. /yr dry trai bot (co rce 4. ,100 gal/yr dry gal/yr bot	-to-dry only, nsfer only, x h types, x < nstructed on New large a -to-dry only, nsfer only, 20 h types, 140	Drop store/ area source x < 140 gal/yr < 200 gal/yr 140 gal/yr or after 12/9/91	out of business/pe	trolcum
Facility indicated on notificat (check appropriate box) A. 1. Existing small area sour dry-to-dry only, x < 140 gallyr both types, x < 140 gallyr (constructed before 12/9/91) 3. Existing large area sour dry-to-dry only, 140 ≤ x ≤ 2 transfer only, 200 ≤ x ≤ 1,80 both types, 140 ≤ x ≤ 1,800	ion form that it is: rce	-to-dry only, x h types, x < nstructed on New large a -to-dry only, nsfer only, 20 h types, 140 nstructed on	Drop store/ area source $x < 140 \text{ gal/yr}$ $< 200 \text{ gal/yr}$ 140 gal/yr or after $12/9/91$ area source $140 \le x \le 2,100$ $00 \le x \le 1,800 \text{ gal/y}$ $\le x \le 1,800 \text{ gal/y}$	out of business/per	trolcum
Facility indicated on notificat (check appropriate box) A. 1. Existing small area sour dry-to-dry only, x < 140 gallyr both types, x < 140 gallyr (constructed before 12/9/91) 3. Existing large area sour dry-to-dry only, 140 ≤ x ≤ 2 transfer only, 200 ≤ x ≤ 1,80 both types, 140 ≤ x ≤ 1,80 (constructed before 12/9/91) 5. This is a correct facility of	ion form that it is: rce 2. /yr dry trai bot (co rce 4. ,100 gal/yr dry 00 gal/yr trai gal/yr bot (co lassification 1) appropriate classification ty qualified for a general ty exceeds above limits a	-to-dry only, x h types, x < nstructed on New large a -to-dry only, nsfer only, 20 h types, 140 nstructed on Mexicological New large a -to-dry only, 20 h types, 140 nstructed on Mexicological New large and large larg	Drop store/ area source $x < 140 \text{ gal/yr}$ $< 200 \text{ gal/yr}$ 140 gal/yr or after $12/9/91$ area source $140 \le x \le 2,100$ $00 \le x \le 1,800 \text{ gal/yr}$ or after $12/9/91$ Can not determine 2 gible for a general	out of business/per	

PART III: GENERAL CONTROL REQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) DY ON ON/A 1. Storing perchloroethylene in tightly sealed and impervious containers? DY ON ON/A 2. Examining the containers for leakage? OY ON 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at DY DN DN/A least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber DY DN ØN/A beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A bclow). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) MY ON 1. Equipped all machines with the appropriate vent controls? OY ON ON/A 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the DY ON ON/A condenser upon opening the door? 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?

В	. Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ØΥ	ПN	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?			⊠N/A
	Is the temperature differential equal to or greater than 20° F?	' QY	ПN	ĊN/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	ΩY	□и	ŒN/A
	Is the perc concentration equal to or less than 100 ppm?	ΩY	ПΝ	ĽN/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΩY	ПN	OXÍ∕A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΩY	ПN	M/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΩY	ПΝ	ĎN/A

PART V: RECORDKEEPING REQUIREMENTS	
Has the responsible official: (check appropriate boxes)	
Maintained receipts for perc purchased?	DAY DN
2. Maintained rolling monthly total of perc consumption?	OY ON
3. Maintained leak detection inspection and repair reports for the following:	
a. documentation of leaks repaired w/in 24 hrs? or;	DY ON ON/A
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	DY ON ON/A
4. Maintained calibration data? for applicable direct reading instruments)	DY DN DYNA
5. Maintained exhaust duct monitoring data on perc concentrations?	AVARO NO YO
6. Maintained startup/shutdown/malfunction plan?	OY ON
7. Maintained deviation reports?	OY ON MON/A
Problem corrected?	OY ON ONIA
8. Maintained compliance plan, if applicable?	DY DN CHYA

PART VI: LEAK DETECTION	N AND REPAIRS		
1. Does the responsible official of	onduct a weekly (for small so	urces, bi-weekly) leak detection a	and repair
inspection?			ØY ON
2. Has the facility maintained a le	eak log?		DY ON
3. Does the responsible official cl	heck the following areas for l	eaks?	
Hose connections, fitting couplings, and valves	s, dy on on/a	Muck cookers	OY ON ON/A
Door gaskets and seating	S DY ON ON/A	Stills	. DY ON ON/A
Filter gaskets and seating	g by on on/a	Exhaust dampers	DY ON ON/A
Pumps	DY ON ON/A	Diverter valves	ey on on/a
Solvent tanks and contain	_	Cartridge filter housings	MY ON ON/A
Water separators	DAY ON ON/A		
4. Which method of detection is a	used by the responsible officia	1?	
Visual examination (cond	densed solvent on exterior sur	faces)	
Physical detection (airflo	w felt through gaskets)		œ
Odor (noticeable perc odo	or)		्र 🗹
Use of direct-reading inst	rumentation (FID/PID/calori	metric tubes)	
Halogen leak detector			
If using direct-readi	ng instrumentation, is the ed	quipment:	CIN/A
a. Capable of de	tecting perc vapor concentrat	ions in a range of 0-500 ppm?	OY ON
b. Calibrated ag (PID/FID only	ainst a standard gas prior to a y)?	and after each use	OY ON
c. Inspected for	leaks and obvious signs of we	ar on a weckly basis?	OY ON
d. Kept in a clea	n and secure area when not is	n use?	OY ON
e. Verisied for ac	ccuracy by use of duplicate sa	mples (calorimetric only)?	OY ON
ART PENNETTA	and Drint)	7/25/00	otion
Inspector's Name (Ple	asc riiil)	Date of Insper	
Inspector's Signate	ure	Approximate Date of I	



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

301075

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

ROBERT GUIMARES ROBERT GUIMARES 10090 E HILLSBORO BLVD DEERFIELD FL 33441

AIRS ID#0112237

FOR GOVERNMENT USE ONLY Org.: 37550101000 EO: B1

Fund: 20-2-035001 ОЫ: 002273

SENDER: COMPLETE AS SECTION	TE THIS SECTION ON DELIVERY
 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Received by (Please Print Clearly)
1. Article Addressed to:	D. Is delivery address different tryfin item D Pes If YES, enter delivery address below: D No JUN 1 1 200
10 AIRS ID # 0112237001AG ROBERT GUIMARES 60 MINUTE CLEANERS 1090 E HILLSBORO BLVD	Bureau of Air M
DEERFIELD FL 33441	3. Service Type Tobile Sources Certified Mail
	4. Restricted Delivery? (Extra Fee)
2. Article Number (Copy from service label) 129 97	785
PS Form 3811, July 1999 Domestic Retu	urn Receipt 102595-99-M-1789

	U.S. Postal S CERTIFIED (Domestic Mail C	MAIL REC	EIPT Coverage Provided)
40			
97			
- L	Postage	\$	
7	Certified Fee		8
-G	Return Receipt Fee (Endorsement Required)		Postmark Here
9200	Restricted Delivery Fee (Endorsement Required)		
00	Tota'	^	
0600	Recip 10	AIRS ID # 01122	37001AG
	ROBERT GU Streei 60 MINUTE (
7000	DEERFIELD	SBORO BLVD	•
	PS Fo.	FL JJ441	Ínstructions

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

 $258212\,$ Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID# 0112237

60 MINUTE CLEANERS ROBERT GUIMARES 10090 E HILLSBORO BLVD **DEERFIELD FL 33441**

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1

Fund: 20-2-035001 Оы.: 002273



(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

399715

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label


AIRS ID # 0112237

60 MINUTE CLEANERS ROBERT GUIMARES 1090 E HILLSBORO BLVD **DEERFIELD FL 33441**

FOR GOVERNMENT USE ONE. Org.: 37550101000 CBO: AF Fund: 20-2-035001

Obj.: 002273





TITLE V - General Permit Receipts Post Office Box 3070 Tallahassee, FL 32315-3070

32312X3030

In Hard all hard I definite Hard all hard all

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0360849

Please include your AIRS ID# on your check or money order. This number can be found below on your marting label.

TOTAL AMOUNT DUE: \$50.00

A Blease Note obtens # is 1090.

Do NOT Remove Label

AIRS ID # 0112237

1090

60 MINUTE CLEANERS ROBERT GUIMARES 1999 E HILLSBORO BLVD **DEERFIELD FL 33441**

Org.: 37550101000 EO: B1

Fund: 20-2-035001 Obj.: 002273

n the reverse side	SENDEN: Complete items 1 and/or 2 for additional services. Complete items 3, 4a, and 4b. Print your name and address on the reverse of this form so that we card to you. Attach this form to the front of the mailpiece, or on the back if spacepermit. Write "Return Receipt Requested" on the mailpiece below the artic. The Return Receipt will show to whom the article was delivered ard delivered.	ce does not le number.	I also wish to red following service extra fee): 1. Address 2. Restricte Consult postmas	es (for an see's Address ed Delivery
N ADDRESS completed o	3. Article Addressed to: AIR'S ID # 01'12237 60 MINUTE CLEANERS ROBERT GUIMARES 10090 E HILLSBORO BLVD DEERFIELD FL 33441	4a. Article N 4b. Service Registere Express I Retum Ret 7. Date of De	umber 174 052 Type ed Mail ceipt for Merchandise	235
your RETURN	5. Received By: (Print Name) 6. Signature (Addressee or Agent) X	8. Addressee and fee is	e's Address (Only paid)	if requested

P 174 05 60 MINUTE CLEAN ROBERT GUIMARI 10090 E HILLSBORG DEERFIELD FL 334	AIRS ID # 01 ERS ES O BLVD 41	12237
Postage	\$	
Certified Fee		
Special Delivery Fee		
Restricted Delivery Fee		
Return Receipt Showing to Whom & Date Delivered		
Return Receipt Showing to Whom,		1
Date, & Addressee's Address		1
	\$	

the right of the return address Fold at line over top of envelope to SENDER: also wish to receive the ■Complete items 1 and/or 2 for additional services. ■ Complete items 3, 4a, and 4b. say: ■ Print your name and address on the reverse of this form so that we can return this following services (for an extra fee): Receipt Service Attach this form to the front of the mailpiece, or on the back if space does not 1. Addressee's Address permit. Write "Return Receipt Requested" on the mailpiece below the article number. The Return Receipt will show to whom the article was delivered and the date 2. Restricted Delivery on the delivered. Consult postmaster for fee. 3. Article Addressed to: 4a. Article Number RETURN ADDRESS completed 2333660530 Fhank you for using Return AIRS ID # 0112237 4b. Service Type **60 MINUTE CLEANERS** Certified □ Registered ROBERT GUIMARES ☐ Express Mail 10090 E HILLSBORO BLVD ☐ Return Receipt for Merchandise ☐ COD DEERFIELD FL 33441 7. Date of Delivery 5. Received By: (Print Name) 8. Addressee's Address (Only if requested and fee is paid) 6. Signature: (Addressee or Agent) PS Form 3811, December 1994 Domestic Return Receipt 102595-97-B-0179

Z 333 660 530 US Postal Service **Receipt for Certified Mail** AIRS ID # 0112237 60 MINUTE CLEANERS ROBERT GUIMARES 10090 E HILLSBORO BLVD DEERFIELD FL 33441 \$ Postage Certified Fee Special Delivery Fee Restricted Delivery Fee Return Receipt Showing to Whom & Date Delivered Return Receipt Showing to Whom Date, & Addressee's Address 3800 TOTAL Postage & Fees Postmark or Date Form : 8

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

389264

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 0112237

60 MINUTE CLEANERS ROBERT GUIMARES 1090 E HILLSBORO BLVD DEERFIELD FL 33441 MAIL ROOM DEC -9 99

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1

Fund: 20-2-035001 Obj.: 002273