Perchloroethylene Dry Cleaning Facility Nounce.

Facility Name and Location

Facility Owner/Company Name (Name of corporation, agency, or individual owner):

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):

2. Facility Owner/Company Name (Name of corporation, agency, or individual owner):

3. In the property of the property o Bureau of Air Monitoring ANF DRY CLEANERS Hazardous Waste Generator Identification Number: FLO 000 331868 4. Facility Location: 10870 WILLS ROAP Street Address: City: Conse SPRING County: BriwArd Zip Code: 33067 5. Facility Identification Number (DEP Use): Responsible Official 6. Name and Title of Responsible Official: FELIX PIMENTEL 7. Responsible Official Mailing Address: 10870 WILES ROAD Organization/Firm: Street Address: City: Conse Spring County: Brown Zip Code: 33067 8. Responsible Official Telephone Number: (954) 341 - 88 90 Telephone: Fax: (Facility Contact (If different from Responsible Official) 9. Name and Title of Facility Contact (For example, plant manager): 10. Facility Contact Address: Street Address: City: County: Zip Code: 11. Facility Contact Telephone Number: Telephone: Fax: (

DEP Form No. 62-213.900(2) Effective: 6-25-96

	<u> </u>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	0/3	
, ,	6.	add Title of Responsible Official
	0.14	
Andread Services	(a)	Some as install date add date. Should not be worked. Markout and
And the second		some as install date add date.
With the second	(c)	Should not be marked. Markout and
_		initial.
	p15(f)	Regard Should be washed.
	p16	Idd Pennit #'s of Pennits surrendered. If none, Marlo "Mollis Permity"
	/	I from, Mark "Modis Permity"
		ļ •
	-i	Responsible official sign and dete for changes.
		elionges.
		,
	3/23/98	Spoke to Velix Primentel and he
		Spoke to Velix Primentel and he stated that he is the owner.
	,	

Facility Information

Facility Information

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the Manager Monitoring its purchase, and the date the control device was installed, if applicable.

2001 MAN		Date	Date		Date	Date		Date	Date
1001		Machine	Control		Machine	Control		Machine	Control
2001	,	Initially	Device	,,,	Initially	Device	,,,	Initially	Device
Type of Machine	ID	Purchased	Installed	ID	Purchased	Installed	ID	Purchased	Installed
Example	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-9
Dry-to-Dry Unit		009 7	DAY	ux	11T				<u> </u>
(1) w/ ref. condenser	V	7/19/	06						
(2) w/ carbon adsorber		7							
(3) w/ no controls									
Washer Unit	:							2.6	
(4) w/ ref. condenser	1/								
(5) w/ carbon adsorber									
(6) w/ no controls		_							
Dryer Unit	V.	11 11 11							
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit								3 Table 18	
(10) w/ ref. condenser	V								
(11) w/carbon adsorber									
(12) w/ no controls									
(b) Control devices are(c) No control devices	-				•				
2.(a) What was the total of			oroethylene (perc)	purchased in	the latest 12	2 mor	nths?	
(b) If less than 12 mont Check why it is less					_] New store	: [] Did	not k	eep records:	
3. What is the facility's so (Indicate with an "X".					initions found	d in section (3) of	Part II?	
Existing small ar	ea so	urce []	Ne	w sn	nall area sour	ce 🔀]		
Existing large are	ea sou	irce []	Ne	w la	rge area sour	ce []		

DEP Form No. 62-213.900(2)

Effective: 6-25-96

Page 14 of 16

4. What control technology is required on machines p (Indicate with an "X".)	ursuant to section (5) of Part II of this notification form?
Existing large area source Carbon adsorber	Refrigerated condenser []
New small area source Refrigerated condenser	
New large area source Refrigerated condenser []	
•	
5. A facility which contains non-exempt emissions up to Rule 62-213.300, F.A.C. Verify that all steam and exemption criteria or that no such units exist on-site:	nits shall not be eligible to use the general permit pursuant hot water generating units on-site meet the following
	ave a total heat input of 10 million BTU/hr or less (298 tural gas except for periods of natural gas curtailment than one percent sulfur is fired.
All steam and hot water generating units exempt No such units on-site	
Equipment Monitoring an	d Recordkeeping Information
Check all logs which are required to be kept on-site in	accordance with the requirements of this general permit:
(a) Purchase receipts and solvent purchases	\times
(b) Leak detection inspection and repair	\times
(c) Refrigerated condenser temperature monitoring	$\mathcal{X}_{\mathbf{j}}$
(d) Carbon adsorber exhaust perc concentration monit	oring
(e) Instrument calibration	
(f) Start-up, shutdown, malfunction plan	

DEP Form No. 62-213.900(2) Effective: 6-25-96

Surrender of Existing Air Permit(s)

Please indica	I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) No air permits currently exist for the operation of the facility indicated in
. []	No air permits currently exist for the operation of the facility indicated in this notification form.
	Responsible Official Certification
this notij statemen maintain	dersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in fication. I hereby certify, based on information and belief formed after reasonable inquiry, that the use made in this notification are true, accurate and complete. Further, I agree to operate and the air pollutant emissions units and air pollution control equipment described above so as to with all terms and conditions of this general permit as set forth in Part II of this notification form.
I will pro	ompsty notify the Department of any changes to the information contained in this notification. 3 7 Pate

DEP Form No. 62-213.900(2) Effective: 6-25-96

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

•-	RE-INSPECTION	0	AINT/DISCOVERY	
AIRS ID#:	DRY CLEANS	ERRECE PO. COMPAC	SPRUGS FOR Monitoring 33 Air Monitoring 33 Oblie Sources 33 (954)341-88	
PART I: NOTIFICATION				
(check appropriate box) 1. New facility notified DARM 2. Facility failed to notify DARM	•			12
PART II: CLASSIFICATION				
Facility indicated on notification (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/y transfer only, x < 200 gal/yr	ce 🗹 2. N vr dry-t			roleum
both types, x < 140 gal/yr (constructed before 12/9/91)	both	sfer only, $x < 200 \text{ gal/y}$ types, $x < 140 \text{ gal/yr}$ structed on or after 12/	γr	·
both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,3 transfer only, 200 ≤ x ≤ 1,800 g (constructed before 12/9/91) 5. This is a correct facility classification of the property of the prop	both (considered of the considered of the consid	sfer only, $x < 200 \text{ gal/y}$ types, $x < 140 \text{ gal/yr}$ structed on or after 12/New large area source to-dry only, $140 \le x \le$ sfer only, $200 \le x \le 1,800$ structed on or after 12/N \square Can not cormit as number	/r////////////////////////////////////	

PART III: GENERAL CONTROL REQUIREMENTS						
Is the responsible official of the dry cleaning facility: (check appropriate boxes)						
1. Storing perchloroethylene in tightly sealed and impervious containers?	DY ON ON/A					
2. Examining the containers for leakage?	DY ON ON/A					
3. Closing and securing machine doors except during loading/unloading?	DY DN					
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	MY ON ON/A					
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	MY ON ON/A					
PART IV: PROCESS VENT CONTROLS						
In Part II-A:						
If classification 1 has been checked, no controls are required. Proceed to Part V.						
If classification 2 has been checked, the machine should be equipped with a refrig (complete A below).	If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).					
· · · · · · · · · · · · · · · · · · ·	If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993					
If classification 4 has been checked, the machine should be equipped with a refrig (complete A and B below).	gerated condenser					
A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)						
1. Equipped all machines with the appropriate vent controls?	מם צם					
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	OY ON ON/A					
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	OY ON ON/A					
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?	OY ON					
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?	OY ON ON/A					
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	OY ON					

В.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	QY	ПN	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΩY	ПN	□N/A
	Is the temperature differential equal to or greater than 20° F?	ПY	ПN	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	ΟY	ПN	□N/A
	Is the perc concentration equal to or less than 100 ppm?	ПY	ПΝ	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΟY	ПΝ	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΩY	ПN	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΩY	ПΝ	□N/A
-				

PART V: RECORDKEEPING REQUIREMENTS Has the responsible official: (check appropriate boxes) MY ON 1. Maintained receipts for perc purchased? 2. Maintained rolling monthly total of perc consumption? 3. Maintained leak detection inspection and repair reports for the following: MY ON ON/A a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days DY ON ON/A and parts installed w/in 5 days of receipt? DY DN DN/A 4. Maintained calibration data? for applicable direct reading instruments) DY DN WN/A 5. Maintained exhaust duct monitoring data on perc concentrations? MY ON 6. Maintained startup/shutdown/malfunction plan? DY ON ON/A 7. Maintained deviation reports? DY DN WN/A Problem corrected? DY DN WN/A 8. Maintained compliance plan, if applicable?

P/	PART VI: LEAK DETECTION AND REPAIRS							
1.	1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair							
	inspection?				Q Y	ПN		
2.	Has the facility maintained a leak log?				T Y	ПN		
3.	Does the responsible official check the	following are	eas for leaks?					
	Hose connections, fittings, couplings, and valves	MY ON	□N/A	Muck cookers	W Y	מם מם	ī/A	
	Door gaskets and seating	Y ON	□N/A	Stills	M Y	ON ON	T/A	
	Filter gaskets and seating	DY ON	□N/A	Exhaust dampers	ØY		T/A	
	Pumps	MY ON	□N/A	Diverter valves	ØY	מם אם	ī/A	
	Solvent tanks and containers	MY DN	□N/A	Cartridge filter housings	ØY	ON ON	ī/A	
	Water separators	DY ON	□N/A					
4.	Which method of detection is used by t	he responsibl	e official?		,			
	Visual examination (condensed se	olvent on ext	erior surfaces)		গ্ৰ			
	Physical detection (airflow felt the	rough gasket	s)		ন			
	Odor (noticeable perc odor)				Ø			
Use of direct-reading instrumentation (FID/PID/calorimetric tubes)								
	Halogen leak detector							
	If using direct-reading instr	umentation,	is the equipm	ent:	ØN/	A		
	a. Capable of detecting	perc vapor co	ncentrations in	n a range of 0-500 ppm?	QY	ПN		
	b. Calibrated against a s (PID/FID only)?	standard gas	prior to and aft	er each use	ΩY	ПN		
	c. Inspected for leaks an	id obvious sig	gns of wear on	a weekly basis?	ПY	ПN		
	d. Kept in a clean and s	`	-	•	ΩY	ΠN		
	e. Verified for accuracy				ΩY	ΠN		
	A - P	1		1 = CC				
_	HRT FUNETT/ Inspector's Name (Please Print	<u> </u>		Date of Inspe	ction			
	Arth Posti	,		•	200	50		
	Inspector's Signature			Approximate Date of			 l	

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

Roc	
-----	--

0112404 ANNUAL	COMPLIANCE CERTIFICATIO	n FORWI
FACILITY NAME: ANF	DRY CLEANERS	DATE: 4-5-99
FACILITY LOCATION:(0870	WILES RO. CORAL	SPRINOS FC 33067
Annual Reporting Period: MAR	30 19 <u>98</u> to	APRIL 95 1999
Based on each term or condition of the Title V 62-213 300, Florida Administrative Code (F. 2 If NO, complete the following: #1. Term or condition of the general permit to	A.C.), during the period covered by this stat	ement. TYES INO
Exact period of non-compliance: from	to_	
Action(s) taken to achieve compliance:		····
Method used to demonstrate compliance:		
≠2. Term or condition of the general permit t	that has not been in continuous compliance	during the reporting period stated above:
Exact period of non-compliance: from	to	······································
Action(s) taken to achieve compliance:		
Method used to demonstrate compliance:	•	
.is the responsible official, I hereby certify, be made in this notification are true, accurate an upon purchase receipts, does not exceed 2,10 combination facilities. RESPONSIBLE OFFICIAL INDIA Name	nd complete. Further, my annual consumpt	ion of perchloroethylene solvent, based

"This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

Page _____ of ____.

BEST AVAILABLE COPY

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION:	ANNUAL	☑ COM	PLAINT/DISCOVERY	
	RE-INSPECTION			
				<u> </u>
AIRS ID#: 01/2404			^	#15
FACILITY NAME:Au	F DRY CLEAN	ERS	W. B.	
FACILITY LOCATION:	10870 WILES	RD. COR	AL SPRIJES FI	3067
RESPONSIBLE OFFICIAL :	FELIX PIMENTE	РНО	NE: <u>(954) 341 - 8</u> 85	<u> </u>
CONTACT NAME:		PHO!	VE:	
PART I: NOTIFICATION				
(check appropriate box)				
1. New facility notified DARM	• •			حق)
2. Facility failed to notify DAR	M to use general permit			
				
PART II: CLASSIFICATION				
Facility indicated on notificati (check appropriate box)	on form that it is:		notification form op store/out of business/pet	roleum
A.	,		p stores out of business pot	loicam
1. Existing small area sour dry-to-dry only, x < 140 gal/y transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91)	yr dry-to trans: both	ew small area sour o-dry only, $x < 140$ fer only, $x < 200$ gatypes, $x < 140$ gal/y tructed on or after	gal/yr al/yr yr	
3. Existing large area sour		ew large area sour o-dry only, 140 ≤ x	≤ 2,100 gal/yr	
dry-to-dry only, $140 \le x \le 2$, transfer only, $200 \le x \le 1,80$ both types, $140 \le x \le 1,800$ (constructed before $12/9/91$)	0 gal/yr trans/ gal/yr both	fer only, $200 \le x \le$ types, $140 \le x \le 1$, tructed on or after	300 gal/yr	
transfer only, $200 \le x \le 1,80$ both types, $140 \le x \le 1,800$ g	0 gal/yr transl gal/yr both (cons	fer only, $200 \le x \le$ types, $140 \le x \le 1$, tructed on or after	300 gal/yr	
transfer only, $200 \le x \le 1,800$ both types, $140 \le x \le 1,800$ g (constructed before $12/9/91$) 5. This is a correct facility classified in the second of	o gal/yr translegal/yr both of consumptions assistication Ty appropriate classification: by qualified for a general party exceeds above limits and	fer only, $200 \le x \le$ types, $140 \le x \le 1$, tructed on or after $\square N \qquad \square Can$ ermit as number is not eligible for a	above a general permit	

PART III: GENERAL CONTROL REQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) DY ON ON/A 1. Storing perchloroethylene in tightly sealed and impervious containers? DY ON ON/A 2. Examining the containers for leakage? øy on 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at DY ON ON/A least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber DY DN DN/A beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) 1. Equipped all machines with the appropriate vent controls? DY DN DY DN DN/A 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the DY DN DN/A condenser upon opening the door? 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? OY ON 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F? DY DN DN/A 6. Conducted all temperature monitoring after an appropriate cooldown period and after DY DN verifying that the coolant had been completely charged?

В.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ПY	ПN	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΟY	ПΝ	□N/A
	Is the temperature differential equal to or greater than 20° F?	ПY	ПN	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,			D.7/4
	if machines are equipped with a carbon adsorber?	ЦY	UN	□N/A
	Is the perc concentration equal to or less than 100 ppm?	\Box Y	ПN	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΟY	□N	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΟY	□и	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΟY	DИ	□N/A

PART V: RECORDKEEPING REQUIREMENTS	
Has the responsible official: (check appropriate boxes)	
1. Maintained receipts for perc purchased?	OY ON
2. Maintained rolling monthly total of perc consumption?	om no mo
3. Maintained leak detection inspection and repair reports for the following:	_
a. documentation of leaks repaired w/in 24 hrs? or;	OY ON ON/A
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	OY ON ON/A
4. Maintained calibration data? (for applicable direct reading instruments)	OY ON ON/A
5. Maintained exhaust duct monitoring data on perc concentrations?	OY ON PAN/A
6. Maintained startup/shutdown/malfunction plan?	og on
7. Maintained deviation reports?	OY ON ON/A
Problem corrected?	OY ON ON/A
8. Maintained compliance plan, if applicable?	מאם אם צם

PART VI: LEAK DETECTION AND R	LPAIKS						
1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair							
inspection?	ON N⊡						
2. Has the facility maintained a leak log?			oy on				
3. Does the responsible official check the f	ollowing areas for leaks?						
Hose connections, fittings, couplings, and valves	DY ON ON/A	Muck cookers	DY ON ON/A				
Door gaskets and seating	Y ON ON/A	Stills	OY ON ON/A				
Filter gaskets and seating	MY ON ON/A	Exhaust dampers	DY ON ON/A				
Pumps	DY ON ON/A	Diverter valves	OY ON ON/A				
Solvent tanks and containers	CY ON ON/A	Cartridge filter housings	OY ON ON/A				
Water separators	DY ON ONA		•				
4. Which method of detection is used by the	e responsible official?						
Visual examination (condensed so	a _						
Physical detection (airflow felt thr	ough gaskets)		ਰ ਂ				
Odor (noticeable perc odor)			o (
Use of direct-reading instrumental							
Halogen leak detector							
If using direct-reading instru	ŒŃ/A						
a. Capable of detecting p	UY UN						
b. Calibrated against a st (PID/FID only)?	OY ON						
c. Inspected for leaks and	OY ON						
d. Kept in a clean and se	OY ON						
e. Verified for accuracy l	OY ON						
e. Vermed for decuracy (y use of duplicate sample	s (caroninetric only).					
	*						
ART PENNETTA							
Inspector's Name (Please Print) A-17 2000 Date of Inspection			ction				
Det Porth		MAR 2001					
Inspector's Signature		Approximate Date of Next Inspection					

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM



FACILITY NAME: ANF DRY C	LEMERS			DATE: <u>4-17-CO</u>				
FACILITY LOCATION: 10870 W	ILES RO	CORIL	SPRIXES	33069	_			
	<u> </u>							
A ID I DIE AND E		96 70		17 2000	—— າ			
Annual Reporting Period: APRIL 5		<u>71</u> TO _	ARIL	17 20 <u>00</u>	<u>/</u>			
Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.								
If NO, complete the following:								
#1. Term or condition of the general permit that has	not been in continu	uous compliand	ce during the repo	orting period stated above:				
Exact period of non-compliance: from			to					
Action(s) taken to achieve compliance:								
Method used to demonstrate compliance:	 							
#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:								
Exact period of non-compliance: from		t	0					
Action(s) taken to achieve compliance:								
Method used to demonstrate compliance:			· · · · · · · · · · · · · · · · · · ·					
								
As the responsible official, I hereby certify, based on in this notification are true, accurate and complete. purchase receipts, does not exceed 2,100 gallons per combination facilities. RESPONSIBLE OFFICIAL: Name (Plea	Further, my annua r year for dry-to dry // // //	l consumption	of perchloroethyl	ene solvent, based upon	ıde TO			

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

Best Available Copy

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING 443927 DEC29 2004

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID# 112404 10 ANF DRY CLEANERS 10870 Wiles Road CORAL SPRINGS, FL 33069

Printed on recycled paper.

FOR GOVERNMENT USE ONLY

ORG.: 37550101000 EO: A1

FUND: 20-2-035001 OBJECT: 002273 THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.

Do NOT Remove Label

AIRS ID # 0112404 ANF DRY CLEANERS FELIX PIMENTEL 10870 WILES ROAD

CORAL SPRINGS FL 33067

of Air Monitoring Mobile Sources

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1

Fund: 20-2-035001 Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0357539

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 0112404

ANF DRY CLEANERS FELIX PIMENTEL 10870 WILES ROAD **CORAL SPRINGS FL 33067**

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1

Fund: 20-2-035001 Obj.: 002273



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

411951 DEC20 2001

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label


AIRS ID # 0112404


ANF DRY CLEANERS FELIX PIMENTEL 10870 WILES ROAD CORAL SPRINGS FL 33067

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: A1 Fund: 20-2-035001

Obj.: 002273





TITLE V - General Permit Receipts Post Office Box 3070 Tallahassee, FL 32315-3070