



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

October 30, 1997

Mr. Glen J. Philip
Premier Cleaners, Inc.
950-4 Blanding Boulevard
Orange Park, Florida 32065

Re: Facility No. 0190052

Dear Mr. Philip:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on October 22, 1997.

Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

DD/jw

cc: Mr. Rick Banks, Northeast District

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Butler, Rick

From: Alvarez, Fred
Sent: Monday, June 25, 2001 3:01 PM
To: Butler, Rick
Cc: Banks, Richard; Bowman, Sandy
Subject: Premier Clnrs #0190052

Please deactivate file

Rick-I went by today to do subj's annual insp & they no longer occupy the premises. No signs announcing where they moved & the businesses on each side in the strip mall have no clue. The perc machine is gone. Pls advise.

Fred

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	Glen J. Philip, PREMIER CLEANERS, Inc		
2. Site Name (For example, plant name or number):	Premier Cleaners, Inc		
3. Hazardous Waste Generator Identification Number:			
4. Facility Location:	950-4 Blanding Blvd		
Street Address:			
City:	Orange Park	County:	Clay
		Zip Code:	32065
5. Facility Identification Number (DEP Use):	0190052		

Responsible Official

6. Name and Title of Responsible Official:	Glen J. Philip, Vice President		
7. Responsible Official Mailing Address:	Premier Cleaners Inc		
Organization/Firm:	950-4 Blanding Blvd		
Street Address:			
City:	Orange Park	County:	Clay
		Zip Code:	32065
8. Responsible Official Telephone Number:			
Telephone:	(904) 272-0105	Fax:	() - None

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):			
10. Facility Contact Address:			
Street Address:			
City:	County:	Zip Code:	
11. Facility Contact Telephone Number:			
Telephone:	()	Fax:	()

RECEIVED

OCT 22 1997

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>									
	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
Dry-to-Dry Unit									
(1) w/ ref. condenser		✓ 01-MAY-95	01-MAY-95						
(2) w/ carbon adsorber									
(3) w/ no controls									
Washer Unit									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?

gallons

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: New store: Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?

(Indicate with an "X". Select one classification only.)

Existing small area source

New small area source

Existing large area source

New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?
(Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.

All steam and hot water generating units exempt
No such units on-site

Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Instrument calibration
- (f) Start-up, shutdown, malfunction plan

Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) _____

No air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

Alex Philip

Signature

10/20/97

Date

**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**



TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 9:30 TIME OUT: 10:30 AIRS ID#: 0190052
 TYPE OF FACILITY: DRY CLEANER
 FACILITY NAME: PREMIER CLEANERS DATE: 4-6-98
 FACILITY LOCATION: 950-4 BIAWING BLVD
ORANGE PARK, FL 32065
 RESPONSIBLE OFFICIAL: GLEN J. PHILIP PHONE NUMBER: 904-272-0105

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
Not Measurement Recording temp. of refrigerated condenser weekly	measure temp. + keep log
Not Maintaining MONTHLY rolling total OF PERC purchases	maintain rolling total
No leak detection + inspection log	keep leak log

RECEIVED
 APR 14 1998
 Bureau of Air Monitoring
 & Mobile Sources

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 4/99 (Approximate)

INSPECTION CONDUCTED BY: CHRISTOPHER L. SCOTT
 (Please Print)

INSPECTOR'S SIGNATURE: [Signature] PHONE NUMBER: 904-448-4310 x 255

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
 RE-INSPECTION

AIRS ID#: <u>0190052</u>	DATE: <u>4-6-98</u>	TIME IN: <u>9:30</u>	TIME OUT: <u>10:30</u>
FACILITY NAME: <u>PREMIER CLEANERS</u>			
FACILITY LOCATION: <u>950-4 BLANDING BLVD</u> <u>ORANGE PARK, FL. 32065</u>			
RESPONSIBLE OFFICIAL: <u>Glen J. Philip</u>		PHONE: <u>904-272-010</u>	
CONTACT NAME: _____		PHONE: _____	

Bureau of Air Monitoring & Mobile Sources

APR 14 1998

RECEIVED

PART I: NOTIFICATION

(check appropriate box)

1. New facility notified DARM 30 days prior to startup	<input type="checkbox"/>
2. Facility failed to notify DARM to use general permit	<input type="checkbox"/>

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
 (check appropriate box)

<input type="checkbox"/> No notification form
<input type="checkbox"/> Drop store/out of business/petroleum

A.

1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)

5. This is a correct facility classification N Can not determine

If no, please check the appropriate classification:

<input type="checkbox"/> facility qualified for a general permit as number _____ above
<input type="checkbox"/> facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 30 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers? Y N N/A
- 2. Examining the containers for leakage? Y N N/A
- 3. Closing and securing machine doors except during loading/unloading? Y N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N N/A

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls? Y N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
Is the temperature differential equal to or greater than 20°F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
 - a. documentation of leaks repaired w/in 24 hrs? or; Y N N/A
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N N/A
Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y NCS
2. Has the facility maintained a leak log? Y N
3. Does the responsible official check the following areas for leaks?
- | | | | |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment: N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

CHRISTOPHER L. SCOTT

Inspector's Name (Please Print)

Christopher L. Scott

Inspector's Signature

4-6-98

Date of Inspection

4/99

Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

[Empty rectangular box for additional site information]

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST



TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
 RE-INSPECTION

AIRS ID#: <u>0190052</u>	DATE: <u>8/24/98</u>	TIME IN: _____	TIME OUT: _____
FACILITY NAME: <u>Premier Cleaner</u>			
FACILITY LOCATION: <u>950-4 Blanding Blvd.</u> <u>Orange Park, Fl. 32065</u>			
RESPONSIBLE OFFICIAL: <u>Glen J. Phillips</u>		PHONE: <u>904-272-0185</u>	
CONTACT NAME: _____		PHONE: _____	

RECEIVED
 SEP - 4 1998
 Bureau of Air Monitoring
 & Mobile Services

PART I: NOTIFICATION

(check appropriate box)

1. New facility notified DARM 30 days prior to startup	<input type="checkbox"/>
2. Facility failed to notify DARM to use general permit	<input type="checkbox"/>

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
 (check appropriate box)

<input type="checkbox"/> No notification form
<input type="checkbox"/> Drop store/out of business/petroleum

A.

1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)

5. This is a correct facility classification N Can not determine

If no, please check the appropriate classification:

<input type="checkbox"/>	facility qualified for a general permit as number _____ above
<input type="checkbox"/>	facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 30 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- | | |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 2. Examining the containers for leakage? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- | | |
|--|--|
| 1. Equipped all machines with the appropriate vent controls? | <input type="checkbox"/> Y <input type="checkbox"/> N |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? | <input type="checkbox"/> Y <input type="checkbox"/> N |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input type="checkbox"/> Y <input type="checkbox"/> N |

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
Is the temperature differential equal to or greater than 20° F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N N/A
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/infunction plan? Y N
7. Maintained deviation reports? Y N N/A
Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N

2. Has the facility maintained a leak log? Y N

3. Does the responsible official check the following areas for leaks?

Hose connections, fittings, couplings, and valves	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Muck cookers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Door gaskets and seating	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Stills	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Filter gaskets and seating	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Exhaust dampers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Pumps	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Diverter valves	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Solvent tanks and containers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Cartridge filter housings	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Water separators	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A		

4. Which method of detection is used by the responsible official?

Visual examination (condensed solvent on exterior surfaces)

Physical detection (airflow felt through gaskets)

Odor (noticeable perc odor)

Use of direct-reading instrumentation (FID/PID/calorimetric tubes)

Halogen leak detector

If using direct-reading instrumentation, is the equipment: N/A

a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N

b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N

c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N

d. Kept in a clean and secure area when not in use? Y N

e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Christopher L. Scott
Inspector's Name (Please Print)

8/24/98
Date of Inspection


Inspector's Signature

4/99
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

[Empty rectangular box for additional site information]

✓

TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 9:30 TIME OUT: 9:45 AIRS ID#: 0190052
 TYPE OF FACILITY: Dry Cleaners
 FACILITY NAME: Premier Cleaners DATE: 8/24/98
 FACILITY LOCATION: 950-4 Blanding Blvd.
Orange Park, FL 32065
 RESPONSIBLE OFFICIAL: Glen Philip PHONE NUMBER: 904-272-0105

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

RECEIVED
 SEP - 4 1998
 Bureau of Air Monitoring
 & Mobile Sources

COMMENTS: _____

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 4/99
 (Approximate)

INSPECTION CONDUCTED BY: Christopher L. Scott
 (Please Print)

INSPECTOR'S SIGNATURE: Christopher Scott PHONE NUMBER: 904-448-4310 x255

Z 333 660 289

US Postal Service

Receipt for Certified Mail

AIRS ID 0190052

GLEN J PHILIP
 GLEN J PHILIP
 950-4 BLANDING BLVD
 ORANGE PARK FL 32065

PS Form 3800, April 1995

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

Is your RETURN ADDRESS completed on the reverse side?

SENDER:


- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. Addressee's Address
2. Restricted Delivery

Consult postmaster for fee.

<p>3. Article Addressed to:</p> <p style="text-align: right;">AIRS ID 0190052</p> <p>GLEN J PHILIP GLEN J PHILIP 950-4 BLANDING BLVD ORANGE PARK FL 32065</p>	<p>4a. Article Number Z 333 660 289</p> <p>4b. Service Type</p> <p><input type="checkbox"/> Registered <input checked="" type="checkbox"/> Certified</p> <p><input type="checkbox"/> Express Mail <input type="checkbox"/> Insured</p> <p><input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> COD</p> <p>7. Date of Delivery</p>
<p>5. Received By: (Print Name)</p>	<p>8. Addressee's Address (Only if requested and fee is paid)</p>
<p>6. Signature (Addressee or Agent)</p> <p>X <i>Glen J Philip</i></p>	




Thank you for using Return Receipt Service.

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage Paid
SP6
Permit No. 670



• Print your name, address, and ZIP Code in this box.

DARM/MOBILE SOURCE CONTROL PROGRAM
DEPT. OF ENVIRONMENTAL PROTECTION
MAIL STATION 5510
2600 BLAIR STONE ROAD
TALLAHASSEE, FLORIDA 32399-2400

Z 333 613 061

US Postal Service
Receipt for Certified Mail
No Insurance Coverage Provided.

AIRS ID # 0190052

PREMIER CLEANERS INC
GLEN J PHILIP
950-4 BLANDING BLVD
ORANGE PARK FL 32065

PS Form 3800, April 1995

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

Fold at line over top of envelope to

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- Addressee's Address
- Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

PREMIER CLEANERS INC
GLEN J PHILIP
950-4 BLANDING BLVD
ORANGE PARK FL 32065

AIRS ID # 0190052

4a. Article Number

Z 333 613 061

4b. Service Type

- Registered
- Express Mail
- Return Receipt for Merchandise
- Certified
- Insured
- COD

7. Date of Delivery

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)

Glen J Philip

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994

102595-97-B-0179

Domestic Return Receipt

Thank you for using Return Receipt Service.



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

✓
RECEIVED
MAIL ROOM
MAR -5 98

Do NOT Remove Label

304642

AIRS ID 0190052

GLEN J PHILIP
GLEN J PHILIP
950-4 BLANDING BLVD
ORANGE PARK FL 32065

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

P 174 052 260

US Postal Service Certified Mail

AIRS ID # 0190052

PREMIER CLEANERS INC
GLEN J PHILIP
950-4 BLANDING BLVD
ORANGE PARK FL 32065

1799

PS Form 3800 April 1995

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

Fold at line over top of envelope to the right of the return address

Is your RETURN ADDRESS completed on the reverse side?

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- Addressee's Address
- Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

AIRS ID # 0190052

PREMIER CLEANERS INC
GLEN J PHILIP
950-4 BLANDING BLVD
ORANGE PARK FL 32065

4a. Article Number

P 174 052 260

4b. Service Type

- Registered Certified
 Express Mail Insured
 Return Receipt for Merchandise COD

7. Date of Delivery:

5. Received By: (Print Name)

8. Addressee's Address (Only if requested and fee is paid)

6. Signature: (Addressee or Agent)

X *Glen J Philip*

Thank you for using Return Receipt Service.

PS Form 3811, December 1994

102595-97-B-0179

Domestic Return Receipt

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION

AIRS ID#: 0190052 DATE: 4/7/99 TIME IN: 11:30 TIME OUT: 11:55
FACILITY NAME: Premier Cleaners
FACILITY LOCATION: 950-4 Blanding Blvd
Orange Park FL 32065
RESPONSIBLE OFFICIAL: Glen Philip PHONE: (904) 272-0105
CONTACT NAME: _____ PHONE: _____

PART I: NOTIFICATION RECEIVED

(check appropriate box)

1. New facility notified DARM 30 days prior to startup MAY 14 1999

2. Facility failed to notify DARM to use general permit Bureau of Air Monitoring
& Mobile Sources

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
(check appropriate box)

No notification form
 Drop store/out of business/petroleum

A.

1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)

5. This is a correct facility classification N Can not determine

If no, please check the appropriate classification:
 facility qualified for a general permit as number _____ above
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 55 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- | | |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 2. Examining the containers for leakage? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- | | |
|--|--|
| 1. Equipped all machines with the appropriate vent controls? | <input type="checkbox"/> Y <input type="checkbox"/> N |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? | <input type="checkbox"/> Y <input type="checkbox"/> N |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input type="checkbox"/> Y <input type="checkbox"/> N |

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
Is the temperature differential equal to or greater than 20° F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N N/A
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/infunction plan? Y N
7. Maintained deviation reports? Y N N/A
Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N

2. Has the facility maintained a leak log? Y N

3. Does the responsible official check the following areas for leaks?

Hose connections, fittings, couplings, and valves	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Muck cookers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Door gaskets and seating	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Stills	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Filter gaskets and seating	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Exhaust dampers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Pumps	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Diverter valves	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Solvent tanks and containers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Cartridge filter housings	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Water separators	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A		

4. Which method of detection is used by the responsible official?

Visual examination (condensed solvent on exterior surfaces)

Physical detection (airflow felt through gaskets)

Odor (noticeable perc odor)

Use of direct-reading instrumentation (FID/PID/calorimetric tubes)

Halogen leak detector

If using direct-reading instrumentation, is the equipment: N/A

a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N

b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N


c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N

d. Kept in a clean and secure area when not in use? Y N

e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Fred Alvarez
Inspector's Name (Please Print)

4/7/99
Date of Inspection


Inspector's Signature

4/2000
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

Premier 2160

**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 11:30 TIME OUT: 11:55 AIRS ID#: 0190052
 TYPE OF FACILITY: DRY CLEANER
 FACILITY NAME: Premier Cleaners DATE: 4/7/99
 FACILITY LOCATION: 950-4 Blanding Blvd
Orange Park FL 32065
 RESPONSIBLE OFFICIAL: Glen Philip PHONE NUMBER: (904) 272-0105

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: April 2000
(Approximate)

INSPECTION CONDUCTED BY: Fred Alvarez
(Please Print)

INSPECTOR'S SIGNATURE:  PHONE NUMBER: (904) 448-4310
XT 254

AIRS ID#: 0190052

ACC

Revised 10/10/

DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Premier Cleaners DATE: 4/7/99
FACILITY LOCATION: 950-4 SLANDING BLVD
Orange Park FL 32065

Annual Reporting Period: April 1998 TO April 1999

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____
Action(s) taken to achieve compliance: _____
Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____
Action(s) taken to achieve compliance: _____
Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to-dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: Glen Philip Glen Philip 4/7/99
Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

OFFICIAL USE

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	

Postmark
Here
Recd 02

Total F 10 AIRS ID # 0190052001AG

Sent To GLEN J PHILIP
Street, # PREMIER CLEANERS INC
City, Sta ORANGE PARK FL
32065

PS Form 3800, May 2000 See Reverse for Instructions

7000 1670 0013 3095 4147

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

10 AIRS ID # 0190052001AG
GLEN J PHILIP
PREMIER CLEANERS INC
350-4 BLANDING BLVD
ORANGE PARK FL
32065

2. Article Number (Copy from service label)
7000 1670 0013 3095 4147

PS Form 3811, July 1999 Domestic Return Receipt 102595-99-M-1789

COMPLETE THIS SECTION ON DELIVERY

A. Received by *(Please Print Clearly)* B. Date of Delivery

C. Signature Agent
X Addressee

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.


4. Restricted Delivery? *(Extra Fee)* Yes

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
MS 5510-37550 304000
2600 BLAIR STONE ROAD
TALLAHASSEE FL 32399-2400

CERTIFIED MAIL



7000 1670 0013 3095 4147



Handwritten signature

- REASON CHECKED**
- Moved, Left No Address
 - Unable To Forward
 - Empty - Not Known
 - Unclaimed
 - No Such Street
 - Insufficient Address
 - Refused
 - No Such Number
- Rt. _____ Init. _____

RECEIVED
AUG 19 2002
Bureau of Air Monitoring
& Mobile Sources

10 AIRS ID # 0190052001AG
GLEN J PHILIP
PREMIER CLEANERS INC
950-4 BLANDING BLVD
ORANGE PARK FL
32065

P 174 052 588

US Postal Service
Receipt for Certified Mail

No Insurance Coverage Provided.

Do not use for International Mail (See reverse)

PREMIER CLEANERS INC # 0190052
GLEN J PHILIP
10027 SPICE LANE STE 84
HOUSTON TX 77072

PS Form 3800, April 1995

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

Fold at line over top of envelope to the right of the return address

is your RETURN ADDRESS completed on the reverse side?

SENDER

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- Addressee's Address
- Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

PREMIER CLEANERS INC
GLEN J PHILIP
10027 SPICE LANE STE 84
HOUSTON TX 77072

4a. Article Number

P174052588

4b. Service Type

- | | |
|---|---|
| <input type="checkbox"/> Registered | <input checked="" type="checkbox"/> Certified |
| <input type="checkbox"/> Express Mail | <input type="checkbox"/> Insured |
| <input type="checkbox"/> Return Receipt for Merchandise | <input type="checkbox"/> COD |

7. Date of Delivery

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)

X

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994

Domestic Return Receipt

Thank you for using Return Receipt Service.



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary


TO: Holder of Title V Air General Permit

Our records indicate that, as the owner or operator of an eligible facility, you have claimed entitlement to the use of a Title V Air General Permit under Rule 62-213.300, Florida Administrative Code (F.A.C.).

For your facility to maintain its eligibility for the Title V Air General Permit, Rule 62-213.300(3)(b), F.A.C. states "...the owner or operator of the facility must, upon written notice from the Department, submit payment of an annual operation fee in the amount of \$50.00. This fee is due and payable between January 15 and March 1 of each year for which the facility is in operation and subject to the requirements of this rule and the general permit." This invoice constitutes the Department's written notice, as required under the general permit rule.

Please make your check or money order payable to the Department of Environmental Protection and staple it to the detachable portion of this invoice below. To maintain your facility's eligibility for the general permit, the fee must be received by the Department not later than March 1. Your check and the detachable portion of this invoice below should be mailed to:

Title V Air General Permits
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070



(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label

AIRS ID # 0190052
PREMIER CLEANERS INC
GLEN J PHILIP
950-4 BLANDING BLVD
ORANGE PARK FL 32065


FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: A1
Fund: 20-2-035001
Obj.: 002273

Telephone #
Disconnected
no additional
info available
on facility
3/7/2001

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
TWIN TOWERS OFFICE BUILDING
2600 BLAIR STONE ROAD
TALLAHASSEE, FLORIDA 32399-2400
37550304000-5570

CERTIFIED

P 174 052 588



MAIL

NOT
3-29-01

PREMIER CLEANERS INC #0190052
GLEN P PHILLIP X 804
10027 SPICE PLANE STE 84
HOUSTON TX 77072

APR 8
APR 13

UNCLAIMED

Bureau of Air Monitoring
& Mobile Sources

APR 25 2001

RECEIVED

77-5037 2A 32399/2400





Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

March 1, 2001

FINAL NOTICE OF ANNUAL EMISSIONS FEE VIA: CERTIFIED MAIL WITH RETURN RECEIPT

TO: User of Title V Air General Permit

Records in the Division of Air Resource Management indicate that during calendar year **2000** you owned or operated a facility which is a source of air pollution. You have also claimed eligibility for this facility to operate under a Title V Air General Permit pursuant to Chapter 62-213, Florida Administrative Code (F.A.C.).

As a source of air pollution subject to Title V of the federal Clean Air Act, your facility is required under Section 403.0872, Florida Statutes (F.S.), to pay an annual emissions fee, as established by the Department in Rule 62-213.205, F.A.C. You are also required, under Rule 62-213.300(2)(c)2, F.A.C., to notify the Department in writing of any change in facility status.

The annual emissions fee for your facility is **\$50** for calendar year **2000**. A notice of your obligation to pay the annual emissions fee was sent to you by first class U.S. mail, along with an invoice form and instructions. If you have already submitted the annual emissions fee in response to that request, please disregard this letter.

If you have **not** yet submitted the annual emissions fee, this notice (with the enclosed replacement invoice) is being sent in accordance with Rule 62-213.205(1)(g), F.A.C., as a reminder that any annual emissions fee not postmarked by **March 1, 2001**, may be subject to a 50% penalty, plus interest computed in accordance with Section 220.807, F.S. In addition, under Rule 62-213(1)(g), F.A.C., failure to timely pay any required annual emissions fee, penalty, or interest constitutes grounds for revocation of the Title V Air General Permit.

To submit your fee payment, please follow the directions on the enclosed invoice form. If you have any questions, you may call Rick Butler at 850/921-9586 or Sandra Bowman at 850/921-9583. Thank you for your prompt attention to this matter.

Sincerely,

Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

/DD

Enclosure: Invoice Form

"More Protection, Less Process"

RECEIVED
FEB 15 1988



POSTAGE
REQUIRED

TITLE V - General Permit
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070

RECEIVED
FEB 15 1988

Fold at line over top of envelope to

SENDER: COMPLETE THIS SECTION **ACTION ON DELIVERY**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

AIRS ID # 0190052

PREMIER CLEANERS INC
 GLEN J PHILIP
 950-4 BLANDING BLVD
 ORANGE PARK FL 32065

Z 210 661 190

A. Received by (Please Print Clearly) B. Date of Delivery

C. Signature Agent
 Addressee

X

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type

Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number (Copy from service label)

PS Form 3811, July 1999 Domestic Return Receipt 102595-99-M-1789

Z 210 661 190


US Postal Service
Receipt for Certified Mail
 No Insurance Coverage Provided.

AIRS ID # 0190052

PREMIER CLEANERS INC
 GLEN J PHILIP
 950-4 BLANDING BLVD
 ORANGE PARK FL 32065

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

PS Form 3800, April 1995



Department of Environmental Protection

Jeb Bush
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary


TO: Holder of Title V Air General Permit

Our records indicate that, as the owner or operator of an eligible facility, you have claimed entitlement to the use of a Title V Air General Permit under Rule 62-213.300, Florida Administrative Code (F.A.C.).

For your facility to maintain its eligibility for the Title V Air General Permit, Rule 62-213.300(3)(b), F.A.C. states "...the owner or operator of the facility must, upon written notice from the Department, submit payment of an annual operation fee in the amount of \$50.00. This fee is due and payable between January 15 and March 1 of each year for which the facility is in operation and subject to the requirements of this rule and the general permit." This invoice constitutes the Department's written notice, as required under the general permit rule.

Please make your check or money order payable to the Department of Environmental Protection and staple it to the detachable portion of this invoice below. To maintain your facility's eligibility for the general permit, the fee must be received by the Department not later than March 1. Your check and the detachable portion of this invoice below should be mailed to:

**Title V Air General Permits
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070**



(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$75.00

Do NOT Remove Label

AIRS ID # 0190052
PREMIER CLEANERS INC
GLEN J PHILIP
950-4 BLANDING BLVD
ORANGE PARK FL 32065

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
TWIN TOWERS OFFICE BUILDING
2600 BLAIR STONE ROAD
TALLAHASSEE, FLORIDA 32399-2400

CERTIFIED


Z 210 661 190



MAIL

550304
MS5510

[Handwritten signature]




NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD

Bureau of Air Monitoring
& Mobile Sources
APR 10 2001

RECEIVED

32065-33062-05





Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

April 2, 2001

THIRD NOTICE OF ANNUAL EMISSIONS FEE VIA: CERTIFIED MAIL WITH RETURN RECEIPT

TO: Users of Title V Air General Permits

Records in the Division of Air Resource Management indicate that during calendar year 2000 you operated a facility which is a source of air pollution. You have also claimed eligibility for this facility to operate under a Title V Air General Permit pursuant to Chapter 62-213, Florida Administrative Code (F.A.C.).

As a source of air pollution subject to Title V of the federal Clean Air Act, your facility is required under Section 403.0872, Florida Statutes (F.S.), to pay an annual emissions fee, as established by the Department in Rule 62-213.205, F.A.C. You are also required, under Rule 62-213.300(2)(c)2, F.A.C., to notify the Department in writing of any change in facility status.

Your annual emissions fee is \$50 for calendar year 2000. A notice of your obligation to pay the annual emissions fee was sent to you by certified first class U.S. mail, along with an invoice form and instructions.

This notice (with the enclosed replacement invoice) is being sent in accordance with Rule 62-213.205(1)(g), F.A.C., as a reminder that any annual emissions fee not paid may be subject to a 50 percent penalty, plus interest computed in accordance with Section 220.807, F.S. In addition, under Rule 62-213(1)(g), F.A.C., failure to timely pay any required annual emissions fee, penalty, or interest constitutes grounds for revocation of the Title V Air General Permit. We have not received your air emissions fee payment. Therefore, you are being assessed a 50 percent penalty plus the invoice amount.

To submit your **\$75.00** fee payment, please follow the directions on the enclosed invoice form. If you have any questions, you may call Rick Butler at 850/921-9586 or Sandra Bowman at 850/921-9583. Thank you for your prompt attention to this matter.

Sincerely,

Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

/DD

Enclosure: Invoice Form

"More Protection, Less Process"



POSTAGE
REQUIRED

TITLE V - General Permit
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

7000 0600 0026 4126 6442


Postage	\$	Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
AIRS ID # 0190052		
PREMIER CLEANERS INC GLEN J PHILIP 950-4 BLANDING BLVD ORANGE PARK FL 32065		

See reverse for instructions

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT OF RETURN ADDRESS

SENDER: COMPLETE	IN DELIVERY												
<ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. 	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">A. Received by <i>(Please Print Clearly)</i></td> <td style="width: 50%;">B. Date of Delivery</td> </tr> <tr> <td colspan="2">C. Signature</td> </tr> <tr> <td colspan="2" style="text-align: center;"> <input checked="" type="checkbox"/> X </td> </tr> <tr> <td colspan="2" style="text-align: right;"> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee </td> </tr> <tr> <td colspan="2">D. Is delivery address different from item 1? <input type="checkbox"/> Yes</td> </tr> <tr> <td colspan="2">If YES, enter delivery address below: <input type="checkbox"/> No</td> </tr> </table>	A. Received by <i>(Please Print Clearly)</i>	B. Date of Delivery	C. Signature		<input checked="" type="checkbox"/> X		<input type="checkbox"/> Agent <input type="checkbox"/> Addressee		D. Is delivery address different from item 1? <input type="checkbox"/> Yes		If YES, enter delivery address below: <input type="checkbox"/> No	
A. Received by <i>(Please Print Clearly)</i>	B. Date of Delivery												
C. Signature													
<input checked="" type="checkbox"/> X													
<input type="checkbox"/> Agent <input type="checkbox"/> Addressee													
D. Is delivery address different from item 1? <input type="checkbox"/> Yes													
If YES, enter delivery address below: <input type="checkbox"/> No													
1. Article Addressed to: <div style="text-align: right; margin-right: 50px;">AIRS ID # 0190052</div> PREMIER CLEANERS INC GLEN J PHILIP 950-4 BLANDING BLVD ORANGE PARK FL 32065	3. Service Type: <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.												
2. Article Number <i>(Copy from service label)</i> <div style="font-size: 1.2em; font-family: cursive;">7000 0600 0026 4126 6442</div>	4. Restricted Delivery? <i>(Extra Fee)</i> <input type="checkbox"/> Yes												

PS Form 3811, July 1999
Domestic Return Receipt
102595-99-M-1789



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary


TO: Holder of Title V Air General Permit

Our records indicate that, as the owner or operator of an eligible facility, you have claimed entitlement to the use of a Title V Air General Permit under Rule 62-213.300, Florida Administrative Code (F.A.C.).

For your facility to maintain its eligibility for the Title V Air General Permit, Rule 62-213.300(3)(b), F.A.C. states "...the owner or operator of the facility must, upon written notice from the Department, submit payment of an annual operation fee in the amount of \$50.00. This fee is due and payable between January 15 and March 1 of each year for which the facility is in operation and subject to the requirements of this rule and the general permit." This invoice constitutes the Department's written notice, as required under the general permit rule.

Please make your check or money order payable to the Department of Environmental Protection and staple it to the detachable portion of this invoice below. To maintain your facility's eligibility for the general permit, the fee must be received by the Department not later than March 1. Your check and the detachable portion of this invoice below should be mailed to:

**Title V Air General Permits
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070**



(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label



AIRS ID # 0190052
PREMIER CLEANERS INC
GLEN J PHILIP
950-4 BLANDING BLVD
ORANGE PARK FL 32065

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: A1
Fund: 20-2-035001
Obj.: 002273



STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
TWIN TOWERS OFFICE BUILDING
2600 BLAIR STONE ROAD
TALLAHASSEE, FLORIDA 32399-2400

130070

CERTIFIED MAIL




RETURNED TO SENDER
FORWARDING ORDER EXPIRED
ORANGE PARK, FL 32073



FEB 22 2001

RECEIVED





Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

February 7, 2001

NOTICE OF ANNUAL EMISSIONS FEE VIA: CERTIFIED MAIL WITH RETURN RECEIPT

TO: Users of Title V Air General Permits

Records in the Division of Air Resource Management indicate that you operate a source of air pollution and that you have claimed eligibility for your facility to operate under a Title V Air General Permit pursuant to Chapter 62-213, Florida Administrative Code (F.A.C.).

As a source of air pollution subject to Title V of the federal Clean Air Act, your facility is required under Section 403.0872, Florida Statutes (F.S.), to pay an annual emissions fee as established by the Department in Rule 62-213.205, F.A.C.

Your annual emissions fee is \$50 for calendar year **2000**. A notice of your obligation to pay the annual emissions fee was sent to you by first class U.S. mail, along with an invoice form and instructions. If you have already submitted the annual emissions fee in response to that request, please disregard this letter.

If you have not yet submitted the annual emissions fee, this notice (with the enclosed replacement invoice) is being sent in accordance with Rule 62-213.205(1)(g), F.A.C., as a reminder that any annual emissions fee not received by March 1, 2001, may be subject to a 50% penalty, plus interest computed in accordance with Section 220.807, F.S. In addition, under Rule 62-213(1)(g), F.A.C., failure to timely pay any required annual emissions fee, penalty, or interest constitutes grounds for revocation of the Title V Air General Permit.

To submit your fee payment, please follow the directions on the enclosed invoice form. If you have any questions, you may call Rick Butler at 850/921-9586 or Sandra Bowman at 850/921-9583. Thank you for your prompt attention to this matter.

Sincerely,

Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

/DD

Enclosure: Invoice Form

"More Protection, Less Process"

Printed on recycled paper.



POSTAGE
REQUIRED

TITLE V - General Permit
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0362967

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00



RECEIVED
MAIL ROOM
MAR - 3 99

Do **NOT** Remove Label

AIRS ID # 0190052

PREMIER CLEANERS INC
GLEN J PHILIP
950-4 BLANDING BLVD
ORANGE PARK FL 32065

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

392974

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Bureau of Air Monitoring
& Mobile Sources

MAR 3 2000

RECEIVED

RECEIVED
MAIL ROOM
MAR - 1 00

Do **NOT** Remove Label

AIRS ID # 0190052

PREMIER CLEANERS INC
GLEN J PHILIP
950-4 BLANDING BLVD
ORANGE PARK FL 32065

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

Is your RETURN ADDRESS completed on the reverse side?

SENDER: ■ Complete items 1 and 2 for additional services. ■ Complete items 3, 4a, and 4b. ■ Print your name and address on the reverse of this form so that we can return this card to you. ■ Attach this form to the front of the mailpiece, or on the back if space does not permit. ■ Write "Return Receipt Requested" on the mailpiece below the article number. ■ The Return Receipt will show to whom the article was delivered and the date delivered.		I also wish to receive the following services (for an extra fee): 1. <input type="checkbox"/> Addressee's Address 2. <input type="checkbox"/> Restricted Delivery Consult postmaster for fee.
3. Article Addressed to: <div style="text-align: right; margin-right: 50px;">AIRS ID # 0190052</div> PREMIER CLEANERS INC GLEN J PHILIP 950-4 BLANDING BLVD ORANGE PARK FL 32065	4a. Article Number <div style="font-size: 1.5em; font-weight: bold; text-align: center;">Z 333 667 296</div>	
5. Received By: (Print Name) <div style="font-size: 1.5em; font-family: cursive; text-align: center;">Glen J. Philip</div>		4b. Service Type <input type="checkbox"/> Registered <input checked="" type="checkbox"/> Certified <input type="checkbox"/> Express Mail <input type="checkbox"/> Insured <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> COD
6. Signature: (Addressee or Agent) <div style="font-size: 1.5em; font-family: cursive; text-align: center;">X</div>		7. Date of Delivery: <div style="text-align: center; border: 1px solid black; border-radius: 50%; padding: 5px; width: fit-content; margin: 0 auto;"> ORANGE PARK FL APR 19 1995 </div>
8. Addressee's Address (Only if requested and fee is paid)		

Thank you for using Return Receipt Service.

Z 333 667 296

US Postal Service
Receipt for Certified Mail
 No Insurance Coverage Provided.
 Do not use for International Mail (See reverse)

AIRS ID # 0190052

PREMIER CLEANERS INC
 GLEN J PHILIP
 950-4 BLANDING BLVD
 ORANGE PARK FL 32065

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

PS Form 3800, April 1995

