



0230037

# Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

August 28, 1996

Mr. Noidrie J. Moses, Jr.  
Moses Cleaners  
9895 South First Street  
Lake City, Florida 32025

Dear Mr. Noidrie:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on August 12, 1996.

Please note that in November of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

Dotty Diltz, Chief  
Bureau of Air Monitoring  
and Mobile Sources

/DD

cc: Mr. Rick Banks, Northeast District

# Perchloroethylene Dry Cleaning Facility Notification

## Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	MOSES CLEANERS, INC.		
2. Site Name (For example, plant name or number):	MOSES CLEANERS		
3. Hazardous Waste Generator Identification Number:	Conditionally Exempt		
4. Facility Location:	Street Address: 989 S. 1ST ST. City: LAKE CITY County: COLUMBIA Zip Code: 32025		
5. Facility Identification Number (DEP Use):	0230037		

## Responsible Official

6. Name and Title of Responsible Official:	NOLDRIE J. MOSES, JR., OWNER/OPERATOR		
7. Responsible Official Mailing Address:	Organization/Firm: MOSES CLEANERS, INC. Street Address: PO BOX 1563 City: LAKE CITY County: COLUMBIA Zip Code: 32056		
8. Responsible Official Telephone Number:	Telephone: (904) 755-0511 Fax: ( ) - N/A		

## Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):	SAME AS ABOVE		
10. Facility Contact Address:	Street Address: City: County: Zip Code:		
11. Facility Contact Telephone Number:	Telephone: ( ) - Fax: ( ) -		

RECEIVED

AUG 12 1996

**Facility Information**

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>		#1 03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
Dry-to-Dry Unit	<i>#1 IS MAY 85 ORIGINAL</i>								
<i>WATER COOLED CONDENSER FROM CHILLER</i>	(1) w/ ref. condenser								
	(2) w/ carbon adsorber								
	(3) w/ no controls								
Washer Unit									
<i>WATER COOLED CONDENSER FROM CHILLER</i>	(4) w/ ref. condenser								
	(5) w/ carbon adsorber								
	(6) w/ no controls								
Dryer Unit									
<i>WATER COOLED CONDENSER FROM CHILLER</i>	(7) w/ ref. condenser								
	(8) w/ carbon adsorber								
	(9) w/ no controls								
Reclaimer Unit									
<i>WATER COOLED CONDENSER FROM CHILLER</i>	(10) w/ ref. condenser								
	(11) w/carbon adsorber								
	(12) w/ no controls								

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?

125 gallons

*N/A* (b) If less than 12 months, how many?  months

Check why it is less than 12 months: New owner:  New store:  Did not keep records:

*Current Log for calendar year 1996 indicates 85 gals purchased through July.*

3. What is the facility's source classification based on the definitions found in section (3) of Part II?

(Indicate with an "X". Select one classification only.)

*existing small none*

Existing small area source

New small area source

Existing large area source

New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?  
(Indicate with an "X".)

*EXISTING SMALL AREA SOURCE - GENERAL CONTROL REQUIREMENTS & RECORDKEEPING*

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

*All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.*

All steam and hot water generating units exempt

No such units on-site

#### Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

(a) Purchase receipts and solvent purchases

(b) Leak detection inspection and repair

(c) Refrigerated condenser temperature monitoring

(d) Carbon adsorber exhaust perc concentration monitoring

(e) Instrument calibration

(f) Start-up, shutdown, malfunction plan

### Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) \_\_\_\_\_

No air permits currently exist for the operation of the facility indicated in this notification form.

### Responsible Official Certification

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

*Spencer J. Moses Jr.*  
Signature

*8-7-96*  
Date

X

# PERCHLOROETHYLENE DRY CLEANERS

## TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION:      ANNUAL                       COMPLAINT/DISCOVERY        
   RE-INSPECTION                     

AIRS ID#:	0230037	DATE:	11/8/96	TIME IN:	10:55	TIME OUT:	11:45
FACILITY NAME:	MOSES CLEANERS						
FACILITY LOCATION:	9895 SOUTH FIRST STREET LAKE CITY, COLUMBIA, FL						

<b>PART I: NOTIFICATION</b>	
(check appropriate box)	
1. Existing facility notified DARM by 9/1/96	<input checked="" type="checkbox"/>
2. New facility notified DARM 30 days prior to startup	<input type="checkbox"/>
3. Facility failed to notify DARM to use general permit	<input type="checkbox"/>

<b>PART II: CLASSIFICATION</b>	
Facility indicated on notification form that it is: (check appropriate box)	
A. 1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91) <input checked="" type="checkbox"/>	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91) <input type="checkbox"/>
3. Existing large area source dry-to-dry only, $140 < x < 2,100$ gal/yr transfer only, $200 < x < 1,800$ gal/yr both types, $140 < x < 1,800$ gal/yr (constructed before 12/9/91) <input type="checkbox"/>	4. New large area source dry-to-dry only, $140 < x < 2,100$ gal/yr transfer only, $200 < x < 1,800$ gal/yr both types, $140 < x < 1,800$ gal/yr (constructed on or after 12/9/91) <input type="checkbox"/>
This is a correct facility classification <input checked="" type="checkbox"/> <input type="checkbox"/> N	
If no, please check the appropriate classification:	
<input type="checkbox"/> facility qualified for a general permit as number <u>  1  </u> above	
<input type="checkbox"/> facility exceeds above limits and is not eligible for a general permit	
B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was <u>  115  </u> gallons.	

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N
- 2. Examining the containers for leakage?  Y  N
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?  Y  N
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

- |  |  |
|--|--|
| 1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?   | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| Is the temperature differential equal to or greater than 20° F?  | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Is the perc concentration equal to or less than 100 ppm?   | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Routed airflow to the carbon adsorber (if used) at all times?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

- |  |   |
|--|---|
| 1. Maintained receipts for perc purchased?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Maintained rolling monthly averages of perc consumption?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 3. Maintained leak detection inspection and repair reports for the following:  |   |
| a. documentation of leaks repaired w/in 24 hrs? or;  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 4. Maintained calibration data? (for direct reading instruments only)  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 5. Maintained exhaust duct monitoring data on perc concentrations?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Maintained startup/shutdown/malfunction plan?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 7. Maintained deviation reports?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| Problem corrected?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 8. Maintained compliance plan, if applicable?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

**PART VI: LEAK DETECTION AND REPAIRS**

- |   |  |
|---|--|
| 1. Does the responsible official conduct a weekly leak detection and repair inspection? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
|---|--|



2. Which method of detection is used by the responsible official?

Visual examination (condensed solvent on exterior surfaces)

Physical detection (airflow felt through gaskets)

Odor (noticeable perc odor)

Use of direct-reading instrumentation (FID/PID/calorimetric tubes)

If using direct-reading instrumentation, is the equipment:

a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N

b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N

c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N

d. Kept in a clean and secure area when not in use?  Y  N

e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

3. Has the facility maintained a leak log?  Y  N

4. Does the responsible official check the following areas for leaks?

Hose connections, fittings, couplings, and valves  Y  N Muck cookers  Y  N

Door gaskets and seating  Y  N Stills  Y  N

Filter gaskets and seating  Y  N Exhaust dampers  Y  N

Pumps  Y  N Diverter valves  Y  N

Solvent tanks and containers  Y  N Cartridge filter housings  Y  N

Water separators  Y  N

NEIDRIE MOSES

Name of Responsible Official

R. A. BANKS

Inspector's Name (Please Print)

[Signature]

Inspector's Signature

11/8/96

Date of Inspection

11/97

Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

This section is currently blank, intended for providing additional site information.

AIRS ID#: 0230037

✓ Revised 10/10/96

DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Moses Cleaners DATE: 11-8-96  
 FACILITY LOCATION: 989 S. 1<sup>ST</sup> ST  
LAKE CITY, FL

Annual Reporting Period: Nov 1996 TO Nov 1997

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: Noidrie J. Moses Jr Noidrie J. Moses Jr 11-8-96  
 Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT



TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: \_\_\_\_\_ TIME OUT: \_\_\_\_\_ AIRS ID#: 0230037  
 TYPE OF FACILITY: DRY CLEANER  
 FACILITY NAME: MOSES CLEANERS DATE: 11/8/96  
 FACILITY LOCATION: 9895 S. FIRST ST.  
LAKE CITY  
 RESPONSIBLE OFFICIAL: NOIDRIE MOSES PHONE NUMBER: 904 755-0511

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS: \_\_\_\_\_

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 11/97  
(Approximate)

INSPECTION CONDUCTED BY: R.A. BANKS  
(Please Print)

INSPECTOR'S SIGNATURE: [Signature] PHONE NUMBER: 904-448-4310

# PERCHLOROETHYLENE DRY CLEANERS

## TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#: 0230037 DATE: 11-21-97 TIME IN: 11:00 TIME OUT: 11:35  
FACILITY NAME: Moses Cleaners  
FACILITY LOCATION: 9895 S. First St.  
Lake City

### PART I: NOTIFICATION

(check appropriate box)

- Existing facility notified DARM by 9/1/96
- New facility notified DARM 30 days prior to startup
- Facility failed to notify DARM to use general permit

### PART II: CLASSIFICATION

Facility indicated on notification form that it is:  
(check appropriate box)

- A.
- |   |                          |   |                                     |
|---|--------------------------|---|-------------------------------------|
| 1. Existing small area source<br>dry-to-dry only, $x < 140$ gal/yr<br>transfer only, $x < 200$ gal/yr<br>both types, $x < 140$ gal/yr<br>(constructed before 12/9/91)                         | <input type="checkbox"/> | 2. New small area source<br>dry-to-dry only, $x < 140$ gal/yr<br>transfer only, $x < 200$ gal/yr<br>both types, $x < 140$ gal/yr<br>(constructed on or after 12/9/91)                         | <input checked="" type="checkbox"/> |
| 3. Existing large area source<br>dry-to-dry only, $140 < x < 2,100$ gal/yr<br>transfer only, $200 < x < 1,800$ gal/yr<br>both types, $140 < x < 1,800$ gal/yr<br>(constructed before 12/9/91) | <input type="checkbox"/> | 4. New large area source<br>dry-to-dry only, $140 < x < 2,100$ gal/yr<br>transfer only, $200 < x < 1,800$ gal/yr<br>both types, $140 < x < 1,800$ gal/yr<br>(constructed on or after 12/9/91) | <input type="checkbox"/>            |

This is a correct facility classification  Y  N

If no, please check the appropriate classification:

- facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 75 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |   |   |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA            |
| 2. Examining the containers for leakage?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA            |
| 3. Closing and securing machine doors except during loading/unloading?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N  |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                     | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A           |

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- |  |   |
|--|---|
| 1. Equipped all machines with the appropriate vent controls?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                     | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?                           | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N                              |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?                               | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N                              |

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N C.S.
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N C.S.
- Is the temperature differential equal to or greater than 20° F?  Y  N C.S.
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A C.S.
- Is the perc concentration equal to or less than 100 ppm? C.S.  Y  N
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? C.S.  Y  N
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or,  Y  N
- b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N
4. Maintained calibration data? (for direct reading instruments only)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N
- Problem corrected?  Y  N
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly leak detection and repair inspection?  Y  N

2. Which method of detection is used by the responsible official?

Visual examination (condensed solvent on exterior surfaces)

Physical detection (airflow felt through gaskets)

Odor (noticeable perc odor)

Use of direct-reading instrumentation (FID/PID/calorimetric tubes)

If using direct-reading instrumentation, is the equipment:

a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N

b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N

c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N

d. Kept in a clean and secure area when not in use?  Y  N

e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

3. Has the facility maintained a leak log?  Y  N

4. Does the responsible official check the following areas for leaks?


Hose connections, fittings, couplings, and valves	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Muck cookers	<input type="checkbox"/> Y <input type="checkbox"/> N
Door gaskets and seating	<input type="checkbox"/> Y <input type="checkbox"/> N	Stills	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Filter gaskets and seating	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Exhaust dampers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Pumps	<input type="checkbox"/> Y <input type="checkbox"/> N	Diverter valves	<input type="checkbox"/> Y <input type="checkbox"/> N
Solvent tanks and containers	<input type="checkbox"/> Y <input type="checkbox"/> N	Cartridge filter housings	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Water separators	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N		

Nondrie Moses

Name of Responsible Official

Christopher L. Scott

Inspector's Name (Please Print)



Inspector's Signature

11-21-97

Date of Inspection

11/98

Approximate Date of Next Inspection



ADDITIONAL SITE INFORMATION:

[Empty rectangular box for additional site information]

**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 11:00 TIME OUT: 11:35 AIRS ID#: 0230037  
 TYPE OF FACILITY: Dry Cleaner  
 FACILITY NAME: Moses Cleaners DATE: 11-21-97  
 FACILITY LOCATION: 9895 S. First St.  
Lake City  
 RESPONSIBLE OFFICIAL: Nordrie Moses PHONE NUMBER: 904-755-0511

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
Not measuring & recording outlet exhaust temperature	Measure & Record outlet temperature

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 11/98 (Approximate)

INSPECTION CONDUCTED BY: Christopher L. Scott (Please Print)

INSPECTOR'S SIGNATURE: [Signature] PHONE NUMBER: 904-448-4310 x.255

*Acc*

DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Moses Cleaners DATE: 11-21-97  
 FACILITY LOCATION: 9895 S. First St.  
Lake City

Annual Reporting Period: 11 1996 TO 11 1997

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Not measuring and recording outlet exhaust temperature

Exact period of non-compliance: from 11/96 to 11/97

Action(s) taken to achieve compliance: Measure & Record temperature

Method used to demonstrate compliance: Annual Inspection

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

RECEIVED

DEC 3 1997

Bureau of Air Monitoring  
& Mobile Sources

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: Nordrie J. Moses Nordrie J. Moses 11-21-97  
Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

ACC

AIRS ID#: 0230037

Revised 10/10/95

**DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM**

FACILITY NAME: Moses Cleaners DATE: 12/4/98  
 FACILITY LOCATION: 9895 S. 1<sup>st</sup> St.  
Lake City, FL 32025

Annual Reporting Period: Dec 1997 TO Dec 1998

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

**RECEIVED**  
DEC 11 1998  
Bureau of Air Monitoring  
& Mobile Sources

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: No. d. r. e. Moses No. d. r. e. Moses 12/4/98  
Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

✓

# PERCHLOROETHYLENE DRY CLEANERS

## TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#: <u>0230037</u> DATE: <u>12/4/98</u> TIME IN: <u>11:00</u> TIME OUT: <u>11:35</u>	
FACILITY NAME: <u>Moses Cleaners</u>	
FACILITY LOCATION: <u>9895 S. 1<sup>ST</sup> ST.</u> <u>Lake City, FL 32025</u>	
RESPONSIBLE OFFICIAL: <u>Nordrie Moses</u>	PHONE: <u>904-755-0511</u>
CONTACT NAME: _____	PHONE: _____

### PART I: NOTIFICATION

(check appropriate box)

1. New facility notified DARM 30 days prior to startup
2. Facility failed to notify DARM to use general permit

**RECEIVED**  
DEC 11 1998  
Bureau of Air Monitoring  
& Mobile Sources

### PART II: CLASSIFICATION

Facility indicated on notification form that it is:  
(check appropriate box)

- No notification form  
 Drop store/out of business/petroleum

- A.
- |  |  |
|--|--|
| 1. Existing small area source <input type="checkbox"/><br>dry-to-dry only, $x < 140$ gal/yr<br>transfer only, $x < 200$ gal/yr<br>both types, $x < 140$ gal/yr<br>(constructed before 12/9/91)   | 2. New small area source <input checked="" type="checkbox"/><br>dry-to-dry only, $x < 140$ gal/yr<br>transfer only, $x < 200$ gal/yr<br>both types, $x < 140$ gal/yr<br>(constructed on or after 12/9/91)                                |
| 3. Existing large area source <input type="checkbox"/><br>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr<br>transfer only, $200 \leq x \leq 1,800$ gal/yr<br>both types, $140 \leq x \leq 1,800$ gal/yr<br>(constructed before 12/9/91) | 4. New large area source <input type="checkbox"/><br>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr<br>transfer only, $200 \leq x \leq 1,800$ gal/yr<br>both types, $140 \leq x \leq 1,800$ gal/yr<br>(constructed on or after 12/9/91) |
5. This is a correct facility classification  Y   Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number 4 above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 250 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/infunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
 

Hose connections, fittings, couplings, and valves	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Muck cookers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Door gaskets and seating	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Stills	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Filter gaskets and seating	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Exhaust dampers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Pumps	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Diventer valves	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Solvent tanks and containers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Cartridge filter housings	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Water separators	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A		
4. Which method of detection is used by the responsible official?
 

Visual examination (condensed solvent on exterior surfaces)	<input checked="" type="checkbox"/>
Physical detection (airflow felt through gaskets)	<input checked="" type="checkbox"/>
Odor (noticeable perc odor)	<input checked="" type="checkbox"/>
Use of direct-reading instrumentation (FID/PID/calorimetric tubes)	<input type="checkbox"/>
Halogen leak detector	<input type="checkbox"/>
If using direct-reading instrumentation, is the equipment:	
a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?	<input type="checkbox"/> Y <input type="checkbox"/> N
b. Calibrated against a standard gas prior to and after each use (PID/FID only)?	<input type="checkbox"/> Y <input type="checkbox"/> N
c. Inspected for leaks and obvious signs of wear on a weekly basis?	<input type="checkbox"/> Y <input type="checkbox"/> N
d. Kept in a clean and secure area when not in use?	<input type="checkbox"/> Y <input type="checkbox"/> N
e. Verified for accuracy by use of duplicate samples (calorimetric only)?	<input type="checkbox"/> Y <input type="checkbox"/> N

Christopher L. Scott  
Inspector's Name (Please Print)

12/4/98  
Date of Inspection

*Christopher L. Scott*  
Inspector's Signature

12/99  
Approximate Date of Next Inspection



**ADDITIONAL SITE INFORMATION:**

--

**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 11:00 TIME OUT: 11:35 AIRS ID#: 0230037  
 TYPE OF FACILITY: Dry Cleaner  
 FACILITY NAME: MOSES CLEANERS DATE: 12/4/98  
 FACILITY LOCATION: 9895 S. 1<sup>st</sup> St.  
Lake City, FL 32025  
 RESPONSIBLE OFFICIAL: Nordie Moses PHONE NUMBER: 904-755-0511

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

**RECEIVED**  
 DEC 11 1998  
 Bureau of Air Monitoring  
 & Mobile Sources

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 12/99  
 (Approximate)

INSPECTION CONDUCTED BY: Christopher L. Scott  
 (Please Print)

INSPECTOR'S SIGNATURE: *CL Scott* PHONE NUMBER: 904-448-4310 x255

**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

**TYPE OF INSPECTION:** ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: <u>9:00</u>	TIME OUT: <u>9:40</u>	AIRS ID#: <u>0230037</u>
TYPE OF FACILITY: <u>Dry Cleaner</u>		
FACILITY NAME: <u>Moses Cleaners</u>		DATE: <u>11-12-99</u>
FACILITY LOCATION: <u>9895 S. 1st St.</u> <u>Lake City, FL 32025</u>		
RESPONSIBLE OFFICIAL: <u>Noidric Moses</u>		PHONE NUMBER: <u>904-755-0511</u>

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

RECEIVED  
 DEC 16 1999  
 Bureau of Air Monitoring  
 & Mobile Sources

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: Dec 2000  
(Approximate)

INSPECTION CONDUCTED BY: Christopher L. Scott  
(Please Print)

INSPECTOR'S SIGNATURE: *Christopher L. Scott* PHONE NUMBER: 904-448-4310

ACC

**DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM**

FACILITY NAME: Moses Cleaners DATE: 11-12-99  
 FACILITY LOCATION: 9895 S. 1st Street  
Lake City, FL 32025

Annual Reporting Period: Dec 1998 TO Nov 1999

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: Noidrie Moses Noidrie Moses 11-12-99  
 Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

# PERCHLOROETHYLENE DRY CLEANERS

## TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#:	<u>0230037</u>	DATE:	<u>11-12-99</u>	TIME IN:	<u>9:00</u>	TIME OUT:	<u>9:40</u>
FACILITY NAME:	<u>Moses Cleaners</u>						
FACILITY LOCATION:	<u>9895 S 1<sup>st</sup> Street</u> <u>Lake City, FL 32025</u>						
RESPONSIBLE OFFICIAL:	<u>Noidric Moses</u>	PHONE:	<u>904-755-0511</u>				
CONTACT NAME:	_____	PHONE:	_____				

### PART I: NOTIFICATION

(check appropriate box)

1. New facility notified DARM 30 days prior to startup
2. Facility failed to notify DARM to use general permit

### PART II: CLASSIFICATION

Facility indicated on notification form that it is:  
(check appropriate box)

- No notification form  
 Drop store/out of business/petroleum

A.

- |  |  |
|--|--|
| 1. Existing small area source<br>dry-to-dry only, $x < 140$ gal/yr<br>transfer only, $x < 200$ gal/yr<br>both types, $x < 140$ gal/yr<br>(constructed before 12/9/91) <input type="checkbox"/>   | 2. New small area source<br>dry-to-dry only, $x < 140$ gal/yr<br>transfer only, $x < 200$ gal/yr<br>both types, $x < 140$ gal/yr<br>(constructed on or after 12/9/91) <input checked="" type="checkbox"/>                                |
| 3. Existing large area source<br>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr<br>transfer only, $200 \leq x \leq 1,800$ gal/yr<br>both types, $140 \leq x \leq 1,800$ gal/yr<br>(constructed before 12/9/91) <input type="checkbox"/> | 4. New large area source<br>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr<br>transfer only, $200 \leq x \leq 1,800$ gal/yr<br>both types, $140 \leq x \leq 1,800$ gal/yr<br>(constructed on or after 12/9/91) <input type="checkbox"/> |
5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 52 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
     Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
     Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
  - a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
     Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Christopher L. Scott  
Inspector's Name (Please Print)

11-12-99  
Date of Inspection

*Christopher L. Scott*  
Inspector's Signature

Dec 2000  
Approximate Date of Next Inspection



**ADDITIONAL SITE INFORMATION:**

[Empty rectangular box for additional site information]

AIRS ID#: 0230037

Revised 10/10/96

*ASCEP*

### DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Moses Cleaners DATE: 12/21/00  
 FACILITY LOCATION: 9895 S. 1<sup>ST</sup> ST  
Lake City, FL 32025

Annual Reporting Period: November 99 19 TO December 2000 19

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

RECEIVED  
JAN 10 2000  
Bureau of Air Monitoring  
& Mobile Sources

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: Noidru Moses Noidru Moses 12-21-00  
 Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.



**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 10:40	TIME OUT: 11:00	AIRS ID#: 0230037
TYPE OF FACILITY: DRY CLEANER		
FACILITY NAME: MOSES CLEANERS		DATE: 12/21/00
FACILITY LOCATION: 9895 S 1ST ST Lake City, FL 32025		
RESPONSIBLE OFFICIAL: Noidrid Moses		PHONE NUMBER: (904) 755-0511

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS:

---

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: December 2001  
(Approximate)

INSPECTION CONDUCTED BY: HEATHER WYNN  
(Please Print)

INSPECTOR'S SIGNATURE: PHONE NUMBER: (904) 448-4316

# PERCHLOROETHYLENE DRY CLEANERS

## TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

ASAP

AIRS ID#: 0230037 DATE: 9:40 12/21/00 TIME IN: 9:40 TIME OUT: 10:00  
FACILITY NAME: Moses Cleaners  
FACILITY LOCATION: 9895 8<sup>1</sup> 18<sup>th</sup> St  
Lake City, FL 32025  
RESPONSIBLE OFFICIAL: Noidru Moses PHONE: (904) 755-0511  
CONTACT NAME: \_\_\_\_\_ PHONE: \_\_\_\_\_

### PART I: NOTIFICATION

(check appropriate box)

1. New facility notified DARM 30 days prior to startup   
2. Facility failed to notify DARM to use general permit

### PART II: CLASSIFICATION

Facility indicated on notification form that it is:  No notification form  
(check appropriate box)  Drop store/out of business/petroleum

A.

1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)

5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:  
 facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 42.8 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |   |   |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 2. Examining the containers for leakage?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                     | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |

**PART IV: PROCESS VENT CONTROLS**

**In Part II-A:**

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

**A. Has the responsible official of all new sources and existing large area sources:**  
(check appropriate boxes)

- |  |   |
|--|---|
| 1. Equipped all machines with the appropriate vent controls?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                     | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?                 | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?                              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

HEATHER WYNN  
 Inspector's Name (Please Print)

*Heather Wynn*  
 Inspector's Signature

12/21/00  
 Date of Inspection

12-2001  
 Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

Here ~~is~~ Teen





THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

404204

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID # 0230037
MOSES CLEANERS NOIDRIE J MOSES PO BOX 1563 LAKE CITY FL 32056

*1-30-01 PD*

RECEIVED  
MAIL ROOM  
JAN 30 01

FOR GOVERNMENT USE ONLY Org.: 37550101000 EO: A1 Fund: 20-2-035001 Obj.: 002273
--


MOSES CLEANERS, INC.		4992
DEPARTMENT OF ENVIRONMENTAL PROTECTION	1/20/2001	
TITLE V AIR PERMIT		50.00
FIRST FEDERAL SAV AIRS ID 0230037		50.00

Noidrie & Charilyn Moses  
Rt. 5 Box 88  
Lake City FL 32025



TITLE V - General Permit  
Receipts  
Post Office Box 3070  
Tallahassee, FL 32315-3070

32315X3070



PLACE STICKER AT TOP OF ENVELOPE  
TO THE RIGHT OF RETURN ADDRESS

**COMPLETE THIS SECTION ON DELIVERY**

A. Received by *(Please Print Clearly)* B. Date of Delivery  
6-12-01

C. Signature  
*x [Signature]*  Agent  
 Addressee

D. Is delivery address different from item 1?  Yes  
 If YES, enter delivery address below:  No

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.

4. Restricted Delivery? *(Extra Fee)*  Yes

1. Article Addressed to:

AIRS ID # 0230037001AG

NOIDRIE J MOSES  
 MOSES CLEANERS  
 BOX 1563  
 LAKE CITY FL 32056

0600 0026 4128 7355

2. Article Number *(Copy from service label)*

PS Form 3811, July 1999 Domestic Return Receipt 102595-99-M-1789

**U.S. Postal Service**  
**CERTIFIED MAIL RECEIPT**  
*(Domestic Mail Only; No Insurance Coverage Provided)*

7000 0600 0026 4128 7355

Postage	\$	Postmark Here
Certified Fee		
Return Receipt Fee <small>(Endorsement Required)</small>		
Restricted Delivery Fee <small>(Endorsement Required)</small>		
Total Postage	\$	

Recipient's **10** AIRS ID # 0230037001AG

Street, Apt. 1 NOIDRIE J MOSES  
 City, State, ZIP MOSES CLEANERS  
 PO BOX 1563  
 LAKE CITY FL 32056

PS Form 3800

Z 333 667 453

US Postal Service

**Receipt for Certified Mail**

No Insurance Coverage Provided.

Do not use for International Mail (See reverse)

AIRS ID # 0230037

MOSES CLEANERS  
NOIDRIE J MOSES  
PO BOX 1563  
LAKE CITY FL 32056

PS Form 3800, April 1995

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

AIRS ID # 0230037

MOSES CLEANERS  
NOIDRIE J MOSES  
PO BOX 1563  
LAKE CITY FL 32056

2. Article Number (Copy from service label)

2333 667 453

PS Form 3811, July 1999

**COMPLETE THIS SECTION ON DELIVERY**

A. Received by (Please Print Clearly) B. Date of Delivery

*N. Moses*

2-28-00

C. Signature

X *N. Moses*

Agent

Addressee

D. Is delivery address different from item 1?  Yes

If YES, enter delivery address below:  No

3. Service Type

Certified Mail  Express Mail

Registered  Return Receipt for Merchandise

Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)

Yes

UNITED STATES POSTAL SERVICE



First Class Mail  
Postage & Fees Paid  
USPS  
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

VEHICLE SOURCE CONTROL PROGRAM  
DEPT. OF ENVIRONMENTAL PROTECTION  
MAIL STATION 5510  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400

Bureau of Air Monitoring  
& Mobile Sources

FEB 29 2001

RECEIVED



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

262404 ✓

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

MOSES CLEANERS INC  
NOIDRIE J MOSES  
PO BOX 1563  
LAKE CITY FL 32056

AIRS ID# 0230037

**FOR GOVERNMENT USE ONLY**  
**Org.: 37550101000 EO: B1**  
**Fund: 20-2-035001**  
**Obj.: 002273**

Fold at line over top of envelope to

**SEND**

Is your RETURN ADDRESS completed on the reverse side?

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1.  Addressee's Address
2.  Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:  
 AIRS ID # 0230037  
 MOSES CLEANERS  
 NOIDRIE J MOSES  
 PO BOX 1563  
 LAKE CITY FL 32056

4a. Article Number  
 Z 333 667 000

4b. Service Type  
 Registered  Certified  
 Express Mail  Insured  
 Return Receipt for Merchandise  COD

7. Date of Delivery  
 3-9-99

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)  
 X *[Signature]*

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994 102595-97-B-0179 Domestic Return Receipt

Thank you for using Return Receipt Service.

Z 333 667 000 1999

US Postal Service

AIRS ID # 0230037

MOSES CLEANERS  
 NOIDRIE J MOSES  
 PO BOX 1563  
 LAKE CITY FL 32056

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

PS Form 3800, April 1995

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1.  Addressee's Address
2.  Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to: AIRS ID 0230037

MOSES CLEANERS INC  
NOIDRIE J MOSES  
PO BOX 1563  
LAKE CITY FL 32056


4a. Article Number  
**Z 333 660 301**

4b. Service Type

Registered  Certified  
 Express Mail  Insured  
 Return Receipt for Merchandise  COD

7. Date of Delivery  
**2-19-98**

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)  
**X** 

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994 Domestic Return Receipt

Thank you for using Return Receipt Service.

**Z 333 660 301**

US Postal Service  
**Receipt for Certified Mail**

AIRS ID 0230037

MOSES CLEANERS INC  
NOIDRIE J MOSES  
PO BOX 1563  
LAKE CITY FL 32056

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

PS Form 3800, April 1995



Z 333 613 065

US Postal Service

Receipt for Certified Mail

AIRS ID # 0230037

MOSES CLEANERS  
NOIDRIE J MOSES  
PO BOX 1563  
LAKE CITY FL 32056

1999

PS Form 3800, April 1995

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

Fold at line over top of envelope to

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- Addressee's Address
- Restricted Delivery

Consult postmaster for fee.

**3. Article Addressed to:**

MOSES CLEANERS  
NOIDRIE J MOSES  
PO BOX 1563  
LAKE CITY FL 32056

AIRS ID # 0230037

**4a. Article Number**

Z 333 613 065

**4b. Service Type**

- Registered
- Express Mail
- Return Receipt for Merchandise
- Certified
- Insured
- COD

**7. Date of Delivery**

**5. Received By: (Print Name)**

**6. Signature: (Addressee or Agent)**

X

**8. Addressee's Address (Only if requested and fee is paid)**



Thank you for using Return Receipt Service.

UNITED STATES POSTAL SERVICE



First-Class Mail  
Postage & Fees Paid  
USPS  
Permit No. G-10

• Print your name, address, and ZIP Code in this box •

DARM/MOBILE SOURCE CONTROL PROGRAM  
DEPT. OF ENVIRONMENTAL PROTECTION  
MAIL STATION 5510  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32399-2409

Bureau of Air Monitoring  
& Mobile Sources

RECEIVED  
FEB 25 1999

01



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0362342

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00** ✓

RECEIVED  
MAIL ROOM  
FEB 26 99

Do **NOT** Remove Label

MOSES CLEANERS  
NOIDRIE J MOSES  
PO BOX 1563  
LAKE CITY FL 32056

AIRS ID # 0230037

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: B1  
Fund: 20-2-035001  
Obj.: 002273

MOSES CLEANERS, INC.

DEPARTMENT OF ENVIRONMENTAL PROTECTION  
AIR PERMIT

2/23/1999

4262

50.00

FIRST FEDERAL SAV AIRS ID# 0230036

50.00



**THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING**

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

303042

**TOTAL AMOUNT DUE: \$50.00**

**Do NOT Remove Label**

AIRS ID#0230037
MOSES CLEANERS INC NOIDRIE J MOSES PO BOX 1563 LAKE CITY FL 32056

<b>FOR GOVERNMENT USE ONLY</b>
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

MOSES CLEANERS, INC.		3858
DEPARTMENT OF ENVIRONMENTAL PROTECTION	2/16/1998	
TAXES & LICENSE STORE A- 0230036		50.00
TAXES & LICENSE STORE B-0230037		50.00
FFSB-CKG	1998 TITLE V AIR GENERAL PERMIT	100.00



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0392672

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID # 0230037

MOSES CLEANERS  
NOIDRIE J MOSES  
PO BOX 1563  
LAKE CITY FL 32056

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: B1  
Fund: 20-2-035001  
Obj.: 002273

RECEIVED  
MAIL ROOM  
FEB 25 2000

MOSES CLEANERS, INC.

4634

Z 333 667 297

*2000*

US Postal Service

**Receipt for Certified Mail**

No Insurance Coverage Provided.

Do not use for International Mail (See reverse)

PS Form 3800

AIRS ID # 0230037

MOSES CLEANERS  
NOIDRIE J MOSES  
PO BOX 1563  
LAKE CITY FL 32056

PS Form 3800, April 1995

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

P 265 302 435

US Postal Service

**Receipt for Certified Mail**

No Insurance Coverage Provided.

Do not use for International Mail (See reverse)

Sent to


AIRS ID#: 0230037

MOSES CLEANERS INC  
NOIDRIE J MOSES  
PO BOX 1563  
LAKE CITY FL 32056...

PS Form 3800, April 1995

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	2/17/97

*Nedrie & Cheryl Moser  
Rt. 6 Box 83  
Lake City FL 32025*



TITLE V - General Permit  
Receipts  
Post Office Box 3070  
Tallahassee, FL 32315-3070

32315X3070

