

0250737



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

October 7, 1996

Mr. Antonio L. Llambes
President
Diago Dry Cleaner
1774-76 West 68 Street
Hialeah, Florida 33014

Dear Mr. Llambes:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on August 30, 1996.

Please note that in November of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

/DD

cc: Mr. Ewart Anderson, Dade County

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

0250737

P.13

- 7. fill in
- 10. fill in

P.14

- 3. new small area source
Should be marked

P.15

- 4. new small r.c. Should
be marked

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

| | | | |
|--|------------------------|---------|-------------------|
| 1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): | Anno Enterprise Inc | | |
| 2. Site Name (For example, plant name or number): | Diago Dry Cleaner | | |
| 3. Hazardous Waste Generator Identification Number: | FLD 981 866 775 | | |
| 4. Facility Location: | Street Address: | City: | County: Zip Code: |
| | 1774-76 W. 68th Street | Hialeah | Dade 33014 |
| 5. Facility Identification Number (DEP Use): | 0250737 | | |

Responsible Official

| | | | |
|--|------------------------------|-----------------|-------------------------|
| 6. Name and Title of Responsible Official: | Antonio L. Lambes, President | | |
| 7. Responsible Official Mailing Address: | Organization/Firm: | Street Address: | City: County: Zip Code: |
| | | | |
| 8. Responsible Official Telephone Number: | Telephone: | Fax: () | - |
| | (305) 556-3411 | | |

Facility Contact (If different from Responsible Official)

| | | | |
|---|------------------------------|-------------------------|---|
| 9. Name and Title of Facility Contact (For example, plant manager): | Antonio L. Lambes, President | | |
| 10. Facility Contact Address: | Street Address: | City: County: Zip Code: | |
| | | | |
| 11. Facility Contact Telephone Number: | Telephone: | Fax: () | - |
| | (305) 556-3411 | | |

RECEIVED

AUG 30 1996

Bureau of Air Monitoring
& Mobile Sources

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

| Type of Machine | ID | Date Machine Initially Purchased | Date Control Device Installed | ID | Date Machine Initially Purchased | Date Control Device Installed | ID | Date Machine Initially Purchased | Date Control Device Installed |
|------------------------|----|----------------------------------|-------------------------------|----|----------------------------------|-------------------------------|----|----------------------------------|-------------------------------|
| <i>Example</i> | | | | | | | | | |
| | #1 | 03-OCT-93 | 12-NOV-93 | #2 | 08-DEC-91 | | #3 | 02-MAR-92 | 02-MAR-92 |
| Dry-to-Dry Unit | | | | | | | | | |
| (1) w/ ref. condenser | #1 | 16-Jul-92 | 21-Jul-92 | | | | | | |
| (2) w/ carbon adsorber | | | | | | | | | |
| (3) w/ no controls | | | | | | | | | |
| Washer Unit | | | | | | | | | |
| (4) w/ ref. condenser | | | | | | | | | |
| (5) w/ carbon adsorber | | | | | | | | | |
| (6) w/ no controls | | | | | | | | | |
| Dryer Unit | | | | | | | | | |
| (7) w/ ref. condenser | | | | | | | | | |
| (8) w/ carbon adsorber | | | | | | | | | |
| (9) w/ no controls | | | | | | | | | |
| Reclaimer Unit | | | | | | | | | |
| (10) w/ ref. condenser | | | | | | | | | |
| (11) w/carbon adsorber | | | | | | | | | |
| (12) w/ no controls | | | | | | | | | |

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?
 gallons

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: New store: Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?
 (Indicate with an "X". Select one classification only.)

Existing small area source

New small area source

Existing large area source

New large area source

Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) IW5-03239-95 DC50 0A.

No air permits currently exist for the operation of the facility indicated in this notification form.


Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

A. S. Lambert, Pres
Signature

8-26-96
Date



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

June 25, 2001

Mr. Antonio L. Llambes
Diago Dry Cleaners
1774-76 West 68 Street
Hialeah, Florida 33014

Dear Mr. Llambes:

Thank you for your submittal of the Perchloroethylene Dry Cleaners Air General Permit Notification Form. The Department received your submittal on June 22.

In reviewing your submittal, it was noted that Diago Dry Cleaners elected to surrender its existing Title V air general permit (AIRS ID 0250737). If your intention is to continue your dry cleaning operations, then your existing permit is not to be surrendered and the notification form will need to be corrected. To correct the form, please remove the checkmark next to the "I hereby surrender" statement and initial the change, resign the form on the back and date.

Please return the corrected form as quickly as possible to:

General Permits Section
Bureau of Air Monitoring and Mobile Sources, MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

If you no longer wish to operate a dry cleaning facility under the Title V air general permit, then your permit may be surrendered. In this case, you need to do nothing and your form will continue to be processed as submitted.

Thank you for your attention to this matter and I apologize for the confusion with this portion of the form.

If you have any questions concerning the form or the corrections, please contact either Rick Butler at 850/921-9586 or me at 840/921-9583.

Sincerely,

Sandra Bowman
Bureau of Air Monitoring
and Mobile Sources

SB/
Enclosure
cc: Ms. Mallika Muthiah, Dade County

"More Protection, Less Process"

AIRS ID#: 0250737

Revised 10/10/96

DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: ✓ Piago Dry Cleaners DATE: ✓ 2-24-97
 FACILITY LOCATION: ✓ 1774-46 W 68 ST
Hiawah Fla 33014

Annual Reporting Period: 8-26 1996 TO 2-24 1997

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to NTA

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to NTA

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: R. L. HAMBES A. L. Hambes 2-24-97
 Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

DEPT. OF ENVIRONMENTAL 248955
 RESOURCES MANAGEMENT (DERM)
 AIR QUALITY MANAGEMENT DIVISION
 33 S.W. SECOND AVENUE, SUITE 900
 MIAMI, FLORIDA 33130-1540

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST



TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION

AIRS ID#: 0250737 DATE: 2/24/97 TIME IN: 1:45 TIME OUT: 2:15
FACILITY NAME: DIAGO DRY CLEANERS
FACILITY LOCATION: 1774-76 WEST 68 ST
HOLLAH 133014

PART I: NOTIFICATION

- (check appropriate box)
- 1. Existing facility notified DARM by 9/1/96
 - 2. New facility notified DARM 30 days prior to startup
 - 3. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
(check appropriate box)

A.

| | |
|--|--|
| 1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91) <input checked="" type="checkbox"/> | 2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91) <input type="checkbox"/> |
| 3. Existing large area source dry-to-dry only, $140 < x < 2,100$ gal/yr transfer only, $200 < x < 1,800$ gal/yr both types, $140 < x < 1,800$ gal/yr (constructed before 12/9/91) <input type="checkbox"/> | 4. New large area source dry-to-dry only, $140 < x < 2,100$ gal/yr transfer only, $200 < x < 1,800$ gal/yr both types, $140 < x < 1,800$ gal/yr (constructed on or after 12/9/91) <input type="checkbox"/> |

This is a correct facility classification Y N

If no, please check the appropriate classification:

- facility qualified for a general permit as number 2 above
- facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 600 gallons.

3/6/97
MB

4/21/97

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- | | |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers? | <input type="checkbox"/> Y <input type="checkbox"/> N <i>NA</i> |
| 2. Examining the containers for leakage? | <input type="checkbox"/> Y <input type="checkbox"/> N <i>NA</i> |
| 3. Closing and securing machine doors except during loading/unloading? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

✓ A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- | | |
|--|---|
| 1. Equipped all machines with the appropriate vent controls? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? | <input type="checkbox"/> Y <input type="checkbox"/> N <i>NA</i> |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N
Is the temperature differential equal to or greater than 20° F? Y N
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
 - a. documentation of leaks repaired w/in 24 hrs? or, Y N *NA*
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N
4. Maintained calibration data? (for direct reading instruments only) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N *NA*
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N *NA*
Problem corrected? Y N *NA*
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly leak detection and repair inspection? Y N

2. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)

If using direct-reading instrumentation, is the equipment:

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

3. Has the facility maintained a leak log? Y N

4. Does the responsible official check the following areas for leaks?

- | | | | | | | |
|---|---------------------------------------|----------------------------|---------------------------|---------------------------------------|----------------------------|-----------|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | Muck cookers | <input type="checkbox"/> Y | <input type="checkbox"/> N | <i>na</i> |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | Stills | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | Exhaust dampers | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | |
| Pumps | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | Diverter valves | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | Cartridge filter housings | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | |
| Water separators | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | | | | |

ANTONIO L AMBRES

Name of Responsible Official

JAMIE NAZARCO

Inspector's Name (Please Print)

[Signature]

Inspector's Signature

2/24/97

Date of Inspection

2/98

Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

This section is currently blank, intended for providing additional site information.

UTILITY AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT

BEST AVAILABLE COPY

TYPE OF INSPECTION:

ANNUAL

COMPLAINT/DISCOVERY

RE-INSPECTION

TIME IN: 1:45 TIME OUT: 2:15 AIRS ID#: 0250/37
 TYPE OF FACILITY: RENT. Dry CLEANER
 FACILITY NAME: Dingo Dry CLEANER DATE: 2/24/97
 FACILITY LOCATION: 174-76 West 68 St.
MIAMI 33014
 RESPONSIBLE OFFICIAL: Antonio Lambros PHONE NUMBER: 556 3411

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

| COMPLIANCE REQUIREMENT/PROBLEM | FOLLOW-UP ACTION REQUIRED |
|--------------------------------|---------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

COMMENTS: Equipment & Recordkeeping in Compliance.

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 2/98

(Approximate)

INSPECTION CONDUCTED BY: JAMES NAZARIO

(Please Print)

INSPECTOR'S SIGNATURE: [Signature] PHONE NUMBER: 372 6922

all ✓

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

RECEIVED

FEB 24 1998

Bureau of Air Monitoring
& Mobile Sources

| |
|---|
| AIRS ID 0250737 |
| ANRO ENTERPRISES INC ANTONIO L LLAMBRES 1774-76 W 68TH STREET HIALEAH FL 33014 |

Do NOT Remove Label

Annual Reporting Period: JANUARY 1 1997 TO December 31 1997

As a condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: Antonio L. Llambres A. L. Llambres 2/16/98
 Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT

BEST AVAILABLE COPY

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 1150 TIME OUT: 1215 AIRS ID#: 0250737
 TYPE OF FACILITY: Paint Shop
 FACILITY NAME: Wendell's DATE: 3-12-96
 FACILITY LOCATION: 1714-76 W 5th St
Wendell, WA
 RESPONSIBLE OFFICIAL: Wendell's PHONE NUMBER: _____

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

| COMPLIANCE REQUIREMENT/PROBLEM | FOLLOW-UP ACTION REQUIRED |
|--------------------------------|---------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

COMMENTS: Facility is in compliance.

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: MARCH 1996
(Approximate)

INSPECTION CONDUCTED BY: THOMAS W. HILLO
(Please Print)

INSPECTOR'S SIGNATURE: [Signature] PHONE NUMBER: 3726922

AIRS ID#: 0250737

Revised 10/10/96

My

DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: DIAGO Dry Cleaners DATE: 3-18-98
 FACILITY LOCATION: 1774-76 WEST 68 ST

Annual Reporting Period: 2-24 1997 TO 3-13 1998

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____
 Action(s) taken to achieve compliance: _____
 Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____
 Action(s) taken to achieve compliance: _____
 Method used to demonstrate compliance: _____

RECEIVED

MAY 19 1998

Bureau of Air Monitoring & Mobile Sources

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: Antonio Hernandez x A. J. Flambie x 3-16-98
 Name (Please Print) Signature Date

This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

DEPT. OF ENVIRONMENTAL 248955
 RESOURCES MANAGEMENT (DERM)
 AIR QUALITY MANAGEMENT DIVISION
 33 S.W. SECOND AVENUE, SUITE 900
 MIAMI, FLORIDA 33130-1540

0250737

P.13

7. fill in
10. fill in

| |
|---|
| 1. Facility Owner Anno |
| 2. Site Name (Fac) Diago |
| 3. Hazardous Waste FLD |
| 4. Facility Location Street Address: City: Hid |
| 5. Facility Identifier |

P.14

3. new small area source
should be marked

P.15

4. new small r.c. should
be marked

33014

| |
|--|
| 6. Name and Title Anto |
| 7. Responsible Official Mailing Address: Organization/Firm: Street Address: City: County: Zip Code: |
| 8. Responsible Official Telephone Number: Telephone: (305) 556-3411 Fax: () - |

Anto

Facility Contact (If different from Responsible Official)

| |
|--|
| 9. Name and Title of Facility Contact (For example, plant manager): Antonio L. Lambes, President |
| 10. Facility Contact Address: Street Address: City: County: Zip Code: |
| 11. Facility Contact Telephone Number: Telephone: (305) 556-3411 Fax: () - |

RECEIVED

AUG 30 1996

Bureau of Air Monitoring
& Mobile Sources

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

| | | | |
|--|------------------------|---------|-------------------|
| 1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): | Anno Enterprise Inc | | |
| 2. Site Name (For example, plant name or number): | Diago Dry Cleaner | | |
| 3. Hazardous Waste Generator Identification Number: | FLD 981 866 775 | | |
| 4. Facility Location: | Street Address: | City: | County: Zip Code: |
| | 1774-76 W. 68th Street | Hialeah | Dade 33014 |
| 5. Facility Identification Number (DEP Use): | 0250437 | | |

Responsible Official

| | | | |
|--|-------------------------------|--------------------|-------------------------|
| 6. Name and Title of Responsible Official: | Antonio L. Llambes, President | | |
| 7. Responsible Official Mailing Address: | Organization/Firm: | Street Address: | City: County: Zip Code: |
| | DIAGO CLEANERS | 1774-76 WEST 68 ST | Hialeah Dade 33014 |
| 8. Responsible Official Telephone Number: | Telephone: | Fax: | |
| | (305) 556-3411 | () | |

Facility Contact (If different from Responsible Official)

| | | | |
|---|-------------------------------|---------|-------------------|
| 9. Name and Title of Facility Contact (For example, plant manager): | Antonio L. Llambes, President | | |
| 10. Facility Contact Address: | Street Address: | City: | County: Zip Code: |
| | 1774-76 WEST 68 ST | Hialeah | Dade 33014 |
| 11. Facility Contact Telephone Number: | Telephone: | Fax: | |
| | (305) 556-3411 | () | |

RECEIVED

AUG 30 1996

Bureau of Air Monitoring
& Mobile Sources

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

| Type of Machine | ID | Date Machine Initially Purchased | Date Control Device Installed | ID | Date Machine Initially Purchased | Date Control Device Installed | ID | Date Machine Initially Purchased | Date Control Device Installed |
|------------------------|----|----------------------------------|-------------------------------|----|----------------------------------|-------------------------------|----|----------------------------------|-------------------------------|
| <i>Example</i> | | | | | | | | | |
| | #1 | 03-OCT-93 | 12-NOV-93 | #2 | 08-DEC-91 | | #3 | 02-MAR-92 | 02-MAR-92 |
| Dry-to-Dry Unit | | | | | | | | | |
| (1) w/ ref. condenser | #1 | 16-Jul-92 | 29-Jul-92 | | | | | | |
| (2) w/ carbon adsorber | | | | | | | | | |
| (3) w/ no controls | | | | | | | | | |
| Washer Unit | | | | | | | | | |
| (4) w/ ref. condenser | | | | | | | | | |
| (5) w/ carbon adsorber | | | | | | | | | |
| (6) w/ no controls | | | | | | | | | |
| Dryer Unit | | | | | | | | | |
| (7) w/ ref. condenser | | | | | | | | | |
| (8) w/ carbon adsorber | | | | | | | | | |
| (9) w/ no controls | | | | | | | | | |
| Reclaimer Unit | | | | | | | | | |
| (10) w/ ref. condenser | | | | | | | | | |
| (11) w/carbon adsorber | | | | | | | | | |
| (12) w/ no controls | | | | | | | | | |

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?

gallons

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: New store: Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?

(Indicate with an "X". Select one classification only.)

Existing small area source

New small area source

Existing large area source

New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?
(Indicate with an "X".)

Existing large area source

Carbon adsorber

Existing small area source

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.

All steam and hot water generating units exempt
No such units on-site

Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Instrument calibration
- (f) Start-up, shutdown, malfunction plan

Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) IW5-03239-95 DCSO 02.

No air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

A. S. Stambic, Pres
Signature

8-26-96
Date

X A. S. Stambic

X 8-24-97



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

October 7, 1996

Mr. Antonio L. Llambes
President
Diago Dry Cleaner
1774-76 West 68 Street
Hialeah, Florida 33014

Dear Mr. Llambes:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on August 30, 1996.

Please note that in November of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

/DD

cc: Mr. Ewart Anderson, Dade County

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
 RE-INSPECTION

| | | | | | | | |
|-----------------------|--------------------------------|-------|---------|----------|------|-----------|------|
| AIRS ID#: | 0250737 | DATE: | 3/16/98 | TIME IN: | 1:30 | TIME OUT: | 2:00 |
| FACILITY NAME: | DIAGO Dry Cleaners | | | | | | |
| FACILITY LOCATION: | 1774-74 West 68 St. Hialeah | | | | | | |
| RESPONSIBLE OFFICIAL: | Antonio Lambert | | PHONE: | 554-3411 | | | |
| CONTACT NAME: | | | | PHONE: | | | |

| | |
|---|--------------------------|
| PART I: NOTIFICATION | |
| (check appropriate box) | |
| 1. New facility notified DARM 30 days prior to startup | <input type="checkbox"/> |
| 2. Facility failed to notify DARM to use general permit | <input type="checkbox"/> |

| | |
|--|--|
| PART II: CLASSIFICATION | |
| Facility indicated on notification form that it is: (check appropriate box) | <input type="checkbox"/> No notification form <input type="checkbox"/> Drop store/out of business/petroleum |
| A. | |
| 1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91) | 2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91) |
| 3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91) | 4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91) |
| 5. This is a correct facility classification <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> Can not determine | |
| If no, please check the appropriate classification: | |
| <input type="checkbox"/> facility qualified for a general permit as number _____ above | |
| <input type="checkbox"/> facility exceeds above limits and is not eligible for a general permit | |
| B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was <u>00</u> gallons. | |

113
 5/14/98
 4/6/98

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- | | | | |
|---|---------------------------------------|----------------------------|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers? | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input checked="" type="checkbox"/> N/A |
| 2. Examining the containers for leakage? | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input checked="" type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input checked="" type="checkbox"/> N/A |

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- | | | | |
|--|---------------------------------------|----------------------------|---|
| 1. Equipped all machines with the appropriate vent controls? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input checked="" type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | |

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
Is the temperature differential equal to or greater than 20° F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
 - a. documentation of leaks repaired w/in 24 hrs? or; Y N N/A
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N N/A
Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N
2. Has the facility maintained a leak log? Y N
3. Does the responsible official check the following areas for leaks?
- | | | | |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment: N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

James Nazarew

Inspector's Name (Please Print)

3-13-98

Date of Inspection


[Signature]

Inspector's Signature

MARCH 1999

Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:



PERCHLOROETHYLENE DRY CLEANERS

RECEIVED

TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

MAY 19 1999

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION Bureau of Air Monitoring & Mobile Sources

AIRS ID#: 0250737 DATE: 4/30/99 TIME IN: 12¹⁵ PM TIME OUT: 12⁴⁵ PM
 FACILITY NAME: Diago Dry Cleaners
 FACILITY LOCATION: 1774 - 76 West 68th St
 RESPONSIBLE OFFICIAL: Antonio Humberto PHONE: 556 - 3411
 CONTACT NAME: LI PHONE: LI

PART I: NOTIFICATION

(check appropriate box)

- 1. New facility notified DARM 30 days prior to startup
- 2. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:

(check appropriate box)

- No notification form
- Drop store/out of business/petroleum

A.

- | | |
|--|--|
| 1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91) | 2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91) |
| 3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91) | 4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91) |

5. This is a correct facility classification Y N Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number _____ above
- facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was UNKNOWN gallons.

AMS
#8
9/7/99

AMS
5/7/99

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

| | |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 2. Examining the containers for leakage? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

| | |
|--|---|
| 1. Equipped all machines with the appropriate vent controls? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |

B. Has the responsible official of an existing large or new large area source also:

- | | |
|--|--|
| 1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? | <input type="checkbox"/> Y <input type="checkbox"/> N |
| 2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Is the temperature differential equal to or greater than 20° F? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Is the perc concentration equal to or less than 100 ppm? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Routed airflow to the carbon adsorber (if used) at all times? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

- | | |
|--|---|
| 1. Maintained receipts for perc purchased? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 2. Maintained rolling monthly total of perc consumption? | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N |
| 3. Maintained leak detection inspection and repair reports for the following: | |
| a. documentation of leaks repaired w/in 24 hrs? or; | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 4. Maintained calibration data? (for applicable direct reading instruments) | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 5. Maintained exhaust duct monitoring data on perc concentrations? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Maintained startup/shutdown/malfunction plan? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 7. Maintained deviation reports? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Problem corrected? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 8. Maintained compliance plan, if applicable? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N
2. Has the facility maintained a leak log? Y N
3. Does the responsible official check the following areas for leaks?
- | | | | |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment: N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

LEO SMET
Inspector's Name (Please Print)

4/30/99
Date of Inspection

LEO SMET
Inspector's Signature

9/2000
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

A large, empty rectangular box with a double-line border, occupying most of the page. It is intended for providing additional site information.

**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 12:15 PM TIME OUT: 12:45 PM AIRS ID#: 0250737
 TYPE OF FACILITY: Perc Dry Cleaner
 FACILITY NAME: Disco Dry Cleaner DATE: 4/30/99
 FACILITY LOCATION: 1774-76 West 68th St
 RESPONSIBLE OFFICIAL: Antonio Lombas PHONE NUMBER: (305) 372-6922

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

| COMPLIANCE REQUIREMENT/PROBLEM | FOLLOW-UP ACTION REQUIRED |
|---|--|
| No Rolling monthly total of Perc consumption kept | need to start keeping rolling monthly total of per car consumption |
| | |
| | |
| | |
| | |
| | |
| | |

COMMENTS: Record keeping violation non-compliant

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 4/2000 (Approximate)

INSPECTION CONDUCTED BY: LEO SMART (Please Print)

INSPECTOR'S SIGNATURE: [Signature] PHONE NUMBER: (305) 372-6922

**DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM**

FACILITY NAME: Diago Dry Cleaners DATE: 4/30/99
 FACILITY LOCATION: 1774 - FG West 68th St
Hialeah

Annual Reporting Period: April 1998 TO April 1999

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:
R.O. did not keep rolling monthly total of Per^{consumption}
 Exact period of non-compliance: from April 1998 to April 1999
 Action(s) taken to achieve compliance: update records
 Method used to demonstrate compliance: FDEP calendar

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

 Exact period of non-compliance: from _____ to _____
 Action(s) taken to achieve compliance: _____
 Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: Antonio J. Llanes A. J. Llanes 4-30-99
 Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

AIRS ID#: 0250737

all set

Revised 10/10/96

**DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM**

| | |
|--|---------------------|
| FACILITY NAME: <u>Diago Dry Cleaners</u> | DATE: <u>5/2/00</u> |
| FACILITY LOCATION: <u>1774 W 108 St</u> | |
| <u>Hialeah 33014</u> | |

Annual Reporting Period: 5 1999 TO 5 2000

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: *A. J. Plumb* *5-2-00*
Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

PERCHLOROETHYLENE DRY CLEANERS
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

Access

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
 RE-INSPECTION

AIRS ID#: 0250739 DATE: 5/2/00 TIME IN: 3:00pm TIME OUT: 3:20pm
 FACILITY NAME: Diago Dry Cleaners
 FACILITY LOCATION: 1774 W 68 St
Hialeah 33014
 RESPONSIBLE OFFICIAL: Antonio Lambert PHONE: (305) 556-3471
 CONTACT NAME: _____ PHONE: _____

RECEIVED
 JUN 15 2000
 Bureau of Air Monitoring
 & Mobile Sources

PART I: NOTIFICATION

(check appropriate box)

1. New facility notified DARM 30 days prior to startup
 2. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is: (check appropriate box)

No notification form
 Drop store/out of business/petroleum

A.

| | |
|--|--|
| 1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91) <input type="checkbox"/> | 2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91) <input checked="" type="checkbox"/> |
| 3. Existing large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91) <input type="checkbox"/> | 4. New large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91) <input type="checkbox"/> |

5. This is a correct facility classification Y N Can not determine

If no, please check the appropriate classification:
 facility qualified for a general permit as number _____ above
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 40 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers? Y N N/A
- 2. Examining the containers for leakage? Y N N/A
- 3. Closing and securing machine doors except during loading/unloading? Y N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N N/A

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls? Y N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
Is the temperature differential equal to or greater than 20° F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly total of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N N/A
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N N/A
Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N

2. Has the facility maintained a leak log? Y N

3. Does the responsible official check the following areas for leaks?

| | | | |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:
 - a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
 - b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
 - c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
 - d. Kept in a clean and secure area when not in use? Y N
 - e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Deborah Griner
Inspector's Name (Please Print)

[Signature]
Inspector's Signature

5/2/00
Date of Inspection

5/01
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:


Machine not operating at time
of inspection.

**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 3:00 pm TIME OUT: 3:20 pm AIRS ID#: 0250737
 TYPE OF FACILITY: Peric Dry Cleaner
 FACILITY NAME: 1774 W 68 St DATE: 5/2/00
 FACILITY LOCATION: Diago Dry Cleaners
Hiialeah 33014
 RESPONSIBLE OFFICIAL: Antonio Lambes PHONE NUMBER: (305)556-3411

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

| COMPLIANCE REQUIREMENT/PROBLEM | FOLLOW-UP ACTION REQUIRED |
|---|---------------------------|
|  | |

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 5/02 (Approximate)

INSPECTION CONDUCTED BY: Deborah Griner (Please Print)

INSPECTOR'S SIGNATURE: [Signature] PHONE NUMBER: (305)372-6936

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. Addressee's Address
2. Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

AIRS ID 0250737

ANRO ENTERPRISES INC
 ANTONIO L LLAMBRES
 1774-76 W 68TH STREET
 HIALEAH FL 33014

4a. Article Number
2 333 660 264

4b. Service Type

| | |
|---|---|
| <input type="checkbox"/> Registered | <input checked="" type="checkbox"/> Certified |
| <input type="checkbox"/> Express Mail | <input type="checkbox"/> Insured |
| <input type="checkbox"/> Return Receipt for Merchandise | <input type="checkbox"/> COD |

7. Date of Delivery

5. Received By: (Print Name)

8. Addressee's Address (Only if requested and fee is paid)

6. Signature (Addressee or Agent) /

Antonio L. Llambres

PS Form 3811, December 1994

Domestic Return Receipt

Thank you for using Return Receipt Service.

2 333 660 264

US Postal Service
Receipt for Certified Mail

AIRS ID 0250737

ANRO ENTERPRISES INC
 ANTONIO L LLAMBRES
 1774-76 W 68TH STREET
 HIALEAH FL 33014

PS Form 3800, April 1995

| | |
|---|-----------|
| Postage | \$ |
| Certified Fee | |
| Special Delivery Fee | |
| Restricted Delivery Fee | |
| Return Receipt Showing to Whom & Date Delivered | |
| Return Receipt Showing to Whom, Date, & Addressee's Address | |
| TOTAL Postage & Fees | \$ |
| Postmark or Date | |

THIS LABEL MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

✓ 303087

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

RECEIVED
MAIL ROOM

FEB 20 98

Do **NOT** Remove Label

AIRS ID 0250737

ANRO ENTERPRISES INC
ANTONIO L LLAMBRES
1774-76 W 68TH STREET
HIALEAH FL 33014

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1

Fund: 20-2-035001

Obj: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

258514 ✓

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

RECEIVED
MAIL ROOM

TOTAL AMOUNT DUE: \$50.00

JAN 21 97

Do **NOT** Remove Label

AIRS ID# 0250737
ANRO ENTERPRISES INC
ANTONIO L LLAMBRES
1774-76 W 68TH STREET
HIALEAH FL 33014

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

389412

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 0250737

DIAGO DRY CLEANER
ANTONIO L LLAMBRES
1774-76 W 68TH STREET
HIALEAH FL 33014

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

RECEIVED
MAIL ROOM
DEC 13 99

| SENDER: COMPLETE THIS SECTION | | COMPLETE THIS SECTION ON DELIVERY | |
|--|--|--|--|
| <ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. | | A. Received by (Please Print Clearly) | B. Date of Delivery 6/8/01 |
| 1. Article Addressed to: | | C. Signature <i>[Signature]</i> | <input type="checkbox"/> Agent <input type="checkbox"/> Addressee |
| 10 AIRS ID # 0250737001AG ANTONIO L LLAMBRES DIAGO DRY CLEANER 1774-76 W 68TH STREET HIALEAH FL 33014 | | D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No <div style="text-align: center; font-size: 2em; font-weight: bold;">RECEIVED</div> <div style="text-align: center; font-size: 1.5em; font-weight: bold;">JUN 11 2001</div> | |
| 2. Article Number (Copy from service label) 7000060000264/303727 | | Bureau of Air Monitoring 3. Service Type & Mobile Sources <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. | |
| PS Form 3811, July 1999 | | 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes | |
| Domestic Return Receipt | | 102595-99-M-1789 | |

| U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided) | | | | | | |
|---|--|------------|------------------|---------------|--|-----------------------------------|
| 7000 0600 0026 4130 3727 | <div style="border: 1px solid black; width: 100px; height: 20px; margin: 0 auto;"></div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%; border-bottom: 1px solid black;">Postage \$</td> <td rowspan="4" style="width: 40%; vertical-align: middle; text-align: center;">Postmark Here</td> </tr> <tr> <td style="border-bottom: 1px solid black;">Certified Fee</td> </tr> <tr> <td style="border-bottom: 1px solid black;">Return Receipt Fee (Endorsement Required)</td> </tr> <tr> <td style="border-bottom: 1px solid black;">Restricted Delivery Fee (Endor</td> </tr> </table> <p style="margin-top: 10px;"> Total 10 AIRS ID # 0250737001AG Recip. ANTONIO L LLAMBRES Street, DIAGO DRY CLEANER City, St. 1774-76 W 68TH STREET HIALEAH FL 33014 </p> | Postage \$ | Postmark Here | Certified Fee | Return Receipt Fee (Endorsement Required) | Restricted Delivery Fee (Endor |
| Postage \$ | Postmark Here | | | | | |
| Certified Fee | | | | | | |
| Return Receipt Fee (Endorsement Required) | | | | | | |
| Restricted Delivery Fee (Endor | | | | | | |
| PS Form 3800, February 2000 See Reverse for Instructions | | | | | | |



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0354322

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

RECEIVED ✓

TOTAL AMOUNT DUE: \$5000 DEC 21 1998

Bureau of Air Monitoring & Mobile Sources

RECEIVED MAIL ROOM
DEC 15 99

Do NOT Remove Label

AIRS ID # 0250737

DIAGO DRY CLEANER
ANTONIO L LLAMBRES
1774-76 W 68TH STREET
HIALEAH FL 33014

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273