

Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

March 23, 2004

Mr. Farid Moussa
Mr. Joseph
6460 Southwest 40 Street
Miami, Florida 33155

Re: Facility No.: 0250772-005

Dear Mr. Moussa:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on March 1, 2004.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the district or local air program compliance inspector in your area.

Sincerely,



Joseph Kahn, Chief
Bureau of Air Monitoring
and Mobile Sources

JK/jw

cc: Ms. Mallika Muthiah, Dade County

"More Protection, Less Process"

Printed on recycled paper.

EMISSION FEE DATES 196-2003
SOC REPORTS 3
COMPLIANCE STATUS ~~IN~~ - INSP
IN - TRPT

RECEIVED

FEB 20 2004

RECEIVED
MAR 1 2004

PERCHLOROETHYLENE DRY CLEANER
AIR GENERAL PERMIT NOTIFICATION FORM

Air Quality
Management Division

Part III. Notification of Intent to Use General Permit

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	MR Joseph's of MIAM.		
2. Site Name (For example, plant name or number):	MR Joseph		
3. Hazardous Waste Generator Identification Number:			
4. Facility Location: Street Address:	6460 S.W. 40 ST.		
City:	County:	Zip Code:	
MIAMI.	DADE	33155	
5. Facility Identification Number (DEP Use ONLY - do not fill in):			
0250772-005			

Responsible Official

6. Name and Title of Responsible Official:			
Name:	Marcel / FARID MOUSSA	Title:	owner
7. Responsible Official Mailing Address:			
Organization/Firm:			
Street Address:	6460 S.W. 40 street		
City:	County:	Zip Code:	
6460 MIAMI	DADE	33155	
8. Responsible Official Telephone Number:			
Telephone:	(305) 343 0634	Fax:	()

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):	Teodoro Cepero or FARID MOUSSA		
10. Facility Contact Address:	6460 S.W. 40 ST.		
Street Address:			
City:	County:	Zip Code:	
MIAMI	DADE	33155	
11. Facility Contact Telephone Number:			
Telephone:	(305) 666-5003	Fax:	()

Facility Information

1.(a) DRY-TO-DRY MACHINES ONLY

How many dry-to-dry machines do you have on-site? [1]

For each dry-to-dry machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
1999	Existing <u>New</u>	RC/CA <u>None required</u>	Same
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

1.(b) TRANSFER MACHINES ONLY

How many washers do you have on-site? [3]

How many dryers/reclaimers do you have on-site? [1]

perc →

If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an **EXISTING** unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a **NEW** unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

2.(a) How much perchloroethylene (perc) have you used within the last 12 months?

[120] gallons (You must fill this in)

(b) If less than 12 months, how many? [] months

Check why it is less than 12 months: New owner: [] Did not keep records: []

New store: [] New machine []

Unopened store [] (date of expected opening _____)

3. What is the facility's source classification based on the definitions found in section (3) of Part II? Indicate with an "X". Select one classification only.)

Small Area Source

- Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)
- Transfer only on-site (used less than 200 gallons of perc per year)
- Both machine types on-site (used less than 140 gallons of perc per year)

Large Area Source

- Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)
- Transfer only on-site (used 200 - 1,800 gallons of perc per year)
- Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)

Existing machines at small area source
(NONE REQUIRED)

New machines at small area source
Refrigerated condenser

Existing machines at large area source
Carbon adsorber
Refrigerated condenser

New machines at large area source
Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt OR
No such units on-site

How many boilers do you have on-site? 1

For each boiler, indicate its horsepower (HP) rating: 15 horse power

What type of fuel do you use? propane natural gas
 No. 2 fuel oil No. 4 fuel oil
 No. 6 fuel oil Other (please list) _____

6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases/solvent addition log
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Startup, shutdown, malfunction plan

7. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are _____


No DEP air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

MARCE/ MOUSSA
Print name of responsible official


Signature

2-13-04
Date

Page 15

1.(a) RC should be circled under Control Device Required for 1999 dry-to-dry machine.

1.(b) This section is for perchloroethylene using machine only.

Page 16

4. New Machines at small area source Refrigerated condenser should be marked.

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number is located on the mailing label. **459403 FEB27 2006**

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID# 250772 1st
MR JOSEPH
6460 SW 40th Street
MIAMI, FL 33155

Bureau of Air Monitoring
& Mobile Sources

MAR 01 2006

RECEIVED

FLAIR ACCT. CODE 372020350013755010000
BENEFITTING OBJECT CODE 002000
BENEFITTING CATEGORY 000200

FOR GOVERNMENT USE ONLY
ORG.: 37550101000 EO: A1
FUND: 20-2-035001
OBJECT: 002273

Printed on recycled paper.

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

443447 DEC17 2004

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.

TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label

AIRS ID# 250772 10
MR JOSEPH
6460 SW 40th Street
MIAMI, FL 33155

FOR GOVERNMENT USE ONLY
ORG.: 37550101000 EO: A1
FUND: 20-2-035001
OBJECT: 002273

Printed on recycled paper.