



# Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

June 25, 1997

Mr. Ramon B. Garcia  
Popular Cleaner, Inc.  
9728-30 Coral Way  
Miami, Florida 33165

Re: Facility No.: 0250818

Dear Mr. Garcia:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on May 20, 1997.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources, MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

  
Dotty Diltz, Chief  
Bureau of Air Monitoring  
and Mobile Sources

DD/jw

cc: Mr. Ewart Anderson, Dade County

AIRS ID#: 250818

ACC ✓

Revised 10/10/96

DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: CLEANERS' TOWN DATE: 9-18-98  
 FACILITY LOCATION: 9728 CORAL WAY (SW 24 ST)  
MIAMI, 33165

Annual Reporting Period: 7/98 19 9/98 19

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

RECEIVED  
SEP 28 1998  
Bureau of Air Monitoring  
& Mobile Sources

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: Bienuwido MINAYA Bienuwido Mj 9-17-98  
 Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

DEPT. OF ENVIRONMENTAL 248955  
RESOURCES MANAGEMENT (DERM)  
AIR QUALITY MANAGEMENT DIVISION  
33 S.W. SECOND AVENUE, SUITE 900  
MIAMI, FLORIDA 33130-1540

#0250818

Cleaner's Town

- spoke with Ramon Garcia -  
6/6/97

p. 13 6. add title - President

p. 14 1. (c) mark out "X"

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):  
POPULAR CLEANER INC, DBA CLEANER'S TOWN

2. Site Name (For example, plant name or number):  
CLEANER'S TOWN

3. Hazardous Waste Generator Identification Number:  
FL-D 982154361

4. Facility Location:  
Street Address: 9728-30 CORAL WAY  
City: MIAMI County: DADE Zip Code: 33165

5. Facility Identification Number (DEP Use):  
[REDACTED]

Responsible Official

6. Name and Title of Responsible Official:  
RAMON B. GARCIA

7. Responsible Official Mailing Address:  
Organization/Firm: POPULAR CLEANER INC,  
Street Address: 9728-30 CORAL WAY  
City: MIAMI County: DADE Zip Code: 33165

8. Responsible Official Telephone Number:  
Telephone: (305) 223-3535 Fax: ( ) -

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):  
CLAUDIO ET CHEVARNE - "PLANT MGR"

10. Facility Contact Address:  
SAME AS ABOVE  
Street Address:  
City: County: Zip Code:

11. Facility Contact Telephone Number:  
Telephone: (305) 223-3535 Fax: ( ) -

RECEIVED

MAY 20 1997

Bureau of Air Monitoring & Mobile Sources

**Facility Information**

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
<b>Dry-to-Dry Unit</b>									
(1) w/ ref. condenser	1	JUN 96	JUN 96						
(2) w/ carbon adsorber									
(3) w/ no controls									
<b>Washer Unit</b>									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
<b>Dryer Unit</b>									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
<b>Reclaimer Unit</b>									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?  
 gallons

(b) If less than 12 months, how many?  months  
 Check why it is less than 12 months: New owner:  New store:  Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?  
 (Indicate with an "X". Select one classification only.)

NEW  
ENGL  
TRC

Existing small area source

New small area source

Existing large area source

New large area source

RECEIVED

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?  
(Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

*All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.*

All steam and hot water generating units exempt

No such units on-site

### Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

(a) Purchase receipts and solvent purchases

(b) Leak detection inspection and repair

(c) Refrigerated condenser temperature monitoring

(d) Carbon adsorber exhaust perc concentration monitoring

(e) Instrument calibration

(f) Start-up, shutdown, malfunction plan

**Surrender of Existing Air Permit(s)**

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)


\_\_\_\_\_

No air permits currently exist for the operation of the facility indicated in this notification form.

**Responsible Official Certification**

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

  
\_\_\_\_\_  
Signature

04-29-97  
\_\_\_\_\_  
Date

TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 11:05 am TIME OUT: 11:20 am AIRS ID#: 0250818  
 TYPE OF FACILITY: Perc Dry Cleaner  
 FACILITY NAME: Popular Cleaner Inc., dba Cleaners Town DATE: 7/16/97  
 FACILITY LOCATION: 9728-30 Coral Way  
 Miami, FL 33165  
 RESPONSIBLE OFFICIAL: Ramon Garcia PHONE NUMBER: 223-3535

Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).

Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
No record of refrigerated condenser temp. <del>on a</del> reading on a weekly basis.	Facility must begin reading + recording temp of refig. condenser on a weekly basis.
Perc purchase receipts not on-site	Need to keep perc purchase receipts on-site for a minimum of 5 years.
No rolling monthly average of perc consumption	Need to begin a rolling monthly log.
No startup/shutdown/malfunction plan.	None. Facility was provided an EPA "General Recommended Operating + Maintenance Practices for Dry Cleaning Equip."
No bi-weekly leak detection log.	Need to begin conducting + recording biweekly leak detection inspection.

COMMENTS: Annual Compliance Certification form was left on-site w/ Claudio Etchevarne who said Ramon Garcia (RO) would be in the store in a couple of hours. I instructed Mr. Etchevarne to have Mr. Garcia mail it to our office (DERM).

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 7/98 (Approximate)

INSPECTION CONDUCTED BY: Debbie Griner-Martinez (Please Print)

INSPECTOR'S SIGNATURE: *Debbie Griner-Martinez* PHONE NUMBER: 372-6936



PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#: 0250818 DATE: 7/10/97 TIME IN: 11:05am TIME OUT: 11:20am  
FACILITY NAME: Popular Cleaner Inc., d/b/a Cleaner's Town  
FACILITY LOCATION: 9728-30 Coral Way  
Miami, FL 33165

RECEIVED

PART I: NOTIFICATION

AUG 22 1997

(check appropriate box)

- 1. Existing facility notified DARM by 9/1/96
  - 2. New facility notified DARM 30 days prior to startup
  - 3. Facility failed to notify DARM to use general permit
- Bureau of Air Monitoring & Mobile Sources

PART II: CLASSIFICATION

Facility indicated on notification form that it is:  
(check appropriate box)

- A.
- |  |  |
|--|--|
| <p>1. Existing small area source <input type="checkbox"/><br/>dry-to-dry only, <math>x &lt; 140</math> gal/yr<br/>transfer only, <math>x &lt; 200</math> gal/yr<br/>both types, <math>x &lt; 140</math> gal/yr<br/>(constructed before 12/9/91)</p>                                  | <p>2. New small area source <input checked="" type="checkbox"/><br/>dry-to-dry only, <math>x &lt; 140</math> gal/yr<br/>transfer only, <math>x &lt; 200</math> gal/yr<br/>both types, <math>x &lt; 140</math> gal/yr<br/>(constructed on or after 12/9/91)</p>                       |
| <p>3. Existing large area source <input type="checkbox"/><br/>dry-to-dry only, <math>140 &lt; x &lt; 2,100</math> gal/yr<br/>transfer only, <math>200 &lt; x &lt; 1,800</math> gal/yr<br/>both types, <math>140 &lt; x &lt; 1,800</math> gal/yr<br/>(constructed before 12/9/91)</p> | <p>4. New large area source <input type="checkbox"/><br/>dry-to-dry only, <math>140 &lt; x &lt; 2,100</math> gal/yr<br/>transfer only, <math>200 &lt; x &lt; 1,800</math> gal/yr<br/>both types, <math>140 &lt; x &lt; 1,800</math> gal/yr<br/>(constructed on or after 12/9/91)</p> |

This is a correct facility classification  Y  N

If no, please check the appropriate classification:

- facility qualified for a general permit as number \_\_\_\_\_ above
- facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 52 gallons.

MAP  
8/8/97

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  NA
- 2. Examining the containers for leakage?  Y  N  NA
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  NA

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  NA
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  NA
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  NA
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  
Is the temperature differential equal to or greater than 20° F?  Y  N
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for direct reading instruments only)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly leak detection and repair inspection?  Y  N

2. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)

If using direct-reading instrumentation, is the equipment:

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

3. Has the facility maintained a leak log?  Y  N

4. Does the responsible official check the following areas for leaks?

- |   |  |                           |  |
|---|--|---------------------------|--|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Muck cookers              | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |                           |  |

Ramon Garcia

Name of Responsible Official

Debbie Griner-Martinez

Inspector's Name (Please Print)

Debbie Griner-Martinez

Inspector's Signature

7/10/97

Date of Inspection

7/98

Approximate Date of Next Inspection

**ADDITIONAL SITE INFORMATION:**

[Empty rectangular box for site information]

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#: 0250818 DATE: 12/18/98 TIME IN: 2:30 P.M. TIME OUT: 2:40 P.M.  
FACILITY NAME: POPOLAE CLEANER INC.  
FACILITY LOCATION: 9728-30 CORAL WAY  
MIAMI, FL 33165  
RESPONSIBLE OFFICIAL: RAMON B. GARCIA PHONE: 223-3535.  
CONTACT NAME: \_\_\_\_\_ PHONE: \_\_\_\_\_

RECEIVED

PART I: NOTIFICATION

(check appropriate box) DEC 28 1998  
1. New facility notified DARM 30 days prior to startup   
2. Facility failed to notify DARM to use general permit   
Bureau of Air Monitoring & Mobile Sources

PART II: CLASSIFICATION

Facility indicated on notification form that it is:  No notification form  
(check appropriate box)  Drop store/out of business/petroleum

A.

1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. New small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)

5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:  
 facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was \_\_\_\_\_ gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |   |  |
|---|--|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 2. Examining the containers for leakage?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading?  | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                     | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

**A. Has the responsible official of all new sources and existing large area sources:**  
(check appropriate boxes)

- |  |  |
|--|--|
| 1. Equipped all machines with the appropriate vent controls?   | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                     | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?                 | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?                              | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input type="checkbox"/> Y <input type="checkbox"/> N                              |

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
    Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
    Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**

(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
  - a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? *(for applicable direct reading instruments)*  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
    Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A



**PART VI: LEAK DETECTION AND REPAIRS**


1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |  |                           |  |
|---|--|---------------------------|--|
| Hose connections, fittings, couplings, and valves | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |  |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:**  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

LEO SMART AND  
MARCELO BARRAS

Inspector's Name (Please Print)

12/18/98

Date of Inspection



Inspector's Signature

OOB.

Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

Popular Cleaners is now out of business. This facility is presently operating under the name of "Cleaners Town". The new owner is Alan Husan and his phone # is (305) 234-3132

Presently this site is operating as a drop-off store. No electricity is available to run the dry cleaning equipment due to a fire.

(NAB)

Facility changed ownership.

Old ARMS # = 250818

File ↑

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID: FBD02905 DATE: 9-17-98 TIME IN: 1330 TIME OUT: 1400  
FACILITY NAME: CLEANERS' TOWN  
FACILITY LOCATION: 9728 CORAL WAY (SW 24 ST)  
MIAMI, 33165  
RESPONSIBLE OFFICIAL: BIENVENIDO MINAYA PHONE: 305-223-3535  
CONTACT NAME: " PHONE: "

PART I: NOTIFICATION  
(check appropriate box)  
1. New facility notified DARM 30 days prior to startup  
2. Facility failed to notify DARM to use general permit

RECEIVED  
NOV 06 1998  
Bureau of Air Monitoring  
& Mobile Sources

PART II: CLASSIFICATION  
Facility indicated on notification form that it is:  
(check appropriate box)  No notification form  
 Drop store/out of business/petroleum

A.

1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91) <input checked="" type="checkbox"/>	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91) <input type="checkbox"/>
3. Existing large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91) <input type="checkbox"/>	4. New large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91) <input type="checkbox"/>

5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:  
 facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 20 gallons.  SEE INSPECTOR NOTES ON PAGE 5.

MB  
10/30/98  
ARMS# 250818  
Inactive.  
Revised 9/15/97  
MB  
9/21/98

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |   |   |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 2. Examining the containers for leakage?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                     | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, **no controls** are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- |  |  |
|--|--|
| 1. Equipped all machines with the appropriate vent controls?   | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                     | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?                 | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?                              | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input type="checkbox"/> Y <input type="checkbox"/> N                              |

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

#### PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
  - a. documentation of leaks repaired w/in 24 hrs? or; *OIL NOT PERC*  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? *(for applicable direct reading instruments)*  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  
Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks?

Hose connections, fittings, couplings, and valves	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Muck cookers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Door gaskets and seating	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Stills	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Filter gaskets and seating	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Exhaust dampers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Pumps	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Diverter valves	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Solvent tanks and containers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Cartridge filter housings	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Water separators	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A		

4. Which method of detection is used by the responsible official?

Visual examination (condensed solvent on exterior surfaces)

Physical detection (airflow felt through gaskets)

Odor (noticeable perc odor)

Use of direct-reading instrumentation (FID/PID/calorimetric tubes)

Halogen leak detector

If using direct-reading instrumentation, is the equipment:  N/A

a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N

b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N

c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N

d. Kept in a clean and secure area when not in use?  Y  N

e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

M. ENRIQUE FLORES  
Inspector's Name (Please Print)

M. Enrique Flores  
Inspector's Signature

9-17-98  
Date of Inspection

9/99  
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

- ✓ STATE'S INSPECTION CALENDAR AND INSTRUCTIONS (IN SPANISH) ON HOW TO BE IN COMPLIANCE CONCERNING PERMIT REQUIRED RECORDKEEPING WERE GIVEN TO MR. MINAYA (NEW OWNER).
- ✓ DERM'S BOOKLET ON POLLUTION CONTROL FOR DRY CLEANERS WAS ALSO GIVEN TO MR. MINAYA.
- ✓ DRY TO DRY MACHINE WAS NOT IN OPERATION AT THE TIME OF INSPECTION. IT WAS SHUT DOWN DUE TO AN OIL LEAK THAT NEEDED REPAIR. REPAIR WORK WAS TO BE DONE LATER THE SAME DAY OF INSPECTION. MR. MINAYA WAS INSTRUCTED TO KEEP REPAIR RECORDS ON FILE.
- Ⓐ THIS SHOP HAS BEEN IN OPERATION FOR TWO MONTHS ONLY. IT WAS CLOSED FOR APPROX. ONE YEAR PRIOR TO RE-OPENING.

TYPE OF INSPECTION:

ANNUAL

COMPLAINT/DISCOVERY

RE-INSPECTION

TIME IN: 12:00 TIME OUT: 1:45 AIRS ID#: 290818

TYPE OF FACILITY: HPC DRY CLEANER

FACILITY NAME: CLEANERS TUN DATE: 9.17.98

FACILITY LOCATION: 678 CLEARWAY (560 24 ST) MIAMI, 33165

RESPONSIBLE OFFICIAL: MURVENDE MINAYA PHONE NUMBER: 305-229-3535

Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).

Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS: DRY TO BE MACHINE AIRATING, FEELER WORK ON AN OIL LEAK. SHEET HAS BEEN IN BUSINESS FOR ONLY TWO MONTHS. INSTRUCTIONS ON HOW TO BE IN COMPLIANCE W/ RECORDKEEPING WERE GIVEN (IN SPANISH) TO MR. MINAYA.

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 9/99

(Approximate)

INSPECTION CONDUCTED BY: M. LAMARIC FURCS

(Please Print)

INSPECTOR'S SIGNATURE: [Signature] PHONE NUMBER: 305-229-6925



DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: CLEANERS' TOWN DATE: 9-18-98  
 FACILITY LOCATION: 9728 CORAL WAY (SW 24 ST)  
MIAMI, 33165

Annual Reporting Period: 7/98 19   TO 9/98 19  

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

\_\_\_\_\_

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

\_\_\_\_\_

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: BIENVENIDO MINAYA Bienvencib Mj 9-17-98  
Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**SEND TO:** (Fold all lines over top of envelope)  
 ■ Complete items 1 and/or 2 for additional services.  
 ■ Complete items 3, 4a, and 4b.  
 ■ Print your name and address on the reverse of this form so that we can return this card to you.  
 ■ Attach this form to the front of the mailpiece, or on the back if space does not permit.  
 ■ Write "Return Receipt Requested" on the mailpiece below the article number.  
 ■ The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):  
 1.  Addressee's Address  
 2.  Restricted Delivery  
 Consult postmaster for fee.

Is your RETURN ADDRESS completed on the reverse side?

3 Article Addressed to:  
 AIRS ID# 0250818  
 CLEANER'S TOWN  
 RAMON B GARCIA  
 9728-30 CORAL WAY  
 MIAMI FL 33165

4a. Article Number  
 Z 333 613 510  
 4b. Service Type  
 Registered  Certified  
 Express Mail  Insured  
 Return Receipt for Merchandise  COD  
 7. Date of Delivery

5. Received By: (Print Name)

8. Addressee's Address (Only if requested and fee is paid)

6. Signature: (Addressee or Agent)  
 X

PS Form 3811, December 1994

102595-97-B-0179 Domestic Return Receipt

Z 333.613 510

US Postal Service  
**Receipt for Certified Mail**  
 Insurance Provided

AIRS ID# 0250818  
 CLEANER'S TOWN  
 RAMON B GARCIA  
 9728-30 CORAL WAY  
 MIAMI FL 33165

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	\$
Postmark or Date	

PS Form 3810, April 1995

Bureau of Air Monitoring  
 Thank you for using Priority Mail Certified Mail<sup>SM</sup> Service.

JUN 30 1998

RECEIVED

STATE OF FLORIDA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
TWIN TOWERS OFFICE BUILDING  
2800 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400

550304

CERTIFIED

Z 333 613 510

18:31 06/23/98 TLH FL

TALLAHASSEE  
JUN 23 '98  
32301  
FL  
U.S. POSTAGE  
277  
PB METER  
69-14716

MAIL

ADDRESS UNKNOWN

AIRS ID# 0250818  
TO: CLEANER'S TOWN  
RAMON B GARCIA  
9728-30 CORAL WAY  
MIAMI FL 33165

33165/7513

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1.  Addressee's Address
2.  Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

AIRS ID 0250818

POPULAR CLEANER, INC.  
 RAMON B GARCIA  
 9728-30 CORAL WAY  
 MIAMI FL 33165

4a. Article Number  
 Z 333 612 919

4b. Service Type

Registered  Certified  
 Express Mail  Insured  
 Return Receipt for Merchandise  COD

7. Date of Delivery  
 FEB 11 1995

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)  
 X

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994 Domestic Return Receipt

Thank you for using Return Receipt Service.

Z 333 612 919

US Postal Service  
**Receipt for Certified Mail**  
 AIRS ID 0250818

POPULAR CLEANER, INC.  
 RAMON B GARCIA  
 9728-30 CORAL WAY  
 MIAMI FL 33165

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

PS Form 3800, April 1995

Z 333 613 124

US Postal Service

**Receipt for Certified Mail**

No Insurance Coverage Provided.

AIRS ID# 0250818

POPULAR CLEANER, INC.  
 RAMON B GARCIA  
 9728-30 CORAL WAY  
 MIAMI FL 33165

PS Form 3800, April 1995

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1.  Addressee's Address
2.  Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

POPULAR CLEANER, INC.  
 RAMON B GARCIA  
 9728-30 CORAL WAY  
 MIAMI FL 33165

AIRS ID# 0250818

4a. Article Number

**2 333 613 124**

4b. Service Type

- |   |                                    |
|---|------------------------------------|
| <input type="checkbox"/> Registered                     | <input type="checkbox"/> Certified |
| <input type="checkbox"/> Express Mail                   | <input type="checkbox"/> Insured   |
| <input type="checkbox"/> Return Receipt for Merchandise | <input type="checkbox"/> COD       |

7. Date of Delivery

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)

*[Handwritten Signature]*

8. Addressee's Address (Only if requested and fee is paid)

Thank you for using Return Receipt Service.

UNITED STATES POSTAL SERVICE



First-Class Mail  
Postage & Fees Paid  
USPS  
Permit No. G-10

• Print your name, address, and ZIP Code in this box •

DARM/MOBILE SOURCE CONTROL PROGRAM  
DEPT. OF ENVIRONMENTAL PROTECTION  
MAIL STATION 5510  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400

Bureau of Air Monitoring  
& Mobile Sources

APR 16 1998

RECEIVED

