

Department of Environmental Protection

Lawton Chiles Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

Virginia B. Wetherell Secretary

December 16, 1997

Mr. Jose R. Sosa Mima Dry Cleaners, Inc. 570 East 49 Street Hialeah, Florida 33013

Re: Facility No.: 0250925

Dear Mr. Sosa:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on November 14, 1997.

Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office Bureau of Air Monitoring and Mobile Sources MS 5510 Department of Environmental Protection 2600 Blair Stone Road Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

Dotty Diltz, Chief

Bureau of Air Monitoring

and Mobile Sources

DD/jw

cc: Mr. Ewart Anderson, Dade County

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

0250925

D14 /(c)	I hould be marked.
	Responsible Official sign and date for changes.
	date for changes.

	·
	!
I	

CHVEDIA

TOTAL WY

THE STREET METAL AND ADMINISTRATION OF THE STREET, AND ADMINISTRATION OF T

· Lisart Sosa

Perchloroethylene Dry Cleaning Facility Not



Facility Name and Location

	Air Quality
1.	Facility Owner/Company Name (Name of corporation, agency, or individual Management Division
:	Jose R. Sosa
2.	Site Name (For example, plant name or number):
	Ming Dry Cleaners, Inc
3.	Hazardous Waste Generator Identification Number:
	FLD 984 249 870
4.	Street Address: 2360 W (08 5T. 130) 115
	City: Hialcah County: Dade Zip Code: 33016
5.	Facility Identification Number (DEP Use):
	0250925
	Responsible Official

6.	Name and Title of Responsible Official:
	Jose R. Sosa (President)
7.	Responsible Official Mailing Address:
	Organization/Firm: JOSE R SOSA
	Street Address: 570 E. 495T.
	City: Hialah Zip Code: 33013
	ony. Alalany. Diotaly. Diotaly.
R	Responsible Official Telephone Number:
U.	Telephone: (305)(088 - 1716 Fax: (305(081 - 5557)
	rax. (505/081 - 5557

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Conta	ct (For example, plant mana	ger):	
same			
10. Facility Contact Address:			
Street Address:			
City:	County:	Zip Code:	
11. Facility Contact Telephone Num	ber:	,	
Telephone: () -	Fa	k: (') -	
			•

RECEIVED

NOV 1 4 1997

DEP Form No. 62-213.900(2) Effective: 6-25-96 Page 13 of 16

Bureau of Air Monitoring & Mobile Sources

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

1	ĺ	Date	Date	ŀ	Date	Date			Date	Date
<u>j</u>		Machine	Control		Machine	Control			Machine	Control
		Initially	Device		Initially	Device	5		Initially	Device
Type of Machine	ID	Purchased	Installed	ID	Purchased	Installed		ID	Purchased	Installed
Example	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91			#3	02-MAR-92	02-MAR-92
Dry-to-Dry Unit	·									
(1) w/ ref. condenser		28-TON-90	28-TUN-90	<u> </u>	T		\neg		I	1
(2) w/ carbon adsorber		0011 10	20.301.				\neg			
(3) w/ no controls							寸			
Washer Unit		<u> </u>	·	·			_		·	
(4) w/ ref. condenser							\exists			
(5) w/ carbon adsorber						:	7			
(6) w/ no controls							\dashv			
Dryer Unit						<u> </u>				L
(7) w/ ref. condenser							\Box			
(8) w/ carbon adsorber										1
(9) w/ no controls							寸			
Reclaimer Unit		1.11	•							
(10) w/ ref. condenser									1	1
(11) w/carbon adsorber										1
(12) w/ no controls							ヿ			
(b) Control devices are(c) No control devices2.(a) What was the total of	are r	equired to be	installed [_		_].	n the lates	+ 12	mor	nthe?	
[100]	-	-	orocary iche (pere,	, purchased i	ii tile latesi	. 12	mo	iuis:	•
(b) If less than 12 mont Check why it is less					_] New store	»: [] C)id 1	not k	ceep records:	
3. What is the facility's so (Indicate with an "X".					initions foun	d in sectio	n (3) of	Part II?	
Existing small ar	ea so	ource [X_]	Ne	ew sr	nall area sou	rce [_]			
Existing large ar	ea so	urce []	Ne	ew la	rge area sou	rce [_)			

DEP Form No. 62-213.900(2)

Effective: 6-25-96

4. What control technology is required on machines p (Indicate with an "X".)	ursuant to section (5) of Part II of this notification form?
Existing large area source Carbon adsorber	Refrigerated condenser []
New small area source Refrigerated condenser	
New large area source Refrigerated condenser []	•
5. A facility which contains non-exempt emissions u to Rule 62-213.300, F.A.C. Verify that all steam and exemption criteria or that no such units exist on-site:	nits shall not be eligible to use the general permit pursuant hot water generating units on-site meet the following
	ave a total heat input of 10 million BTU/hr or less (298 tural gas except for periods of natural gas curtailment than one percent sulfur is fired.
All steam and hot water generating units exempt No such units on-site	
Equipment Monitoring a	nd Recordkeeping Information
Check all logs which are required to be kept on-site is	accordance with the requirements of this general permit:
(a) Purchase receipts and solvent purchases	
(b) Leak detection inspection and repair	(X_)
(c) Refrigerated condenser temperature monitoring	
(d) Carbon adsorber exhaust perc concentration monitoring	toring []
(e) Instrument calibration	نــٰـ نــٰـٰـ
(f) Start-up, shutdown, malfunction plan	ιXı

DEP Form No. 62-213.900(2) Effective: 6-25-96

Surrender of Existing Air Permit(s)

Please indicat	e with an "X" the appropriate selection:
	I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)
Ķ	No air permits currently exist for the operation of the facility indicated in this notification form.
	Responsible Official Certification
this notifi statement maintain	dersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in ication. I hereby certify, based on information and belief formed after reasonable inquiry, that the its made in this notification are true, accurate and complete. Further, I agree to operate and the air pollutant emissions units and air pollution control equipment described above so as to with all terms and conditions of this general permit as set forth in Part II of this notification form.
I will pro	mptly notify the Department of any changes to the information contained in this notification.
Signature	Jasenfra 9-30-97 Date

Lisbett 688-1716

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

	ANNUAL		AINT/DISCOVERY	
0250925	RE-INSPECTION			·
AIRS 10#: 18002906				215
FACILITY NAME: LUCY	'S DRY CLEANERS (FORMERLY MIMA'S	DRY CLEANERS)	
FACILITY LOCATION:	2360 W. 68 ST.	# /15		
	HIALEAH, 330	16		
RESPONSIBLE OFFICIAL:	MARIA RODRIG	VEZ PHONE:	305.821-643	2
CONTACT NAME:	1/	PHONE:		
PART I: NOTIFICATION			P	
(check appropriate box)			7	
1. New facility notified DARM	4 30 days prior to startup	ı	Our My K	
2. Facility failed to notify DAF	RM to use general permit	· .	\$ 30 O	12
			Off the Sta	7
PART II: CLASSIFICATIO	N		South	
Facility indicated on notificat	tion form that it is:		otification forms	
(check appropriate box)		U Drop	store/out of business/pe	troleum
	irce 🖸 2.		D	
1. Existing small area sou		. New small area source	e 🗆	ľ
dry-to-dry only, x < 140 ga	ıl/yr dı	ry-to-dry only, x < 140 g	al/yr	
dry-to-dry only, x < 140 ga transfer only, x < 200 gaVy	d/yr di r tr	ry-to-dry only, $x < 140 \text{ g}$ ransfer only, $x < 200 \text{ gal/}$	al/yr	
dry-to-dry only, x < 140 ga	al/yr di r tr be	ry-to-dry only, x < 140 g	al/yr yr	
dry-to-dry only, x < 140 ga transfer only, x < 200 gal/y both types, x < 140 gal/yr	al/yr di rr tr b ()	ry-to-dry only, $x < 140$ g ransfer only, $x < 200$ gal/oth types, $x < 140$ gal/yr	al/yr yr 2/9/91)	
dry-to-dry only, x < 140 ga transfer only, x < 200 gal/y both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area soudry-to-dry only, 140 ≤ x ≤	d/yr di yr tr bi i) (c arce □ 4 2,100 gal/yr d	ry-to-dry only, $x < 140$ g ransfer only, $x < 200$ gal/oth types, $x < 140$ gal/yr constructed on or after 12. New large area source lry-to-dry only, $140 \le x \le 140$	al/yr yr 2/9/91) e { 2,100 gal/yr	
dry-to-dry only, x < 140 ga transfer only, x < 200 gal/y both types, x < 140 gal/yr (constructed before 12/9/91 3. Existing large area soudry-to-dry only, 140 ≤ x ≤ 1,8 transfer only, 200 ≤ x ≤ 1,8	al/yr di yr tr bi 1) (c) arce	ry-to-dry only, $x < 140$ g ransfer only, $x < 200$ gal/soth types, $x < 140$ gal/yr constructed on or after 12. New large area source lry-to-dry only, $140 \le x \le 1$ ransfer only, $200 \le x \le 1$	al/yr yr 2/9/91) e ≤ 2,100 gal/yr ,800 gal/yr	·
dry-to-dry only, x < 140 ga transfer only, x < 200 gal/y both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area soudry-to-dry only, 140 ≤ x ≤	d/yr di yr tr bi i) (c arce	ry-to-dry only, $x < 140$ g ransfer only, $x < 200$ gal/oth types, $x < 140$ gal/yr constructed on or after 12. New large area source lry-to-dry only, $140 \le x \le 140$	al/yr yr 2/9/91) e	
dry-to-dry only, $x < 140$ ga transfer only, $x < 200$ gal/y both types, $x < 140$ gal/yr (constructed before 12/9/91) 3. Existing large area soudry-to-dry only, $140 \le x \le 1,80$ 0 both types, $140 \le x \le 1,80$ 0	allyr di tr tr bi 1) (c) arce	ry-to-dry only, $x < 140$ g ransfer only, $x < 200$ gal/soth types, $x < 140$ gal/yr constructed on or after 12. New large area source lry-to-dry only, $140 \le x \le 1$, soth types, $140 \le x \le 1$, soth types, $140 \le x \le 1$, 80 constructed on or after 12.	al/yr yr 2/9/91) e	
dry-to-dry only, $x < 140$ ga transfer only, $x < 200$ gal/y both types, $x < 140$ gal/yr (constructed before 12/9/91) 3. Existing large area soudry-to-dry only, $140 \le x \le 1.800$ (constructed before 12/9/91) 5. This is a correct facility If no, please check th	allyr diversity	ry-to-dry only, $x < 140$ g ransfer only, $x < 200$ gal/soth types, $x < 140$ gal/yr constructed on or after 12. New large area source lry-to-dry only, $140 \le x \le 1$, soth types, $140 \le x \le 1$, soth types, $140 \le x \le 1$, and $140 \le x \le 1$. In the large area source lry-to-dry only, $140 \le x \le 1$, so that $120 \le x \le 1$, so that $120 \le x \le 1$ is the large area source on the source of the large	al/yr yr 2/9/91) e	
dry-to-dry only, $x < 140$ ga transfer only, $x < 200$ gal/y both types, $x < 140$ gal/yr (constructed before 12/9/91 3. Existing large area soudry-to-dry only, $140 \le x \le 1,800$ (constructed before 12/9/91 5. This is a correct facility If no, please check th	allyr dr tr br l) (c) arce	ry-to-dry only, $x < 140$ g ransfer only, $x < 200$ gal/soth types, $x < 140$ gal/yr constructed on or after 12. New large area source ry-to-dry only, $140 \le x \le 100$ goth types, $140 \le x \le 100$ goth types, $140 \le x \le 100$ goth types, $140 \le x \le 100$ goth ry-to-dry only, $140 \le x \le 100$ goth types, $140 \le x$	al/yr yr 2/9/91) e	
dry-to-dry only, $x < 140$ ga transfer only, $x < 200$ gal/y both types, $x < 140$ gal/yr (constructed before 12/9/91 3. Existing large area soudry-to-dry only, $140 \le x \le 1,800$ (constructed before 12/9/91 5. This is a correct facility If no, please check th	allyr dr tr br l) (c) arce	ry-to-dry only, $x < 140$ g ransfer only, $x < 200$ gal/soth types, $x < 140$ gal/yr constructed on or after 12. New large area source lry-to-dry only, $140 \le x \le 1$, soth types, $140 \le x \le 1$, soth types, $140 \le x \le 1$, and $140 \le x \le 1$. In the large area source lry-to-dry only, $140 \le x \le 1$, so that $120 \le x \le 1$, so that $120 \le x \le 1$ is the large area source on the source of the large	al/yr yr 2/9/91) e	
dry-to-dry only, $x < 140$ gally both types, $x < 140$ gallyr (constructed before 12/9/91) 3. Existing large area soundry-to-dry only, $140 \le x \le 1.80$ 0 (constructed before 12/9/91) 5. This is a correct facility If no, please check th	allyr dr tr tr br 1) (c) arce	ry-to-dry only, $x < 140$ g ransfer only, $x < 200$ gal/soth types, $x < 140$ gal/yr constructed on or after 12. New large area source ry-to-dry only, $140 \le x \le 1$, soth types, $140 \le x \le 1$, soth types, $140 \le x \le 1$, so constructed on or after 12. Y $\square N$ $\square Can$ ransfer only and $\square Can$ ransfer only as number $\square Can$ and is not eligible for a	al/yr yr 2/9/91) e 2,100 gal/yr ,800 gal/yr 00 gal/yr 2/9/91) not determine above general permit	v cleaning

250 Anochie 20/18

Revised 9/15/97

TAKT III: GENERAL CONTROL REQUIREMENTS	
Is the responsible official of the dry cleaning facility: (check appropriate boxes)	
1. Storing perchloroethylene in tightly sealed and impervious containers?	DY DN BN/A
2. Examining the containers for leakage?	DY ON ON/A
3. Closing and securing machine doors except during loading/unloading?	MA DN
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	DY ON ON/A
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	אואם אם אם
PART IV: PROCESS VENT CONTROLS	
In Part II-A:	
If classification 1 has been checked, no controls are required. Proceed to Part V.	
If classification 2 has been checked, the machine should be equipped with a refrige (complete A below).	rated condenser
If classification 3 has been checked, the machine should be equipped with either a condenser or a carbon adsorber (complete A and B below). Carbon adsorber must prior to September 22, 1993	-
If classification 4 has been checked, the machine should be equipped with a refrige (complete A and B below).	rated condenser
A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)	**************************************
1: Equipped all machines with the appropriate vent controls?	OY ON
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	DY DN DN/A
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	OY ON ON/A
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?	OY ON
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	OY ON ON/A
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	OY ON

В.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΟY	ΩΝ	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΠY	ПΝ	□n/a
	ls the temperature differential equal to or greater than 20° F?	ΩΥ	ПΝ	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	ΟY	ПN	□N/A
	Is the perc concentration equal to or less than 100 ppm?	ΩΥ	ΩN	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΟY	ΩΝ	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΩY	ΩN	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΠY	ПΝ	□N/A
_				

PART V: RECORDKEEPING REQUIREMENTS Has the responsible official: (check appropriate boxes) 1. Maintained receipts for perc purchased? 2. Maintained rolling monthly total of perc consumption? 3. Maintained leak detection inspection and repair reports for the following: DY DN WN/A a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days DY ON ONA and parts installed w/in 5 days of receipt? DY DN DNA 4. Maintained calibration data? (for applicable direct reading instruments) DY ON ON/A 5. Maintained exhaust duct monitoring data on perc concentrations? DY ON 6. Maintained startup/shutdown/malfunction plan? DY ON ENIA 7. Maintained deviation reports? DY ON ON/A Problem corrected? DY DN DNA 8. Maintained compliance plan, if applicable?

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? 2. Has the facility maintained a leak log? 3. Does the responsible official check the following areas for leaks? Hose connections, fittings, couplings, and valves Door gaskets and seating Y N NN/A Nuck cookers Filter gaskets and seating Y N NN/A Exhaust dampers Pumps Y N NN/A Diverter valves Solvent tanks and containers Y N NN/A Cartridge filter housings Y N NN/A Water separators Y N NN/A Cartridge filter housings Y N NN/A Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? d. Kept in a clean and secure area when not in use? e. Verified for accuracy by use of duplicate samples (calorimetric only)?	PART VI: LEAK DETECTION AND R	EPAIRS			
2. Has the facility maintained a leak log? 3. Does the responsible official check the following areas for leaks? Hose connections, fittings, couplings, and valves Door gaskets and seating Y N N/A Stills Y N N/A Filter gaskets and seating Y N N/A Pumps Y N N/A Solvent tanks and containers Y N N/A Water separators Water separators Y N N/A Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? OY N N/A Muck cookers WY N N/A Stills AY N N/A Exhaust dampers DY N N/A Cartridge filter housings Y N N/A Cartridge filter housings Y N N/A N/A Cartridge filter housings Y N N/A N/A N/A Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Odor (noti	1. Does the responsible official conduct a v	veckly (for small sources	s, bi-weekly) leak detection ar	id repair	
3. Does the responsible official check the following areas for leaks? Hose connections, fittings, couplings, and valves Door gaskets and seating Door gaskets Door Door Door Door Door Door Door Doo	inspection?			ØY.	ΩŅ
Hose connections, fittings, couplings, and valves Door gaskets and seating Door and seating Door look and seating Door look and after each use (P1D/F1D only)?	2. Has the facility maintained a leak log?			ΠY	Q N
Couplings, and valves Door gaskets and seating Door Goor gaskets	3. Does the responsible official check the f	following areas for leaks?	?		
Filter gaskets and seating OY ON ON/A Pumps OY ON ON/A Diverter valves OY ON ON/A Solvent tanks and containers OY ON ON/A Cartridge filter housings OY ON ON/A Water separators OY ON ON/A 4. Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? OY ON ON/A Exhaust dampers OY ON ON/A Exhaust dampers OY ON ON/A Diverter valves OY ON ON/A NA ON/A ON/A ON/A ON/A ON/A IN/A ON/A IN/A ON/A ON/A ON/A IN/A IN/A ON/A ON/A ON/A IN/A ON/A ON/A ON/A IN/A ON/A	· · · · · · · · · · · · · · · · · · ·	DY ON ON/A	Muck cookers	ØY O	N DN/A
Pumps Solvent tanks and containers Y ON ON/A Cartridge filter housings Y ON ON/A Water separators Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? OY ON ON/A Cartridge filter housings OY ON ON/A Cartridge filter housings OY ON ON/A Cartridge filter housings OY ON ON/A ON/	Door gaskets and seating	DY ON ON/A	Stills	ØY O	N 🗆 N/A
Solvent tanks and containers Y ON ON/A Water separators Y ON ON/A 4. Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? d. Kept in a clean and secure area when not in use?	Filter gaskets and seating	מאם אם או	Exhaust dampers	Øy o	N DN/A
Water separators 4. Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? d. Kept in a clean and secure area when not in use?	Pumps	Y ON ON/A	Diverter valves	ZY O	N □N/A
4. Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? d. Kept in a clean and secure area when not in use?	Solvent tanks and containers	OY ON ON/A	Cartridge filter housings	QY O	A/ND N
Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? d. Kept in a clean and secure area when not in use?	Water separators	DY ON ON/A			
Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? d. Kept in a clean and secure area when not in use?	4. Which method of detection is used by t	he responsible official?		/	
Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? d. Kept in a clean and secure area when not in use?	Visual examination (condensed se	olvent on exterior surface	es)	Ø	
Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? d. Kept in a clean and secure area when not in use?	Physical detection (airflow felt th	rough gaskets)			
Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting pere vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? d. Kept in a clean and secure area when not in use?	Odor (noticeable perc odor)				
If using direct-reading instrumentation, is the equipment: a. Capable of detecting pere vapor concentrations in a range of 0-500 ppm?	Use of direct-reading instrumenta	ation (FID/PID/calorimet	ric tubes)		
a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? d. Kept in a clean and secure area when not in use?	Halogen leak detector			0/	
b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? d. Kept in a clean and secure area when not in use?	If using direct-reading instr	umentation, is the equi	pment:	DAN/A	
(PID/FID only)? □Y □N c. Inspected for leaks and obvious signs of wear on a weekly basis? □Y □N d. Kept in a clean and secure area when not in use? □Y □N	a. Capable of detecting	perc vapor concentration	ns in a range of 0-500 ppm?	DY (ИC
d. Kept in a clean and secure area when not in use?	11	standard gas prior to and	after each use	OY (אכ
·	c. Inspected for leaks a	nd obvious signs of wear	on a weekly basis?	□Y (אכ
e. Verified for accuracy by use of duplicate samples (calorimetric only)?	d. Kept in a clean and s	ecure area when not in u	se?	OY (ИС
	e. Verified for accuracy	by use of duplicate sam	iples (calorimetric only)?	OY (ИС

M. ENRIQUE FLORES 9-22-98	
Inspector's Name (Please Print) Date of Inspection	
MEurique Florer 9/99	,
Inspector's Signature Approximate Date of Next Inspect	ion

ADDITIONAL SITE INFORMATION:

- J BUSINESS NAME CHANGE FROM MIMA DRY CLEANERS TO LUCY'S DRY CLEANER -> SAME EQUIPMENT ON SITE.
- INSTRUCTIONS IN SPANISH WERE GIVEN TO MS. RODRIGUEZ ON HOW TO FILL OUT THE STATE'S INSPECTION CALENDAR SO THAT SHE CAN BE IN COMPLIANCE WITH ALL PERMIT REQUIREMENTS.
- " DERM'S BOOKLET ON POLLUTION CONTROL FOR DRY CLEANERS WAS ALSO GIVEN TO MS RIDRIGUEZ.
- @ NO PERC HAS BEEN PURCHASED SMICE FEB. 1998 WHEN MS. RODRIGUEZ TOOK OVER THE OPERATION OF THE BUSINESS.

TYPE OF INSPECTION:	ANNUAL A	СОМ	PLAINT/DISCOVERY	RE-INSPECTION
TIME IN: 1145	TIME OUT:	1215	AIRS 10#: 250	0925
TYPE OF FACILITY: <u>P(1)</u> FACILITY NAME: <u>LV(Y</u> FACILITY LOCATION: 2	S DRY CLEANERS /	FLRMERLY 115	muna's ory (1 FANE25)	DATE: 9.22.98
RESPONSIBLE OFFICIAL:			PHONE NUMBER:	305-821-6432
compliance with DEF Based on the results of discrepancies were not	Rule 62-213.300, Florida of the compliance requirended:	Administra	ated during this inspection, the foll	owing compliance
COMPLIANCE REC			FOLLOW-UP ACTI	
NO ROLLING LOG OF	PORC PLACHASES		PURCHASEIS	GALLONS OF PERC
NO LEAK INSPECTION	N WG		DUNE ON EQUIPMENT	TE OF / HNSPECTION RESULT
NO CONDENSER TEMP	READINGS		WILL RECECD TEMP.	RI ADINGS.
6				
	MENT IN GOLD LI KEEPING OK.	nk Kindi	OKDER.	
	•	roperly éerti	ified and submitted to the inspecto	or. YES NO
ATE OF NEXT INSPECT			pproximate)	
NSPECTION CONDUCT	ED BY:	M- [NK	CIGUE FILLES	
NSPECTOR'S SIGNATU	RE: MÉmiquet	lover)	Please Print) PHONE NUMBE	R: 365.372.6925
		Page_	of	Revised 10/96

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: LUCY'S L	DRY OLEANERS (FORMERLY MIMA'S DRYCLEANERS) DATE: 9-22-98
	60 W. 68 ST. # 115
HIA	125AH, 33
	9/97 19 TO 9/98 19_
	f the Title V general air permit, my facility has remained in compliance with DEP Ryle of Code (F.A.C.), during the period covered by this statement. TYES TNO
If NO, complete the following:	
	eral permit that has not been in continuous compliance during the reporting period stated above:
NO ROLLING LOG OF PERC PURC	CHASES, CONDENSER TEMP. READINGS, AND/OR LEAK INSPECTIONS
Exact period of non-compliance:	THASES, CONDENSER TEMP. READINGS, AND OR LEAK INSPECTIONS Trom 2/98 to 9/98
Action(s) taken to achieve complia	ance: WILL START RECORDING PERC PURCHASES, TEMP READINGS AND LEAK
Method used to demonstrate comp	INSPECTIONS.
#2. Term or condition of the gene	eral permit that has not been in continuous compliance during the reporting period-stated above:
Exact period of non-compliance:	fromto
Action(s) taken to achieve compl	iance:
Method used to demonstrate com	pliance:
made in this notification are true	eby certify, based on information and belief formed after reasonable inquiry, that the statements e, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based se receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per facilities.
RESPONSIBLE OFFICIAL: _	Ware L. Rodrigue WHOH 9/25/9

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL COM	PLAINT/DISCOVERY RE-INSPECTION
TIME IN: 1200 TIME OUT: 130	
TYPE OF FACILITY: Perc Dry Cleaner	
FACILITY NAME: Unicon Clomer	DATE: 4/31/00
FACILITY LOCATION: 5830 NO 183	31.
RESPONSIBLE OFFICIAL: Tom Chamberlani	PHONE NUMBER: 305-828-3638
Based on the results of the compliance requirements evaluated compliance with DEP Rule 62-213.300, Florida Administra	
Based on the results of the compliance requirements evaluadiscrepancies were noted:	ted during this inspection, the following compliance
COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
Not maintaining rolling by, leak	Begin recordbegsing
loj, temp. loj	
Not maintaining receipts of	Mantain recapits of all
pere prochases	pere purchases
Not storing perc in tightly seeld and impervious containers > causing figitio emissions	Stree pere in appropriate, tightly sealed contains
	•
COMMENTS:	
The Annual Compliance Certification form has been properly certific	ed and submitted to the inspector. YES NO
DATE OF NEXT INSPECTION: #/01 (AD	proximate)
INSPECTION CONDUCTED BY: Ivan fa	nnà
INSPECTOR'S SIGNATURE:	- PHONE NUMBER: 305-372-6925

Page___of___.

Revised 10/96

0 7

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0311985

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

RECEIVED MAIL ROOM

TOTAL AMOUNT DUE: \$50.00

AIRS ID# 0250925

APR 13 98

Do NOT Remove Label

MIMA DRY CLEANERS JOSE R SOSA 570 E 49TH STREET HIALEAH FL 33013 FOR GOVERNMENT USE ONLY Org.: 37550101000 ES: B1 Fund: 20-2-035001 Obj.: 602273

Z 333 612 910

US Postal Service

Receipt for Certified Mail

AIRS ID# 0250925

MIMA DRY CLEANERS JOSE R SOSA 570 E 49TH STREET HIALEAH FL 33013

	Postage	\$
	Certified Fee	
	Special Delivery Fee	
	Restricted Delivery Fee	
1995	Return Receipt Showing to Whom & Date Delivered	
April	Return Receipt Showing to Whom, Date, & Addressee's Address	
800,	TOTAL Postage & Fees	\$
PS Form 3800, April 1995	Postmark or Date	

	U.S. Postal S CERTIFIED (Domestic Mail O	Service MAIL REC	EIPT Coverage Pro	vided)
387	ABS		THIS	
1,08 7	Postage Certified Fee	\$	σ.	
E ETOO	Return Receipt Fee (Endorsement Required) Restricted Delivery Fee (Endorsement Required)		Hei O	re /
7000 1670	Tot 10 Sent JOSE R SOSA MIMA DRY 0 570 E 49TH S City, HIALEAH FL 33013	CLEANERS INC TREET	 25001AG	
	PS Form 3800 May Zuuu	Control Section Control	·	/ Instructions

PLACE STICKER AT TOP OF ENVELOPE	COMPLETE THIS SECTION ON DELIVERY		
Complete 'items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 1. Article Addressed to: 10	C. Signature X		
570 E 49TH STREET HIALEAH FL 33013	3. Service Type Certified Mail		
2. Article Number (Transfer from service label) 7000/67000	<u> </u>		
PS Form 3811, March 2001 Domestic Retu	urn Receipt 102595-01-M-1424		





Z 333 613 379 US Postal Service Receipt for Certified Mail AÏRS ID 0250925 JOSE R. SOSA JOSE R SOSA 570 E 49TH STREET HIALEAH FL 33013 \$ Postage Certified Fee Special Delivery Fee Restricted Delivery Fee Return Receipt Showing to Whom & Date Delivered Return Receipt Showing to Whom Date, & Addressee's Address Return Receipt Showing to Whom Date, & Addressee's Address Date, & Addressee's A TOTAL Postage & Postmark or Date \$ TOTAL Postage & Fees

SENDER: Complete items 1 and/or 2 for additional services. Complete items 3, 4a, and 4b. Print your name and address on the reverse of this form so that w card to you. Attach this form to the front of the mailpiece, or on the back if spapermit.		I also wish to receive the following services (for an extra fee): 1. Addressee's Address
■Write*Return Receipt Requested* on the mailpiece below the article The Return Receipt will show to whom the article was delivered a delivered.	nd the date	Restricted Delivery Consult postmaster for fee.
JOSE R. SOSA JOSE R SOSA 570 E 49TH STREET HIALEAH FL 33013	4b. Service Registere	33 4/3 379 Type ed Mail Ceipt for Merchandise □ COD
5. Received By (Print Name) 6. Signature: (Addressee or Agent)	8. Addressed and fee is	e's Address (Only if requested paid)