



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

January 14, 2004

Mr. Akbar Siddiokara
Devon Cleaners & Laundry, Inc.
5616-18 Southwest 72 Street
Miami, Florida 33143

Re: Facility No.: 0250972-002

Dear Mr. Siddiokara:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on December 11, 2003.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the district or local air program compliance inspector in your area.

Sincerely,



Joseph Kahn, Chief
Bureau of Air Monitoring
and Mobile Sources

JK/jw

cc: Ms. Mallika Muthiah, Dade County

"More Protection, Less Process"

Printed on recycled paper.

198-99
EMISSION FEE DATES
SOC REPORTS.....
COMPLIANCE STATUS ..FN.....

PART III. NOTIFICATION OF INTENT TO USE GENERAL PERMIT

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	Devon Cleaners & Laundry Inc		
2. Site Name (For example, plant name or number):	Devon Cleaners & Laundry Inc		
3. Hazardous Waste Generator Identification Number:	IWS-014492		
4. Facility Location: Street Address: City: Miami County: Dade Zip Code: 33143	5616-18 SW 72 ST		
5. Facility Identification Number (DEP Use ONLY - do not fill in):	0250972-002		

RECEIVED
 DEC 11 2003
 Bureau of Air Monitoring & Mobile Sources

Responsible Official

6. Name and Title of Responsible Official: Name: AKBAA SIDDIQARA Title: GEN MANAGER			
7. Responsible Official Mailing Address: Organization/Firm: 5616-18 SW 72 STREET Street Address: City: Miami County: Dade Zip Code: 33143			
8. Responsible Official Telephone Number: Telephone: (305) 662-3737 Fax: (305) 332-8312	cell		

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):			
10. Facility Contact Address: Street Address: City: County: Zip Code:			
11. Facility Contact Telephone Number: Telephone: () - Fax: () -			

How many dry-to-dry machines do you have on-site?

For each dry-to-dry machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

1.(b) TRANSFER MACHINES ONLY

How many washers do you have on-site?

How many dryers/reclaimers do you have on-site?

If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an EXISTING unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a NEW unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

2.(a) How much perchloroethylene (perc) have you used within the last 12 months?

gallons (You must fill this in)

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: Did not keep records:

New store: New machine

Unopened store (date of expected opening _____)

Indicate with an "X". Select one classification only.)

Small Area Source

- Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)
- Transfer only on-site (used less than 200 gallons of perc per year)
- Both machine types on-site (used less than 140 gallons of perc per year)

Large Area Source

- Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)
- Transfer only on-site (used 200 - 1,800 gallons of perc per year)
- Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)

Existing machines at small area source
(NONE REQUIRED)

New machines at small area source
Refrigerated condenser

Existing machines at large area source
Carbon adsorber
Refrigerated condenser

New machines at large area source
Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt OR
No such units on-site

How many boilers do you have on-site?

For each boiler, indicate its horsepower (HP) rating:

What type of fuel do you use? propane natural gas
 No. 2 fuel oil No. 4 fuel oil
 No. 6 fuel oil Other (please list) _____

6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases/solvent addition log
- (b) Leak detection inspection and repair NO LEAKS
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Startup, shutdown, malfunction plan

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are _____

No DEP air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

Sanyal Rajya SIDDHANTA

Print name of responsible official


Sanyal Rajya S.

Signature

12-1-03.

Date

12/16/2003

 Spoke with Mr. Akbar Siddiqkara, General Manager for Devon Cleaners & Laundry, and he stated that the dry-to-dry machine is 5 years old. Mr. Siddiqkara indicated the dry-to-dry machine has a built-in refrigerated condenser for control device. He also stated the two washers and two dryers indicated on the notification form are not perchloroethylene using machines.

Page 15

1. (a) Add Date Initially Purchased from Manufacturer for dry-to-dry machine.
Choose appropriate Status for dry-to-dry perchloroethylene machine.
Choose appropriate required control device for dry-to-dry perchloroethylene machine.
Add Date Control Device Required for dry-to-dry perchloroethylene machine.
1. (b) This section is only for perchloroethylene using machines.

Page 16

6. (b) Required for all sources.
(c) Required for New machines.
(e) Startup, Shutdown, Malfunction plan is required for all sources. Should be marked.

PART III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC

(check only one box for each question)

Does the responsible official of the dry cleaning facility:

1. Store perc, and wastes containing perc, in tightly sealed & impervious containers? Yes No N/A
2. Examine the containers for leakage? ----- Yes No N/A
3. Close and secure machine doors except during loading/unloading? ----- Yes No
4. Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? ----- Yes No N/A
5. Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? ----- Yes No N/A

PART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC

(Refer to Part II-A.1.-4. Classification: page 1 of 4, this form)

1. If the facility classification is a **Existing small area source**, no controls are required. **Proceed to Part V.**
2. If the facility classification is a **New small area source**, the machine should be equipped with a refrigerated condenser. **Complete section A. below.**
3. If the facility classification is a **Existing large area source**, the machine should be equipped with either a refrigerated condenser or a carbon adsorber. **Complete both sections A and B below.** *Carbon adsorber must have been installed prior to September 22, 1993*
4. If the facility classification is a **New large area source**, the machine should be equipped with a refrigerated condenser. **Complete both sections A and B below.**

A. Has the responsible official of all existing large area & new sources:

(check only one box for each question)

1. Equipped all machines with the appropriate vent controls? ----- Yes No
2. Equipped dry-to-dry machines with a closed-loop vapor venting system? ----- Yes No N/A
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? ----- Yes No N/A
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis? ----- Yes No
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? ----- Yes No N/A
6. Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged? ----- Yes No

PART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC (continued)

B. Does the responsible official of an existing large or new large area source also:

(check only one box for each question)

1. Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? ----- Yes No
2. Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly? ----- Yes No N/A
 - a) Is the temperature differential equal to, or greater than 20° F? ----- Yes No N/A
3. Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber? ----- Yes No N/A
 - a) Is the perc concentration equal to, or less than 100 ppm? ----- Yes No N/A
4. Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? ----- Yes No N/A
5. Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils? ----- Yes No N/A
6. Route airflow to the carbon adsorber (if used) at all times? ----- Yes No N/A

PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC

Does the responsible official:

(check only one box for each question)

1. Maintain receipts for perc purchased? ----- Yes No
2. Maintain rolling monthly total of yearly perc consumption? ----- Yes No
3. Maintain leak detection inspection and repair reports for the following:
 - a) documentation of leaks repaired w/in 24 hrs? or; ----- Yes No N/A
 - b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? ----- Yes No N/A
4. Maintain calibration data? (*for applicable direct reading instruments*) ----- Yes No N/A
5. Maintain exhaust duct monitoring data on perc concentrations? ----- Yes No N/A
6. Maintain a startup/shutdown/malfunction plan? ----- Yes No
7. Maintain deviation reports? ----- Yes No N/A
 - a) Problem corrected? ----- Yes No N/A
8. Maintain a compliance plan, if applicable? ----- Yes No N/A

PART VI: LEAK DETECTION AND REPAIRS – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check only one box for each question)

detection and repair inspection? ----- Yes No

2. Does the facility maintain a leak log? ----- Yes No

3. Does the responsible official check the following areas for leaks?

a) Hose connections, fittings, couplings, and valves -----	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	g) Muck cookers -----	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
b) Door gaskets and seating -----	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	h) Stills -----	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
c) Filter gaskets and seating -----	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	i) Exhaust dampers -----	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
d) Pumps -----	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	j) Diverter valves -----	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
e) Solvent tanks and containers--	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	k) Cartridge filter housings	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
f) Water separators -----	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		

4. Which method(s) of detection (is/are) used by the responsible official?

a) Visual examination (condensed solvent on exterior surfaces) -----	a) <input type="checkbox"/>
b) Physical detection (airflow felt through gaskets) -----	b) <input type="checkbox"/>
c) Odor (noticeable perc odor) -----	c) <input type="checkbox"/>
d) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) -----	d) <input type="checkbox"/> ** (see below)
e) Halogen leak detector -----	e) <input type="checkbox"/>

****If using direct-reading instrumentation, is the equipment:** ----- ** N/A

1) Capable of detecting perc vapor concentrations in a range of 0-500 ppm? -----	1) <input type="checkbox"/> Yes <input type="checkbox"/> No
2) Calibrated against a standard gas prior to and after each use (PID/FID only)? -----	2) <input type="checkbox"/> Yes <input type="checkbox"/> No
3) Inspected for leaks and obvious signs of wear on a weekly basis? -----	3) <input type="checkbox"/> Yes <input type="checkbox"/> No
4) Kept in a clean and secure area when not in use? -----	4) <input type="checkbox"/> Yes <input type="checkbox"/> No
5) Verified for accuracy by use of duplicate samples (calorimetric only)? -----	5) <input type="checkbox"/> Yes <input type="checkbox"/> No

MARQUES LOPEZ

1/9/09

Inspector's Name (Please Print)

Date of Inspection

1/10

Inspector's Signature

Approximate Date of Next Inspection

COMMENTS: ON JANUARY 9, 2009 I VISITED THIS FACILITY TO CUNDUCT THE ANNUAL COMPLIANCE INSPECTION. ON SITE I MET OMAR SIDDIGKARA, AN ATTENDANT OF THE FACILITY. THE FACILITY NO LONGER USES PERC AS ITS SOLVENT, IT USES DRYSOVLV ALSO KNOWN AS N-PROPYL BROMIDE.

Print-Formatted

Florida Department of Environmental Protection
Cash Receiving Application (CRA)
Payment Transaction Detail Report
 Check Number: 2079 Cashlist Area: 3755% Fund: Name:
 Deposit Date Between 12/12/2005 and 03/17/2006
 Cashlisting Number Between and
 Object Code Between and
Printed: 3/21/2006 12:30:10 PM - Page 1

Fund: **APCTF** Object: **002273** Org Code **37550101000** Samas Acct #: **202035001**

Payment Amount	DDN	Receipt Number	PNR	Name	Deposit Date	Check Number	Deposit Number	Cash Listing Number	Cas List Are
\$50.00	458223	528468		DEVON CLEANERS & LAUNDRY INC.	01-19-2006	2079	261387	53352	375
\$50.00	Object Code 002273 Subtotal								
\$50.00	Fund APCTF Subtotal								
\$50.00	Grand Total								

0250972

Dibble, Dickson

From: Dibble, Dickson
Sent: Wednesday, January 21, 2009 9:10 AM
To: 'Gordon, Ray (DERM)'
Cc: Bowman, Sandy; Grant, Patricia; Lopez, Marques (DERM)
Subject: RE: Devon Dry cleaners 0250972

Ray,

FYI - Per your e-mail request of 01/16/09 and inspection verification (Marques Lopez) conducted on 01/09/09 I have change the subject item facility status to INACTIVE. Complete Facility screen text comments are as follows:

01/16/09-Facility Status to INACTIVE per e-mail request fr R.Gordon, inspection (1/9/09) verified that facility no longer uses PERC.

Florida Department of Environmental Protection - Enterprise Applications											
Details Emission Unit Permit Compliance Pollutant Related Party Help Return Exit Window											
Air Resource Management System - Facility											
AREA	Office *	SEDA	SE:DADE	County *	MIAMI-DADE	AIRS ID					
Owner/Comp *	DEVON DRY CLEANERS & LAUNDRY INC				Site	DEVON DRY CLEANERS					
Directions											
Street	5616-18 Sunset Drive										
City *	MIAMI				Zip	33143					
UTM Zone	17	East	570.23	North	2842.76	Latitude	25	42	03.7008	Longitude	80
Status *	I	INACTIVE			Maj Group SIC *	72	PERSONAL SERVICES				
Reloc	N	Shtdwn Dt				Strt Dt				Final Shtdwn Dt	
Gov Fac *	0	NOT OWNED OR OPERATED BY A FEDERAL, STATE, OR LOCAL GOVE				HAZ Waste Generator ID: FLD					
AOR Req *	N	Ozone SIP Facility *	N	Type	10	PCE Drycleaning Facilities					
Compliance Tracking										Current Permit In	
Title V	TITLE V	non-HAP Class	MINOR		HAP Class	MINOR		Public			
# of Emis Units	C	A	I	Generator Rating							
Comment	01/16/09-Facility Status to INACTIVE per e-mail request fr R.Gordon, inspection (1/9/09) verified that facility										
Enter the FACILITY COMMENT											
Record: 1/1											

1/21/2009

Have a great day!

Dick

Dickson E. Dibble, ES III

FL Dept of Environmental Protection
Div. of Air Resource Management
Bureau of Air Monitoring & Mobile Sources
Air General Permit Program
Tel. (850) 921-9586
FAX (850) 922-6979
ICG-#345

Dickson.Dibble@dep.state.fl.us



Please note: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are public records available to the public and media upon request. Your e-mail communications may therefore be subject to public disclosure

From: Gordon, Ray (DERM) [mailto:GordoR@miamidade.gov]
Sent: Friday, January 16, 2009 10:50 AM
To: Dibble, Dickson
Cc: Lopez, Marques (DERM)
Subject: Devon Dry cleaners 0250972

<<0250972_1.9_marques.rtf>>

Per attached inspection report this facility no longer uses perc. How do we handle this? Should it be made inactive?

Ray A. Gordon

Special Projects Administrator

Office: 305-372-6925

gordor@miamidade.gov

"Delivering Excellence Every Day"

Dibble, Dickson

From: Gordon, Ray (DERM) [GordoR@miamidade.gov]
Sent: Friday, January 16, 2009 10:50 AM
To: Dibble, Dickson
Cc: Lopez, Marques (DERM)
Subject: Devon Dry cleaners 0250972
Attachments: 0250972_1.9_marques.rtf

<<0250972_1.9_marques.rtf>>

Per attached inspection report this facility no longer uses perc. How do we handle this? Should it be made inactive?


Ray A. Gordon

Special Projects Administrator


Office: 305-372-6925

gordor@miamidade.gov

"Delivering Excellence Every Day"



PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI)
RE-INSPECTION (FUI) ARMS COMPLAINT NO:

AIRS ID#: 0250972 **DATE:** 1/9/09 **ARRIVE:** 10:15am **DEPART:** 10:45am

FACILITY NAME: DEVON DRY CLEANERS

FACILITY LOCATION: 5616-18 Sunset Drive

MIAMI 33143

OWNER/AUTHORIZED REPRESENTATIVE: AL SIDDIGKARA **PHONE:** (305)662-3737

CONTACT NAME: **PHONE:**

ENTITLEMENT PERIOD: 1/11/2004 / 1/11/2009 **Facility may be operating without Entitlement!**
(effective date) (end date)

PART I: INSPECTION COMPLIANCE STATUS (check only one box)

IN COMPLIANCE MINOR Non-COMPLIANCE SIGNIFICANT Non-COMPLIANCE

PART II: FACILITY CLASSIFICATION - Rule 62-213.300 FAC

(check only one box in A)

A. 1. Existing small area source

dry-to-dry only, $x < 140$ gal/yr
transfer only, $x < 200$ gal/yr
both types, $x < 140$ gal/yr
(constructed before 12/9/91)

2. New small area source

dry-to-dry only, $x < 140$ gal/yr
transfer only, $x < 200$ gal/yr
both types, $x < 140$ gal/yr
(constructed on or after 12/9/91)

3. Existing large area source

dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr
transfer only, $200 \leq x \leq 1,800$ gal/yr
both types, $140 \leq x \leq 1,800$ gal/yr
(constructed before 12/9/91)

4. New large area source

dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr
transfer only, $200 \leq x \leq 1,800$ gal/yr
both types, $140 \leq x \leq 1,800$ gal/yr
(constructed on or after 12/9/91)

5. Ineligible for General Permit

drop store/out of business/petroleum
facility exceeds above limits

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 0 gallons.

7004 2510 0002 3939 4018

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	

Postmark
Here

Total Post: AIRS ID# 250972 1stC
DEVON DRY CLEANERS

Sent To
5616-18 Sunset Drive
MIAMI, FL 33143

PS Form 3800, June 2002 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

AIRS ID# 250972 1stC
DEVON DRY CLEANERS
5616-18 Sunset Drive
MIAMI, FL 33143

COMPLETE THIS SECTION ON DELIVERY

A. Signature Agent
[Signature] Addressee

B. Received by (Printed Name) C. Date of Delivery
2/7/05

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type

<input checked="" type="checkbox"/> Certified Mail	<input type="checkbox"/> Express Mail
<input type="checkbox"/> Registered	<input type="checkbox"/> Return Receipt for Merchandise
<input type="checkbox"/> Insured Mail	<input type="checkbox"/> C.O.D.

7004 2510 0002 3939 4018 Restricted Delivery? (Extra Fee) Yes

2. Article Number
(Transfer from service label)

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

DARWIN MOBILE SOURCE CONTROL PROGRAM
DEPT. OF ENVIRONMENTAL PROTECTION
MAIL STATION 5510
2500 BLAIR STONE ROAD
TALLAHASSEE, FLORIDA 32399-2400

FEB 16 2005

CEIVED

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

452663 MAY 18 2005

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID# 250972 10
DEVON DRY CLEANERS
5616-18 Sunset Drive
MIAMI, FL 33143

FOR GOVERNMENT USE ONLY
ORG.: 37550101000 EO: A1
FUND: 20-2-035001
OBJECT: 002273

Printed on recycled paper.

RECEIVED
MAY 23 2005
Bureau of Manufacturing
& Mobile Sources

(CUT HERE)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.

*PAYMENT
POSTMARKED 2/27/07*

470430 MAR 2 2007

TOTAL AMOUNT DUE: \$75.00

*3/8/07-REFUND REQUEST
14958 FOR \$25.00*

Do NOT Remove Label

AIRS ID# 250972 ✓
DEVON DRY CLEANERS
5616-18 Sunset Drive
MIAMI, FL 33143

FLAIR ACCT. CODE 372020350013755010000
BENEFITTING OBJECT CODE 002000
BENEFITTING CATEGORY 000200

FOR GOVERNMENT USE ONLY
ORG: 37550101000 EO: A1
FUND: 20-2-035001
OBJECT: 002273

RECEIVED
MAR 07 2007
Bureau of Air Monitoring
& Mobile Source

Printed on recycled paper.

Cleaners.
15871 SW 141 St
Miami FL 33192

MIAMI FL 331

27 FEB 2007 PM 5 L



TITLE V - General Permit
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number is located on the mailing label. 446524 FEB 15 2005

TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label

AIRS ID# 250972 1stC
DEVON DRY CLEANERS
5616-18 Sunset Drive
MIAMI, FL 33143

FOR GOVERNMENT USE ONLY
ORG.: 37550101000 EO: A1
FUND: 20-2-035001
OBJECT: 002273

Bureau of Air Monitoring
& Mobile Sources
FEB 17 2005
RECEIVED

Printed on recycled paper.

Cleaners.
15871 SW 141 St
Miami, FL 33196



General Permits Section
Bureau of Air Monitoring & Mobile
Sources, MS 5570
Dept of Environmental Protection
2600 Blain Stone Road
Tallahassee, FL 32399-2400

32399+6542

