

Jeb Bush  
Governor

# Department of Environmental Protection

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

David B. Struhs  
Secretary

September 14, 2000

Mr. Ron DeFalco  
Executive Style Cleaners  
9725 Northwest 41 Street  
Miami, Florida 33178

Re: Facility No.: 0251031-001

Dear Mr. DeFalco:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on July 21, 2000.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the district or local air program compliance inspector in your area.

Sincerely,




Dotty Diltz, Chief  
Bureau of Air Monitoring  
and Mobile Sources

DD/jw

cc: Ms. Mallika Muthiah, Dade County

"More Protection, Less Process"

Printed on recycled paper.



Jeb Bush  
Governor

# Department of Environmental Protection

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

David B. Struhs  
Secretary

August 29, 2000

Mr. Ron DeFelco  
Executive Style Cleaners  
9725 Northwest 71 Street  
Miami, Florida 33178

Re: Facility No.: 0251031-001

Dear Mr. DeFelco:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on July 21, 2000.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the district or local air program compliance inspector in your area.

Sincerely,

  
Dotty Diltz, Chief  
Bureau of Air Monitoring  
and Mobile Sources

DD/jw

cc: Ms. Mallika Muthiah, Dade County

*"Protect, Conserve and Manage Florida's Environment and Natural Resources"*

Printed on recycled paper.



**Facility Information**

**1.(a) DRY-TO-DRY MACHINES ONLY**

How many dry-to-dry machines do you have on-site? [ 2 ]

For each dry-to-dry machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
8 / 90	<del>Existing</del> /New	<del>RC</del> /CA/None required	SAME
7 / 95	Existing/ <del>New</del>	<del>RC</del> /CA/None required	SAME
_____	Existing/New	RC/CA/None required	_____

\*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

**1.(b) TRANSFER MACHINES ONLY**

How many washers do you have on-site? [ ]

How many dryers/reclaimers do you have on-site? [ ]

If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an **EXISTING** unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a **NEW** unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

\*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

2.(a) How much perchloroethylene (perc) have you used within the last 12 months?

[ 240 ] gallons (You must fill this in)

(b) If less than 12 months, how many? [ ] months

Check why it is less than 12 months: New owner: [ ] Did not keep records: [ ]

New store: [ ] New machine [ ]

Unopened store [ ] (date of expected opening \_\_\_\_\_)

3. What is the facility's source classification based on the definitions found in section (3) of Part II?  
(Indicate with an "X". Select one classification only.)

- Small Area Source
- Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)  
Transfer only on-site (used less than 200 gallons of perc per year)  
Both machine types on-site (used less than 140 gallons of perc per year)
- Large Area Source
- Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)  
Transfer only on-site (used 200 - 1,800 gallons of perc per year)  
Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?  
(Indicate with an "X".)

- |   |  |
|---|--|
| <u>Existing machines at small area source</u><br>(NONE REQUIRED) <input type="checkbox"/>   | <u>New machines at small area source</u><br>Refrigerated condenser <input type="checkbox"/>            |
| <u>Existing machines at large area source</u><br>Carbon adsorber <input type="checkbox"/><br>Refrigerated condenser <input checked="" type="checkbox"/> | <u>New machines at large area source</u><br>Refrigerated condenser <input checked="" type="checkbox"/> |

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt  OR  
No such units on-site

How many boilers do you have on-site?

For each boiler, indicate its horsepower (HP) rating:

What type of fuel do you use?  propane  natural gas  
 No. 2 fuel oil  No. 4 fuel oil  
 No. 6 fuel oil  Other (please list) diesel

#### 6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases/solvent addition log
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Startup, shutdown, malfunction plan

7. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

- I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are \_\_\_\_\_
- No DEP air permits currently exist for the operation of the facility indicated in this notification form.


**Responsible Official Certification**

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

RONALD A. DEFALCO JR

Print name of responsible official



Signature

7/20/00

Date

**PERCHLOROETHYLENE DRY CLEANERS  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST**

**RECEIVED**  
DEC 14 1990  
Bureau of Air Monitoring  
& Mobile Sources

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#: 0251031 DATE: 10/16/00 TIME IN: 1400 TIME OUT: 1430  
 FACILITY NAME: Executive Style Cleaners  
 FACILITY LOCATION: 9725 NW 41 st.  
Miami, FL  
 RESPONSIBLE OFFICIAL: Ron DeFalso PHONE: 205 - 594- 2332  
 CONTACT NAME: \_\_\_\_\_ PHONE: \_\_\_\_\_

**PART I: NOTIFICATION**

(check appropriate box)

1. New facility notified DARM 30 days prior to startup   
 2. Facility failed to notify DARM to use general permit

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  No notification form  
 (check appropriate box)  Drop store/out of business/petroleum

A.

1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. New small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
3. Existing large area source <input checked="" type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)

5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:  
 facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 240 gallons.

MB  
12/01/00

*ADMS*  
*10/19/00*  
*[Signature]*

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |   |   |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 2. Examining the containers for leakage?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                     | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- |  |   |
|--|---|
| 1. Equipped all machines with the appropriate vent controls?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                     | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?                 | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N                              |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?                              | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N                              |



**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A
- Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A
- Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
- b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A
- Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks?

- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Ivan Fourn  
Inspector's Name (Please Print)

10-16-00  
Date of Inspection

[Signature]  
Inspector's Signature

10-01  
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

10-16-00

R.O. not onsite at time of  
inspection. Records not readily  
available. Housekeeping O.K.  
Both machines in operation  
during inspection - no odors.

10-31-00

followup driveby to recordkeeping - ok

TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 1400 TIME OUT: 1430 AIRS ID#: 0257031

TYPE OF FACILITY: Perc Dry Cleaner

FACILITY NAME: Executive Style Cleaners DATE: 10-16-00

FACILITY LOCATION: 9225 Hwy 41 st.

Maine Fl

RESPONSIBLE OFFICIAL: Ron De Falco PHONE NUMBER: 305-594-2332

Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.):

Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
Not maintaining leak logs, temp. logs or rolling log of perc problems	Maintain records readily available at time of inspection.

COMMENTS:

Housekeeping O.K.  
Machines in operation - no odors

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 10-01 (Approximate)

INSPECTION CONDUCTED BY: Tivan Savani (Please Print)

INSPECTOR'S SIGNATURE: [Signature] PHONE NUMBER: 305-372-6928

AIRS ID# 0251031

Revised 10/10/96

*Acc*

DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Executive Style Cleaners DATE: 10-16-00

FACILITY LOCATION: 9225 NW 41 st.  
Miami FL

Annual Reporting Period: July 192000 TO Oct 192000

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Not maintaining leak, temp. or rolling logs

Exact period of non-compliance: from July 00 to Oct 00

Action(s) taken to achieve compliance: Maintain records readily available for inspection.

Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

\_\_\_\_\_

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to-dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: RON DEFALCO [Signature] 10/16/00  
Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

**BEST AVAILABLE COPY**

421032 DEC23 2002

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Bureau of Air Monitoring & Mobile Sources  
JAN 02 2008

RECEIVED

X

Do **NOT** Remove Label

AIRS ID#0251031
EXECUTIVE STYLE CLEANERS RON DEFALCO 9725 NW 41ST STREET MIAMI FL 33178

FOR GOVERNMENT USE ONLY Org.: 37550101000 EO: A1 Fund: 20-2-035001 Obj.: 002273
--

459402 FEB27 2006

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID# 251031 1st
EXECUTIVE STYLE CLEANERS 9725 NW 41st Street MIAMI, FL 33178

Bureau of Air Monitoring & Mobile Sources

MAR 01 2006

RECEIVED

FLAIR ACCT. CODE 372020350013755010000 BENEFITTING OBJECT CODE 002000 BENEFITTING CATEGORY 000200
---

FOR GOVERNMENT USE ONLY ORG.: 37550101000 EO: A1 FUND: 20-2-035001 OBJECT: 002273
--

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

**BEST AVAILABLE COPY**

435479 JAN20 2004

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

251031  
RCN DEFALCO  
EXECUTIVE STYLE CLEANERS  
9725 NW 41ST STREET  
MIAMI FL 33178

**FOR GOVERNMENT USE ONLY**  
Org.: 37550101000 EO: A170  
Fund: 20-2-035001  
Obj.: 002273

RECEIVED  
JAN 23 2004  
Bureau of Air Mail  
Post Office

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.


443485 DEC20 2004

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID# 251031 10  
EXECUTIVE STYLE CLEANERS  
9725 NW 41st Street  
MIAMI, FL 33178

**FOR GOVERNMENT USE ONLY**  
ORG.: 37550101000 EO: A1  
FUND: 20-2-035001  
OBJECT: 002273



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

BEST AVAILABLE COPY

412607 JAN 4 2002 X

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID # 0251031  
EXECUTIVE STYLE CLEANERS  
RON DEFALCO  
9725 NW 41ST STREET  
MIAMI FL  
33178

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: A1  
Fund: 20-2-035001  
Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

400894

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID # 0251031  
EXECUTIVE STYLE CLEANERS  
RON DEFALCO  
9725 NW 41ST STREET  
MIAMI FL 33178

Bureau of Air Monitoring  
& Mobile Sources

DEC 29 2000

RECEIVED

DEC 26 00

RECEIVED  
MAIL ROOM

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: A1  
Fund: 20-2-035001  
Obj.: 002273

12-26-00  
pd