

Department of Environmental Protection

Lawton Chiles Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

Virginia B. Wetherell Secretary

December 9, 1996

Mr. Yeong Ja Lim Faith Cleaners 229 3rd Street Neptune Beach, Florida 32266

Re: Facility I.D. No. 0310412

Dear Mr. Lim:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on September 19, 1996.

Please note that in November of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

Dotty Diltz, Chief

Bureau of Air Monitoring and Mobile Sources

DD/jw

cc: Ms. Lori Tilley, Duval County

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

1.	Facility Owner/Company Name (Name of corporation, agency, or individual owner):
	YEONG JA LIM / Faith Cleaners Site Name (For example, plant name or number):
2.	
	FAITH Cleners
3.	Hazardous Waste Generator Identification Number:
	GAD 98126909
4.	Facility Location: Street Address: 229 3th Street
	City: Neptune Beach County: Florida Zip.Code: 32266
20 20 00 00	
5.	Facility Identification Number (DEP Use):
	0310412
	Demonsthis Official
	Responsible Official
6.	Name and Title of Responsible Official:
	Responsible Official Mailing Address: Organization/Firm: Street Address: City: Responsible Official Telephone Number: Telephone: (0.250) The Address of Telephone Number: Telephone: Telephone: Telephone: (0.250) The Address of Telephone Number: Telephone: Telephon
7.	Responsible Official Mailing Address:
	Street Address:
	City: Zip Code: Zip Code:
0	Negrane Beach Fronds 3200
8.	Telephone: (904 241-1777 Fax: ()
	707 241-17/17
	Facility Contact (If different from Responsible Official)
	Facility Contact (11 different from Responsible Official)
9.	Name and Title of Facility Contact (For example, plant manager):
10.	Facility Contact Address:
	Circus Address
	Street Address: City: County: Zip Code:
	English Sounds.
11.	Facility Contact Telephone Number:
	Telephone: () - Fax: () -
_	

RECEIVED

SEP 1 9 1996

DEP Form No. 62-213.900(2) Effective: 6-25-96 Page 13 of 16

Bureau of Air Monitoring & Mobile Sources

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

	Γ	Date	Date		Date	Date		Date	Date
		Machine	Control		Machine	Control		Machine	Control
		Initially	Device		Initially	Device		Initially	Device
Type of Machine	ID	Purchased	Installed	ID	Purchased	Installed	ID	Purchased	Installed
Example	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-9
- Line in the second se	2	03 001 73	12 1.07)3	"2	00 220 77		.,,	02 111111 72	02 111111
Dry-to-Dry Unit	A	7 1	JAN -	_;}	- 9n		50	<u></u>	-90
(1) w/ ref. condenser	· -40	 	100		1	<u> </u>	10		
(2) w/ carbon adsorber									
(3) w/ no controls									
Washer Unit									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit				N. Jr			Ŧ .	ta a sa car	Tengan and
(7) w/ ref. condenser			1						
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit	1100			200				i i jer a a a a	
(10) w/ ref. condenser									T
(11) w/carbon adsorber									· · · · · ·
(12) w/ no controls									
(b) Control devices are (c) No control devices 2.(a) What was the total of the control devices (b) If less than 12 mont Check why it is less	are re quant galle	equired to be ity of perchloons ow many? [_	installed [_ proethylene (] months	perc)	_] purchased in				
3. What is the facility's so (Indicate with an "X". Existing small ar	Selec	t one classifi	cation only.))	nitions found	·	3) of	Part II?	
		• • •							
Existing large are	ea soi	urce []	Ne	w lai	rge area sour	ce []			

DEP Form No. 62-213.900(2)

Effective: 6-25-96

 What control technology is required on machines (Indicate with an "X".) 	pursuant to section (5) of Part II of this notification form?
Existing large area source Carbon adsorber []	Refrigerated condenser []
New small area source Refrigerated condenser []	
New large area source Refrigerated condenser []	
	units shall not be eligible to use the general permit pursuant d hot water generating units on-site meet the following:
	have a total heat input of 10 million BTU/hr or less (298 atural gas except for periods of natural gas curtailment e than one percent sulfur is fired.
All steam and hot water generating units exempt No such units on-site	<u>X</u>]
Equipment Monitoring a	and Recordkeeping Information
Check all logs which are required to be kept on-site	in accordance with the requirements of this general permit:
(a) Purchase receipts and solvent purchases	(X)
(b) Leak detection inspection and repair	
(c) Refrigerated condenser temperature monitoring	
(d) Carbon adsorber exhaust perc concentration mon	nitoring []
(e) Instrument calibration	
(f) Start-up, shutdown, malfunction plan	٦

DEP Form No. 62-213.900(2) Effective: 6-25-96

Surrender of Existing Air Permit(s)

	out of Existing volume(5)					
Please indicat	e with an "X" the appropriate selection:					
I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)						
Ľ	No air permits currently exist for the operation of the facility indicated in this notification form.					
	Responsible Official Certification					
this notifi statement maintain	lersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in cation. I hereby certify, based on information and belief formed after reasonable inquiry, that the is made in this notification are true, accurate and complete. Further, I agree to operate and the air pollutant emissions units and air pollution control equipment described above so as to eith all terms and conditions of this general permit as set forth in Part II of this notification form.					
I will pro	I will promptly notify the Department of any changes to the information contained in this notification.					
<i>U</i> -	eg) 1: 9/1/96					

Date

DEP Form No. 62-213.900(2)

Effective: 6-25-96

Signature

Bowman, Sandy

Bill Coffman [COFFMAN@coj.net] From: Sent: Tuesday, July 06, 2004 2:52 PM

Bowman, Sandy To: Subject: Dry Cleaners

Sandy the following Facilities should be marked inactive as they are either now drop sites, closed or no longer using perc.

The following are now drop sites.

0310400

0310362

0310364

0310367

0310484

0310474

0310461

0310416

0310370

0310410

0310495

0310365

0310446

0310435

0310411

The following sites are closed.

0310498

0310481

0310502

0310391

0310490

0310412

0310476

The following sites are no longer using perchloroethylene.

0310417

0310371

I am still working on the list so please bear with me.We are trying to be certain that these facilities are actually out of business and have not just moved. If I can be of any assistance Please call.

Thanks Bill COffman

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION:	ANNUAL RE-INSPECTION	COMPLAINT/DISC	OVERY
AIRS ID#:	229 3		
PART I: NOTIFICATION			
(check appropriate box)			
1. Existing facility notified DARI	M by 9/1/96		×
2. New facility notified DARM 30	days prior to start	ир	´a
3. Facility failed to notify DARM	to use general perr	nit	a
PART II: CLASSIFICATION			
Facility indicated on notification (check appropriate box)	form that it is:		·
A. 1. Existing small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed before 12/9/91)		2. New small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed on or after 12/9/91)	
3. Existing large area source dry-to-dry only, 140 <x<2, 100<br="">transfer only, 200<x<1,800 ga<br="">both types, 140<x<1,800 gal="" y<br="">(constructed before 12/9/91)</x<1,800></x<1,800></x<2,>	gal/y r l/yr	4. New large area source dry-to-dry only, 140 <x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)<="" after="" both="" gal="" on="" only,="" or="" td="" transfer="" types,="" yr=""><td></td></x<2,>	
This is a correct facility classifica	ation	XY ON	
If no, please check the appropriat	te classification:	,	
· · · · · · · · · · · · · · · · · · ·	I for a general permabove limits and is	nit as number above not eligible for a general permit	
B. The total quantity of perchloro facility wasgallons.	oethylene (perc) pui	rchased within the preceding 12 month	s by this dry cleaning

PART III: GENERAL CONTROL REQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) 1. Storing perchloroethylene in tightly sealed and impervious containers? 2. Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber DY DN MYNA beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) 1. Equipped all machines with the appropriate vent controls? 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the XY ON ON/A condenser upon opening the door? 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis? 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F? 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? B. Has the responsible official of an existing large or new large area source also: 1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? DY DN

2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	OY ON
	Is the temperature differential equal to or greater than 20° F?	OY ON
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,	
	if machines are equipped with a carbon adsorber?	OY ON ON/A
	Is the perc concentration equal to or less than 100 ppm?	OY ON
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction,	
	or expansion; and downstream from no other inlet?	מם צם
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual	
	condenser coils?	OY ON ON/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	OY ON ON/A

PART V: RECORDKEEPING REQUIREMENTS				
Has the responsible official: (check appropriate boxes)				
1. Maintained receipts for perc purchased?)X(Y □N			
2. Maintained rolling monthly averages of perc consumption?	XY DN			
3. Maintained leak detection inspection and repair reports for the following:				
a. documentation of leaks repaired w/in 24 hrs? or;	X(Y □N			
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	OY ON			
4. Maintained calibration data? (for direct reading instruments only)	OY ON KIN/A			
5. Maintained exhaust duct monitoring data on perc concentrations?	DY ON NA			
6. Maintained startup/shutdown/malfunction plan?	XÍY □N			
7. Maintained deviation reports?	_ A May			
Problem corrected?) ∆ (Y □ N			
8. Maintained compliance plan, if applicable?	OY ON MINA			

PART VI: LEAK DETECTION AND REPAIRS					
1. Does the responsible official conduct a weekly leak detection and repair inspection?	XY ON				
2. Which method of detection is used by the responsible official?	/				
Visual examination (condensed solvent on exterior surfaces)	×				
Physical detection (airflow felt through gaskets)	×				
Odor (noticeable perc odor)	×				
Use of direct-reading instrumentation (FID/PID/calorimetric tubes)					

If using direct-reading instrume	entation,	is the equ	ipment:			
	a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?					
b. Calibrated against a standard gas prior to and after each use (PID/FID only)?					□N	
c. Inspected for leaks an	c. Inspected for leaks and obvious signs of wear on a weekly basis?					
d. Kept in a clean and so	ecure are	a when no	t in use?	ΩY	□и	
e. Verified for accuracy	by use of	f duplicate	samples (calorimetric only)?	ПY	□и	
3. Has the facility maintained a leak log?				ÝÝ	□и	
4. The following areas should be checked	for leaks	s by the ins	pector:	2		
Leak Detected?					Leak Detected?	
Hose connections, fittings, couplings, and valves	ΩY	×γ	Muck cookers	ПY	MN	
Door gaskets and seating	ΠY	⊠ N	Stills	ΩY	MA	
Filter gaskets and seating	ΠY	X	Exhaust dampers	QY	MN	
Pumps	ΠY	MXN	Diverter valves	ΩY	MA	
Solvent tanks and containers	ΠY	\mathbf{M}_{N}	Cartridge filter housings	ПY	MN	
Water separators	ΠY	₩/	•			
Yeong Ja Lim						

Name of Responsible Official

Seff Winter

Inspector's Name (Please Print)

ADDITIONAL SITE INFORMATION:		
	,	,
· · · · · · · · · · · · · · · · · · ·		
	•	
	·	

BEST AVAILABLE COPY

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION:	ANNUAL	×	COMPLAINT/DI	ISCOVER	Y \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$ii_{i}i_{j}$
	RE-INSPECTION					· January
AIRS ID#: 03/04/2 D			N: 1000 T	IME OUT	г: /020	2
FACILITY NAME: <i>FO</i>		. 1				
FACILITY LOCATION:			get			_
	Neftune					
RESPONSIBLE OFFICIAL : _	Yeong Ja	Lim	PHONE: 904	- 241.	-1777	_
CONTACT NAME:	Synl		PHONE:	Sar	re	
DADEL NOTIFICATION						
PART I: NOTIFICATION			1			
(check appropriate box)	2 4				\forall	
1. New facility notified DARM 30	•				×	
2. Facility failed to notify DARM	to use general permit					
PART II: CLASSIFICATION						
Facility indicated on notification (check appropriate box)	form that it is:		☐ No notification☐ Drop store/out		ss/petroleum	
A. Tristing small area source	X 2	New small a			В	
1. Existing small area source dry-to-dry only, x < 140 gal/yr	<i>/</i> \		x < 140 gal/yr	۹	MAR 1 5 Bureau of Air N	F*
transfer only, x < 200 gal/yr		insfer only, x	.	Ĭ	MAR	
both types, $x < 140$ gal/yr (constructed before $12/9/91$)		oth types, $x < 1$ onstructed on α	40 gal/yr or after 12/9/91)	Sie Sie	Air	
(••••••••	(-		2	- 00	5 S	3
3. Existing large area source		New large ar		ources	2000 Wonitoring	1
dry-to-dry only, $140 \le x \le 2,10$ transfer only, $200 \le x \le 1,800$ g			$140 \le x \le 2,100 \text{ gal}/\text{yr}$ $0 \le x \le 1,800 \text{ gal/yr}$	v yı	ring	
both types, $140 \le x \le 1,800$ gal			$\leq x \leq 1,800 \text{ gal/yr}$		99	
(constructed before 12/9/91)			or after 12/9/91)			
(constructed before 12/9/91) 5. This is a correct facility class	.(co	onstructed on o	or after 12/9/91) Can not determi	ne		
,	.(co	onstructed on o		ne		
5. This is a correct facility class If no, please check the appropriate facility of the facil	ification (consideration) propriate classification qualified for a genera	onstructed on one Y □N n: I permit as nur	□Can not determi	ove	·	
5. This is a correct facility class If no, please check the appropriate facility of the facil	sification (constitution) propriate classification qualified for a general exceeds above limits	onstructed on one of the one of t	Can not determine the control of the	ove rmit		

PART III: GENERAL CONTROL REQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) AY ON ON/A 1. Storing perchloroethylene in tightly sealed and impervious containers? □N □N/A 2. Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) QY QN 1. Equipped all machines with the appropriate vent controls? QY QN QN/A 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? QY QN QN/A 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? \Box Y \Box N 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? QY QN QN/A 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? \Box Y \Box N

B.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΠY	□N	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΠY	□N	□N/A
l	Is the temperature differential equal to or greater than 20° F?	□Y	ΠN	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,			
	if machines are equipped with a carbon adsorber?	ПY	□N	□N/A
	Is the perc concentration equal to or less than 100 ppm?	ΠY	□N	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion: is at least 2 duct diameters upstream from any bend, contraction,			
	or expansion: and downstream from no other inlet?	ΠY	□N	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΠY	□N	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΠY	□N	□N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official: (check appropriate boxes)	
1. Maintained receipts for perc purchased?	y un
2. Maintained rolling monthly total of perc consumption?	Y DN
3. Maintained leak detection inspection and repair reports for the following:	'
a. documentation of leaks repaired w/in 24 hrs? or;	YAY ON ON/A
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	OY ON KIN/A
4. Maintained calibration data? (for applicable direct reading instruments)	DY DN X N/A
5. Maintained exhaust duct monitoring data on perc concentrations?	□Y □N XN/A
6. Maintained startup/shutdown/malfunction plan?	X(Y □N '
7. Maintained deviation reports?	OY ON MIN/A
Problem corrected?	DY DN XN/A
8. Maintained compliance plan, if applicable?	□Y □N XN/A

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? 2. Has the facility maintained a leak log? 3. Does the responsible official check the following areas for leaks? Hose connections, fittings, couplings, and valves Sty In In/A Muck cookers Door gaskets and seating Sty In In/A Stills Filter gaskets and seating Sty In In/A Exhaust dumpers Pumps Solvent tanks and containers Sty In In/A Cartridge filter housings Sty In In/A Water separators Wy In In/A Cartridge filter housings Wy In In/A Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? d. Kept in a clean and secure area when not in use? e. Verified for accuracy by use of duplicate samples (calorimetric only)? Date of Inspection Approximate Date of Next Inspection	PART V	VI: LEAK DETECTION AND I	REPAIRS		_		
2. Has the facility maintained a leak log? 3. Does the responsible official check the following areas for leaks? Hose connections, fittings, couplings, and valves Door gaskets and seating YOUN ON/A Filter gaskets and seating YOUN ON/A Filter gaskets and seating YOUN ON/A Filter gaskets and seating YOUN ON/A Solvent tanks and containers YOUN ON/A Water separators YOUN ON/A Water separators YOUN ON/A Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? d. Kept in a clean and secure area when not in use? e. Verified for accuracy by use of duplicate samples (calorimetric only)? Date of Inspection WAY ON ON/A Authorized Salvard Aut	1. Does	the responsible official conduct a	weekly (for small sources,	bi-weekly) leak detection a	nd repair		
3. Does the responsible official check the following areas for leaks? Hose connections, fittings, couplings, and valves Door gaskets and seating YOUN ON/A Filter gaskets and containers YOUN ON/A Solvent tanks and containers YOUN ON/A Water separators YOUN ON/A Water separators YOUN ON/A Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? d. Kept in a clean and secure area when not in use? Q. Verified for accuracy by use of duplicate samples (calorimetric only)? The support of Inspection Water Separators And Only Only Only Only Only Only Only Only	inspe	ection?			¥Y □N		
Hose connections, fittings, couplings, and valves AY ON ON/A Muck cookers AY ON ON/A Stills Door gaskets and seating AY ON ON/A Exhaust dampers ON ON/A Exhaust dampers ON ON/A Diverter valves ON ON/A Cartridge filter housings ON ON/A Cartridge filter housings ON ON/A Water separators WON ON/A Cartridge filter housings ON ON/A Water separators ON ON/A Cartridge filter housings ON ON/A Water separators ON ON/A Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? D. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? ON ON/A Date of Inspection ANA ANA ANA ANA ANA Diverter valves ON/A Cartridge filter housings AY ON ON/A Cartridge filter housings AY ON ON/A Filter gaskets and Selve in ON/A Cartridge filter housings AY ON ON/A ANA A. Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) ON/A A. Which method of detection is used by the responsible official? ON/A A. Which method of detection is used by the responsible official? ON/A A. Which method of detection is used by the responsible official? ON/A A. Which method of detection is used by the responsible official? ON/A A. Which method of detection is used by the responsible official? ON/A A. Which method of detection is used by the responsible official? ON/A A. Which method of detection is used by the responsible official? ON/A A. Which method of detection is used by the responsible official? ON/A A. Which method of detection is used by the responsible official? ON/A A. Which	2. Has t	the facility maintained a leak log?			XXY □N		
couplings, and valves Y	3. Does	the responsible official check the	following areas for leaks?		,		
Filter gaskets and seating Pumps AY ON ON/A Diverter valves YON N/A Solvent tanks and containers YON ON/A Cartridge filter housings YON ON/A Water separators YON ON/A Cartridge filter housings YON ON/A Water separators YON ON/A Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? ON/A b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? ON/A d. Kept in a clean and secure area when not in use? ON/A e. Verified for accuracy by use of duplicate samples (calorimetric only)? ON/A Date of Inspection AMALLIA AMALLIA AMALLIA AMALLIA AMALLIA AMALLIA Diverter valves ON/A Cartridge filter housings ON/A Dale of On/A Date of Inspection		_	Y ON ON/A	Muck cookers	√ 1Y □N □N/A		
Pumps Ay N N/A Diverter valves Y N M/A Solvent tanks and containers Ay N N/A Cartridge filter housings Ay N N/A Water separators My N N/A 4. Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: AN/A a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N d. Kept in a clean and secure area when not in use? Y N e. Verified for accuracy by use of duplicate samples (calorimetric only)? N Date of Inspection Ay Ay Ay Ay Ay Ay Ay Ay Ay		Door gaskets and seating	Y UN UN/A	Stills	YAY ON ON/A		
Solvent tanks and containers Y		Filter gaskets and seating	MY ON ON/A	Exhaust dampers	OY ON MAN/A		
Water separators 4. Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?		Pumps	Y ON ON/A	Diverter valves	OY ON MYN/A		
4. Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?		Solvent tanks and containers	XY ON ON/A	Cartridge filter housings	Y ON ON/A		
Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?		Water separators	YY ON ON/A				
Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?	4. Whic	h method of detection is used by t	he responsible official?				
Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?		Visual examination (condensed s	olvent on exterior surfaces)	1	*		
Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?		Physical detection (airflow felt th	rough gaskets)		A .		
Halogen leak detector If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?	Odor (noticeable perc odor)				*		
If using direct-reading instrumentation, is the equipment: a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?	Use of direct-reading instrumentation (FID/PID/calorimetric tubes)				, 		
a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?	Halogen leak detector						
b. Calibrated against a standard gas prior to and after each use (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? d. Kept in a clean and secure area when not in use? e. Verified for accuracy by use of duplicate samples (calorimetric only)? Date of Inspection Mann Unite Mann Unite Date of Inspection	If using direct-reading instrumentation, is the equipment:				MN/A		
(PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? d. Kept in a clean and secure area when not in use? e. Verified for accuracy by use of duplicate samples (calorimetric only)? The sector's Name (Please Print) Date of Inspection The sector's Name (Please Print) Adam Unite The sector's Name (Please Print)	a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?				OY ON		
d. Kept in a clean and secure area when not in use? e. Verified for accuracy by use of duplicate samples (calorimetric only)? Teff Winder Inspector's Name (Please Print) Adam White Teb., 2001			tandard gas prior to and aft	er each use	□Y □N		
e. Verified for accuracy by use of duplicate samples (calorimetric only)? Jeff Windth		c. Inspected for leaks an	d obvious signs of wear on	a weekly basis?	□Y □N		
Teff Winker Inspector's Name (Please Print) Man With Peb., 2001		d. Kept in a clean and so	cure area when not in use?	•	□Y □N		
Jelyn Vite Feb., 2001		e. Verified for accuracy	by use of duplicate sample	es (calorimetric only)?	□Y □N		
Jelyn Vite Feb., 2001				,			
Jelyn Vite Feb., 2001							
Jelyn Vite Feb., 2001							
Jelyn Vite Feb., 2001	Jeff Winks 2/8/2000						
		Inspector's Name (Please Print) Date of Inspection					
		alleren 1/1 Fa		Deb a	2001		
		Inspector's Signature					

ADDITIONAL SIT	E INFORMATION:	
		•
'		
	•	

AIRS 1D#: 03/04/2

ALC

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Fait	L Cleaners		DATE: 2/8/2000
			. /
FACILITY LOCATION: 229 Neft	ine Beach, F1	372-lda	
	The beauty 1 E	- 70000	
Annual Reporting Period: Ma	rch 16, 1999	то Feb.	8, 2 00
Based on each term or condition of the Titl 62-213.300, Florida Administrative Code (`	
If NO, complete the following:		·	
#1. Term or condition of the general perm	it that has not been in continuous	compliance during the report	ing period stated above:
Exact period of non-compliance: from		to	
Action(s) taken to achieve compliance:			
Method used to demonstrate compliance:			
#2. Term or condition of the general permi	it that has not been in continuous	compliance during the report	ing period stated above:
Exact period of non-compliance: from		to	
Action(s) taken to achieve compliance:			
Method used to demonstrate compliance: _			
As the responsible official, I hereby certify, made in this notification are true, accurate upon rolling averages of purchase receipts, year for transfer or combination facilities. RESPONSIBLE OFFICIAL:	and complete. Further, my annu	ial consumption of perchloroe	thylene solvent, based

	j	j
Page	of	<u>L</u> .

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION:	ANNUAL 📈	COMPLAINT/D	ISCOVERY	RE-INSPECTION
TIME IN: /00C	TIME OUT:	1020	AIRS ID#:	03/04/2
TYPE OF FACILITY:	ere. Dry Cka.	ner		
FACILITY NAME:	Faith Clean	ers		DATE: 2/8/2000
FACILITY LOCATION:	229 314 5	treet		/ .91
	Neftire Be	ach, FL	- 32266	
RESPONSIBLE OFFICIAL:	Yeong Ja a	in	_PHONE NUMBER	904-241-1777
	he compliance requirements ule 62-213.300, Florida Ad			acility is found to be in
Based on the results of the discrepancies were noted	he compliance requirements	s evaluated during	this inspection, the fo	ollowing compliance
COMPLIANCE REQU	IREMENT/PROBLE	M FO	LLOW-UP ACT	TON REQUIRED
			•	
COMMENTS:				
The Annual Compliance Certification	ation form has been properl		· -	or. YES NO
DATE OF NEXT INSPECTION	N:	eb.,200	<u>/</u>	
	((Approximate)	_	
INSPECTION CONDUCTED I	вч: <i>Эе</i>	4 Winter		
INSPECTOR'S SIGNATURE:	allow !	(Please Print)	_PHONE NUMBER	: 904-630- 3 484
	Pa	1 1	·	Revised 10/96

AIRS ID#: 03/04/2	Refrised 10/10/96
DRY CLEANER AIR QUALITY GET ANNUAL COMPLIANCE CERTIFIC	NERAL PERMIT 2/99 CO
FACILITY NAME: Faith Cleaners (Yeong	JA Lim) DATE: 4/24/98
FACILITY LOCATION: 229 3rd. Street	:
Neptune Beach, FL 32	2266
Annual Reporting Period: April 10 1997 TO	April 24, \$ 1998
Based on each term or condition of the Title V general air permit, my facility has 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by the code (F.A.C.)	
If NO, complete the following:	
#1. Term or condition of the general permit that has not been in continuous comp	pliance during the reporting period stated above:
Leak Check records not kept up.	
Exact period of non-compliance: from April 10, 1997	to April 24, 1998
Action(s) taken to achieve compliance: R.O. Will Sta	it teeping records
Method used to demonstrate compliance: <u>fave R.O.a.</u>	
#2. Term or condition of the general permit that has not been in continuous comp	pliance during the reporting period stated above:
Exact period of non-compliance: from	to
Action(s) taken to achieve compliance:	
Method used to demonstrate compliance:	
As the responsible official, I hereby certify, based on information and belief form made in this notification are true, accurate and complete. Further, my annual component rolling averages of purchase receipts, does not exceed 2,100 gallons per year for transfer or combination facilities. RESPONSIBLE OFFICIAL: Name (Please Print)	onsumption of perchloroethylene solvent, based
	,

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

PERCHLOROETHYLENE DRY CLEANERS, TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST ANNIIAL COMPLAINT/DISCOVERY OF THE COMPLIANCE OF T

TVDE	OF	INCOL	CTION:
LIEL	UF	HISTE	CHUN

AND
AIRS ID#: 03/04/2 DATE: 4/24/98 TIME IN: 1030 TIME OUT: 1/00
FACILITY NAME: Faith Cleaners
FACILITY LOCATION: 229 3rd Street
Jacksonville, FL 32266
RESPONSIBLE OFFICIAL: Yeong Ja Lim PHONE: 904-241-1777
CONTACT NAME:SomePHONE:Some

PART I: NOTIFICATION	
(check appropriate box)	4.1
1. New facility notified DARM 30 days prior to startup	×
2. Facility failed to notify DARM to use general permit	

Facility indicated on notification form that it is: check appropriate box) 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr	 No notification form Drop store/out of business/petroleum New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) New large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr
1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr	 New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) New large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr
 Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr 	dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 \le x \le 2,100 gal/yr
dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gai/yr both types, $x < 140$ gal/yr (constructed before $12/9/91$) 3. Existing large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr	dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 \le x \le 2,100 gal/yr
transfer only, $x < 200$ gai/yr both types, $x < 140$ gai/yr (constructed before $12/9/91$) 3. Existing large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr	transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 \le x \le 2,100 gal/yr
both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr	both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr
(constructed before $12/9/91$) 3. Existing large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr	 (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr
3. Existing large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr	4. New large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr
dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr	dry-to-dry only, $140 \le x \le 2,100$ gal/yr
dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr	dry-to-dry only, $140 \le x \le 2,100$ gal/yr
transfer only, $200 \le x \le 1,800$ gal/yr	
	HAIISIEI OHIV. 200 - X - 1.000 ganyi
both types, $140 \le x \le 1,800$ gal/yr	both types, $140 \le x \le 1,800 \text{ gal/yr}$
(constructed before 12/9/91)	(constructed on or after 12/9/91)
(while the person of the perso	(voind doors on or exter 12:7:7-)
5. This is a correct facility classification	Y UN Can not determine
•	Λ-
If no, please check the appropriate classific	cation:
	eneral permit as number above
	mits and is not eligible for a general permit

PART III: GENERAL CONTROL REQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) □N □N/A 1. Storing perchloroethylene in tightly sealed and impervious containers? 2. Examining the containers for leakage? □N □N/A 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at ON ON/A least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) 1. Equipped all machines with the appropriate vent controls? XY ON ON/A 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the KAY DN DN/A condenser upon opening the door? 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the XY ON ON/A condenser exceeded 45° F? 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?

B.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΩY	□N	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΩY	חח	□N/A
	Is the temperature differential equal to or greater than 20° F?	ПY	ΠИ	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	ПY	ПN	□N/A
٠.	Is the perc concentration equal to or less than 100 ppm?	ПY	□N	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ПY	□N	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΩY	□N	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ПY	ПN	□N/A

PART V: RECORDKEEPING REQUIREMENTS	
Has the responsible official: (check appropriate boxes)	
Maintained receipts for perc purchased?	X(Y □N
2. Maintained rolling monthly total of perc consumption?	X(Y □N
3. Maintained leak detection inspection and repair reports for the following:	
 a. documentation of leaks repaired w/in 24 hrs? or; 	XY ON ON/A
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	□Y □N □N/A
4. Maintained calibration data? (for applicable direct reading instruments)	oy on X (n/a
5. Maintained exhaust duct monitoring data on perc concentrations?	DY DN ZYN/A
6. Maintained startup/shutdown/malfunction plan?	XX(Y □N
7. Maintained deviation reports?	A/MEX NO YO
Problem corrected?	AVA X NO YO
8. Maintained compliance plan, if applicable?	DY DN X

PART VI: LEAK DETECTION AND REPAIRS 1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? ΩN 2. Has the facility maintained a leak log? 3. Does the responsible official check the following areas for leaks? Hose connections, fittings, Y ON ON/A Y ON ON/A couplings, and valves Muck cookers XY ON ON/A MY ON ON/A Stills Door gaskets and seating Y ON ON/A XY ON ON/A Filter gaskets and seating **Exhaust dampers** MY ON ON/A MY ON ON/A Diverter valves **Pumps** XY ON ON/A Cartridge filter housings Y N N/A Solvent tanks and containers XY ON ON/A Water separators 4. Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: M/A a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? OY ON b. Calibrated against a standard gas prior to and after each use (PID/FID only)? OY ON c. Inspected for leaks and obvious signs of wear on a weekly basis? QY QN d. Kept in a clean and secure area when not in use? $\Box Y \Box N$ e. Verified for accuracy by use of duplicate samples (calorimetric only)? OY ON

ADDITIONAL SITE INFORM	ATION:	 	
		The state of the s	
	·		
·			
,			
	,		
	•		

TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION:	ANNUAL	COMPLAI	NT/DISCOVER	Y	RE-INSPE	CTION
TIME IN: 1030	TIME OUT:	1100	AIRS	S ID#:	03/04/2	2
TYPE OF FACILITY:	y Cleaner				 //	1/22
FACILITY NAME: 70	1:12 Cleane				_DATE: 4/2	24/98
FACILITY LOCATION:	229 31ª J	Treet		700		
	CKSONVIlle	(Beach)		16	66 Call 21	// 1000
RESPONSIBLE OFFICIAL:	Yeong Da L	im	PHONE	NUMBER:	904-29	4-1777
	e compliance requirements le 62-213.300, Florida Adı			tion, the fac	cility is found to	be in
Based on the results of the discrepancies were noted:	e compliance requirements	s evaluated d	uring this inspec	tion, the fol	llowing complian	nce
COMPLIANCE REQUI	REMENT/PROBLE	M	FOLLOW-	UP ACTI	ON REQUIR	ED
Leak Check reco	rds not kep	PT 6	fave R.	0. a	Calende	C. Need
υρ. 	· 		to start	t keep	Ping leak	r- Need
					Pr-	
j.				Bures	JUN E 1	VEN
				¢ N	JUN 2 1998 Obile Sources ring	
				•	· Cer We	<u> </u>
			٠.			
	-					
COMMENTS:						
				ø		
The Annual Compliance Certificat	tion form has been properly	v certified ar	nd submitted to the	he inspector	r. YES	МоМ
DATE OF NEXT INSPECTION		Apri	1. 1999			4-4
DATE OF NEXT INSPECTION	•	(Approxi	mate)			
INSPECTION CONDUCTED B	v:Je	AT h	Jinter			
INSPECTOR'S SIGNATURE:_	Jethin h	Please P		NUMBER:	904-630	-2800
	188/	1 1		•	•	

PERCHLOROETHYLENE DRY CLEANERS
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION:	ANNUAL RE-INSPECTION	ON □	COMPLAINT/PASCOV	ZERY, O
AIRS ID#: <u>03/04/2</u> FACILITY NAME:		199 TIME Pleaners	IN://10 TIME	out: <u>//3</u> 0
FACILITY LOCATION: RESPONSIBLE OFFICIAL CONTACT NAME:	229 Neptu	3°d St ne Beach	treet 2, Florida 3 _ PHONE: 904-24 _ PHONE:SOM	
PART I: NOTIFICATION	-			
(check appropriate box)				
1. New facility notified DARN	A 30 days prior to sta	rtup		×
2. Facility failed to notify DA	RM to use general pe	rmit		
PART II: CLASSIFICATIO	<u> </u>			
			■ No notification form	
Facility indicated on notificate (check appropriate box)	tion form that it is:		☐ Drop store/out of busi	ness/petroleum
1	i rce Х Гут т	2. New small a dry-to-dry only, transfer only, x both types, x < (constructed on	☐ Drop store/out of busing trea source x < 140 gal/yt < 200 gal/yt	ness/petroleum
(check appropriate box) A. 1. Existing small area sou dry-to-dry only. x < 140 gai transfer only, x < 200 gai/yr both types, x < 140 gai/yr	rce iyy rce 2,100 gal/yr gal/yr gal/yr	dry-to-dry only, transfer only, x both types, x < (constructed on 4. New large a dry-to-dry only, transfer only, 20 both types, 140	☐ Drop store/out of businers source x < 140 gal/yr < 200 gal/yr 140 gal/yr or after 12/9/91)	ness/petroleum
(check appropriate box) A. 1. Existing small area sou dry-to-dry only, x < 140 gailyr both types, x < 140 gailyr (constructed before 12/9/91) 3. Existing large area sour dry-to-dry only, 140 ≤ x ≤ 2 transfer only, 200 ≤ x ≤ 1,80 both types, 140 ≤ x ≤ 1,800	rce A yyt r n n n n n n n n n n n n	dry-to-dry only, transfer only, x both types, x < (constructed on 4. New large a dry-to-dry only, transfer only, 20 both types, 140	☐ Drop store/out of business source $x < 140 \text{ gal/yr}$ < 200 gal/yr 140 gai/yr or after 12/9/91) rea source ☐ $140 \le x \le 2,100 \text{ gal/yr}$ $00 \le x \le 1,800 \text{ gal/yr}$ < $x \le 1,800 \text{ gal/yr}$	ness/petroleum
1. Existing small area sou dry-to-dry only. x < 140 gallyr both types. x < 140 gallyr (constructed before 12/9/91) 3. Existing large area souddry-to-dry only, 140 ≤ x ≤ 2 transfer only, 200 ≤ x ≤ 1,800 (constructed before 12/9/91) 5. This is a correct facility of facility of the constructed before 12/9/91)	rce 2,100 gal/yr 00 gal/yr gal/yr classification appropriate classification	dry-to-dry only, transfer only, x both types, x < (constructed on 4. New large a dry-to-dry only, transfer only, 20 both types, 140 (constructed on YY IN ation: heral permit as numeral permit as numerical permit as numerica	☐ Drop store/out of busing trea source $x < 140 \text{ gal/yr}$ $< 200 \text{ gal/yr}$ 140 gal/yr or after $12/9/91$) rea source ☐ $140 \le x \le 2,100 \text{ gal/yr}$ $00 \le x \le 1,800 \text{ gal/yr}$ $00 \le x \le 1,800 \text{ gal/yr}$ or after $12/9/91$)	ness/petroleum

PART III: GENERAL CONTROL REQUIREMENTS	
Is the responsible official of the dry cleaning facility: (check appropriate boxes)	
1. Storing perchloroethylene in tightly sealed and impervious containers?	Y ON ON/A
2. Examining the containers for leakage?	AV ON ON/A
3. Closing and securing machine doors except during loading/unloading?	A □N
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	XY ON ON/A
Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	OY ON MON/A
PART IV: PROCESS VENT CONTROLS	
In Part II-A:	
If classification 1 has been checked, no controls are required. Proceed to Part	: V.
If classification 2 has been checked, the machine should be equipped with a re- (complete A below).	frigerated condenser
If classification 3 has been checked, the machine should be equipped with either condenser or a carbon adsorber (complete A and B below). Carbon adsorber minstalled prior to September 22, 1993	
If classification 4 has been checked, the machine should be equipped with a ref (complete A and B below).	frigerated condenser
A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)	
1. Equipped all machines with the appropriate vent controls?	NC YE
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	□Y □N □N/A
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	OY ON ON/A
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?	□Y □N
 Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? 	OY ON ON/A
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	□Y □N

BEST AVAILABLE COPY

B.	. Has the responsible official of an existing large or new large area source also:		-	
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ПY	ПΝ	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ПY	ΠN	□N/A
	Is the temperature differential equal to or greater than 20° F?	ПY	ΠN	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber.			
	if machines are equipped with a carbon adsorber?	ЦY	ΠИ	□N/A
	Is the perc concentration equal to or less than 100 ppm?	ПY	ΠИ	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction,			
	or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΩY	□N	□N/A !
	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΠY	□и	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	□Y	ПП	□N/A

PART V: RECORDKEEPING REQUIREMENTS Has the responsible official: (check appropriate boxes) 1. Maintained receipts for perc purchased? 2. Maintained rolling monthly total of perc consumption? 3. Maintained leak detection inspection and repair reports for the following: YY ON ONA a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days □Y □N □N/A and parts installed w/in 5 days of receipt? DY DN XN/A 4. Maintained calibration data? (for applicable direct reading instruments) □Y □N XN/A 5. Maintained exhaust duct monitoring data on perc concentrations? YZY □N 6. Maintained startup/shutdown/maifunction plan? A/K/X ND YD 7. Maintained deviation reports? DY DN XXVA Problem corrected? 8. Maintained compliance plan, if applicable? AND NO YE

Penriced 0/15/07

PART VI: LEAK DETECTION AND	REPAIRS		
1. Does the responsible official conduct	a weekly (for small source	es. bi-weekly) leak detection	and repair
inspection?			XY □N
2. Has the facility maintained a leak log	;?		XIY □N
3. Does the responsible official check th	e following areas for leak	s?	•
Hose connections, fittings, couplings, and valves	Y ON ON/A	Muck cookers	YY ON ON/A
Door gaskets and seating	AV ON ONA	Stills	A ON ONA
Filter gaskets and seating	AY ON ON/A	Exhaust dampers	DY DN ANA
Pumps	AYY ON ON/A	Diverter valves	AY ON ON/A
Solvent tanks and containers	AND NO TA	Cartridge filter housings	XY ON ON/A
Water separators	XY ON ON/A		
4. Which method of detection is used by	the responsible official?		
Visual examination (condensed	solvent on exterior surface	125	×
Physical detection (airflow felt the	hrough gaskets)		N N
Odor (noticeable perc odor)			Þ
Use of direct-reading instrument	ation (FID/PID/calorimeu	ric tubes)	
Halogen leak detector			
If using direct-reading insti	rumentation, is the equip	oment:	MN/A
a. Capable of detecting	perc vapor concentrations	s in a range of 0-500 ppm?	□У□И
b. Calibrated against a : (PID/FID only)?	standard gas prior to and a	after each use	□Y □N
c. Inspected for leaks ar	nd obvious signs of wear o	on a weekly basis?	□Y □N
d. Kept in a clean and s	secure area when not in us	e?	□Y □N
e. Verified for accuracy	by use of duplicate sample	es (calorimetric only)?	□Y □N
T_{α}		2/11	m
Deft Wind		5/16/	99
Inspector's Name (Please Prin	nt)	Date of Inspec	ction
Allen Mint		March	2000
historior a Signature		Approximate Date of N	Vext Inspection

ADDITIONAL SITE INFORMATION	ON:		
•			



AIRS ID#	!:	03,	10	412	
AIKS ID#	·:	<u> </u>	$^{\prime}$	<u> アーヘ</u>	

Revised 10/10/96

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

Page _____ of ____

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL COM	PLAINT/DISCOVERY RE-INSPECTION
TIME IN: ///O TIME OUT: //	130 AIRS ID#: 03/04/2
TYPE OF FACILITY: PERC DRY CLEA	NER
FACILITY NAME: FAITH CLEANE	RS DATE: 3/16/99
PACIEIT ESCATION.	reet
Neftune Beach,	FL 32266
RESPONSIBLE OFFICIAL: Yeong Ja Li	M PHONE NUMBER: 904-241-1777
Based on the results of the compliance requirements evalual compliance with DEP Rule 62-213.300, Florida Administra	
Based on the results of the compliance requirements evalua discrepancies were noted:	ated during this inspection, the following compliance
COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
	•
COMMENTS:	
COMMENTS.	
·	
The Annual Compliance Certification form has been properly certification	ied and submitted to the inspector. YES NO
DATE OF NEXT INSPECTION: MARC	CH, 2000
	próximate) Winter
INSPECTION CONDUCTED BY: Jeff (Ple	ease Print)
INSPECTOR'S SIGNATURE: Affing Wir	nte PHONE NUMBER: 904/630-3484
Page	of / . Revised 10/96

Bowman, Sandy

From: Butler, Rick

Sent: Tuesday, December 11, 2001 8:41

To: 'Sarah Coddington'
Cc: Bowman, Sandy

Subject: RE: Permit

Dear Mr. and Mrs. McKee,

Thank you for your request of information on the Title V Air General Permits from the Division of Air Resource Management. The eligibility for Faith Cleaners, Mr. Lim, to operate under the Title V air general permit expired on October 9, 2001. Eligibility to operate under the Title V air general permit may not be transferred from one owner to another. Each new owner must submit a Perchloroethylene Dry Cleaner Air General Permit Notification at least 30 days prior to their start of the business operation. The notification may be downloaded from the website linked below or sent by mail. The instructions for submittal of the notification are included in the form. The permit number specific to Faith Cleaners, Mr. Lim, is the AIRS ID # listed below. Once you submit the notification, an AIRS ID # will be assigned to your operation. Please feel free to contact me with any questions on the Title V air general permits.

Perchloroethylene Dry Cleaner Air General Permit Notification Website http://www.dep.state.fl.us/air/forms.htm#tv

Sincerely,

Rick Butler

Florida Department of Environmental Protection

Division of Air Resources Management

Phone: (850) 921-9586 Fax: (850) 922-6979

E-mail: rick.butler@dep.state.fl.us

-----Original Message-----

From: Sarah Coddington [mailto:scoddi70@bellsouth.net]

Sent: Monday, December 10, 2001 5:48 PM

To: Butler, Rick Subject: Permit

Dear Mr. Butler,

My husband and myself are in the process of acquiring an existing dry cleaning business in Neptune Beach, FL and Jacksonville, FL. The owners recently received a package from you regarding their Title V air permit. I am writing concerning the length of time remaining on their permit, and also fro instructions on taking over their permit. There doesn't however appear to be a permit number anywhere on this package the owner gave us. By giving you the address and current owners names, I hope to clear up some of these instructions we can proceed with the purchase of their business. The permit number might possibly be the number that is on the address label which I will give

Their name- Lim, Yeong Ja
DBA Faith Cleaners
229 3rd Street
Neptune Beach, FL 32266 AIRS ID # 0310412001AG (?) If this information is considered confidential, will you please instruct us on the proper way to handle the permitting, or the acquiring of their permitting. Your prompt reply will be greatly appreciated. Sincerely, Lee and Sarah McKee

RECEIPED OF THE STATE OF THE ST

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

AIRS ID 0310412

YEONG JA LIM YEONG JA LIM 229 3RD STREET NEPTUNE BEACH FL 32266

Do NOT Remove Label

DO INOT REMOVE LAUGI
Annual Reporting Period: 2/18 19 98 TO 19 19 19 19 19 19 19 19 19 19 19 19 19
Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.
If NO, complete the following:
#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:
Exact period of non-compliance: from
Action(s) taken to achieve compliance:
Method used to demonstrate compliance:
#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:
Exact period of non-compliance: from to
Method used to demonstrate compliance:
As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in the notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.
RESPONSIBLE OFFICIAL: YEarG 5A Lim Y J 2/18/98 Name (Please Print) Signature Date

11/06/97

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

z 333 660 426

US Postal Service

Receipt for Certified Mail

No Insurance Coverage Provided.

Do not use for International Mail (See reverse)

Sent to

AIRS ID # 0310412

FAITH CLEANERS YEONG JA LIM 229 3RD STREET NEPTUNE BEACH FL 32266

	Certified Fee				
3800 , April 1995	Special Delivery Fee				
	Restricted Delivery Fee				
	Return Receipt Showing to Whom & Date Delivered				
	Return Receipt Showing to Whom, Date, & Addressee's Address				
	TOTAL Postage & Fees	\$			
Š	Postmark or Date				

PS Form

Z,333,667 324 US Postal Service Receipt for Certified Mail No Insurance Coverage Provided.

Do not use for International Mail (See reverse)

AIRS ID # 0310412 FAITH CLEANERS YEONG JA LIM 229 3RD STREET . . NEPTUNE BEACH FL 32266 Certified Fee Special Delivery Fee Restricted Delivery Fee Return Receipt Showing to Whom & Date Delivered Return Receipt Showing to Whom, Date, & Addressee's Address PS Form **3800**, TOTAL Postage & Fees \$ Postmark or Date

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY					
 Complete items 1; 2; and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Received by (Please Print Clearly) B. Date of Delivery C. Signature Addressee D. Agent Addressee					
Article Addressed to:	□D. Is defivery address different from item 1? ☐ Yes If YES, enter delivery address below: ☐ No					
AIRS ID # 0310412 FAITH CLEANERS YEONG JA LIM 229 3RD STREET NEPTUNE BEACH FL 32266	3. Service Type Certified Mail					
}	□ Insured Mail □ C.O.D. 4. Restricted Delivery? (Extra Fee) □ Yes					
2. Article Number (Copy from service label)						
PS Form 3811, July 1999 Domestic Ret	urn Receipt 102595-99-M-1789					

82	U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)					
P = 9						
4126	Postage Certified Fee	\$	Postmark .			
9200	Return Receipt Fee (Endorsement Required) Restricted Delivery Fee (Endorsement Required)		Here			
7000 0600	YEONG JA LIM					
			se for Instructions			

CE STICKER AT TOP OF ENVELOPE. THE RIGHT OF RETURN ADDRESS.		ELIVERY
Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 1. Article Addressed to: AIRS ID # 0310412 FAITH CLEANERS YEONG JA LIM	A. Received by (Please Print Clearly C. Signature X D. Is delivery address different term If YES, enter delivery address be	Agent Addressee tem 1? Yes
229 3RD STREET NEPTUNE BEACH FL 32266	3. Service CEN BO Propress Considered Debruin R Considered Mail 4. Respect Considerery? (Extrance)	Mail eceipt for Merchandise
2. Article Number (Copy from service label) 7000 0600 0026 4 PS Form 3811, July 1999 Domestic Ret	urn Receipt	102595-99-M-1789 ,

U.S. Postál Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)					
0 0026 4130	Postage Certified Fee Return Receipt Fee (Endorsement Required) Restricted Delivery Fee (Endorsement Required)	\$	Postmark Here		
2000 0601	YEONG JA LIM YEONG JA LIM FAITH CLEANE 229 3RD STREE NEPTUNE BEA	ERS T	AG		

,

.

. .

PLACE STICKER AT TOP OF EUVELOPE TO THE RIGHT OF RETURN ADDRESS.	1PLETE THIS SECTION ON DELIVERY				
 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 1. Article Addressed to: 10 AIRS ID # 0310412001AG YEONG JA LIM FAITH CLEANERS 	A. Received by (Dieses Print Clearly) B. Afte of Delivery C. Signature Agent Addressee D. Ja delivery address different from item 1? Yes If YES, enter delivery address below:				
229 3RD STREET NEPTUNE BEACH FL 32266	3. Service Type Certified Mail Registered Restricted Delivery? (Extra Fee) Yes				
2. Article Number (Copy from service label) 7000 0600 0006 4/30 2089	C Cole				
PS Form 3811, July 1999 Domestic Ref	turn Receipt 102595-99-M-1789				

			Z 333	615	818			
		•	US Postal Service Receipt for Cer No Insurance Coverage Do not use for Internatio	Provid	led.	e)		
			YEONG JA LIM YEONG JA LIM 229 3RD STREET NEPTUNE BEACH FI	. 3226	AIRS ID 031	0412		
			Certified Fee			_	•	
			Special Delivery Fee					
		ស	Restricted Delivery Fee					
		ril 1995	Return Receipt Showing to Whom & Date Delivered Return Receipt Showing to Whom.			_		
		0, April	Date, & Addressee's Address		_	_		
		3800	TOTAL Postage & Fees Postmark or Date	\$		-		
		Form						
		S						
se side?	SENDER: Complete items 1 and/or 2 for additional services. Complete items 3, 4a, and 4b. Print your name and address on the reverse of this form so that we				can return this		sh to receive the services (for an	-
ever	card to you.Attach this form to the functionpermit.	he mailpiece, or on the back	if spac	e does not		Addressee's Address -	Zice	
the	 Write "Return Receipt Re The Return Receipt will delivered. 		Restricted Delivery	pt Se				
completed on the reverse side?	3. Article Addressed	AIRS ID 0310412		4a. Article N	umber	postmaster for fee.	using Return Receipt Service	
Comp	YEONG JA LIM YEONG JA LIM	YEONG JA LIM					4b. Service Type ☐ Registered	
RESS	229 3RD STREET NEPTUNE BEACH FL 32266				☐ Express Mail ☐ Insured ☐ Return Receipt for Merchandise ☐ COD		using	
ADD					7. Date of Delivery		Thank you for	
ĒŢŪ	5. Received By: (Prin	Received By: (Print Name)			8. Addresses and fee is	e's Addres paid)	s (Only if requested	hank
s your RETURN	6. Signature: (Addres	see o	r Agent)		} :	:	sia Datuma Danaint	-

6. Signature: (Addressee or Agent) PS Form 3811, December 1994

Domestic Return Receipt

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0360940

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 0310412

229 3RD STREET NEPTUNE BEACH FL 32266

FAITH CLEANERS

YEONG JA LIM

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1 Fund: 20-2-035001

Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

25823**9**

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

MAIL ROOM
JAN 16 97

Do NOT Remove Label

AIRS ID# 0310412

FAITH CLEANERS YEONG JA LIM 229 3RD STREET NEPTUNE BEACH FL 32266 FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1 Fund: 20-2-035001 Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

303383

Do NOT Remove Label

YEONG JA LIM YEONG JA LIM 229 3RD STREET NEPTUNE BEACH FL 32266

AIRS ID 0310412

FOR GOVERNMENT USE ONLY Org.: 37550101000 EO: B1 Fund: 20-2-035001 Оы.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 0310412

FAITH CLEANERS YEONG JA LIM 229 3RD STREET **NEPTUNE BEACH FL 32266** FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1 Fund: 20-2-035001

Obj.: 002273



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

412927 JAN112002

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 0310412

FAITH CLEANERS YEONG JA LIM 229 3RD STREET NEPTUNE BEACH FL 32266 FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: A1 Fund: 20-2-035001

Obj.: 002273

(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING
405100 FEB12 2001

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 0310412

FAITH CLEANERS YEONG JA LIM 229 3RD STREET NEPTUNE BEACH FL 32266 FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: A1

Fund: 20-2-035001 Obj.: 002273