



# Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

December 29, 1998

Mr. Alaa Albanna  
Handi Craft Cleaners  
9735-22 Old St. Augustine Road  
Jacksonville, Florida 32257

Re: Facility No.: 0310467

Dear Mr. Albanna:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on December 16, 1998.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

  
for Dotty Diltz, Chief  
Bureau of Air Monitoring  
and Mobile Sources

DD/jw

cc: Ms. Lori Tilley, Duval County

(904) 262-6005

# Perchloroethylene Dry Cleaning Facility Notification

## Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	Ala9 Cleaners inc. D.b.a Handi carft cleaners		
2. Site Name (For example, plant name or number):	Handi carft cleaners		
3. Hazardous Waste Generator Identification Number:			
4. Facility Location:			
Street Address:	9735-22 old St. Augustin Rd.		
City:	Jacksonville, Fla	County: Duval	Zip Code: 32257
5. Facility Identification Number (DEP Use):	0310467		

RECEIVED  
DEC 16 1998  
Bureau of Air Monitoring  
& Mobile Sources

## Responsible Official

6. Name and Title of Responsible Official:	Ala9 AlBanna Prisdand		
7. Responsible Official Mailing Address:			
Organization/Firm:	Same		
Street Address:			
City:	County:	Zip Code:	
8. Responsible Official Telephone Number:			
Telephone: ( ) -	Fax: ( ) -		

## Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):	Same		
10. Facility Contact Address:			
Street Address:			
City:	County:	Zip Code:	
11. Facility Contact Telephone Number:			
Telephone: ( ) -	Fax: ( ) -		

**Facility Information**

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>									
	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
<b>Dry-to-Dry Unit</b>									
(1) w/ ref. condenser		6-98	6-98		6-98	6-98			
(2) w/ carbon adsorber									
(3) w/ no controls									
<b>Washer Unit</b>									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
<b>Dryer Unit</b>									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
<b>Reclaimer Unit</b>									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?  
 gallons

(b) If less than 12 months, how many?  months

Check why it is less than 12 months: New owner:  New store:  Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?  
 (Indicate with an "X". Select one classification only.)

Existing small area source

New small area source

Existing large area source

New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?  
 (Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

*All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.*

All steam and hot water generating units exempt   
 No such units on-site

**Equipment Monitoring and Recordkeeping Information**

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Instrument calibration
- (f) Start-up, shutdown, malfunction plan

**Surrender of Existing Air Permit(s)**

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)  
\_\_\_\_\_


No air permits currently exist for the operation of the facility indicated in this notification form.

**Responsible Official Certification**


*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

Signature



Date



PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT

COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL [X] COMPLAINT/DISCOVERY [ ]
RE-INSPECTION [ ]

AIRS ID#: 0310467 DATE: 1/25/99 TIME IN: 21400 TIME OUT: 1430
FACILITY NAME: Handi Craft Cleaners
FACILITY LOCATION: 9735 22 Old St. Augustine Rd. Jacksonville, FL 32257
RESPONSIBLE OFFICIAL: Alaa Albanna PHONE: 904-262-6005
CONTACT NAME: Same PHONE: Same

PART I: NOTIFICATION

(check appropriate box)

- 1. New facility notified DARM 30 days prior to startup
2. Facility failed to notify DARM to use general permit

RECEIVED FEB 04 1999 Bureau of Air Monitoring & Mobile Sources

PART II: CLASSIFICATION

Facility indicated on notification form that it is:

(check appropriate box)

- No notification form
Drop store/out of business/petroleum

A.

- 1. Existing small area source [ ]
2. New small area source [X]
3. Existing large area source [ ]
4. New large area source [ ]

- 3. Existing large area source [ ]
4. New large area source [ ]

5. This is a correct facility classification [ ] Y [ ] N [ ] Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number above
facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 120 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

**Is the responsible official of the dry cleaning facility:**  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

**In Part II-A:**

**If classification 1 has been checked, no controls are required. Proceed to Part V.**

**If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).**

**If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993**

**If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).**

**A. Has the responsible official of all new sources and existing large area sources:**  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N



**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or,  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:**  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

*Jeff Winter*

Inspector's Name (Please Print)

*1/25/99*

Date of Inspection

*Jeffrey Winter*

Inspector's Signature

*JAN., 2000*

Approximate Date of Next Inspection

**ADDITIONAL SITE INFORMATION:**

A large, empty rectangular box with a double-line border, intended for providing additional site information. The box is currently blank.

ACC

AIRS ID#: 0310467

Revised 10/10/9

**DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM**

FACILITY NAME: Handi Craft Cleaners DATE: 1/25/99  
 FACILITY LOCATION: 9735-22 Old St. Augustine Rd.  
Jacksonville, FL 32257

Annual Reporting Period: ~~Jul 15, 1998~~ June 15, 1998 TO JAN. 25, 1999

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:


#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and beliefs formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: Alaa Albanna  1-25-99  
 Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 1400 TIME OUT: 1430 AIRS ID#: 0310467  
 TYPE OF FACILITY: Perc. Dry Cleaner  
 FACILITY NAME: Hardi Craft Cleaners DATE: 1/25/99  
 FACILITY LOCATION: 9735-22 Old St. Augustine Rd.  
Jacksonville, FL 32257  
 RESPONSIBLE OFFICIAL: Alaa Albanna PHONE NUMBER: 904-262-6005

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS:

---

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: JAN, 2000  
(Approximate)

INSPECTION CONDUCTED BY: Jeff Winter  
(Please Print)

INSPECTOR'S SIGNATURE: *Jeffrey L. Winter* PHONE NUMBER: 904-630-3484

✓

**PERCHLOROETHYLENE DRY CLEANERS**  
**TITLE V GENERAL PERMIT**  
**COMPLIANCE INSPECTION CHECKLIST**

**TYPE OF INSPECTION:** ANNUAL  COMPLAINT/DISCOVERY   
 RE-INSPECTION

**AIRS ID#:** 0310467 **DATE:** 1/19/00 **TIME IN:** 1040 **TIME OUT:** 1045  
**FACILITY NAME:** Handi Craft Cleaners  
**FACILITY LOCATION:** 9735-22 Old St. Augustine Rd.  
Jacksonville, FL 32257  
**RESPONSIBLE OFFICIAL:** Alaa Albanna **PHONE:** 904-262-6005  
**CONTACT NAME:** Same **PHONE:** Same

**PART I: NOTIFICATION**

(check appropriate box)

1. New facility notified DARM 30 days prior to startup   
 2. Facility failed to notify DARM to use general permit

**PART II: CLASSIFICATION**

**Facility indicated on notification form that it is:**  No notification form  
 (check appropriate box)  Drop store/out of business/petroleum

**A.**

<p>1. Existing small area source <input type="checkbox"/>                  dry-to-dry only, <math>x &lt; 140</math> gal/yr                  transfer only, <math>x &lt; 200</math> gal/yr                  both types, <math>x &lt; 140</math> gal/yr                  (constructed before 12/9/91)</p>	<p>2. New small area source <input checked="" type="checkbox"/>                  dry-to-dry only, <math>x &lt; 140</math> gal/yr                  transfer only, <math>x &lt; 200</math> gal/yr                  both types, <math>x &lt; 140</math> gal/yr                  (constructed on or after 12/9/91)</p>
<p>3. Existing large area source <input type="checkbox"/>                  dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr                  transfer only, <math>200 \leq x \leq 1,800</math> gal/yr                  both types, <math>140 \leq x \leq 1,800</math> gal/yr                  (constructed before 12/9/91)</p>	<p>4. New large area source <input type="checkbox"/>                  dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr                  transfer only, <math>200 \leq x \leq 1,800</math> gal/yr                  both types, <math>140 \leq x \leq 1,800</math> gal/yr                  (constructed on or after 12/9/91)</p>

5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:  
 facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

**B.** The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 80 gallons.

RECEIVED  
 FEB 1 2000  
 Bureau of Air Monitoring  
 & Mobile Sources

**PART III: GENERAL CONTROL REQUIREMENTS**

**Is the responsible official of the dry cleaning facility:**  
(check appropriate boxes)

- |   |   |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 2. Examining the containers for leakage?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                     | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

**PART IV: PROCESS VENT CONTROLS**

**In Part II-A:**

**If classification 1 has been checked, no controls are required. Proceed to Part V.**

**If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).**

**If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993**

**If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).**

**A. Has the responsible official of all new sources and existing large area sources:**  
(check appropriate boxes)

- |  |   |
|--|---|
| 1. Equipped all machines with the appropriate vent controls?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                     | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?                 | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?                              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or:  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A



**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:**  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N


Jeff Winter  
Inspector's Name (Please Print)

1/19/00  
Date of Inspection

Jeff Winter  
Inspector's Signature

JAN., 2001  
Approximate Date of Next Inspection

**ADDITIONAL SITE INFORMATION:**



AIRS ID#: 0310467

ACC

Revised 10/10/96

### DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Handi-Craft Cleaners DATE: 1/19/00  
 FACILITY LOCATION: 9735-22 Old St. Augustine Rd.  
Jacksonville, FL 32257

Annual Reporting Period: JAN. 25, 1999 TO JAN. 19, 2000

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: Alaa AlBanna [Signature] 1-19-00  
 Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: <u>1040</u>	TIME OUT: <u>1045</u>	AIRS ID#: <u>0310467</u>
TYPE OF FACILITY: <u>Perc. Dry Cleaner</u>		
FACILITY NAME: <u>Handi Craft Cleaners</u>	DATE: <u>1/19/00</u>	
FACILITY LOCATION: <u>9735-22 Old St. Augustine Rd. Jacksonville, FL 32257</u>		
RESPONSIBLE OFFICIAL: <u>Alaa Albanna</u>	PHONE NUMBER: <u>904-262-6005</u>	

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS:

---

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: JAN., 2001  
(Approximate)

INSPECTION CONDUCTED BY: Jeff Winter  
(Please Print)

INSPECTOR'S SIGNATURE: Jeffrey Winter PHONE NUMBER: 904/630-3484



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

434560 DEC22 2003

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**



Do **NOT** Remove Label

27 ←

310467  
 ALAA ALBANNA  
 BEST IN TOWN CLEANERS  
 9735-22 OLD ST. AUGUSTINE ROAD  
 JACKSONVILLE FL 32257

FOR GOVERNMENT USE ONLY  
 Org.: 37550101000 EO: A1  
 Fund: 20-2-035001  
 Obj.: 002273



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

420555 DEC12 2002

**TOTAL AMOUNT DUE: \$50.00**

DEC 16 2002  
 Bureau of Air Monitoring  
 & Mobile Services

Do **NOT** Remove Label

*Best In Town cleaners* AIRS ID#0310467  
 HANDCRAFT CLEANERS  
 ALAA ALBANNA  
 9735-22 OLD ST. AUGUSTINE ROAD  
 JACKSONVILLE FL  
 32257  
*we did change the name*

FOR GOVERNMENT USE ONLY  
 Org.: 37550101000 EO: A1  
 Fund: 20-2-035001  
 Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

389470

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

AIRS ID # 0310467  
 HANDI CRAFT CLEANERS  
 ALAA ALBANNA  
 9735-22 OLD ST. AUGUSTINE ROAD  
 JACKSONVILLE FL 32257

FOR GOVERNMENT USE ONLY  
 Org.: 37550101000 EO: B1  
 Fund: 20-2-035001  
 Obj.: 002273

RECEIVED  
 MAIL ROOM  
 DEC 14 99

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

400086

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

AIRS ID # 0310467  
 HANDI CRAFT CLEANERS  
 ALAA ALBANNA  
 9735-22 OLD ST. AUGUSTINE ROAD  
 JACKSONVILLE FL 32257

FOR GOVERNMENT USE ONLY  
 Org.: 37550101000 EO: A1  
 Fund: 20-2-035001  
 Obj.: 002273

RECEIVED  
 MAIL ROOM  
 DEC 18 00

Bureau of Air Monitoring  
 & Mobile Sources  
 DEC 20 2000

12-16-00pd



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

411965 DEC20 2001

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.


**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID # 0310467  
HANDI CRAFT CLEANERS  
ALAA ALBANNA  
9735-22 OLD ST. AUGUSTINE ROAD  
JACKSONVILLE FL  
32257


FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: A1  
Fund: 20-2-035001  
Obj.: 002273

**HANDI CRAFT CLEANERS**  
9735-22 Old St. Augustine Rd.  
JACKSONVILLE, FL 32257  
(904) 262-6005



TITLE V - General Permit  
Receipts  
Post Office Box 3070  
Tallahassee, FL 32315-3070

32315+3070 39



**U.S. Postal Service™**  
**CERTIFIED MAIL™ RECEIPT**  
*(Domestic Mail Only; No Insurance Coverage Provided)*

For delivery information visit our website at [www.usps.com](http://www.usps.com)

**OFFICIAL USE**

Postage	\$	
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		

*Receipt  
03  
made  
04*

Total TO 0310467001AG

Sent To BEST IN TOWN CLEANERS

ALAA ALBANNA

9735-22 OLD ST. AUGUSTINE ROAD

JACKSONVILLE, FL 32257

PS Form 3800, June 2002 See Reverse for Instructions

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT OF THE RETURN ADDRESS. FOLD AT DOTTED LINE

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> <li>■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.</li> <li>■ Print your name and address on the reverse so that we can return the card to you.</li> <li>■ Attach this card to the back of the mailpiece, or on the front if space permits.</li> </ul> <p>1. Article Addressed to:</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p style="text-align: center;">TO 0310467001AG            BEST IN TOWN CLEANERS            ALAA ALBANNA            9735-22 OLD ST. AUGUSTINE ROAD            JACKSONVILLE, FL 32257</p> </div> <p>2. Article Number:</p> <div style="border: 1px solid black; padding: 2px; margin: 5px 0;"> <p style="text-align: center;">7003 0500 0004 0144 3360</p> </div>	<p>A. Signature</p> <p><i>[Signature]</i> <input type="checkbox"/> Agent  <input checked="" type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) C. Date of Delivery</p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes      If YES, enter delivery address below: <input type="checkbox"/> No</p> <p>3. Service Type</p> <p><input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail  <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise  <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>

PS Form 3811, August 2001 Domestic Return Receipt 102595-02-M-1540



UNITED STATES POSTAL SERVICE



First-Class Mail  
Postage & Fees Paid  
USPS  
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box. Save Lives

DARMMOBILE SOURCE CONTROL PROGRAM  
DEPT. OF ENVIRONMENTAL PROTECTION  
MAIL STATION 5510  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400

Bureau of Air Monitoring  
& Mobile Sources

SEP 8 2003

RECEIVED

2399+2400

