Dibble, Dickson

From:

Melton, Carol

Sent:

Thursday, June 04, 2009 5:25 PM

To:

Dibble, Dickson

Subject:

Request to assign an Inactive facility status to Professional Cleaners 0330236

Attachments:

Professional Cleaners 0330236 photos 11-7-08.doc; DOC060409.pdf


Hi, Please assign an inactive facility status to Professional Cleaners facility 0330236, located on Pace Boulevard in Pensacola Florida. The attached records document that the facility has been AITS 120236

permanently shut down. Thanks


變 Air Resource Management System - Facility () () () () () () () () () () () () ()
AREA Office * NWD NW: PENSACOLA County * ESCAMBIA AIRS ID 0330236
Owner/Comp * EXCLUSIVE CLEANERS & LAUNDRY INC Site PROFESSIONAL ONE HOUR CLEANERS
Directions
Street 1595 N Pace Blvd Validate Address
City* PENSACOLA Zip 32505 6405
UTM Zone 16 East 476.87 North 3366.20 Latitude 30 25 39.7200 Longitude 87 14 27.2508
Status * I INACTIVE Maj Group SIC * 72 PERSONAL SERVICES
Reloc N Shtdwn Dt Stri Dt 10/31/1996 Final Shtdwn Dt
Gov Fac * 0 NOT OWNED OR OPERATED BY A FEDERAL, STATE, OR LOCAL GOVE HAZ Waste Generator ID: FLD 981924475
AOR Req * N Ozone SIP Facility * N Type 10 PCE Drycleaning Facilities
Compliance Tracking Current Permit Indicator AG 🔽
Title V NON TITLE V non-HAP Class MINOR HAP Class MINOR Public Exempt
of Emis Units C A I Generator Rating MW
Comment 10/06/06-Update company name/NO change of ownership & update St. address.

The following pictures were taken by Carol Melton on November 7, 2008, between 10:17 AM and 10:25 AM, of the Professional One Hour Cleaners (0330236) located at 1595 N Pace Boulevard, in Pensacola, Florida. The date on the pictures is incorrect.





The cleaner was closed and the site was being used by a tee shirt and jacket vendor. The drycleaner machine had been removed from the building, as shown in the second picture.





CAM/cm

One Hour Professional Cleaners 1505 North Proce Block, Possessola, FL 32505

February 21, 2008

Florida Department of Environmental Protection Northwest District 160 Governmental Center Pensacola, FL 32503

Re: Warning Letter NWAP 033-1752

To Whom It May Concern:

On February 5, 2008, we closed Professional One Hour Cleaners permanently. From April 12, 2007 until we closed, we only operated the plant on Saturdays. The rest of the time it was used only as a pick up station.

We have two options for the future of this plant:

- 1) Lease it to another party.
- 2) Dismantle the equipment and dispose of properly.

We were cited in your letter for the following:

- 1) Not draining filters 24 hours before change Which we have done and still do.
- 2) Not recording temperatures. The temperatures were checked just not recorded.
- 3) Not checking the exhaust temperatures. The temperatures were checked just not recorded.
- 4) The procedure for malfunction is "Turn Off and Stop".
- 5) Maintain rolling monthly total of yearly perc consumption? Was properly done and recorded every month the book was maintained at the office after the end of the year. This is done every month as the bills are paid. (Both offices).

6) Store perc and wastes containing perc, in tightly sealed & impervious containers? We agree that the lids were loose and the over flow canister was broken by MCF in their December pick up.

We believe that we were following procedures more closely than you assume. We just failed to have them logged into the book.

Thank you,

H. Gray Whigham
• Vice President