



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

October 15, 1998

Mr. Ho S. Han
Personal Touch Cleaners
10075 West Hillsborough Avenue
Tampa, Florida 33615

Re: Facility No.: 0571211

Dear Mr. Han:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on October 8, 1998.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,


Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

DD/jw

cc: Mr. Thomas Shelton, Hillsborough County

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	HO S. HAN
2. Site Name (For example, plant name or number):	Personal Touch Cleaners
3. Hazardous Waste Generator Identification Number:	FLD CESQG
4. Facility Location: Street Address: 10075 W. Hillsborough Ave City: Tampa County: Hillsborough Zip Code: 33615	
5. Facility Identification Number (DEP Use):	0571811

RECEIVED
OCT - 8 1998
Bureau of Air Monitoring
& Mobile Sources

Responsible Official

6. Name and Title of Responsible Official:	HO S. HAN / owner
7. Responsible Official Mailing Address: Organization/Firm: HO S. HAN Street Address: 15713 Jericho Dr. City: odessa County: Hillsborough Zip Code: 33556	
8. Responsible Official Telephone Number: Telephone: (813) 920-5693 Fax: () -	

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):	N/A
10. Facility Contact Address: Street Address: City: County: Zip Code:	
11. Facility Contact Telephone Number: Telephone: () - Fax: () -	

0571211

p15

4. New small area source R.C.
should not be marked, mark out and
initial.

p16

Responsible Official sign and date
for changes made.

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>									
	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
Dry-to-Dry Unit									
(1) w/ ref. condenser		02/28/90	02/28/90						
(2) w/ carbon adsorber									
(3) w/ no controls									
Washer Unit									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?
 gallons

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: New store: Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?
 (Indicate with an "X". Select one classification only.)

Existing small area source New small area source

Existing large area source New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?
(Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.

All steam and hot water generating units exempt

No such units on-site

Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

(a) Purchase receipts and solvent purchases

(b) Leak detection inspection and repair

(c) Refrigerated condenser temperature monitoring

(d) Carbon adsorber exhaust perc concentration monitoring

(e) Instrument calibration

(f) Start-up, shutdown, malfunction plan

Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form: specifically, permit number(s)

No air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.



Signature

10/3/98
Date



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

October 12, 1998

Mr. Ho Sang Han
Personal Touch Cleaners
10075 West Hillsborough Avenue
Tampa, Florida 33615

Dear Mr. Han:

The Bureau of Air Monitoring and Mobile Sources recently received your Perchloroethylene Dry Cleaning Notification Form and check (#2043) in the amount of \$50.00.

We appreciate your submittal. However, your check is being returned to you since it is not due at this time. Fees are due and payable between January 15 and March 1 in the year following each year for which the facility is in operation and subject to the requirements of the general permit. The Department will send you an invoice in time for the next payment cycle.

If you have any questions, please call me at 850/921-9583.

Sincerely,

Sandra Bowman
Environmental Manager
Mobile Source Control Section
Bureau of Air Monitoring
and Mobile Sources

/SB

JAE DOEK HAN
HO SANG HAN
D/b/a Personal Touch Cleaners
10075 W Hillsborough Ave
Tampa, Fl 33615
Ph. 813-886-9141

2043

63-466/631

DATE 10/3/98

PAY TO THE
ORDER OF

Department of Environmental Protection \$ 50.⁰⁰/₁₀₀

Fifty dollars only

DOLLARS Security features included. Details on back.

AMSOUTH BANK

FOR

⑈002043⑈ ⑆063104668⑆ 7965411439⑈



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

10045 W. Hillsborough Ave
Tampa 33615

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

RECEIVED
OCT - 8 1998
Bureau of Air Monitoring
& Mobile Sources

✓

**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 9:30 TIME OUT: 11:15 AIRS ID#: 571211
 TYPE OF FACILITY: PERC DRY CLEANER
 FACILITY NAME: PERSONAL TOUCH CLEANERS DATE: 6/8/99
 FACILITY LOCATION: 10075 W. HILLSBOROUGH AVE
TAMPA, FL 33615
 RESPONSIBLE OFFICIAL: HO S. HAN PHONE NUMBER: (813) 886-9141

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

RECEIVED
 JUL 15 1999
 Bureau of Air Monitoring
 & Mobile Sources

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 1 YEAR
(Approximate)

INSPECTION CONDUCTED BY: ROGER ZHU
(Please Print)

INSPECTOR'S SIGNATURE: Roger Zhu PHONE NUMBER: (813) 272-5530

ACE

AIRS ID#: 571211

RECEIVED
Bureau of Air Monitoring
& Mobile Sources
Revised 10/10/96
JUL 15 1998

**DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM**

FACILITY NAME: PERSONAL TOUCH CLEANERS DATE: 6/8/99

FACILITY LOCATION: 10075 W. HILLSBOROUGH AVE
TAMPA, FL 33615

Annual Reporting Period: Apr 27 1998 TO June 8 1999

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to-dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: JAE D. HAN Jae D Han 6/8/99
Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

✓

PERCHLOROETHYLENE DRY CLEANERS
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

RECEIVED

Bureau of Air Monitoring
& Mobile Sources
JUL 15 1999

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
 RE-INSPECTION

AIRS ID#: 571211 DATE: 6/8/99 TIME IN: 9:30 TIME OUT: 11:15

FACILITY NAME: PERSONAL TOUCH CLEANERS

FACILITY LOCATION: 10075 W. HILLSBOROUGH AVE
TAMPA, FL 33615

RESPONSIBLE OFFICIAL: HO S. HAN PHONE: (813)886-9141

CONTACT NAME: SAE D. HAN PHONE: SAME

PART I: NOTIFICATION

(check appropriate box)

1. New facility notified DARM 30 days prior to startup

2. Facility failed to notify DARM to use general permit N/A

PART II: CLASSIFICATION

Facility indicated on notification form that it is: No notification form
 (check appropriate box) Drop store/out of business/petroleum

A.

1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	<input checked="" type="checkbox"/>	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)	<input type="checkbox"/>
3. Existing large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	<input type="checkbox"/>	4. New large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)	<input type="checkbox"/>

5. This is a correct facility classification Y N Can not determine

If no, please check the appropriate classification:
 facility qualified for a general permit as number _____ above
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 60 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers? Y N N/A
- 2. Examining the containers for leakage? Y N N/A
- 3. Closing and securing machine doors except during loading/unloading? Y N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N N/A

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls? Y N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
Is the temperature differential equal to or greater than 20° F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or, Y N N/A
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N N/A
Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N
2. Has the facility maintained a leak log? Y N
3. Does the responsible official check the following areas for leaks?
- | | | | |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment: N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

ROGER ZHU

Inspector's Name (Please Print)

6/8/99

Date of Inspection

Roger Zhu

Inspector's Signature

1 YEAR

Approximate Date of Next Inspection

INSPECTION REPORT FORM
ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY

FACILITY: Personal Touch Cleaners PAGE 1 OF 1

FACILITY ADDRESS: 10075 W. Hillsborough Ave. CITY: Tampa
PHONE: (813) 886-9141

MAILING ADDRESS: Same CITY: Tampa FLA ZIP: 33615

INSPECTION DATE: June 8, 1999	TIME IN: 9:30	TIME OUT: 11:15	INSPECTION TYPE: non-CDS	STATUS: In Compliance
----------------------------------	------------------	--------------------	-----------------------------	--------------------------

NEDS NUMBER: 571211

SOURCE DESCRIPTION: Perc Dry Cleaner

CONTACT(S): Ho S. Han

Today's visit was to conduct the annual inspection.
The machine was in operation today. No leaks or odors were noticed.
The facility is clean and well maintained.
The record keeping is excellent. There is no temperature requirement for the existing small unit.
The leak log has been recorded based on a weekly basis. The perc usage was 60 gallons over the last 12 months.

INSPECTED BY: Roger Zhu

DATE: June 8, 1999

**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 14:45 TIME OUT: 16:15 AIRS ID#: 571211
 TYPE OF FACILITY: PERC DRY CLEANER
 FACILITY NAME: PERSONAL TOUCH CLEANERS DATE: 6/14/00
 FACILITY LOCATION: 10075 W. HILLSBOROUGH AVE
TAMPA, FL 33615
 RESPONSIBLE OFFICIAL: HO HAN PHONE NUMBER: 813-886-9141

Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).

Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

RECEIVED
JUL 11 2000
Bureau of Air Monitoring
& Mobile Sources

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 1 YEAR
(Approximate)

INSPECTION CONDUCTED BY: ROGER ZHU
(Please Print)

INSPECTOR'S SIGNATURE: Roger Zhu PHONE NUMBER: (813) 272-5530

AIRS ID#: 571211

Revised 10/10/96

apl

**DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM**

FACILITY NAME: PERSONAL TOUCH CLEANERS DATE: 6/14/00
 FACILITY LOCATION: 10075 W. HILLSBOROUGH AVE
TAMPA, FL 33615

Annual Reporting Period: June 9 1999 TO June 14 2000

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____
 Action(s) taken to achieve compliance: _____
 Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____
 Action(s) taken to achieve compliance: _____
 Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: Ho Han [Signature] 6/14/00
 Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
 RE-INSPECTION

AIRS ID#: 571211 DATE: 6/14/00 TIME IN: 14:45 TIME OUT: 16:15
 FACILITY NAME: PERSONAL TOUCH CLEANERS
 FACILITY LOCATION: 10075 W. HILLSBOROUGH AVE
TAMPA, FL 33615
 RESPONSIBLE OFFICIAL: HO HAN PHONE: (813) 886-9141
 CONTACT NAME: SAME PHONE: SAME

PART I: NOTIFICATION

(check appropriate box)

1. New facility notified DARM 30 days prior to startup
2. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
(check appropriate box)

- No notification form
 Drop store/out of business/petroleum

A.

- | | |
|--|--|
| 1. Existing small area source <input checked="" type="checkbox"/>
dry-to-dry only, $x < 140$ gal/yr ...
transfer only, $x < 200$ gal/yr
both types, $x < 140$ gal/yr
(constructed before 12/9/91) | 2. New small area source <input type="checkbox"/>
dry-to-dry only, $x < 140$ gal/yr
transfer only, $x < 200$ gal/yr
both types, $x < 140$ gal/yr
(constructed on or after 12/9/91) |
| 3. Existing large area source <input type="checkbox"/>
dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr
transfer only, $200 \leq x \leq 1,800$ gal/yr
both types, $140 \leq x \leq 1,800$ gal/yr
(constructed before 12/9/91) | 4. New large area source <input type="checkbox"/>
dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr
transfer only, $200 \leq x \leq 1,800$ gal/yr
both types, $140 \leq x \leq 1,800$ gal/yr
(constructed on or after 12/9/91) |
5. This is a correct facility classification Y N Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number above
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 75 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- | | |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 2. Examining the containers for leakage? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- | | |
|--|---|
| 1. Equipped all machines with the appropriate vent controls? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
Is the temperature differential equal to or greater than 20° F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or, Y N N/A
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N N/A
Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N

2. Has the facility maintained a leak log? Y N

3. Does the responsible official check the following areas for leaks?

Hose connections, fittings, couplings, and valves	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Muck cookers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Door gaskets and seating	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Stills	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Filter gaskets and seating	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Exhaust dampers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Pumps	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Diverter valves	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Solvent tanks and containers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Cartridge filter housings	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Water separators	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A		

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:
 - a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? N/A
 - b. Calibrated against a standard gas prior to and after each use. (PID/FID only)? Y N
 - c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
 - d. Kept in a clean and secure area when not in use? Y N
 - e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

ROGER ZHU

Inspector's Name (Please Print)

6/14/00

Date of Inspection

Roger Zhu

Inspector's Signature

1 YEAR

Approximate Date of Next Inspection

INSPECTION REPORT FORM
ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY

FACILITY: Personal Touch Cleaners			PAGE 1 OF 1	
FACILITY ADDRESS: 10075 W. Hillsborough Ave.			CITY: Tampa PHONE: (813) 886-9141	
MAILING ADDRESS: Same		CITY: Tampa	FLA	ZIP: 33615
INSPECTION DATE: June 14, 2000	TIME IN: 14:45	TIME OUT: 16:15	INSPECTION TYPE: non-CDS	STATUS: In Compliance
NEDS NUMBER: 571211				
SOURCE DESCRIPTION: Perc Dry Cleaner				
CONTACT(S): Ho S. Han				

Today's visit was to conduct the annual inspection.
The machine was in operation today. No leaks or odors were noticed.
The recordkeeping is in good shape. The machine is an existing small unit, therefore, there is no requirement for temperature recording. The leak log has been recorded once a week. The perc usage was 75 gallons over the last 12 months.

INSPECTED BY: Roger Zhu	DATE: June 14, 2000
-------------------------	---------------------

7003 0500 0004 0144 4046

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	

*Receipt
Postmark
Here
9/13/03
9/20/04*

Total Pcs: 10 0571211001AG
PERSONAL TOUCH CLEANERS

Sent To HO S HAN
15713 JERICHO DR
TAMPA, FL 33615
Street, Apt or PO Box
City, State

PS Form 3800, June 2002 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1 Article Addressed to:
DIRECTORY ADDRESS
10 0571211001AG
PERSONAL TOUCH CLEANERS
HO S HAN
15713 JERICHO DR
TAMPA, FL 33615

· ODESSA FL 33556

2 Article Number
7003 0500 0004 0144 4046

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly) B. Date of Delivery
RAN HAN

C. Signature Agent
X Ran Han Addressee

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

SEP 13 2003

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

Bureau of Air Monitoring
& Mobile Sources

SEP 22 2003

RECEIVED

DARM/MOBILE SOURCE CONTROL PROGRAM
DEPT. OF ENVIRONMENTAL PROTECTION
MAIL STATION 5510
2600 BLAIR STONE ROAD
TALLAHASSEE, FLORIDA 32399-2400





THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

413626 JAN28 2002

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.


TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label


AIRS ID # 0571211
 PERSONAL TOUCH CLEANERS
 HO S HAN
 15713 JERICO DR
 ODESSA FL
 33556

~~FOR GOVERNMENT USE ONLY~~
 Org.: 37550101000 EO: A1
 Fund: 20-2-035001
 Obj.: 002273

*From: Personal Touch Cleaners
 16015 W. Hillsborough Ave.
 Tampa, Fl. 33615*



TITLE V - General Permit
 Receipts
 Post Office Box 3070
 Tallahassee, FL 32315-3070





(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

422875 FEB12 2003

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.



TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label

AIRS ID#0571211
 PERSONAL TOUCH CLEANERS
 HO S HAN
 15713 JERICO DR
 ODESSA FL
 33556


FOR GOVERNMENT USE ONLY
 Org.: 37550101000 EO: A1
 Fund: 20-2-035001
 Obj.: 002273

PERSONAL TOUCH CLEANERS
 10075 W. HILLSBOROUGH AVE.
 TAMPA, FL. 33615
 (813) 886-9141



TITLE V - General Permit
 Receipts
 Post Office Box 3070
 Tallahassee, FL 32315-3070

32315+3070 53



U.S. Postal Service
CERTIFIED MAIL RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)

OFFICIAL USE

7000 2870 0000 7027 5678

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	

Postmark Here

Total Po AIRS ID#0571211

PERSONAL TOUCH CLEANERS

Sent To HO S HAN

15713 JERICHO DR

Street, Ap ODESSA FL

33556

City, State

PS Form 3800, May 2000 See Reverse for Instructions

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT OF RETURN ADDRESS

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1 Article Addressed to:

AIRS ID#0571211

PERSONAL TOUCH CLEANERS
 HO S HAN
 15713 JERICHO DR
 ODESSA FL
 33556

A. Received by (Please Print Clearly) B. Date of Delivery

C. Signature *Ho S Han* 2/13

Agent
 Addressee

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type

Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2 Article Number (Copy from service label)

7000 2870 0000 7027 5678

BEST AVAILABLE COPY

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

BUR. OF AIR MONITORING & MOBILE SOURCE
DEPT. OF ENVIRONMENTAL PROTECTION
MAIL STOP 1000
2600 DEANER DRIVE ROAD
TALLAHASSEE, FLORIDA 32399-2400

Bureau of Air Monitoring
& Mobile Sources

FEB 12 2003

RECEIVED



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

401449

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

1-2-01

Do NOT Remove Label

AIRS ID # 0571211
PERSONAL TOUCH CLEANERS HO S HAN 15713 JERICHO DR ODESSA FL 33556

FOR GOVERNMENT USE ONLY	RECEIVED MAIL ROOM
Org.: 37550101000 EO: A1	JAN 28 01
Fund: 20-2-035001	
Obj.: 002273	

From: Personal Touch
Cleaners
10095 W. Hillsborough Ave
Tampa, FL 33615



HAPPY
"WHO-LIDAYS"
for the
U.S. Postals



To: TITLE V - General Permit
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0356378

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00 ✓

Do **NOT** Remove Label

AIRS ID # 0571211
 PERSONAL TOUCH CLEANERS
 HO S HAN
 15713 JERICO DR
 ODESSA FL 33556

RECEIVED
 MAIL ROOM
 JAN - 6 99
 FOR GOVERNMENT USE ONLY
 Org.: 37550101000 EO: B
 Fund: 20-2-035001
 Obj.: 002273

PERSONAL TOUCH CLEANERS
 10075 W. HILLSBOROUGH AVE.
 TAMPA, FL. 33615
 (813) 886-9141




2003



TITLE V - General Permit
 Receipts
 Post Office Box 3070
 Tallahassee, FL 32315-3070

32315-3070



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

✓ 0390724

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 0571211
PERSONAL TOUCH CLEANERS
HO S HAN
15713 JERICO DR
ODESSA FL 33556

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

RECEIVED
MAIL ROOM
JAN - 6 00