

# Department of Environmental Protection

Jeb Bush Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

Colleen M. Castille Secretary

June 27, 2006

Ms. Zalonda Earp Park Avenue \$1.75 Cleaners 10428 North Dale Mabry Highway Tampa, Florida 33618

Re: Facility No.: 0571313-002

Dear Ms. Earp:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on May 22, 2006.

Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office Bureau of Air Monitoring and Mobile Sources MS 5510 Department of Environmental Protection 2600 Blair Stone Road Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the district or local air program compliance inspector in your area.

Sincerely,

Joseph Kahn, Chief

Bureau of Air Monitoring and Mobile Sources

JK/jw

cc: Alain Watson, Hillsborough County

"More Protection, Less Process"

Printed on recycled paper.

INSP-INSZ-Compliance Inspections walkhough

INSP-Attacksborough Co-AW

MAY 2 2 2006

# PERCHLOROETHYLENE DRY CLEANER AIR GENERAL PERMIT NOTIFICATION FORM

Bureau of Air Worldoring & Mobile Sources

### Part III. Notification of Intent to Use General Permit

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location	<u> </u>
1. Facility Owner/Company Name (Name of corporation, ag	ency, or individual owner):
ZALONDA EARP PACK A	Venue CHANERS 1.75
2. Sile Name (For example, plant name of number):	
PAIL AVENUE CHEMERS	# 1.75
3. Hazardous Waste Generator Identification Number:	
FLCESQG	
4. Facility Location: 10428 NDA/c Mabny	HWY
4. Facility Location: 10128 N DAIZ MADN Street Address: City: County: Hills  5. Facility Identification Number (DEP Use ONLY - do not form)	horough Zip Code: 33618
5. Facility Identification Number (DEP Use ONLY - do not f	ill in):
057131	3-002
Responsible Official	
6. Name and Title of Responsible Official:	
7. Responsible Official Mailing Address: PATE AVENUE Organization/Firm: 1040 & O. Dale Maha	Title: Owner
7. Responsible Official Mailing Address: Park AVENUE	\$1.75 (PANCES
Organization/Firm: 10428 N Dale Maby Street Address:	HWY
Shoot Madross.	·
City: TAMPA County: Hellsbor	Dag4 Zip Code: 33618
8. Responsible Official Telephone Number:	
Telephone: (813)269-0696	Fax: (813)269 0424
Facility Contact (If different from Responsible Official)	•
9. Name and Title of Facility Contact (For example, plant ma	inager):
10. Facility Contact Address:	
Street Address:	71. 0. 1.
City: County:	Zip Code:
11. Facility Contact Telephone Number:	
1	
Telephone: ( ) -	Fax: ( ) -

DEP Form No. 62-213.900(2)

Effective: 2/24/99

## BEST AVAILABLE COPY

Facility Information

1.(a) DRY-TO-DRY MA	ACHINES ONLY	Υ	
How many dry-to-dry ma	chines do you hav	ve on-site?	
For each dry-to-dry mach	ine on-site, please	e provide the following information	n:
Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
1 5/1/05	Existing/Ne	w RP/CA/None required	SAME
2 5/ /03	Existing/Ne	w RO/CA/None required	SAME
	Existing/Ne	w RC/CA/None required	
*CONTROL DEVICE K	EY: $RC = re$	efrigerated condenser CA =	carbon adsorber
1.(b) TRANSFER MAC How many washers do yo How many dryers/reclaim	u have on-site?	on-site?	· .
unit. If the transfer machi 1993, it is a <b>NEW</b> unit (n	ne was purchased o units purchased		
<u> </u>		,, , , , , , , , , , , , , , , , , , , ,	ormation.
Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
Date Initially Purchased	Status	Control Device Required*	Date Control Device Installed (if already included at time of
Date Initially Purchased	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of
Date Initially Purchased	Status (circle one) Existing/New	Control Device Required* (circle one)  RC/CA/None required	Date Control Device Installed (if already included at time of
Date Initially Purchased	Status (circle one) Existing/New Existing/New Existing/New	Control Device Required* (circle one)  RC/CA/None required  RC/CA/None required  RC/CA/None required	Date Control Device Installed (if already included at time of
*CONTROL DEVICE KI	Status (circle one)  Existing/New Existing/New Existing/New Existing/New Existing/New	Control Device Required* (circle one)  RC/CA/None required  RC/CA/None required  RC/CA/None required  CA =	Date Control Device Installed (if already included at time of purchase, write "SAME")
*CONTROL DEVICE KI	Status (circle one)  Existing/New Existing/New Existing/New Existing/New	Control Device Required* (circle one)  RC/CA/None required  RC/CA/None required  RC/CA/None required  CA =	Date Control Device Installed (if already included at time of purchase, write "SAME")
*CONTROL DEVICE KI	Status (circle one)  Existing/New Existing/New Existing/New Existing/New EXISTING/New EXISTING/New EXISTING/New EXISTING/New	Control Device Required* (circle one)  RC/CA/None required  RC/CA/None required  RC/CA/None required  CA = thave you used within the last 12 mthis in)	Date Control Device Installed (if already included at time of purchase, write "SAME")
*CONTROL DEVICE KI 2.(a) How much perchlor  [] gallor  (b) If less than 12 mon	Status (circle one)  Existing/New EXISTING/N	Control Device Required* (circle one)  RC/CA/None required  RC/CA/None required  RC/CA/None required  CA = thave you used within the last 12 mthis in)	Date Control Device Installed (if already included at time of purchase, write "SAME")  carbon adsorber  onths?
*CONTROL DEVICE KI 2.(a) How much perchlor  [] gallor  (b) If less than 12 mon	Status (circle one)  Existing/New EXISTING/N	Control Device Required* (circle one)  RC/CA/None required  RC/CA/None required  RC/CA/None required  CA =  CA =	Date Control Device Installed (if already included at time of purchase, write "SAME")  carbon adsorber  orecords: []
*CONTROL DEVICE KI 2.(a) How much perchlor  [] gallor  (b) If less than 12 mon	Status (circle one)  Existing/New EXISTING/N	Control Device Required* (circle one)  RC/CA/None required  RC/CA/None required  RC/CA/None required  CA =  chave you used within the last 12 m  this in)  I months  New owner: Did not keep	Date Control Device Installed (if already included at time of purchase, write "SAME")  carbon adsorber  or records: []

## **BEST AVAILABLE COPY**

3. What is the facility's source classification based on the definitions found in section (3) of Part II? Indicate with an "X". Select one classification only.)	
Small Area Source	
Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)  Transfer only on-site (used less than 200 gallons of perc per year)  Both machine types on-site (used less than 140 gallons of perc per year)	
Large Area Source []	
Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)  Transfer only on-site (used 200 - 1,800 gallons of perc per year)  Both machine types on-site (used 140 - 1,800 gallons of perc per year)	
4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)	
Existing machines at small area source (NONE REQUIRED)  []  New machines at small area source Refrigerated condenser  []	
Existing machines at large area source Carbon adsorber Refrigerated condenser  [] Refrigerated condenser	
5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).  All steam and hot water generating units exempt OR  No such units on-site	i to
How many boilers do you have on-site?	
For each boiler, indicate its horsepower (HP) rating: [20] []	
What type of fuel do you use?  [] propane  [] No. 2 fuel oil  [] No. 4 fuel oil  [] Other (please list)	
6. Equipment Monitoring and Recordkeeping Information	
Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:	
(a) Purchase receipts and solvent purchases/solvent addition log	
(b) Leak detection inspection and repair	
(b) Leak detection inspection and repair  (c) Refrigerated condenser temperature monitoring	
(d) Carbon adsorber exhaust perc concentration monitoring	
(e) Startup, shutdown, malfunction plan	
·	

DEP Form No. 62-213.900(2) Effective: 2/24/99

he facility indicated in
ed in this notification
he facility addressed in onable inquiry, that the ee to operate and ibed above so as to this notification.

DEP Form No. 62-213.900(2) Effective: 2/24/99