

**CONCRETE BATCHING PLANT
AIR GENERAL PERMIT REGISTRATION FORM**

Part II. Notification to Permitting Office

(Detach and submit to appropriate permitting office; keep copy onsite)

Instructions: To give notice to the Department of an eligible facility's intent to use this air general permit, the owner or operator of the facility must detach and complete this part of the Air General Permit Registration Form and submit it to the appropriate Department of Environmental Protection or local air pollution control program office which has permitting authority. Please type or print clearly all information, and enclose the appropriate air general permit registration processing fee pursuant to Rule 62-4.050, F.A.C. (\$100 as of the effective date of this form)

0710015-007

Registration Type

Check one:

INITIAL REGISTRATION - Notification of intent to:

- Construct and operate a proposed new facility.
- Operate an existing facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit).

RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to:

- Continue operating the facility after expiration of the current term of air general permit use.
- Continue operating the facility after a change of ownership.
- Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C., or any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.

Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only

If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. In such case, check the first box, and indicate the operation permits being surrendered. If no air operation permits are held by the facility, check the second box.

- All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s): _____
- No air operation permits currently exist for this facility.

General Facility Information

Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)

Preferred Materials, Inc.

Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a registration form must be completed for each.)

South Fort Myers Ready Mix Plant, FACILITY ID: 0710015

Facility Location (Provide the physical location of the facility, not necessarily the mailing address.)

Street Address: 7270 Alico Road

City: Fort Myers

County: Lee

Zip Code: 33912

Facility Start-Up Date (Estimated start-up date of proposed new facility.)(N/A for existing facility)

N/A

Owner/Authorized Representative

Name and Position Title (Person who, by signing this form below, certifies that the facility is eligible to use this air general permit.)

Print Name and Title: David Guillaume, Vice President

Owner/Authorized Representative Mailing Address

Organization/Firm: Preferred Materials, Inc.

Street Address: 900 Ashwood Parkway, Suite 700

City: Atlanta, Ga.

County: Dekalb

Zip Code: 30338

Owner/Authorized Representative Telephone Numbers

Telephone: 770/392-5300

Fax: 770-392-5368

Cell phone (optional):

Facility Contact (If different from Owner/Authorized Representative)

Name and Position Title (Plant manager or person to be contacted regarding day-to-day operations at the facility.)

Print Name and Title: Wesley Jones - Operations Foreman

Facility Contact Mailing Address

Organization/Firm: Preferred Materials, Inc.

Street Address: 7270 Alico Road

City: Fort Myers

County: Lee

Zip Code: 33912

Facility Contact Telephone Numbers

Telephone: (239) 267-3634

Fax: (239) 267-7979

Cell phone (optional):

Owner/Authorized Representative Statement

This statement must be signed and dated by the person named above as owner or authorized representative

I, the undersigned, am the owner or authorized representative of the owner or operator of the facility addressed in this Air General Permit Registration Form. I hereby certify, based on information and belief formed after reasonable inquiry, that the facility addressed in this registration form is eligible for use of this air general permit and that the statements made in this registration form are true, accurate and complete. Further, I agree to operate and maintain the facility described in this registration form so as to comply with all applicable standards for control of air pollutant emissions found in the statutes of the State of Florida and rules of the Department of Environmental Protection and revisions thereof.

I will promptly notify the Department of any changes to the information contained in this registration form.


Signature

11/8/07
Date

Type of Facility

Check one:

Stationary Facility

Relocatable Facility

Type(s) of Reasonable Precautions Used to Prevent Unconfined Emissions

Check all precautions to be used for the management of roads, parking areas, stock piles and yards:

Pave Roads

Pave Parking Areas

Pave Yards

Maintain Roads/Parking/Yards

Use Water Application

Use Dust Suppressant

Remove Particulate Matter

Reduce Stock Pile Height

Install Wind Breaks

Check all precautions to be used for the management of drop points to trucks:

Spray Bar

Chute

Enclosure

Partial enclosure

Description of Reasonable Precautions

Below, or as an attachment to this form, provide details of all types of reasonable precautions to be used to prevent unconfined emissions at the facility.

This facility is provided with an extensive stormwater/wastewater drainage system, which is designed to flush particulate matter from the paved yard and entrance drive. This keeps the paving cleaner, substantially reducing fugitive emissions. Aggregate stockpiles in the yard are stored on paved surfaces and kept watered, partly for quality control and partly to reduce potential emissions from these materials. Unused concrete which is brought back to the site is stored in a concrete-walled washout structure, which reduces the area needed to dry the material, while keeping it out of the main traffic pattern, where it would generate additional fugitive emissions.

Description of Facility

Below, or as an attachment to this form, provide a description of the concrete batching plant operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe all air pollutant-emitting processes and equipment at the facility, and identify any air pollution control measures or equipment used.

Ready-Mix Concrete Batching Facility:

- Cement silo compartment no. 1 (with a C. & W. Dust Systems Model CP-305-839 cartridge dust collector).
- Cement silo compartment no. 2 (with a C. & W. Dust Systems Model CP-305-839 cartridge dust collector).
- Flyash/slag silo compartment no. 1 (with a C. & W. Dust Systems Model CP-305-839 cartridge dust collector).
- Flyash/slag silo compartment no. 2 (with a C. & W. Dust Systems Model CP-305-839 cartridge dust collector).
- A cement weigh hopper (with a C. & W. Dust Systems Model CP-230-639 cartridge dust collector).
- A concrete mixer truck loadout (with a C. & W. Dust Systems Model CP-1220-1678 central cartridge dust collector).

Arlington Environmental Services, Inc.
(863) 467-0555

VISIBLE EMISSION TEST

Method Used (Circle One) Method 2 203A 203B Report: 1539-6-1

Company Name Rinker Materials
 Facility Name S. Ft. Myers Am (0710015)
 Street Address 7270 Alice Rd.
 City FT. Myers State FL Zip _____
 Phone No. (239) 267-3634


Process Concrete Unit # EW-08 Operating Mode 3 Tracks
 Control Equipment baghouse Operating Mode 5" & P

Describe Emission Point CDC
 Ht of Emis. Point 30' Ht Rel to Observer 30'
 Distance to Emis. Pt. 170' Direction to Emis. Pt (Degrees) 266°

Verticle Angle to Obs. Pt. 90 Direction to Obs. Pt (Degrees) 266°
 Distance and Direction to Obs. Pt from Emission Pt same

Describe Emissions
 Emission Color _____ Water Droplet Plume Attached _____ Detached _____ None

Describe Plume Background SKY
 Background Color blue Sky Conditions Clear
 Wind Speed 2-5 mph Wind Direction EAST
 Ambient Temp. 68°F Wet Bulb Temp _____ % RH _____



Latitude 26°29.295' Longitude 81°49.954' Declination _____

Comments 3 tracks batching

Observation Date		Start Time				Stop Time			
2-13-07		07:25				07:35			
Min	0	15	30	45	Min	0	15	30	45
1	0	0	0	0	31				
2	0	0	0	0	32				
3	0	0	0	0	33				
4	0	0	0	0	34				
5	0	0	0	0	35				
6	0	0	0	0	36				
7	0	0	0	0	37				
8	0	0	0	0	38				
9	0	0	0	0	39				
10	0	0	0	0	40				
11	0	0	0	0	41				
12	0	0	0	0	42				
13	Finished				43				
14					44				
15					45				
16					46				
17					47				
18					48				
19					49				
20					50				
21					51				
22					52				
23					53				
24					54				
25					55				
26					56				
27					57				
28					58				
29					59				
30					50				

Number of Readings Above 5 % were 0 Average Opacity for Highest 6 Min Period 0
 Range of opacity Readings Min 0 Max 0 Average Opacity for 2nd Highest 6 Min _____
 Observers Name (Print) William Arlington
 Observers Signature W. Arlington Date 2/13/07
 Organization Arlington Environmental Services, Inc.
 Certified By Whitlow Enterprises Date 1/8/07

Arlington Environmental Services, Inc.
(863) 467-0555

VISIBLE EMISSION TEST

Method Used (Circle One) Method 9 203A 203B Report 1539-V-2

Company Name Rinker Materials
 Facility Name S. Ft. Myers RM (AIRS 0710015)
 Street Address 7270 Aliso Rd
 City FT. Myers State FL Zip _____
 Phone No. (239) 267-3634


Process Concrete Unit # Eu-08 Operating Mode 3 Trucks
 Control Equipment Cartridge Collector Operating Mode Normal

Describe Emission Point DC on N Side of Silo
 Ht of Emis. Point 85' Ht Ref to Observer 85'
 Distance to Emis. Pt 170' Direction to Emis. Pt (Degrees) 264°

Vehicle Angle to Obs Pt 21° Direction to Obs Pt (Degrees) 264°
 Distance and Direction to Obs. Pt from Emission Pt Same

Describe Emissions
 Emission Color _____ Water Droplet Plume
 Attached _____ Detached _____ None

Describe Plume Background
 Background Color blue Sky Conditions Clear
 Wind Speed 2-5 MPH Wind Direction East
 Ambient Temp. 68°F Wet Bulb Temp. _____ % RH _____



Latitude 26.29295 Longitude 81.49.954 Declination _____

Comments 3 Trucks batching

Observation Date 2-13-07 Start Time 7:23 Stop Time 7:35

Min Sec	0				15				30				45			
	0	15	30	45	0	15	30	45	0	15	30	45	0	15	30	45
1	*0	0	0	0												
2	0	0	0	0												
3	0	0	0	*0												
4	0	0	0	*0												
5	0	0	0	0												
6	0	0	0	0												
7	*0	0	0	0												
8	0	0	*0	0												
9	0	0	0	0												
10	0	0	0	0												
11	0	0	0	0												
12	*0	0	0	0												
13	Finished															
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

Number of Readings Above _____ % were _____ Average Opacity for Highest 6 Min Period _____
 Range of opacity Readings _____ Average Opacity for 2nd Highest 6 Min _____
 Min _____ Max _____
 Observers Name (Print) William Arlington
 Observers Signature W. Arlington Date 2/13/07
 Organization Arlington Environmental Services, Inc.
 Certified By Whitlow Enterprises Date 1/8/07

Arlington Environmental Services, Inc.
(863) 467-0555

VISIBLE EMISSION TEST

Method Used (Circle One)
 Method 9 203A 203B Report 1539-V-3

Company Name Rinker Materials
 Facility Name S. Ft. Myers Rm (0710015)
 Street Address 7270 Alcoa Rd.
 City FL - Myers, FL State _____ Zip _____
 Phone No (239) 267-3634


Process Concrete Encas Unit # _____ Operating Mode 25.4 TPh
 Control Equipment Cartridge Collector Operating Mode 9 Psig

Describe Emission Point E Side of N Silo
 Ht of Emis. Point 85' Ht Rel to Observer 85'
 Distance to Emis. Pt. 270' Direction to Emis. Pt (Degrees) 265'

Vertical Angle to Obs. Pt. 14° Direction to Obs. Pt. (Degrees) 265°
 Distance and Direction to Obs. Pt from Emission Pt Same

Describe Emissions
 Emission Color _____ Water Droplet Plume
 Attached _____ Detached _____ None

Describe Plume Background Sky
 Background Color blue Sky Conditions Clear
 Wind Speed 1-5 mph Wind Direction East
 Ambient Temp. 68°F Wet Bulb Temp _____ % RH _____



Latitude 26°29.295' Longitude 81°49.954' Declination _____

Comments Cement 2032 test / 6 min

Observation Date		Start Time				Stop Time			
2-13-07		07:40				8:25			
Min	0	15	30	45	Min	0	15	30	45
1	0	0	0	0	31	0	0	0	0
2	0	0	0	0	32	0	0	0	0
3	0	0	0	0	33	0	0	0	0
4	0	0	0	0	34	0	0	0	0
5	0	0	0	0	35	0	0	0	0
6	0	0	0	0	36	0	0	0	0
7	0	0	0	0	37	0	0	0	0
8	0	0	0	0	38	0	0	0	0
9	0	0	0	0	39	0	0	0	0
10	0	0	0	0	40	0	0	0	0
11	0	0	0	0	41	0	0	0	0
12	0	0	0	0	42	0	0	0	0
13	0	0	0	0	43	0	0	0	0
14	0	0	0	0	44	0	0	0	0
15	0	0	0	0	45	0	5	10	5
16	0	0	0	0	46				
17	0	0	0	0	47				
18	0	0	0	0	48				
19	0	0	0	0	49				
20	0	0	0	0	50				
21	0	0	0	0	51				
22	0	0	0	0	52				
23	0	0	0	0	53				
24	0	0	0	0	54				
25	0	0	0	0	55				
26	0	0	0	0	56				
27	0	0	0	0	57				
28	0	0	0	0	58				
29	0	0	0	0	59				
30	0	0	0	0	60				

Number of Readings Above _____ % were 3 Average Opacity for Highest 6 Min Period 0.87
 Range of opacity Readings
 Min 0 Max 10 Average Opacity for 2nd Highest 6 Min _____
 Observers Name (Print) William Arlington
 Observers Signature W. Arlington Date _____
 Organization Arlington Environmental Services, Inc.
 Certified By Whitlow Enterprises Date 1/8/07

Arlington Environmental Services, Inc.
(863) 467-0555

VISIBLE EMISSION TEST

Method Used (Circle One)
 Method 203A 203B Report: 1539-V-4

Company Name: Rinker Materials
 Facility Name: 8- FT. Myers RM (0710015)
 Street Address: 7270 Alice Rd.
 City: FT. Myers FL State: FL Zip:
 Phone No: (239) 267-3634


Process: Concrete Unit #: E-06 Operating Mode: 23.5TPH
 Control Equipment: Cartridge Collector Operating Mode: 9PSig

Describe Emission Point: W. Side of N Silo
 Ht of Emis. Point: 85' Ht Ref. to Observer: 85'
 Distance to Emis. Pt.: 280' Direction to Emis. Pt. (Degrees): 265'

Vertical Angle to Obs. Pt.: 14° Direction to Obs. Pt. (Degrees): 265°
 Distance and Direction to Obs. Pt. from Emission Pt.: Same

Describe Emissions
 Emission Color: Water Droplet Plume: Attached Detached None

Describe Plume Background
 Background Color: blue sky Sky Conditions: Clear
 Wind Speed: 2-5 MPH Wind Direction: East
 Ambient Temp: 68°F Wet Bulb Temp: % RH:



Latitude: 26° 29.295' Longitude: 81° 49.954' Declination:

Comments: Cement 26.29 tons / 67 min

Observation Date: 2-13-07					Start Time: 07:40					Stop Time: 8:31				
Min	0	15	30	45	Min	0	15	30	45	Min	0	15	30	45
1	0	0	0	0	31	0	0	0	0					
2	0	0	0	0	32	0	0	0	0					
3	0	0	0	0	33	0	0	0	0					
4	0	0	0	0	34	0	0	0	0					
5	0	0	0	0	35	0	0	0	0					
6	0	0	0	0	36	0	0	0	0					
7	0	0	0	0	37	0	0	0	0					
8	0	0	0	0	38	0	0	0	0					
9	0	0	0	0	39	0	0	0	0					
10	0	0	0	0	40	0	0	0	0					
11	0	0	0	0	41	0	0	0	0					
12	0	0	0	0	42	0	0	0	0					
13	0	0	0	0	43	0	0	0	0					
14	0	0	0	0	44	0	0	0	0					
15	0	0	0	0	45	0	0	0	0					
16	0	0	0	0	46	0	0	0	0					
17	0	0	0	0	47	0	0	0	0					
18	0	0	0	0	48	0	0	0	0					
19	0	0	0	0	49	0	0	0	0					
20	0	0	0	0	50	0	0	0	0					
21	0	0	0	0	51	0	0	0	0					
22	0	0	0	0	52									
23	0	0	0	0	53									
24	0	0	0	0	54									
25	0	0	0	0	55									
26	0	0	0	0	56									
27	0	0	0	0	57									
28	0	0	0	0	58									
29	0	0	0	0	59									
30	0	0	0	0	60									

Number of Readings Above 0% were 0 Average Opacity for Highest 6 Min Period 0
 Range of opacity Readings Min 0 Max 0 Average Opacity for 2nd Highest 6 Min
 Observers Name (Print): William Arlington
 Observers Signature: [Signature] Date: 2/13/07
 Organization: Arlington Environmental Services, Inc.
 Certified By: Whitlow Enterprises Date: 1/8/07

Arlington Environmental Services, Inc.
(863) 467-0555

VISIBLE EMISSION TEST

Method Used (Circle One) Method <u>2</u> 203A 203B Report <u>1539-V-5</u>		
Company Name Rinker Materials		
Facility Name S. FT. MYERS RM (0710015)		
Street Address 7270 Alice Rd.		
City, State, Zip FT. MYERS, FL		
Phone No. (239) 267-3634		
Process Concrete	Unit # EW-07	Operating Mode 31.97 PH
Control Equipment Cartridge Collector	Operating Mode 4-10 PSIG	
Describe Emission Point W Side of S. Silo		
Hi of Emis. Pt. 85'	Hi. Ref. to Observer 85'	
Distance to Emis. Pt. 250'	Direction to Emis. Pt. (Degrees) 320'	
Vertical Angle to Obs. Pt. 18'	Direction to Obs. Pt. (Degrees) 320'	
Distance and Direction to Obs. Pt. from Emission Pt. Same		
Describe Emissions		
Emission Color	Water Droplet Plume Attached <input type="checkbox"/> Detached <input type="checkbox"/> None <input checked="" type="checkbox"/>	
Describe Plume Background		
Background Color blue	Sky Conditions Scattered	
Wind Speed 3-5 MPH	Wind Direction ESE	
Ambient Temp. 72°F	Wet Bulb Temp. % RH	
<p>Source Layout</p> <p>Draw North Arrow <input type="checkbox"/> IN <input type="checkbox"/> MN</p> <p>Scale: 100 Feet</p> <p>Side View</p> <p>Slack <input type="checkbox"/></p> <p>Sun <input type="checkbox"/></p> <p>Wind <input type="checkbox"/></p>		
Latitude 26° 29.295'	Longitude 81° 49.954'	Declination
Comments Concrete 2.553 Tons / 48 min.		

Sec	Observation Date 2-13-07				Start Time 10:06				Stop Time 10:38			
	Min	0	15	30	45	Sec	Min	0	15	30	45	
1	0	0	0	0	31	0	0	0	0			
2	0	0	0	0	32	0	0	0	0			
3	0	0	0	0	33	0	0					
4	0	0	0	0	34	Finished						
5	0	0	0	0	35							
6	0	0	0	0	36							
7	0	0	0	0	37							
8	0	0	0	0	38							
9	0	0	0	0	39							
10	0	0	0	0	40							
11	0	0	0	0	41							
12	0	0	0	0	42							
13	0	0	0	0	43							
14	0	0	0	0	44							
15	0	0	0	0	45							
16	0	0	0	0	46							
17	0	0	0	0	47							
18	0	0	0	0	48							
19	0	0	0	0	49							
20	0	0	0	0	50							
21	0	0	0	0	51							
22	0	0	0	0	52							
23	0	0	0	0	53							
24	0	0	0	0	54							
25	0	0	0	0	55							
26	0	0	0	0	56							
27	0	0	0	0	57							
28	0	0	0	0	58							
29	0	0	0	0	59							
30	0	0	0	0	50							
Number of Readings Above 0 % were 0						Average Opacity for Highest 6 Min Period 0						
Range of opacity Readings Min Max 0						Average Opacity for 2nd Highest 6 Min						
Observers Name (Print): William Arlington												
Observers Signature: <i>W. Arlington</i>										Date: 2/13/07		
Organization: Arlington Environmental Services, Inc.												
Certified By: Whitlow Enterprises										Date: 1/8/07		

Arlington Environmental Services, Inc.
(863) 467-0555

VISIBLE EMISSION TEST

Method (Circle One)
 Method A 203A 203B Report: 1539-V6

Company Name: Rinker Materials
 Facility Name: S FT. Myers RM (0710015)
 Street Address: 7270 Alicia Rd.
 City: FT. Myers, FL State: Zip:
 Phone No: (239) 267-3634


Process: Concrete Unit #: Ew-c4 Operating Mode: 23-97 Ph
 Control Equipment: Cartridge Collector Operating Mode: Lo P Sig

Describe Emission Point: E Side of S Silo
 Ht of Emis. Point: 85' Ht Rel to Observer: 85'
 Distance to Emis. Pt.: 280' Direction to Emis. Pt (Degrees): 322°

Verticle Angle to Obs. Pt: 19° Direction to Obs. Pt (Degrees): 322°
 Distance and Direction to Obs. Pt from Emission Pt: Same

Describe Emissions
 Emission Color: Water Droplet Plume: Attached Detached None

Describe Plume Background
 Background Color: blue SKY Sky Conditions: Partly Cloudy
 Wind Speed: 5-7 mph Wind Direction: SSE
 Ambient Temp: 76°F Wet Bulb Temp.: % RH:



Latitude: 26° 29' 29.5" Longitude: 81° 49' 54" Declination:

Comments: Fly Ash - 25.90 Tons / 65 min.

Observation Date: 2-13-07					Start Time: 11:27					Stop Time: 12:22				
Min	0	15	30	45	Min	0	15	30	45	Min	0	15	30	45
1	0	0	0	0	31	0	0	0	0					
2	0	0	0	0	32	0	0	0	0					
3	0	0	0	0	33	0	0	0	0					
4	0	0	0	0	34	0	0	0	0					
5	0	0	0	0	35	0	0	0	0					
6	0	0	0	0	36	0	0	0	0					
7	0	0	0	0	37	0	0	0	0					
8	0	0	0	0	38	0	0	0	0					
9	0	0	0	0	39	0	0	0	0					
10	0	0	0	0	40	0	0	0	0					
11	0	0	0	0	41	0	0	0	0					
12	0	0	0	0	42	0	0	0	0					
13	0	0	0	0	43	0	0	0	0					
14	0	0	0	0	44	0	0	0	0					
15	0	0	0	0	45	0	0	0	0					
16	0	0	0	0	46	0	0	0	0					
17	0	0	0	0	47	0	0	0	0					
18	0	0	0	0	48	0	0	0	0					
19	0	0	0	0	49	0	0	0	0					
20	0	0	0	0	50	0	0	0	0					
21	0	0	0	0	51	0	0	0	0					
22	0	0	0	0	52	0	0	0	0					
23	0	0	0	0	53	0	0	0	0					
24	0	0	0	0	54	0	0	0	0					
25	0	0	0	0	55	0	0	0	0					
26	0	0	0	0	56									
27	0	0	0	0	57									
28	0	0	0	0	58									
29	0	0	0	0	59									
30	0	0	0	0	60									

Number of Readings Above 0 % were 0
 Range of opacity Readings: Min 0 Max 0
 Average Opacity for Highest 6 Min Period: 0
 Average Opacity for 2nd Highest 6 Min: 0
 Observers Name (Print): William Arlington
 Observers Signature: W. Arlington Date: 2/13/07
 Organization: Arlington Environmental Services, Inc.
 Certified By: Whitlow Enterprises Date: 1/8/07



Whitlow Enterprises, LLC

www.smokeschool.net

Certifies that

Bill Arlington of Arlington Environmental Services

Has met all of the requirements of EPA Reference Method 9 and 22

And is qualified as a Visible Emissions Observer

Date: January 8, 2007

This certificate is valid for 6 months after the above date

George Artie "Butch" Whitlow

President



APAC, Inc. • 900 Ashwood Parkway • Suite 700 • Atlanta, Georgia 30338-4780 • (770) 392-5300 • Fax (770) 392-5418

November 9, 2007

Florida Department of Environmental Protection
Receipts
P.O. Box 3070
Tallahassee, FL 32315-3070

Bureau of Air Monitoring
& Mobile Sources

RECEIVED
NOV 13 2007

Re: Air Permit Transfers

The enclosed check is for Air General Permit transfer for the permits listed below:

0810064	BLOCK PLANT REMOVED
1010077	
1030139	
1010326	BLOCK PLANT REMOVED
0450009	
1310010	
0710024	BLOCK PLANT REMOVED
0150086	
0710015	BLOCK PLANT REMOVED
0710229	
0710096	
0210047	
0210032	
0910075	
7770043	
1136024	
0050037	
0030043	
0330266	

Thank you in advance for your assistance.

Sincerely,

Crystal A. Gaddy Willis

Chris Willis
EHS Manager
APAC, Inc.

FLORIDA DEPARTMENT OF
REVENUE
2007 NOV 14 PM 4:11