

# Department of **Environmental Protection**

Lawton Chiles Governor

Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

Virginia B. Wetherell Secretary

January 17, 1997

Ms. Christina Popovich Gators One Hour Cleaners 305 South Magnolia Ocala, Florida 34470

Re: Facility I.D. No. 0830110

Dear Ms. Popovich:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on August 29, 1996.

Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office Bureau of Air Monitoring and Mobile Sources, MS 5510 Department of Environmental Protection 2600 Blair Stone Road Tallahassee, Florida 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

Dotty Diltz, Chief

Bureau of Air Monitoring

and Mobile Sources

DD/jw

cc: Mr. Louis Nichols, Central District

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

### Perchloroethylene Dry Cleaning Facility Notification

#### **Facility Name and Location**

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):
Charles Lyles on Mike Lyles
2. Site Name (For example, plant name or number): Ocala, Fl. 34470
Lators One Hour Cleaners
3. Hazardous Waste Generator Identification Number:
FLD 981-029416
4. Facility Location: Street Address: 305 South Magazine Ave.
Street Address: 305 South Magnolia Ave, City: County: Zip Code: 34470
5. Facility Identification Number (DEP Use):
0830110
Responsible Official
6. Name and Title of Responsible Official:
Schoparde Suller State 200
7. Responsible Official Mailing Address:
Organization/Firm: 305 S. Magnolia Street Address:
City: Ocalar County: Marwin Zip Code: 34470
8. Responsible Official Telephone Number:
Telephone: (362)629 - 2099 Fax: ( ) N-1/A
· · · · · · · · · · · · · · · · · · ·
Facility Contact (If different from Responsible Official)
9. Name and Title of Facility Contact (For example, plant manager):
Christina Popovich
10. Facility Contact Address:
Street Address: 305 5, magnilia
City: Occide County: Marion Zip Code: 34470
11. Facility Contact Telephone Number:
Telephone: (352) 622 - 9875 Fax: ( ) N/A

RECEIVED

OCT, 1 1996

DEP Form No. 62-213.900(2) Effective: 6-25-96 Page 13 of 16

Bureau of Air Monitoring & Mobile Sources

# # 0830110

P. 14

3. new small area source should be marked

P.15 4. new small area r.c. Should be marked

### **Facility Information**

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

		Date Machine Initially	Date Control Device		Date Machine Initially	Date Control Device		Date Machine Initially	Date Control Device
Type of Machine	ID	Purchased	Installed	ID	Purchased	Installed	ID	Purchased	Installed
Example	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-9
Dry-to-Dry Unit		٠.	**						
(1) w/ ref. condenser	#11	March	Marda						
(2) w/ carbon adsorber	큠			_			_		
(3) w/ no controls				_			_		
Washer Unit									
(4) w/ ref. condenser							_		
(5) w/ carbon adsorber									
(6) w/ no controls					1				
Dryer Unit		an Majar					. ,	* *	
(7) w/ ref. condenser				_					
(8) w/ carbon adsorber				-					
(9) w/ no controls									
Reclaimer Unit	:				1 1	i a i '			The second section
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									
<ul> <li>(b) Control devices are</li> <li>(c) No control devices</li> <li>2.(a) What was the total of the control of the contr</li></ul>	are requant	equired to be ity of perchlo ons ow many? [_	installed [	perc)	purchased in				[]
3. What is the facility's so (Indicate with an "X".  Existing small ar  Existing large are	Selec ea so	et one classifi	cation only.) Ne	ew sn	nitions found nall area sour	rce [	3) of 	Part II?	
	•								

DEP Form No. 62-213.900(2)

Effective: 6-25-96

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)
Existing large area source  Carbon adsorber  []  Refrigerated condenser  []
New small area source Refrigerated condenser []
New large area source Refrigerated condenser []
5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:
All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.
All steam and hot water generating units exempt No such units on-site
Equipment Monitoring and Recordkeeping Information
Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:
(a) Purchase receipts and solvent purchases
(b) Leak detection inspection and repair
(c) Refrigerated condenser temperature monitoring
(d) Carbon adsorber exhaust perc concentration monitoring
(e) Instrument calibration
(f) Start-up, shutdown, malfunction plan

DEP Form No. 62-213.900(2) Effective: 6-25-96 Page 15 of 16

### Surrender of Existing Air Permit(s)

ease indica	ate with an "X" the appropriate selection:	
	I hereby surrender all existing air permi facility indicated in this notification for	
X	No air permits currently exist for the op this notification form.	peration of the facility indicated in
	Responsible Offi	icial Certification
this notif statemen maintain	fication. I hereby certify, based on informants Instrate in this notification are true, accur In the air pollutant emissions units and air p	lefined in Part II of this form, of the facility addressed in ation and belief formed after reasonable inquiry, that the ate and complete. Further, I agree to operate and collution control equipment described above so as to I permit as set forth in Part II of this notification form.
I will pro	omptly notify the Department of any chang	es to the information contained in this notification.
	Mars	9-29-96
Signature	re .	Date

•		0830110	BEST AVAIL	ABLE COPY
Per	P. 14			
	3. neu	v Small C	ure a	
1. Facility Owner/Col	Soun	ce should	be	
2. Site Name (For ex	mar	Keq		
Lators O	P. 15	s small a	000	
3. Hazardous Waste		snovld		
4. Facility Location: Street Address:	mar			
City: Oca Qe				470
5. Fácility Identific		9		
	Correction	so made 12/10/	196	
6. Name and Title of				
7. Responsible Officia			<u></u>	
Street Address.	305 S.M	•	7. 0.4	
City: Ocal		County: Mar	Zip Cod	° 34470
Telephone: (25	l Telephone Number:	Fax: (	) NA	
	62622-9875			
		lifferent from Responsibl	le Official)	
9. Name and Title of F	Facility Contact (For exa	mple, plant manager):		
Christin	a Popour	ch		
10. Facility Contact Ad	MoutoRo			
		2 CS (NE + C)		

9. Name and Title of Facility Contact (For example, plant manager):
Christina Popovich
10. Facility Contact Address: Joseph Contact Address:
Street Address: 305 5. Magnulia
Street Address: Jostoko  Street Address: 305 5. Magnolia City: County: Marion Zip Code: 34470
11. Facility Contact Telephone Number:
Telephone: (352) 622 - 9875 Fax: ( ) N/A

RECEIVED

OCT 1 1996

DEP Form No. 62-213.900(2) Effective: 6-25-96

Page 13 of 16

Bureau of Air Monitoring & Mobile Sources

# Perchloroethylene Dry Cleaning Facility Notification

### Facility Name and Location

1.	Facility Owner/Company Name (Name of corporation, agency, or individual owner):
J	lator on Mike Lules
2.	Site Name (For example, plant name or number): 0 305 5. Macholica Ocala 21 34470
	Lators One hour Cleaners
3.	Hazardous Waste Generator Identification Number:
	FLD 981-029 416
4.	Facility Location: Street Address: 305 South Macholic Ave
	Street Address: 305 50wth Magnolia Ave City: Ocala County: Marwn Zip Code: 34470
5.	Facility Identification Number (DEP Use):
	0830HO
	Responsible Official
	·
6.	Name and Title of Responsible Official:
_100	Stor Christen Popouch Wanager
7.	Responsible Official Mailing Address: Organization/Firm:
	Street Address: 305 S. Magnolia City: County: County: Zip Code:
	Ocala Marion 34470
8.	Responsible Official Telephone Number: Telephone: (352) 622 - 9875  Fax: ( ) N/A-
	7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
	Facility Contact (If different from Responsible Official)
9.	Name and Title of Facility Contact (For example, plant manager):
10.	Facility Contact Address:
	Street Address:
	City: County: Zip Code:
11.	Facility Contact Telephone Number:
	Telephone: ( ) - Fax: ( ) -

RECEIVED

AUG 2 9 1996

DEP Form No. 62-213.900(2) Effective: 6-25-96 Page 13 of 16

Bureau of Air Monitoring & Mobile Sources

### Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

		Date Machine Initially	Date Control Device		Date Machine Initially	Date Control Device		Date Machine Initially	Date Control Device
Type of Machine	ID	Purchased	Installed	ID	Purchased	Installed	ID	Purchased	Installed
Example	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-9
Dry-to-Dry Unit									
(I) w/ ref. condenser	#1	March 95	March 95						
(2) w/ carbon adsorber									
(3) w/ no controls									
Washer Unit									•
(4) w/ ref. condenser								,	
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit					20.20				
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls								-	
Reclaimer Unit		<del>'</del> ,		٠.,		·	·		
(10) w/ ref. condenser					_				
(11) w/carbon adsorber									
(12) w/ no controls					Ì				
(b) Control devices are  (c) No control devices  2.(a) What was the total of the second of the secon	are requant gallo	equired to be ity of perchlo ons ow many? [_	installed [	perc)	purchased in				]
3. What is the facility's so (Indicate with an "X".  Existing small ar  Existing large are	Selec ea so	et one classifi	cation only.) Ne	w sn	nitions found nall area sour rge area sour	rce 🔀	3) of [3]	Part II?	

DEP Form No. 62-213.900(2)

Effective: 6-25-96

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form (Indicate with an "X".)	n?
Existing large area source  Carbon adsorber [] Refrigerated condenser []	
New small area source Refrigerated condenser	
New large area source Refrigerated condenser  []	
5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursu to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:	iani
All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.	3
All steam and hot water generating units exempt  No such units on-site	
Equipment Monitoring and Recordkeeping Information	
Check all logs which are required to be kept on-site in accordance with the requirements of this general perm	ait:
(a) Purchase receipts and solvent purchases	
(b) Leak detection inspection and repair	
(b) Leak detection inspection and repair  (c) Refrigerated condenser temperature monitoring	
(d) Carbon adsorber exhaust perc concentration monitoring	
(e) Instrument calibration	
(f) Start-up, shutdown, malfunction plan	

DEP Form No. 62-213.900(2)

Effective: 6-25-96

### Surrender of Existing Air Permit(s)

Please indicate	e with an "X" the appropriate selection:	
	I hereby surrender all existing air permits a facility indicated in this notification form;	9 .
X	No air permits currently exist for the oper- this notification form.	ation of the facility indicated in
	Responsible Officia	al Certification
this notific statements maintain i	cation. I hereby certify, based on informatic s made in this notification are true, accurate the air pollutant emissions units and air poli	ined in Part II of this form, of the facility addressed in on and belief formed after reasonable inquiry, that the e and complete. Further, I agree to operate and lution control equipment described above so as to be bermit as set forth in Part II of this notification form.
I will proi	nptly notify the Department of any changes	to the information contained in this notification.
Ch	astina Poporuli	18-10-94
Signature	Book of the	Date

**/**/

# PERCHLOROETHYLENE DRY CLEANERS

# TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION:	ANNUAL RE-INSPECTION	COMPLAINT/DISC	OVERY 🗅
AIRS ID#: 0830110 D.  FACILITY NAME:		S TIME IN: 9:45 TIME SOLVERS NOLIA 34470	IE OUT: <u>/0 ; 20</u>
PART I: NOTIFICATION			
(check appropriate box)			
1. Existing facility notified DAR	M by 9/1/96		
2. New facility notified DARM 30	days prior to star	tup	۵
3. Facility failed to notify DARM	to use general per	mit	
PART II: CLASSIFICATION			
Facility indicated on notification (check appropriate box)	n form that it is:		
A.  1. Existing small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed before 12/9/91)	×	2. New small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed on or after 12/9/91)	
3. Existing large area source dry-to-dry only, 140 <x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)<="" before="" both="" ga="" gal="" only,="" td="" transfer="" types,="" y=""><td>gal/yr l/yr</td><td>4. New large area source dry-to-dry only, 140<x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)<="" after="" both="" gal="" on="" only,="" or="" td="" transfer="" types,="" yr=""><td></td></x<2,></td></x<2,>	gal/yr l/yr	4. New large area source dry-to-dry only, 140 <x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)<="" after="" both="" gal="" on="" only,="" or="" td="" transfer="" types,="" yr=""><td></td></x<2,>	
This is a correct facility classification	ntion	DY MN	
If no, please check the appropriat	e classification:	NEW SMALL AREA	
	•	nit as number above not eligible for a general permit	
B. The total quantity of perchloro facility was 105 gallons.	oethylene (perc) pu	rchased within the preceding 12 month	ns by this dry cleaning

# Is the responsible official of the dry cleaning facility: (check appropriate boxes) 1. Storing perchloroethylene in tightly sealed and impervious containers? ORGERS & FOTS IN MACHINE AS NEEDED NO STG. 2. Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) 1. Equipped all machines with the appropriate vent controls? ON DN/A 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? □N □N/A 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis? 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F? 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?

PART III: GENERAL CONTROL REQUIREMENTS

B. Has the responsible official of an existing large or new large area source also:	
1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□У □И .
<ol><li>Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?</li></ol>	ОУ ОИ
Is the temperature differential equal to or greater than 20° F?	□Y □N
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	OY ON ON/A
Is the perc concentration equal to or less than 100 ppm?	OY ON
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ОУ ОИ
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	□Y □N □N/A
6. Routed airflow to the carbon adsorber (if used) at all times?	OY ON ON/A
PART V: RECORDKEEPING REQUIREMENTS	
Has the responsible official: (check appropriate boxes)	
(check appropriate ookes)	
Maintained receipts for perc purchased?	MA ON
	AA ON
Maintained receipts for perc purchased?	MA ON
<ol> <li>Maintained receipts for perc purchased?</li> <li>Maintained rolling monthly averages of perc consumption?</li> </ol>	MA ON AM
<ol> <li>Maintained receipts for perc purchased?</li> <li>Maintained rolling monthly averages of perc consumption?</li> <li>Maintained leak detection inspection and repair reports for the following:</li> </ol>	MA ON  MACHINE  MACHI
<ol> <li>Maintained receipts for perc purchased?</li> <li>Maintained rolling monthly averages of perc consumption?</li> <li>Maintained leak detection inspection and repair reports for the following:         <ul> <li>a. documentation of leaks repaired w/in 24 hrs? or;</li> <li>b. documentation of parts ordered to repair leak and leak repaired w/in 2 days</li> </ul> </li> </ol>	MA UN
<ol> <li>Maintained receipts for perc purchased?</li> <li>Maintained rolling monthly averages of perc consumption?</li> <li>Maintained leak detection inspection and repair reports for the following:         <ul> <li>a. documentation of leaks repaired w/in 24 hrs? or;</li> <li>b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?</li> </ul> </li> </ol>	MA ON
<ol> <li>Maintained receipts for perc purchased?</li> <li>Maintained rolling monthly averages of perc consumption?</li> <li>Maintained leak detection inspection and repair reports for the following:         <ul> <li>a. documentation of leaks repaired w/in 24 hrs? or;</li> <li>b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?</li> </ul> </li> <li>Maintained calibration data? (for direct reading instruments only)</li> </ol>	DY ON PANA
<ol> <li>Maintained receipts for perc purchased?</li> <li>Maintained rolling monthly averages of perc consumption?</li> <li>Maintained leak detection inspection and repair reports for the following:         <ul> <li>a. documentation of leaks repaired w/in 24 hrs? or;</li> <li>b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?</li> </ul> </li> <li>Maintained calibration data? (for direct reading instruments only)</li> <li>Maintained exhaust duct monitoring data on perc concentrations?</li> </ol>	DY DN PN/A
<ol> <li>Maintained receipts for perc purchased?</li> <li>Maintained rolling monthly averages of perc consumption?</li> <li>Maintained leak detection inspection and repair reports for the following:         <ul> <li>a. documentation of leaks repaired w/in 24 hrs? or;</li> <li>b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?</li> </ul> </li> <li>Maintained calibration data? (for direct reading instruments only)</li> <li>Maintained exhaust duct monitoring data on perc concentrations?</li> <li>Maintained startup/shutdown/malfunction plan?</li> </ol>	DY ON PANA OY ON PANA OY ON
<ol> <li>Maintained receipts for perc purchased?</li> <li>Maintained rolling monthly averages of perc consumption?</li> <li>Maintained leak detection inspection and repair reports for the following:         <ul> <li>a. documentation of leaks repaired w/in 24 hrs? or;</li> <li>b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?</li> </ul> </li> <li>Maintained calibration data? for direct reading instruments only)</li> <li>Maintained exhaust duct monitoring data on perc concentrations?</li> <li>Maintained startup/shutdown/malfunction plan?</li> <li>Maintained deviation reports?</li> </ol>	AY ON PAN/A OY ON PAN/A OY ON PAN/A OY ON
<ol> <li>Maintained receipts for perc purchased?</li> <li>Maintained rolling monthly averages of perc consumption?</li> <li>Maintained leak detection inspection and repair reports for the following:         <ul> <li>a. documentation of leaks repaired w/in 24 hrs? or;</li> <li>b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?</li> </ul> </li> <li>Maintained calibration data? (for direct reading instruments only)</li> <li>Maintained exhaust duct monitoring data on perc concentrations?</li> <li>Maintained startup/shutdown/malfunction plan?</li> <li>Maintained deviation reports?         <ul> <li>Problem corrected?</li> </ul> </li> <li>Maintained compliance plan, if applicable?</li> </ol>	MA ON MANA  OA ON MANA  OA ON MANA  MAA ON
<ol> <li>Maintained receipts for perc purchased?</li> <li>Maintained rolling monthly averages of perc consumption?</li> <li>Maintained leak detection inspection and repair reports for the following:         <ul> <li>a. documentation of leaks repaired w/in 24 hrs? or;</li> <li>b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?</li> </ul> </li> <li>Maintained calibration data? (for direct reading instruments only)</li> <li>Maintained exhaust duct monitoring data on perc concentrations?</li> <li>Maintained startup/shutdown/malfunction plan?</li> <li>Maintained deviation reports?         <ul> <li>Problem corrected?</li> </ul> </li> </ol>	MA ON MANA  OA ON MANA  OA ON MANA  MAA ON

	_					
2.	Which method of detection is used by the	he respon	nsible offi	cial?		
	Visual examination (condensed so	olvent or	exterior	surfaces)	₩.	
	Physical detection (airflow felt the	rough ga	skets)	•	#	
	Odor (noticeable perc odor)				A	
	Use of direct-reading instrumenta	tion (FII	D/PID/cal	orimetric tubes)	o d	
	If using direct-reading instrume	entation,	, is the eq	uipment:		
	a. Capable of detecting	perc vapo	or concen	trations in a range of 0-500 ppm?	$\square_{Y}$	□N
	<ul><li>b. Calibrated against a s (PID/FID only)?</li></ul>	tandard	gas prior	to and after each use	ΠY	□N
	c. Inspected for leaks an	d obviou	ıs signs of	wear on a weekly basis?	$\Box$ Y	□N
d. Kept in a clean and secure area when not in use?					$\Box$ Y	□N
e. Verified for accuracy by use of duplicate samples (calorimetric only)?					ПY	□N
3.	Has the facility maintained a leak log?			•	XY.	□N
4.	Does the responsible official check the	followin	g areas fo	r leaks?	, ,	
	Hose connections, fittings, couplings, and valves	<b>)</b> (Y	□и	Muck cookers	YY	□N
	Door gaskets and seating	YY	ΠN	Stills	Y	□N
	Filter gaskets and seating	Y	ΠN	Exhaust dampers	ΠY	□N
	Pumps	XY	□N	Diverter valves	YY	ПN
	Solvent tanks and containers	YY	□N	Cartridge filter housings	Y	□N
	Water separators	#YY	□N			

CHAISTINA POPOVICH

Name of Responsible Official

Louis At Michals

Inspector's Name (Please Print)

Inspector's Signature

Approximate Date of Next Inspection

Galors 'One Hour' Dry Cleaners & Laundry Service

305 South Magnolia Avenue Ocala, Florida 32670

4 of 4

#### ADDITIONAL SITE INFORMATION:

- . FILTERS CHANGED EVERY 6 MOS APPROX
- a UNION 255 55185
- · CONTAINMENT PAN INSTALLED W/MACHINE
- · SRPARATE PAN FOR WASTE IN SEALED COMAINERS
- · LOW PERC USAGE 105. 3 TANKS; 50,50,80
- · BEST CLEANER AWARD OCALA STAR BANNER READER'S CHOICE

# PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

DATE 7-30-49

TYPE OF INSPECTION:

ANNUAL

X

COMPLAINT/DISCOVERYBY\_

ERYBY ORC

**RE-INSPECTION** 

AIRS ID#: 0830110 DATE: 7-29-99 TIME IN: 10120 OF TIME OUT: (1) 150
FACILITY NAME: <u>Gators One Hour Cleaner</u> & & & & & & & & & & & & & & & & & & &
FACILITY LOCATION: 305 S. Magnolia H. 1982 -
Ocala, FL 34470
RESPONSIBLE OFFICIAL: The forevich PHONE: 352-622-9875
CONTACT NAME: PHONE:

	$\mathbf{P}_{I}$	ART	<b>I</b> :	N	O'	$\Pi\Pi$	IC	AΊ	Ί(	Э	N	l
--	------------------	-----	------------	---	----	----------	----	----	----	---	---	---

(check appropriate box)

- 1. New facility notified DARM 30 days prior to startup
- 2. Facility failed to notify DARM to use general permit

- ☐ No notification form
  ☐ Drop store/out of business/petroleum

PART II: CLASSIFICATION

Facility indicated on notification form that it is: (check appropriate box)

- 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91)
- 3. Existing large area source dry-to-dry only,  $140 \le x \le 2,100$  gal/yr transfer only,  $200 \le x \le 1,800$  gal/yr both types,  $140 \le x \le 1,800$  gal/yr (constructed before 12/9/91)
- 5. This is a correct facility classification

- 2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91)
- 4. New large area source dry-to-dry only,  $140 \le x \le 2,100$  gal/yr transfer only,  $200 \le x \le 1,800$  gal/yr both types,  $140 \le x \le 1,800$  gal/yr (constructed on or after 12/9/91)
- DY DN DCan not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number \_\_\_\_\_ above
- facility exceeds above limits and is not eligible for a general permit
- B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was gallons.

15 (3B1) 30 (2/22)

# Is the responsible official of the dry cleaning facility: (check appropriate boxes) DY DN MNA 1. Storing perchloroethylene in tightly sealed and impervious containers? 2. Examining the containers for leakage? AYKQ NO YO 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? DN DN/A 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? DY ON WNA PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) 1. Equipped all machines with the appropriate vent controls? 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the DY ON ON/A condenser upon opening the door? 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?

PART III: GENERAL CONTROL REQUIREMENTS

6. Conducted all temperature monitoring after an appropriate cooldown period and after

verifying that the coolant had been completely charged?

B.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΠY	ΠN	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ПY	ΠN	□N/A
	Is the temperature differential equal to or greater than 20° F?	ΠY	ΠN	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,			
l	if machines are equipped with a carbon adsorber?	ПY	ПN	□N/A
	Is the perc concentration equal to or less than 100 ppm2	ΠY	ПN	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΠV		□N/A
	or expansion; and downstream from no other inlet?	<b>U</b> I	ПИ	UNA
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΟY	ПИ	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΟY	ND	□N/A

PART V: RECORDKEEPING REQUIREMENTS				
Has the responsible official: (check appropriate boxes)	. /			
1. Maintained receipts for perc purchased?	, <b>da</b> y on			
2. Maintained rolling monthly averages of perc consumption?	<b>E</b> Y ON			
3. Maintained leak detection inspection and repair reports for the following:				
a. documentation of leaks repaired w/in 24 hrs? or;	Y ON ON/A			
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	OY ON <b>Sy</b> Ý/A			
4. Maintained calibration data? (for applicable direct reading instruments)	AVA <b>Ž</b> , KD YD			
5. Maintained exhaust duct monitoring data on perc concentrations?	. 124 ON ON/A			
6. Maintained startup/shutdown/malfunction plan?	אם עם			
7. Maintained deviation reports?	DY ON ON/A			
Problem corrected?	AVA NO YO			
8. Maintained compliance plan, if applicable?	OY ON KNA			

PA	ART VI: LEAK DETECTION	ON AND REPAIRS				
1.	1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair					
	inspection?				ďΥ	□И
2.	Has the facility maintained a	leak log?			ďΥ	ПИ
3.	Does the responsible official	check the following ar	eas for leaks?			
	Hose connections, fittin couplings, and valves	ags,	□N/A	Muck cookers	ם אַם	A\N□ N
I	Door gaskets and seatir	ng ay on	□N/A	Stills	QX D	N □N/A
	Filter gaskets and seating	ng Py ON	□N/A	Exhaust dampers	QX D	N □N/A
	Pumps	מם צים	□N/A	Diverter valves	AY DI	N 🗆 N/A
	Solvent tanks and conta	ainers OV ON	□N/A	Cartridge filter housings	RX O	N □N/A
	Water separators	מט עם	□N/A			
4.	Which method of detection is	used by the responsib	le official?			
	Visual examination (co	ndensed solvent on ex	terior surfaces)			
	Physical detection (airflow felt through gaskets)					
	Odor (noticeable perc o	dor)				
	Use of direct-reading in	strumentation (FID/PI	D/calorimetric t	ubes)		
	Halogen leak detector				6	
	If using direct-read	ding instrumentation	, is the equipme	ent:	DN/A	
	a. Capable of	detecting perc vapor c	oncentrations in	a range of 0-500 ppm?	<b>G</b> Y 01	и
	b. Calibrated a (PID/FID o	against a standard gas nly)?	prior to and afte	r each use		N
	c. Inspected for leaks and obvious signs of wear on a weekly basis?					И
	d. Kept in a clean and secure area when not in use?					N
	e. Verified for	accuracy by use of du	plicate samples (	(calorimetric only)?	OY O	N

Randall Conningham
Inspector's Name (Please Print)

Radal

Inspector's Signature

7-29-99
Date of Inspection

7-2000

Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATIO	N:
	·

# TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL 🔀	COM	1PLAINT/DISCOVERY	RE-INSPECTION
TIME IN: 12,200 TIME OUT	г: 12:50	AIRS ID#:	30110
TYPE OF FACILITY: Dry Cleaner			
FACILITY NAME: Gators One Ho	Vr Clea	ners	_DATE: 7-29-99
FACILITY LOCATION: 305 S. Mag.	nolia		
OcalyFL 39	1470		252 /23 6/5
RESPONSIBLE OFFICIAL: Chaisting	opovich	PHONE NUMBER:	352-622-9875
Based on the results of the compliance requirements and compliance with DEP Rule 62-213.300, Floring		<del>-</del>	ility is found to be in
Based on the results of the compliance required discrepancies were noted:	irements evalua	ated during this inspection, the fol	lowing compliance
COMPLIANCE REQUIREMENT/PF	ROBLEM	FOLLOW-UP ACT	ON REQUIRED
	•	•	
		_	
-			
COMMENTS:			
In Complia	ince		
The Annual Compliance Certification form has been	properly certif	ied and submitted to the inspector.	YES NO
DATE OF NEXT INSPECTION: 7-	2000	<u> </u>	<i>—</i> —
l-u	/// (Ap	proximate)	
INSPECTION CONDUCTED BY:	aa II	pase Print)	
INSPECTOR'S SIGNATURE:	1 CH	•	407-843-3333

Revised 10/96

# DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM



FACILITY NAME: Gatus One House	ro Cleaner	DATE	:7-29-99
FACILITY LOCATION: 305 S. Magno Ocula, FL 3	150 34470		
Annual Reporting Period:	1948 то	July	19 99
Based on each term or condition of the Title V general air 62-213.300, Florida Administrative Code (F.A.C.), during		<b>\.</b> '.	DEP Rule
If NO, complete the following:		/	
#1. Term or condition of the general permit that has not b	een in continuous compliance	e during the reporting per	iod stated above:
Exact period of non-compliance: from	to	)	
Action(s) taken to achieve compliance:			
Method used to demonstrate compliance:			
#2. Term or condition of the general permit that has not b	een in continuous compliance	e during the reporting per	riod stated above:
Exact period of non-compliance: from	to		
Action(s) taken to achieve compliance:	<del></del>		
Method used to demonstrate compliance:			
As the responsible official, I hereby certify, based on informade in this notification are true, accurate and complete, upon purchase receipts, does not exceed 2,100 gallons per combination facilities.  RESPONSIBLE OFFICIAL: SHIPLEY MESPONSIBLE OFFICIAL:	Further, my annual consum, ryear for dry-to-dry facilities  Quale	ption of perchloroethylen	ie solvent, based

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

Page \_\_\_\_ of \_\_\_\_.

# PERCHLOROETHYLENE DRY CLEANERS

· 1	IILE V	GENERAL PA	ERMIT	
COMPL	IANCE I	INSPECTION	CHECKLIS	τ

TYPE OF INSPECTION:

(check appropriate box)

1. New facility notified DARM 30 days prior to startup

ANNUAL

**RE-INSPECTION** 



COMPLAINT/DISCOVERY

AIRS ID#: 0830110 DATE: 3-9-00 TIME IN: 11:30 TIME OUT: (2:00)
FACILITY NAME: 64to15 7 hour Cleaner
FACILITY LOCATION: 3055, Magnolia Ave
Ocala, Fr 34470
RESPONSIBLE OFFICIAL: 5416/64 McQvade PHONE: 352-622-9875
CONTACT NAME:PHONE:
PART I: NOTIFICATION

2. Facility failed to notify DARM to use general per	
PART II: CLASSIFICATION	
Facility indicated on notification form that it is: (check appropriate box)  A.	☐ No notification form ☐ Drop store/out of business/petroleum
1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91)	2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91)
3. Existing large area source dry-to-dry only, $140 \le x \le 2,100 \text{ gal/yr}$ transfer only, $200 \le x \le 1,800 \text{ gal/yr}$ both types, $140 \le x \le 1,800 \text{ gal/yr}$ (constructed before $12/9/91$ )	4. New large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr $140 \le x \le 1,$
5. This is a correct facility classification  If no, please check the appropriate classific  facility qualified for a ger  facility exceeds above lim	
B. The total quantity of perchloroethylene (perc) pu facility was go gallons.	rchased within the preceding 12 months by this dry cleaning

# PART III: GENERAL CONTROL REQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) DY ON (ZN/A 1. Storing perchloroethylene in tightly sealed and impervious containers? 2. Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?

5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?

#### PART IV: PROCESS VENT CONTROLS

#### In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

#### A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?

ON ON/A

□N □N/A

ON ON/A

 $QX \square N$ 

В.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	DY	-On	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΩY	NO	□N/A
l	Is the temperature differential equal to or greater than 20° F?	ΩY	ПИ	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	ΟY	ΩN	□N/A
	Is the perc concentration equal to or less than 100 ppm?	ΩY	ПИ	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction,			
	or expansion; and downstream from no other inlet?	ЦΥ	UN	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	QY	ПN	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΠY	NO	□N/A

PART V: RECORDREEPING REQUIREMENTS							
Has the responsible official: (check appropriate boxes)							
1. Maintained receipts for perc purchased?	Aga on						
2. Maintained rolling monthly averages of perc consumption?	MY ON						
3. Maintained leak detection inspection and repair reports for the following:	,						
a. documentation of leaks repaired w/in 24 hrs? or;	PAY ON ON/A						
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	DY DN AWA						
4. Maintained calibration data? (for applicable direct reading instruments)	OY ON						
5. Maintained exhaust duct monitoring data on perc concentrations?							
6. Maintained startup/shutdown/malfunction plan?	<b>β</b> tλ αν,						
7. Maintained deviation reports?	AND NO YOU						
Problem corrected?	מאת אם עם						
8. Maintained compliance plan, if applicable?	OY ON OW/A						

P	PART VI: LEAK DETECTION AND REPAIRS						
1.	1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair						
	inspection?			AY ON			
2.	Has the facility maintained a leak log?			DA DA			
3.	Does the responsible official check the	following areas for leak	s?				
	Hose connections, fittings, couplings, and valves	אוחם אם	Muck cookers	DY ON ON/A			
	Door gaskets and seating	אואם אם ציף	Stills	אומם מם צם			
	Filter gaskets and seating	DY ON ON/A	Exhaust dampers	AVAC NO YC			
	Pumps	DY ON ON/A	Diverter valves	DY ON ON/A			
	Solvent tanks and containers	CY ON ON/A	Cartridge filter housings	אומם מם צם			
	Water separators	OY ON ON/A	·	(			
4.	Which method of detection is used by	the responsible official?					
	Visual examination (condensed s						
	Physical detection (airflow felt th						
	Odor (noticeable perc odor)						
	Use of direct-reading instrument	ation (FID/PID/calorime	tric tubes)				
	Halogen leak detector	t t					
	If using direct-reading instrumentation, is the equipment:						
	a. Capable of detecting	perc vapor concentration	is in a range of 0-500 ppm?	DY DN			
	b. Calibrated against a (PID/FID only)?	standard gas prior to and	after each use	ПА ПИ			
	c. Inspected for leaks ar	nd obvious signs of wear	on a weekly basis?	OY ON			
	d. Kept in a clean and s	ecure area when not in t	ise?	NO YO			
	e. Verified for accuracy	by use of duplicate samp	oles (calorimetric only)?	OY ON			
	•						
	•						
	0 1116	<b>-</b> 1					
	Kandall Con	11 rahan	3-9-00				
	Inspector's Name (Please Print)  Date of Inspection						

Revised 8/11/97

Approximate Date of Next Inspection

Inspector's Signature

ADDITIONAL SITE INFORMATION:	
· · · · · · · · · · · · · · · · · · ·	
•	
	,
	• .
	[

Revised 01/18/00

# DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Ggtor 2 4	our Cleaner	5	I	DATE: 3-9-00
FACILITY LOCATION: 305 5	Magnotia	Ave		
Ocala, Pi	34470	-		
Annual Reporting Period:	2	944 8 TO	march	20
Based on each term or condition of the Title V	V general air permit, my f	acility has remai	ned in compliance wi	th DEP Rule
62-213.300, Florida Administrative Code (F.A	A.C.), during the period c	overed by this st	atement. YES	□NO
If NO, complete the following:				
#1. Term or condition of the general permit the	hat has not been in contin	uous compliance	during the reporting	period stated above:
	<u> </u>			·
Exact period of non-compliance: from		t	0	
Action(s) taken to achieve compliance:				
Method used to demonstrate compliance:		· · · · · · · · · · · · · · · · · · ·	<del> </del>	
#2. Term or condition of the general permit the	hat has not been in contin	uous compliance	during the reporting	period stated above:
Exact period of non-compliance: from		to	·	
Action(s) taken to achieve compliance:				<u> </u>
Method used to demonstrate compliance:	<u> </u>			
As the responsible official, I hereby certify, be in this notification are true, accurate and compurchase receipts, does not exceed 2,100 gall combination facilities.  RESPONSIBLE OFFICIAL:  Nam	iplete. Further, my annuc	al consumption o	f perchloroethylene s	olvent, based upon

<sup>\*</sup>This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

# TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL COM	PLAINT/DISCOVERY RE-INSPECTION
TIME IN: 11:30 gm TIME OUT: 12:00	2 pm AIRS ID#: 0830110
TYPE OF FACILITY: Dry Clean	
FACILITY NAME: Gator of Lower Cleaner	
FACILITY LOCATION: 3055, Magnulia AV	2
RESPONSIBLE OFFICIAL: Shirly McQuade	PHONE NUMBER: 352-622- 4878
Based on the results of the compliance requirements evaluated compliance with DEP Rule 62-213.300, Florida Administra	
Based on the results of the compliance requirements evaluated discrepancies were noted:	
COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
·	
·	
· .	
In Compliance	
The Annual Compliance Certification form has been properly certif	ied and submitted to the inspector.
DATE OF NEXT INSPECTION: 3 - 200	)
INSPECTION CONDUCTED BY: Kandall	ease Print)
INSPECTOR'S SIGNATURE:	PHONE NUMBER: 407-893-3333
Page	of Revised 10/96



### THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

412183 DEC24201

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

# **TOTAL AMOUNT DUE: \$50.00**

#### Do NOT Remove Label

AIRS ID # 0830110
GATORS ONE HOUR CLEANERS
SHIRLEY MCQUAIG
305 S MAGNOLIA
OCALA FL
34470

FOR GOVERNMENT USE ONLY Org.: 37550101000 EO: A1

Fund: 20-2-035001

Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING.

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

# **TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

AIRS ID # 0830110

GATORS ONE HOUR CLEANERS SHIRLEY MCQUAIG 305 S MAGNOLIA OCALA FL 34470

FOR GOVERNMENT USE ONLY TO Org.: 37550101000 &O: B1 Fund: 20-2-035001

Obj.: 002273

#### THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS D#on your check or money order. This number can be found below on your mailing label.  $\begin{array}{c} RECERONA\\ RAIL \\ ROONA \end{array}$ 

JAN 2 TOTAL AMOUNT DUE: \$50.00

#### Do NOT Remove Label

AIRS ID# 0830110 GATORS ONE HOUR CLEANERS CHRISTINA POPOVICH 305 S MAGNOLIA OCALA FL 34470 FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1

Fund: 20-2-035001 Obj.: 002273 GATOR'S ONE HOUR CLEANERS, INC. D/B/A GATOR'S ONE HOUR CLEANERS

017776

Vendor ID: DEPARTMENT

Vendor name: DEPARTMENT OF

Invoice No.	Inv Date	Inv Amt	Amt Paid	Disc Taken	Cred Taken	Net Amt
	========		=========	========	=========	*========
120199	12/09/99	50.00	50.00	0.00	0.00	50.00

Net Check Amount 50.00



ĺ	GATOR'S, INCORPORATED		OCALA, FLORID	A 34482	21813		
į		Invoice #	Туре	Date	Description	Total Amount	Discount
[	Ą	1997 1997*			Annual operation fee Annual operation fee	\$50.00 \$50.00	\$0.00 \$0.00



Remittance for:

Totals:

\$100.00

\$0.00

DEPT OF ENVIRONMENTAL PROTECT.

Date: 01/22/97

Check Amount:

\$100.00

# THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING 401033

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00** 

Do NOT Remove Label

AIRS ID # 0830110 GATORS ONE HOUR CLEANERS SHIRLEY MCQUAIG 305 S MAGNOLIA OCALA FL 34470

FOR GOVERNMENT USE ON Org.: 37550101000 EO: AOD Fund: 20-2-035001

# GATOR'S ONE HOUR CLEANERS, INC. D/B/A GATOR'S ONE HOUR CLEANERS


019466

Vendor ID: EPA


Vendor name: Florida Department of

Invoice No.	Inv Date	Inv Amt	Amt Paid	Disc Taken	Cred Taken	Net Amt
	=======	========	========	=======	========	========
0830110	12/21/00	50.00	50.00	0.00	0.00	50.00
				Net C	neck Amount	50.00





TITLE V - General Permit Receipts Post Office Box 3070 Tallahassee, FL 32315-3070



TITLE V - General Permit Receipts Post Office Box 3070 Tallahassee, FL 32315-3070

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul> <li>Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.</li> <li>Print your name and address on the reverse so that we can return the card to you.</li> <li>Attach this card to the back of the mailpiece, or on the front if space permits.</li> <li>Article Addressed to:</li> </ul>	A. Received by (Please Print Clearly) B. Date of I
10 AIRS ID # 0830110001AG SHIRLEY MCQUAIG GATORS ONE HOUR CLEANERS 305 S MAGNOLIA OCALA FL 34470	3. Service Type  Certified Mail
	4. Restricted Delivery? (Extra Fee)

,

	U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)					
2775	A Secretary Company					
'n						
30	Postage	\$				
그	Certified Fee		Postmark			
님	Return Receipt Fee (Endorsement Required)		Here			
0026	Restricted Delivery Fee (Endorsement Required)					
므	Total Doctage & Food	l œ				
0090	Rt 10	AIRS ID # 0830110	0001AG			
· .	SHIRLEY MC					
吕	UKI OKS ONE	S				
7000	OCALA FL 344					
	PŠ		for Instructions			

,