



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

January 27, 1997

Mr. Jim Ward
Vice President
Classic Cleaners of Ocala
2641 Southwest College Road
Ocala, Florida 34474

Re: Facility I.D. No. 0830121

Dear Mr. Ward:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on January 2, 1997.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources, MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,


Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

DD/jw

cc: Mr. Louis Nichols, Central District

"Protect, Conserve and Manage Florida's Environment and Natural Resources"



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

January 27, 1997

Mr. Jim Ward
Vice President
Classic Cleaners of Ocala
2641 Southwest College Road
Ocala, Florida 34474

SOLD
FEB 4, 1997

ANTA KERR, PRES.
QUOSA INC -
D/B/A CLASSIC CLEANERS OF Ocala

Re: Facility I.D. No. 0830121

Dear Mr. Ward:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on January 2, 1997.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources, MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.


Sincerely,


Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

DD/jw

cc: Mr. Louis Nichols, Central District

"Protect, Conserve and Manage Florida's Environment and Natural Resources"



BEST AVAILABLE COPY

Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

January 27, 1997

Mr. Jim Ward
Vice President
Classic Cleaners of Ocala
2641 Southwest College Road
Ocala, Florida 34474

SOLD
FEB 4, 1997

ANITA KERR, PRES.
QUOSA INC -
D/B/A CLASSIC CLEANERS OF Ocala

Re: Facility I.D. No. 0830121

Dear Mr. Ward:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on January 2, 1997.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources, MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,


Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

DD/jw

cc: Mr. Louis Nichols, Central District

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

#0830121

Classic Cleaners of Ocala

p.14 1.(a) if no controls, dates
should be on line (3); if
controls, add date(s) control
device(s) installed
3. should be new large area
source

p.15 4. should be new large area
source w/ refrig. con.
5.(d) not required, mark out
"X" and initial

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

Bureau of Waste Cleanup
Bureau of Waste Cleanup
DEC 31 1996
Hazardous Waste
Cleanup Section

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):
CLASSIC CLEANERS OF OCALA, INC.

2. Site Name (For example, plant name or number):
CLASSIC CLEANERS OF OCALA

3. Hazardous Waste Generator Identification Number:

4. Facility Location:
Street Address: 2641 SW COLLEGE ROAD
City: OCALA County: MARION Zip Code: 34474

5. Facility Identification Number (DEP Use):
0830121

Responsible Official

6. Name and Title of Responsible Official:
JIM WARD - VICE PRESIDENT

7. Responsible Official Mailing Address:
Organization/Firm: CLASSIC CLEANERS OF OCALA
Street Address: 2641 SW COLLEGE ROAD
City: OCALA County: MARION Zip Code: 34474

8. Responsible Official Telephone Number:
Telephone: () - 352 237 - 1715 Fax: () -

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):

10. Facility Contact Address:
Street Address:
City: County: Zip Code:

11. Facility Contact Telephone Number:
Telephone: () - Fax: () -

RECEIVED

JAN 2 1997

RECEIVED

JAN 02 1997

Facility Information

10 Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>									
	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
Dry-to-Dry Unit									
(1) w/ ref. condenser	1	08 DEC 91		2	01 AUG 94				
(2) w/ carbon adsorber									
(3) w/ no controls									
Washer Unit									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?
 gallons

(b) If less than 12 months, how many? months
 Check why it is less than 12 months: New owner: New store: Did not keep records:

3) What is the facility's source classification based on the definitions found in section (3) of Part II?
 (Indicate with an "X". Select one classification only.)

New large p.c.

Existing small area source

New small area source

Existing large area source

New large area source

4) What control technology is required on machines pursuant to section (5) of Part II of this notification form?
(Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.

All steam and hot water generating units exempt
No such units on-site

Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Instrument calibration
- (f) Start-up, shutdown, malfunction plan

Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:


I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) _____.

No air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.


Signature

10/7/96
Date

X

✓

PERCHLOROETHYLENE DRY CLEANERS
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION

AIRS ID#: 0830121 DATE: 1/28/97 TIME IN: 11:15 TIME OUT: 11:45
FACILITY NAME: CLASSIC CLEANERS OF OCALA
FACILITY LOCATION: 2641 SW COLLEGE RD
OCALA, FL 34474

PART I: NOTIFICATION

(check appropriate box)

- 1. Existing facility notified DARM by 9/1/96
- 2. New facility notified DARM 30 days prior to startup 1/2/97
- 3. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
(check appropriate box)

- A.
- 1. Existing small area source
dry-to-dry only, $x < 140$ gal/yr
transfer only, $x < 200$ gal/yr
both types, $x < 140$ gal/yr
(constructed before 12/9/91)
 - 2. New small area source
dry-to-dry only, $x < 140$ gal/yr
transfer only, $x < 200$ gal/yr
both types, $x < 140$ gal/yr
(constructed on or after 12/9/91)
 - 3. Existing large area source
dry-to-dry only, $140 < x < 2,100$ gal/yr
transfer only, $200 < x < 1,800$ gal/yr
both types, $140 < x < 1,800$ gal/yr
(constructed before 12/9/91)
 - 4. New large area source
dry-to-dry only, $140 < x < 2,100$ gal/yr
transfer only, $200 < x < 1,800$ gal/yr
both types, $140 < x < 1,800$ gal/yr
(constructed on or after 12/9/91)

This is a correct facility classification Y N

If no, please check the appropriate classification:

NEW LARGE AREA SOURCE

- facility qualified for a general permit as number _____ above
- facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 215 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

1. Storing perchloroethylene in tightly sealed and impervious containers? Y N
IN MACHINE AS NEEDED
2. Examining the containers for leakage? Y N
3. Closing and securing machine doors except during loading/unloading? Y N
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N N/A

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

1. Equipped all machines with the appropriate vent controls? Y N
2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N N/A
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N N/A
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis? Y N
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
- EXPLAINED REQUIREMENTS*
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N
- Is the temperature differential equal to or greater than 20° F? Y N
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
- Is the perc concentration equal to or less than 100 ppm? Y N
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N
4. Maintained calibration data? (for direct reading instruments only) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N
- Problem corrected? Y N
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly leak detection and repair inspection? Y N

2. Which method of detection is used by the responsible official?

Visual examination (condensed solvent on exterior surfaces) Y N

Physical detection (airflow felt through gaskets) Y N

Odor (noticeable perc odor) Y N

Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Y N

If using direct-reading instrumentation, is the equipment:

a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N

b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N

c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N

d. Kept in a clean and secure area when not in use? Y N

e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

3. Has the facility maintained a leak log? Y N

4. Does the responsible official check the following areas for leaks?

Hose connections, fittings, couplings, and valves	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Muck cookers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Door gaskets and seating	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Stills	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Filter gaskets and seating	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Exhaust dampers	<input type="checkbox"/> Y <input type="checkbox"/> N
Pumps	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Diverter valves	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Solvent tanks and containers	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Cartridge filter housings	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Water separators	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N		

Jim Ward

Name of Responsible Official

Louis A. Nichols

Inspector's Name (Please Print)

Louis A. Nichols

Inspector's Signature

1/28/97

Date of Inspection

Approximate Date of Next Inspection

(NO-CARD)

ADDITIONAL SITE INFORMATION:

- PAN ON ORDER FOR SECOND MACHINE PLUS SECONDARY CONTAINMENT - INSTALL 1ST WK OF FEB 97
 - EPOXY WILL BE PUT AROUND SPOTTING BOARD AFTER REVISED LAYOUT BY NEW OWNER,
 - #1 SUPREMA 850 SUPER - NO PAN 35 LB MACH
 - #2 SUPREMA 750 S2 25 LB MACH HAS PAN
SECONDARY CARBON
- MCF PICKS UP WASTE INCL. SEPARATOR WATER,

Classic Cleaners of Ocala

Bureau of Waste Cleanup
Bureau of Waste Cleanup
DEC 31 1996
Hazardous Waste
Telephone Section
Cleanup Branch

1.	p.14 1.(a) if no controls, dates should be on line (3), if controls, add date(s) control device(s) installed	
2.		
3.	3. should be new large area source	
4.	p.15 4. should be new large area source w/ refrig. con.	
5.	5.(d) not required, mark out "X" and initial	4474

6. N	Corrections made 1/28/97	
7. R O S C	L. Michel	34474
8. R T		

9. Name and Title of Facility Contact (For example, plant manager):

10. Facility Contact Address:
 Street Address:
 City: County: Zip Code:

11. Facility Contact Telephone Number:
 Telephone: () - Fax: () -

RECEIVED

JAN 2 1997

RECEIVED

JAN 02 1997

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	CLASSIC CLEANERS OF OCALA, INC.		
2. Site Name (For example, plant name or number):	CLASSIC CLEANERS OF OCALA		
3. Hazardous Waste Generator Identification Number:			
4. Facility Location:			
Street Address:	2641 SW COLLEGE ROAD	County:	MARION
City:	OCALA	Zip Code:	34474
5. Facility Identification Number (DEP Use):	0830121		

Bureau of Waste Cleanup
Bureau of Waste Cleanup
DEC 31 1996
Hazardous Waste
Cleanup Section

Responsible Official

6. Name and Title of Responsible Official:	JIM WARD - VICE PRESIDENT		
7. Responsible Official Mailing Address:			
Organization/Firm:	CLASSIC CLEANERS OF OCALA	County:	MARION
Street Address:	2641 SW COLLEGE ROAD	Zip Code:	34474
City:	OCALA		
8. Responsible Official Telephone Number:			
Telephone:	() - 352 237 - 1715	Fax:	() -

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):			
10. Facility Contact Address:			
Street Address:		County:	
City:		Zip Code:	
11. Facility Contact Telephone Number:			
Telephone:	() -	Fax:	() -

RECEIVED

JAN 2 1997

RECEIVED

JAN 02 1997

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>									
	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
Dry-to-Dry Unit									
(1) w/ ref. condenser	1	08 DEC 91	08 DEC 91	2	01 AUG 94	01 AUG 94			
(2) w/ carbon adsorber									
(3) w/ no controls									
Washer Unit									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit									
(10) w/ ref. condenser									
(11) w/ carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed JW 1/28/97

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?
 gallons

(b) If less than 12 months, how many? months
 Check why it is less than 12 months: New owner: New store: Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?
 (Indicate with an "X". Select one classification only.)

Existing small area source New small area source

Existing large area source New large area source JW 1/28/97

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?
(Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

gm, 1/28/97

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.

All steam and hot water generating units exempt

No such units on-site

Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

(a) Purchase receipts and solvent purchases

(b) Leak detection inspection and repair

(c) Refrigerated condenser temperature monitoring

(d) Carbon adsorber exhaust perc concentration monitoring

gm, 1/28/97

(e) Instrument calibration

(f) Start-up, shutdown, malfunction plan

Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) _____

No air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

Jim Ward

Signature *Jim Ward*

10/7/96

Date *11/20/97*

**U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)**

7000 0520 0020 9372 5264

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	

Receipt
Postmark
Here

Total Postage 10 AIRS ID # 0830121001AG

Recipient: JIM WARD
CLASSIC CLEANERS OF OCALA
Street, Apt 2641 SW COLLEGE ROAD
City, State, Ocala FL 34474

PS Form 3800, February 2000 See Reverse for Instructions

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT OF RETURN ADDRESS	
<p>SENDER: COMPLETE THIS SECTION</p> <ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. <p>1. Article Addressed to:</p> <p>0 AIRS ID # 0830121001AG JIM WARD CLASSIC CLEANERS OF OCALA 2641 SW COLLEGE ROAD OCALA FL 34474</p> <p><i>70000520002093725264</i></p> <p>2. Article Number (Copy from service label)</p>	<p>COMPLETE THIS SECTION ON DELIVERY</p> <p>A. Received by (Please Print Clearly) B. Date of Delivery</p> <p>C. Signature <i>Jana O Shea</i> <input type="checkbox"/> Agent <i>[Signature]</i> <input type="checkbox"/> Addressee</p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p> <p>3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>
<p>PS Form 3811, July 1999 Domestic Return Receipt 102595-00-M-0952</p>	